

episode 6 :

```
const[btnNameReact, setBtnNameReact]=useState("Logout")
```

Here useState is giving us this "btnNameReact" name variable
but this "setBtnNameReact" -the 2nd parameter will
give you a function to update the variable.

topics taught:

Monolith & Microservice Architecture , CORS chrome ext. , usestate,
useeffect, shimmer , login/logout button , search bar , search filter
filter : top rated res, one word search irrespective of upper/lowercase

topics to learn from JS :

Async, Await , Promises , onClick event handler

episode 7:

Routing configuration - CBR

this will provide the routing configuration to our app - Router

Provider--(@25:26min)

useRouter error - hook by rrd (@38.20min)

Children routing - header will stay still(@44:15)

outlet is like a tunnel - all the children go inside it and then come out.

instead of the outlet

if u go to about us page outlet will be replace by about us ,

header will stay still.

```
</header>
```

```
</outlet>
```

<a> never use anchor tag<a> as it reloads the whole page

use <Link> tag for routing in react it does not reload

entire page - we get link tag from RRD @56.50

topics taught:

Routing , dive deep into hooks ,

```
useEffect(()=>{callbk fn}, [dependency array]);
```

/if there is no dependency array useEffect is called on every render.

/if there is empty dependency array useEffect is called on only initial render

always create useState variable inside the component

it is used too create specific purpose inside your local state component

never create your state variable inside the if else..., for loop , or any
function

instead always keep it at the

top of your component - it will create inconsistency

this is the best practice

*Routing, Create browser Router , Router Provider ,

Error on Error page, Error Element , Hook - useRouter

outlet , link (in Single page application react will not reload your website)

*Dynamic Routing

episode 8: Lets get classy - Ommited
life cycle of API component

episode 9:
Custom Hook
Single responsibility function : your code becomes more
REusable , maintainable ,testable

What are Hooks? They are nothing but normal helper functions
Part 2: Create custom hook create fetching data logic in that custom hook

Part 3: A Hook for Online - Offline feature
can be used in chat apps
How to create a custom hook?
Finalize the contract of hook
What should be the input and what should be a output

Part 4: is it mandatory to use the word "use" while making custom hook?

Part 5:
Part 6:
Bundler reveson @ 1:00:00...
Lazy Loading @1:17:20
Suspense @1:25:00

episode 10:
Read About 1)SCSS ,
2)Sass ,
3)Styled Components ,
4)Material UI , ANT design , Bootstrap - these are CSS libraries and frameworks

Part 2:
5)Tailwind CSS:
postcssrc @20:45
Step-by-step process to install tailwind in app:
1.open website tailwindcss.com - go to "Framework Guides" & select parcel.

2.copy & paste "Install Tailwind CSS" & run in terminal
then run "npx tailwindcss init" this will create a "tailwind.config.js" file
now we've got configuration for tailwind

3.now your parcel is used to understand tailwind
postcss is used to understand tailwind
create a new file in root src .postcssrc as commanded from website
copy & paste somecode like

```
{  
  "plugins": [  
    "@tailwindcss/postcss": {}  
  ]  
}
```

now we've got configuration for postcss

4. now write this file "content: ["/src/**/*.{html,js,ts,jsx,tsx}"],"

5 import tailwind to index.css file

copy paste from website what to write in .css file

Part 3: Now the css is completely broken and I have to made a good css ith tailwind

episode 11:

-Higher Order Components: are used to enhance the UI not to modify the components

Part 2: Controlled and Uncontrolled Components:

Lifting the state up

@1:35 React dev tool very helpful in debugging

Part 4: @2:08.08 Prop drilling

Our data is present somewhere and we want to access it somewhee else

@2:17 logged in user info

@2:20 user context

@3:30 what is diff betwn redux and react context?

redux is a state management library it comes from outside the box

When we use redux we dont need react context

episode 12:

Part 1: @01:20 Redux is not a mandetory thing

Redux n react are not the same thing ,we install different library for redux for state managemant

Redux helps our application easier to debug same as some react dev tools

same as reduct there is a popular library cleed "Zustand

Part 2: why redux was complicated

Part 3: redux architecture diagram

Part 4:

carslice code nicely explained 1:04:03

appstore.js coding explained 1:10:15

Using selector to subscribe to our store 1:13 - look in header.js

how to dispatch action on clicking add button itemlist 1:21:02 itemlist = restaurantMenu

Part 5: 1:50

whenever u r using selector make sure u r subscribing to the right portion of the store

why is it called selector? because yyou are selection one specific portion of the store

part 6: 1:55

usage of multiple reducers vs why we export single reducer explained in @1.57,in slice

Part 7: @1:58:49