## Assignment No. 3

**Assignment Title**: SQL Queries all types of Join, Sub-Query and View:

## **Queries:**

mysql> CREATE DATABASE TE\_B\_15;

```
ERROR 1007 (HY000): Can't create database 'TE B 15'; database exists
mysql> USE TE B 15;
Reading table information for completion of table and column names
You can turn off this feature to get a quicker startup with -A
Database changed
mysql> SHOW TABLES;
+----+
| Tables_in_TE_B_15 |
+----+
| Dependant |
| Dept
| Employees |
| Project
| Works
branch
customer
loan
stud1
student
10 rows in set (0.00 sec)
mysql> SELECT * FROM Employee;
ERROR 1146 (42S02): Table 'TE_B_15.Employee' doesn't exist
mysql> SELECT * FROM Employees;
+-----+
| name | empid | address | city | dob | date_of_joining | gender | salary | deptno |
| Shraddha | 101 | Panchavati | Nashik | 2001-01-13 | 17/01/2021 | F | 30000 | 1 |
| Saish | 102 | Borivali | Mumbai | 1999-03-11 | 24/07/2021 | M | 40000 |
| Shreya | 103 | Bandra | Mumbai | 2002-09-01 | 2023-01-15 | F | 66000 |
+-----+
3 rows in set (0.04 sec)
mysql> select * from Dept;
+----+
| Deptno | Name | Location | Managerempid |
+----+
```

```
1 | Development | Building 1 |
                              111 |
   2 | Testing | Building 1 |
                           112 |
   3 | Planning | Building 2 |
                           113 |
   4 | Planning | Building 2 |
                           114 |
+----+
4 rows in set (0.01 sec)
mysql> select * from Project;
+----+
| Projectid | title
               | city |
+----+
   211 | Banking Project | Nashik |
   212 | ERP System | Mumbai |
   213 | Testing Project | Nashik |
+----+
3 rows in set (0.02 sec)
mysql> select * from Works;
Empty set (0.04 sec)
mysgl> select * from Dependant;
Empty set (0.03 sec)
mysql> desc Works;
+----+
          | Type | Null | Key | Default | Extra |
+----+
| empid
         | int(5) | YES | MUL | NULL | |
| Projectid | int(5) | YES | NULL | |
| total hrs worked | int(3) | YES | NULL |
+----+
3 rows in set (0.01 sec)
mysql> insert into Works (101, 211, 5);
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
corresponds to your MySQL server version for the right syntax to use near '101, 211, 5)' at
line 1
mysql> insert into Works values (101, 211, 5);
Query OK, 1 row affected (0.05 sec)
mysql> insert into Works values (102, 212, 6);
Query OK, 1 row affected (0.05 sec)
mysql> desc Dependant;
+-----+
       | Type | Null | Key | Default | Extra |
+-----+
          | int(5) | YES | MUL | NULL | |
| empid
```

```
| name_of_dependent | varchar(10) | YES | NULL |
         |int(2) | YES | | NULL | |
age
        | varchar(20) | YES | | NULL | |
| relation
4 rows in set (0.00 sec)
mysql> insert into Dependant values (101, 'Sarika', 40, 'Mother');
Query OK, 1 row affected (0.03 sec)
mysql> insert into Dependant values (102, 'Rajesh', 44, 'Father');
Query OK, 1 row affected (0.04 sec)
mysql> desc Employees;
+-----+
      | Type | Null | Key | Default | Extra |
+-----+
name
         | empid
         address
        | varchar(20) | YES | | NULL | |
| city
        | varchar(20) | YES | | NULL | |
        | varchar(25) | YES | NULL |
| dob
| date_of_joining | varchar(25) | YES | NULL | |
gender
        |varchar(1) |YES | |NULL |
salary
         |int(6) | YES | | NULL |
        | int(5) | YES | MUL | NULL |
| deptno
+-----+
9 rows in set (0.00 sec)
mysql> desc Works;
+----+
         | Type | Null | Key | Default | Extra |
l Field
+-----+
| empid
          | int(5) | YES | MUL | NULL | |
| Projectid | int(5) | YES | NULL | |
| total_hrs_worked | int(3) | YES | NULL |
+----+
3 rows in set (0.00 sec)
mysgl> Alter table Works add constraint Foreign Key (Projectid) references
Project(Projectid);
Query OK, 2 rows affected (0.76 sec)
Records: 2 Duplicates: 0 Warnings: 0
mysql> desc Dependant;
       | Type | Null | Key | Default | Extra |
+-----+
          | int(5) | YES | MUL | NULL | |
| empid
```

```
| name_of_dependant | varchar(10) | YES | NULL | |
| age | int(2) | YES | NULL | |
         | varchar(20) | YES | | NULL | |
l relation
+-----+
4 rows in set (0.00 sec)
mysql> update Employees set date of joining = '2021-01-17' where empid=101;
Query OK, 1 row affected (0.06 sec)
Rows matched: 1 Changed: 1 Warnings: 0
mysql> update Employees set date_of_joining = '2021-07-24' where empid=102;
Query OK, 1 row affected (0.02 sec)
Rows matched: 1 Changed: 1 Warnings: 0
mysql>
mysql> select * from Dept;
+----+
| Deptno | Name | Location | Managerempid |
+----+
   1 | Development | Building 1 | 111 |
   2 | Testing | Building 1 | 112 |
| 3 | Planning | Building 2 | 113 |
| 4 | Planning | Building 2 | 114 |
+----+
4 rows in set (0.00 sec)
mysql> SELECT * FROM Employees;
+-----+
| name | empid | address | city | dob | date_of_joining | gender | salary | deptno |
+-----+
| Shraddha | 101 | Panchavati | Nashik | 2001-01-13 | 2021-01-17 | F | 30000 | 1 |
| Saish | 102 | Borivali | Mumbai | 1999-03-11 | 2021-07-24 | M | 40000 |
| Shreya | 103 | Bandra | Mumbai | 2002-09-01 | 2023-01-15 | F | 66000 |
+-----+
3 rows in set (0.00 sec)
mysql> SELECT e.ename, e.dob
 -> FROM Employees e
 -> JOIN Dept d ON e.Deptno=d.Deptno
 -> WHERE MONTH(e.dob)=01 AND d.Name='Development';
ERROR 1054 (42S22): Unknown column 'e.ename' in 'field list'
mysql> SELECT e.Name, e.dob FROM Employees e JOIN Dept d ON e.Deptno=d.Deptno
WHERE MONTH(e.dob)=01 AND d.Name='Development';
+----+
| Name | dob
+----+
| Shraddha | 2001-01-13 |
+----+
```

```
1 row in set (0.00 sec)
mysql> select * from Project;
+----+
| Projectid | title | city |
+----+
   211 | Banking Project | Nashik |
    212 | ERP System | Mumbai |
    213 | Testing Project | Nashik |
+----+
3 rows in set (0.00 sec)
mysql> SELECT e.Name
  -> FROM Employees e
  -> JOIN Works w
  -> ON e.empid = w.empid
  -> JOIN Project p
  -> ON w.Projectid=p.Projectid
  -> WHERE P.title='ERP System';
ERROR 1054 (42S22): Unknown column 'P.title' in 'where clause'
mysql> SELECT e.Name
  -> FROM Employees e
  -> ON e.empid = w.empid
  ->:
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
corresponds to your MySQL server version for the right syntax to use near 'ON e.empid =
w.empid' at line 3
mysql> SELECT e.Name
  -> FROM Employees e
  -> JOIN Works w
  -> ON e.empid = w.empid
  -> JOIN Project p
  -> ON w.Projectid=p.Projectid
  -> WHERE p.title='ERP System';
| Name |
+----+
| Saish |
+----+
1 row in set (0.00 sec)
mysql> ^C
mysql> SELECT e.Name, e.city
  -> FROM Employees e
  -> JOIN Works w ON e.empid = w.empid
```

-> JOIN Project p ON w.Projectid = p.Projectid

```
-> WHERE p.title='Banking Project';
+----+
| Name | city |
+----+
| Shraddha | Nashik |
+----+
1 row in set (0.00 sec)
mysql> SELECT SUM(w.total_hrs_worked) AS Total_Hrs
  -> FROM Works w
  -> JOIN Project p ON w.Projectid = p.Projectid
  -> WHERE P.title = 'Banking Project';
ERROR 1054 (42S22): Unknown column 'P.title' in 'where clause'
mysql> SELECT SUM(w.total_hrs_worked) AS Total_Hrs FROM Works w JOIN Project p
ON w.Projectid = p.Projectid WHERE p.title = 'Banking Project';
+----+
| Total_Hrs |
+----+
    5|
+----+
1 row in set (0.00 sec)
mysql> SELECT e.Name
  -> FROM Employees e
  -> JOIN Works w ON e.empid = w.empid
  -> JOIN Project p ON w.Projectid = p.Projectid
  -> WHERE e.city = p.city;
+----+
| Name |
+----+
| Shraddha |
| Saish |
+----+
2 rows in set (0.00 sec)
mysql> SELECT e.Name
  -> FROM Employees e
  -> JOIN Dept d ON e.Deptno=d.Deptno
  -> JOIN Employees manager ON d.Managerempid=manager.empid
  -> WHERE e.city=manager.city AND e.address=manager.address;
Empty set (0.01 sec)
mysql> SELECT e.Name
  -> FROM Employees e
  -> LEFT JOIN Works w ON e.empid=w.empid AND w.Projectid=(SELECT Projectid FROM
Project WHERE title='Banking Project')
  -> WHERE w.Projectid IS NULL;
```

+----+

```
| Name |
+----+
|Saish |
| Shreya |
+----+
2 rows in set (0.00 sec)
mysql> SELECT d.Name AS DeptName, AVG(e.salary) AS AvgSalary
  -> FROM Dept d
 -> JOIN Employees e ON d.Deptno
  -> GROUP BY d.Name;
+----+
| DeptName | AvgSalary |
+----+
| Development | 45333.3333 |
| Planning | 45333.3333 |
| Testing | 45333.3333 |
3 rows in set (0.00 sec)
mysgl> SELECT e1.Name
 -> FROM Employees e1
  -> WHERE e1.salary > ALL(SELECT e2.salary FROM Employees e2 WHERE e2.Deptno
= (SELECT Deptno FROM Dept WHERE Name ='Testing'));
+----+
|Name |
+----+
| Shreya |
+----+
1 row in set (0.00 sec)
mysql> SELECT e.Name
 -> FROM Employees e
  -> JOIN Dept d ON e.deptno=d.Deptno
  -> WHERE e.salary>(SELECT AVG(salary) FROM Employees WHERE deptno =
d.Deptno);
Empty set (0.00 sec)
mysql> SELECT d.Name AS DeptName, COUNT(e.empid) AS EmpCount
  -> FROM Dept d
  -> JOIN Employees e ON d.Deptno = e.deptno
  -> GROUP BY d.Name ORDER BY EmpCount DESC
  -> LIMIT 1;
+----+
| DeptName | EmpCount |
+----+
|Testing | 1 |
+----+
```

```
1 row in set (0.00 sec)
mysql> SELECT d.Name AS DeptName, SUM(e.salary) AS TotalSalary
  -> FROM Dept d
  -> JOIN Employees e ON d.Deptno = e.deptno
  -> GROUP BY d.Name ORDER BY TotalSalary ASC LIMIT 1;
+----+
| DeptName | TotalSalary |
+----+
| Development | 30000 |
+----+
1 row in set (0.00 sec)
mysql> SELECT p.title AS ProjectTitle, Group_Count(e.Name)
  -> ;
ERROR 1109 (42S02): Unknown table 'p' in field list
mysql> SELECT p.title AS ProjectTitle, Group_Count(e.Name) AS Employees
  -> FROM Project p
  -> LEFT JOIN Works w ON p.Projectid = w.Projectid
  -> LEFT JOIN Employees e ON w.empid = e.empid
  -> GROUP BY p.title;
ERROR 1305 (42000): FUNCTION TE B 15. Group Count does not exist
mysql> SELECT p.title AS ProjectTitle, Group_Concat(e.Name) AS Employees FROM
Project p LEFT JOIN Works w ON p.Projectid = w.Projectid LEFT JOIN
Employees e ON w.empid = e.empid GROUP BY p.title;
+----+
| ProjectTitle | Employees |
+----+
| Banking Project | Shraddha |
| ERP System
            | Saish
| Testing Project | NULL
+----+
3 rows in set (0.00 sec)
mysql> SELECT e.Name
 -> FROM Employees e
 -> LEFT JOIN Works w ON e.empid = w.empid
  -> WHERE w.empid IS NULL;
+----+
|Name |
+----+
| Shreya |
+----+
1 row in set (0.00 sec)
mysql> SELECT * FROM Works;
+----+
```

| empid | Projectid | total hrs worked |

```
+-----+
| 101 | 211 | 5 |
| 102 | 212 | 6 |
+-----+
2 rows in set (0.00 sec)
```

mysql> SELECT e.Name AS EmpName, 'No Project' AS Project

- -> FROM Employees e
- -> LEFT JOIN Works w ON e.empid=w.empid
- -> WHERE w.empid IS NULL
- -> UNION ALL SELECT 'No Employee' AS Employee, p.title AS Project FROM Project p
- -> LEFT JOIN Works w ON p.Projectid = w.Projectid WHERE w.Projectid IS NULL;

```
+----+
| EmpName | Project
+----+
| Shreya | No Project
| No Employee | Testing Project |
2 rows in set (0.00 sec)
mysql> SELECT e.Name
 -> FROM Employees e
  -> JOIN Dept d ON e.deptno = d.Deptno
  -> WHERE d.Location ='Building 1';
+----+
| Name |
+----+
| Shraddha |
|Saish |
+----+
2 rows in set (0.00 sec)
```

## mysql> SELECT e.Name

- -> FROM Employees e
- -> JOIN Works w ON e.empid=w.empid
- -> JOIN Project p ON w.Projectid = P.Projectid
- -> JOIN Dept d ON e.deptno =d.Deptno
- -> WHERE d.Name='Development'
- -> GROUP BY e.empid HAVING COUNT(w.Projectid) >2;

ERROR 1054 (42S22): Unknown column 'P.Projectid' in 'on clause' mysql> SELECT e.Name FROM Employees e JOIN Works w ON e.empid=w.empid JOIN Project p ON w.Projectid = p.Projectid JOIN Dept d ON e.deptno =d.Deptno WHERE d.Name='Development' GROUP BY e.empid HAVING COUNT(w.Projectid) >2; Empty set (0.00 sec)

## mysql> SELECT e.Name

- -> FROM Employees e
- -> JOIN Dept d ON e.deptno=d.Deptno

```
-> WHERE d.Name='Testing' ORDER BY e.date_of_joining ASC
\ ->LIMIT 1:
+----+
| Name |
+----+
| Saish |
+----+
1 row in set (0.00 sec)
mysql> CREATE VIEW Emp in Pune AS
  -> SELECT p.title AS ProjectTitle, COUNT(e.empid) AS ECount
  -> FROM Project p
  -> JOIN Works w ON p.Projectid = w.Projectid
  -> JOIN Employees e ON w.empid=e.empid WHERE p.city='Pune'
  -> GROUP BY p.title;
Query OK, 0 rows affected (0.04 sec)
mysql> select * from Emp_in_Pune;
Empty set (0.00 sec)
mysgl> update Employees set city='Pune' where empid=103;
Query OK, 1 row affected (0.04 sec)
Rows matched: 1 Changed: 1 Warnings: 0
mysql> update Employees set city='Pune' where empid=101;
Query OK, 1 row affected (0.04 sec)
Rows matched: 1 Changed: 1 Warnings: 0
mysql> update Project set city='Pune' where Projectid =211;
Query OK, 1 row affected (0.04 sec)
Rows matched: 1 Changed: 1 Warnings: 0
mysql> drop view Emp in Pune;
Query OK, 0 rows affected (0.00 sec)
mysgl> CREATE VIEW Emp in Pune AS SELECT p.title AS ProjectTitle, COUNT(e.empid)
AS ECount FROM Project p JOIN Works w ON p.Projectid = w.Projectid JOIN Employees e
ON w.empid=e.empid WHERE p.city='Pune' GROUP BY p.title;
Query OK, 0 rows affected (0.02 sec)
mysql> select * from Emp_in_Pune;
+----+
| ProjectTitle | ECount |
+----+
| Banking Project | 1 |
+----+
1 row in set (0.00 sec)
```

mysql> SELECT SUM(EmpCount \* 1000) AS Total\_Travelling\_Allowance
-> FROM Emp\_in\_Pune;
ERROR 1054 (42S22): Unknown column 'EmpCount' in 'field list'
mysql> SELECT SUM(ECount \* 1000) AS Total\_Travelling\_Allowance FROM
Emp\_in\_Pune;
+------+
| Total\_Travelling\_Allowance |
+-----+
| 1000 |
+------+
1 row in set (0.00 sec)

mysql>