My New Paper

Anonymous Submission

Abstract. In this paper we prove that the One-Time-Pad has perfect security. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Donec odio elit, dictum in, hendrerit sit amet, egestas sed, leo. Praesent feugiat sapien aliquet odio. Integer vitae justo. Aliquam vestibulum fringilla lorem. Sed neque lectus, consectetuer at, consectetuer sed, eleifend ac, lectus. Nulla facilisi. Pellentesque eget lectus. Proin eu metus. Sed porttitor. In hac habitasse platea dictumst. Suspendisse eu lectus. Ut mi mi, lacinia sit amet, placerat et, mollis vitae, dui. Sed ante tellus, tristique ut, iaculis eu, malesuada ac, dui. Mauris nibh leo, facilisis non, adipiscing quis, ultrices a, dui.

Keywords: Something · Something else

1 Introduction

Widely used primitives like the AES [**?**] do not have perfect security, and can be analysed with linear cryptanalysis [**?**], differential cryptanalysis [**?**], or differential power analysis [**?**]. We show that the One-Time-Pad is unconditionally secure in Section 2.

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

2 Main Result

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.

References

[1] Guide to Elliptic Curve Cryptography. Springer-Verlag (2004), non-adjacent form representation

[2] Aranha, D.F., Barreto, P.S.L.M., Longa, P., Ricardini, J.E.: The realm of the pairings. In: Lange, T., Lauter, K., Lisoněk, P. (eds.) Selected Areas in Cryptography – SAC 2013. pp. 3–25. Springer Berlin Heidelberg, Berlin, Heidelberg (2014)

[3] Ben-Sasson, E., Chiesa, A., Spooner, N.: Interactive oracle proofs. Cryptology ePrint Archive, Paper 2016/116 (2016), https://eprint.iacr.org/2016/116

[4] Beuchat, J.L., Díaz, J.E.G., Mitsunari, S., Okamoto, E., Rodríguez-Henríquez, F., Teruya, T.: High-speed software implementation of the optimal ate pairing over barreto-naehrig curves. Cryptology ePrint Archive, Paper 2010/354 (2010), https://eprint.iacr.org/2010/354

[5] Boneh, D., Gorbunov, S., Wahby, R.S., Wee, H., Wood, C.A., Zhang, Z.: BLS Signatures. Internet-draft, Internet Engineering Task Force (Jun 2022), https://datatracker.ietf.org/doc/draft-irtf-cfrg-bls-signature/05/, work in Progress

[6] Consensys: gnark: A fast zk-snark library. https://github.com/Consensys/gnark

[7] Costello, C.: Pairings for beginners. Tutorial (2019), https://static1.squarespace.com/static/5fdbb09f31d71c1227082339/t/5ff394720493bd28278889c6/1609798774687/PairingsForBeginners.pdf, available at https://www.craigcostello.com.au/tutorials

[8] Demillo, R.A., Lipton, R.J.: A probabilistic remark on algebraic program testing. Information Processing Letters **7**(4), 193–195 (1978). https://doi.org/https://doi.org/10.1016/0020-0190(78)90067-4, https://www.sciencedirect.com/science/article/pii/0020019078900674

[9] El Housni, Y., Guillevic, A.: Families of snark-friendly 2-chains of elliptic curves. In: Dunkelman, O., Dziembowski, S. (eds.) Advances in Cryptology – EUROCRYPT 2022. pp. 367–396. Springer International Publishing, Cham (2022)

[10] Feltroidprime: Bijection between fp12/fp6/fp2 tower representation and direct fp12/fp extension for bn254. https://gist.github.com/feltroidprime/bd31ab8e0cbc0bf8cd952c8b8ed55bf5

[11] Feltroidprime: Faster extension field multiplications for emulated pairing circuits. https://hackmd.io/@feltroidprime/B1eyHHXNT (2023), hackMD

[12] Feltroidprime, Exploration, K.S.S.: Garaga: State-of-the-art elliptic curve tooling and snarks verification for cairo and starknet. https://github.com/keep-starknet-strange/garaga

[13] Fiat, A., Shamir, A.: How to prove yourself: Practical solutions to identification and signature problems. In: Odlyzko, A.M. (ed.) Advances in Cryptology — CRYPTO' 86. pp. 186–194. Springer Berlin Heidelberg, Berlin, Heidelberg (1987)

[14] Gabizon, A., Williamson, Z.J., Ciobotaru, O.: Plonk: Permutations over lagrange-bases for oecumenical noninteractive arguments of knowledge. https://eprint.iacr.org/2019/953 (2019), cryptology ePrint Archive, Paper 2019/953

[15] Gennaro, R., Gentry, C., Parno, B., Raykova, M.: Quadratic span programs and succinct nizks without pcps. In: Advances in Cryptology - EUROCRYPT 2013. pp. 626–645. Springer (2013), foundational QAP framework for R1CS

[16] Groth, J.: On the size of pairing-based non-interactive arguments. https://eprint.iacr.org/2016/260 (2016)

[17] Housni, Y.E.: Pairings in rank-1 constraint systems. https://eprint.iacr.org/2022/1162 (2022)

[18] Kate, A., Zaverucha, G.M., Goldberg, I.: Constant-size commitments to polynomials and their applications. In: Abe, M. (ed.) Advances in Cryptology - ASIACRYPT 2010. pp. 177–194. Springer Berlin Heidelberg, Berlin, Heidelberg (2010)

[19] Novakovic, A., Eagen, L.: On proving pairings. https://eprint.iacr.org/2024/640 (2024), cryptology ePrint Archive, Paper 2024/640

[20] Schwartz, J.T.: Fast probabilistic algorithms for verification of polynomial identities. J. ACM **27**(4), 701–717 (Oct 1980). https://doi.org/10.1145/322217.322225, https://doi.org/10.1145/322217.322225

[21] Schwartz, J.T.: Probabilistic algorithms for verification of polynomial identities. In: Ng, E.W. (ed.) Symbolic and Algebraic Computation. pp. 200–215. Springer Berlin Heidelberg, Berlin, Heidelberg (1979), https://link.springer.com/chapter/10.1007/3-540-09519-5_72

[22] Silverman, J.H.: The Arithmetic of Elliptic Curves. Graduate Texts in Mathematics, Springer, New York, NY, 2 edn. (2009). https://doi.org/10.1007/978-0-387-09494-6, https://doi.org/10.1007/978-0-387-09494-6, 14 b/w illustrations

[23] Starkware: Cairo: A turing-complete stark-friendly cpu architecture. https://www.cairo-lang.org/ (2022)

[24] Zippel, R.: Probabilistic algorithms for sparse polynomials. In: Ng, E.W. (ed.) Symbolic and Algebraic Computation. pp. 216–226. Springer Berlin Heidelberg, Berlin, Heidelberg (1979), https://link.springer.com/chapter/10.1007/3-540-09519-5_73