

Cucumber Report

03-Apr-2024, 5:00:11 pm

Start : Apr 03, 4:58:10.010 pm

End : Apr 03, 5:00:10.308 pm

Duration : 2 m 0.298 s

Features



Scenarios

Steps

PASSED - 2
FAILED - 2
SKIPPED - 0


PASSED - 11
FAILED - 2
SKIPPED - 0

PASSED - 56
FAILED - 2
SKIPPED - 18




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login functionality</u>	1 m 1.035 s	5	4	1	0	25	20	1	4
<u>Placing the order for an product</u>	5.032 s	1	0	1	0	18	3	1	14
<u>Registration functionality</u>	29.698 s	4	4	0	0	21	21	0	0
<u>Search functionality</u>	24.426 s	3	3	0	0	12	12	0	0


Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	Login functionality	5	4	1	0	1 m 1.035 s
2	Placing the order for an product	1	0	1	0	5.032 s
3	Registration functionality	4	4	0	0	29.698 s
4	Search functionality	3	3	0	0	24.426 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login functionality</u>	<u>Login with valid credentials</u>	5	5	0	0	11.860 s
2	<u>Login functionality</u>	<u>Login with invalid credentials</u>	5	5	0	0	5.052 s
3	<u>Login functionality</u>	<u>Login with valid email and invalid password</u>	5	5	0	0	5.127 s
4	<u>Login functionality</u>	<u>Login with invalid email and valid password</u>	5	0	1	4	33.330 s
5	<u>Login functionality</u>	<u>Login without providing any credentials</u>	5	5	0	0	5.604 s
6	<u>Placing the order for an product</u>	<u>Ordering any product</u>	18	3	1	14	5.032 s
7	<u>Registration functionality</u>	<u>User creates an account only with mandatory fields</u>	5	5	0	0	6.671 s
8	<u>Registration functionality</u>	<u>User creates an account with all fields</u>	6	6	0	0	8.186 s
9	<u>Registration functionality</u>	<u>User creates a duplicate account</u>	6	6	0	0	7.127 s
10	<u>Registration functionality</u>	<u>User creates an account without filling any details</u>	4	4	0	0	7.673 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Search functionality</u>	<u>User searches for a valid product</u>	4	4	0	0	6.339 s
12	<u>Search functionality</u>	<u>User searches for an invalid product</u>	4	4	0	0	8.421 s
13	<u>Search functionality</u>	<u>User searches without any product</u>	4	4	0	0	9.653 s

Login functionality



FAILED	DURATION - 1 m 1.035 s	Scenarios Total - 5 Pass - 4 Fail - 1 Skip - 0		Steps Total - 25 Pass - 20 Fail - 1 Skip - 4	
/ 4:58:10.010 pm // 4:59:11.045 pm /					

Login with valid credentials

<div>PASSED</div>	<div>DURATION - 11.860 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:58:10.015 pm // 4:58:21.875 pm /</div>				
<div>Login functionality</div>				



#	Step / Hook Details	Status	Duration
1	Given User navigates to login page	PASSED	0.529 s
2	When User enters valid email address anurag.ec27@gmail.com into email field	PASSED	0.229 s
3	And User enters valid password Password into password field	PASSED	0.162 s
4	And User clicks on Login button	PASSED	0.589 s
5	Then User should get successfully logged in	PASSED	0.051 s

Login with invalid credentials

<div>PASSED</div>	<div>DURATION - 5.052 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:58:21.901 pm // 4:58:26.953 pm /</div>				
<div>Login functionality</div>				



#	Step / Hook Details	Status	Duration
1	Given User navigates to login page	PASSED	0.510 s
2	When User enters invalid email address into email field	PASSED	0.920 s
3	And User enters invalid password "1234567890" into password field	PASSED	0.555 s
4	And User clicks on Login button	PASSED	0.558 s
5	Then User should get a proper warning message about credentials mismatch	PASSED	0.120 s

Login with valid email and invalid password

<div>PASSED</div>	<div>DURATION - 5.127 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 4:58:26.969 pm // 4:58:32.096 pm /				
Login functionality				


#	Step / Hook Details	Status	Duration
1	Given User navigates to login page	PASSED	0.390 s
2	When User enters valid email address "anurag.ec27@gmail.com" into email field	PASSED	0.248 s
3	And User enters invalid password "1234567890" into password field	PASSED	0.219 s
4	And User clicks on Login button	PASSED	0.412 s
5	Then User should get a proper warning message about credentials mismatch	PASSED	0.073 s

Login with invalid email and valid password

FAILED	DURATION - 33.330 s		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 4:58:32.099 pm // 4:59:05.429 pm /				
Login functionality				


#	Step / Hook Details	Status	Duration
1	Given User navigates to login page <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.click()" because "webElement" is null at utils.ElementUtils.clickOnElement(ElementUtils.java:27) at pages.HomePage.clickOnMyAccount(HomePage.java:41) at stepdefinitions.Login.user_navigates_to_login_page(Login.java:28) at ?.User navigates to login page(file:///C:/Users/Hp-D/eclipse-workspace/BDD_UI_Test_Framework/src/test/resources/features/Login.feature:30) * Not displayable characters are replaced by '?'. </pre>	FAILED	30.320 s
2	When User enters invalid email address into email field	SKIPPED	0.000 s
3	And User enters valid password "12345" into password field	SKIPPED	0.001 s
4	And User clicks on Login button	SKIPPED	0.000 s
5	Then User should get a proper warning message about credentials mismatch	SKIPPED	0.000 s
	AFTER - hooks.MyHooks.tearDown(io.cucumber.java.Scenario) <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.86) Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b51eaa32a7b7c549b5d5ffe2e35573bd, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.86, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\Hp-D\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:1161}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:1161/devtool..., se:cdpVersion: 123.0.6312.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b51eaa32a7b7c549b5d5ffe2e35573bd at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:592) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:322) at hooks.MyHooks.tearDown(MyHooks.java:35) </pre>	FAILED	0.003 s

Login without providing any credentials





#	Step / Hook Details	Status	Duration
1	Given User navigates to login page	PASSED	0.502 s
2	When User dont enter email address into email field	PASSED	0.177 s
3	And User dont enter password into password field	PASSED	0.137 s
4	And User clicks on Login button	PASSED	0.712 s
5	Then User should get a proper warning message about credentials mismatch	PASSED	0.078 s

Placing the order for an product





Ordering any product





#	Step / Hook Details	Status	Duration
1	Given User navigate to Login page	PASSED	0.535 s
2	When User enters username and password <div> <div>Username</div> <div>anurag.ec27@gmail.com</div> <div>Password</div> <div>Password</div> </div>	PASSED	0.386 s
3	Then User should logged in	PASSED	0.856 s
4	When User select the product category <div> <p>java.lang.NullPointerException: Cannot invoke "pages.PlacingOrderPage.hoverOnDesktopButton()" because "this.placingAnOrderPage" is null at stepdefinitions.PlacingAnOrder.user_select_the_product_category(PlacingAnOrder.java:23) at ?.User select the product category(file:///C:/Users/Hp-D/eclipse-workspace/BDD_UI_Test_Framework/src/test/resources/features/PlacingAnOrder.feature:38)</p> <p>* Not displayable characters are replaced by '?'. </p> </div>	FAILED	0.005 s
5	Then User verify available product names for the selected category	SKIPPED	0.000 s
6	When User select product name for ordering	SKIPPED	0.000 s
7	Then Verify the product is in Stock	SKIPPED	0.000 s
8	And Add the product in cart	SKIPPED	0.000 s
9	And User click on Shopping cart	SKIPPED	0.000 s
10	Then User should see the added product details	SKIPPED	0.001 s
11	And User click on checkout	SKIPPED	0.000 s
12	And User select the address and click on Continue	SKIPPED	0.000 s
13	And User select delivery details and click on continue	SKIPPED	0.000 s
14	And User select delivery method and click on continue	SKIPPED	0.000 s
15	And User select payment method and agree to T&C and click on continue	SKIPPED	0.000 s
16	And User validate the order details and click on Confirm Order	SKIPPED	0.000 s
17	Then User should see the message "Your order has been placed!"	SKIPPED	0.001 s
18	And User click on Continue	SKIPPED	0.000 s
	AFTER - hooks.MyHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.291 s
	Ordering_any_product		
			

Registration functionality


PASSED	DURATION - 29.698 s	Scenarios Total - 4 Pass - 4 Fail - 0 Skip - 0		Steps Total - 21 Pass - 21 Fail - 0 Skip - 0	
/ 4:59:16.181 pm // 4:59:45.879 pm /					

User creates an account only with mandatory fields

<div><div>PASSED</div><div>DURATION - 6.671 s</div></div>		<div></div>	<div>Steps Total - 5 Pass - 5 Fail - 0 Skip - 0</div>	<div></div>
/ 4:59:16.181 pm // 4:59:22.852 pm /				
Registration functionality				


#	Step / Hook Details	Status	Duration								
1	Given User navigates to Register Account page	PASSED	0.849 s								
2	When User enters the details into below fields	PASSED	1.021 s								
	<table><tr><td>firstName</td><td>Anurag</td></tr><tr><td>lastName</td><td>Test</td></tr><tr><td>telephone</td><td>1234567890</td></tr><tr><td>password</td><td>12345</td></tr></table>			firstName	Anurag	lastName	Test	telephone	1234567890	password	12345
firstName	Anurag										
lastName	Test										
telephone	1234567890										
password	12345										
3	And User selects Privacy Policy										
4	And User clicks on Continue button										
5	Then User account should get created successfully										

User creates an account with all fields



#	Step / Hook Details	Status	Duration								
1	Given User navigates to Register Account page	PASSED	0.919 s								
2	When User enters the details into below fields <table><tr><td>firstName</td><td>Test</td></tr><tr><td>lastName</td><td>Anurag</td></tr><tr><td>telephone</td><td>1234567890</td></tr><tr><td>password</td><td>12345</td></tr></table>	firstName	Test	lastName	Anurag	telephone	1234567890	password	12345	PASSED	0.933 s
firstName	Test										
lastName	Anurag										
telephone	1234567890										
password	12345										
3	And User selects Yes for Newsletter	PASSED	0.072 s								
4	And User selects Privacy Policy	PASSED	0.076 s								
5	And User clicks on Continue button	PASSED	0.552 s								
6	Then User account should get created successfully	PASSED	0.082 s								



User creates a duplicate account



#	Step / Hook Details	Status	Duration
1	Given User navigates to Register Account page	PASSED	0.810 s
2	When User enters the details into below fields with duplicate email	PASSED	1.117 s
	<div>firstNameAnurag</div>		



#	Step / Hook Details		Status	Duration
	lastName	Test		
	email	anurag.ec27@gmail.com		
	telephone	123456789		
	password	Password		
3	And User selects Yes for Newsletter		PASSED	0.098 s
4	And User selects Privacy Policy		PASSED	0.087 s
5	And User clicks on Continue button		PASSED	0.560 s
6	Then User should get a proper warning about duplicate email		PASSED	0.068 s

User creates an account without filling any details


PASSED	DURATION - 7.673 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:59:38.206 pm // 4:59:45.879 pm /				
Registration functionality				

#	Step / Hook Details	Status	Duration
1	Given User navigates to Register Account page	PASSED	1.810 s
2	When User dont enter any details into fields	PASSED	0.911 s
3	And User clicks on Continue button	PASSED	0.367 s
4	Then User should get proper warning messages for every mandatory field	PASSED	0.280 s

Search functionality


PASSED	DURATION - 24.426 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 12 Pass - 12 Fail - 0 Skip - 0	
/ 4:59:45.882 pm // 5:00:10.308 pm /					

User searches for a valid product




#	Step / Hook Details	Status	Duration
1	Given User opens the Application	PASSED	0.000 s
2	When User enters valid product "HP" into Search box field	PASSED	0.275 s
3	And User clicks on Search button	PASSED	0.609 s
4	Then User should get valid product displayed in search results	PASSED	0.065 s

User searches for an invalid product



#	Step / Hook Details	Status	Duration
1	Given User opens the Application	PASSED	0.000 s
2	When User enters invalid product "Honda" into Search box field	PASSED	0.204 s
3	And User clicks on Search button	PASSED	0.322 s
4	Then User should get a message about no product matching	PASSED	0.114 s

User searches without any product



#	Step / Hook Details	Status	Duration
1	Given User opens the Application	PASSED	0.000 s
2	When User dont enter any product name into Search box field	PASSED	0.002 s
3	And User clicks on Search button	PASSED	0.379 s
4	Then User should get a message about no product matching	PASSED	0.101 s