

```

1 expense(canteen, 50, food).
2 expense(bus, 20, travel).
3 expense(netflix, 499, subscription).
4 expense(stationary, 100, study).
5 expense(pizza, 300, food).
6
7 list_category(Cat) :-
8     expense(Item, Cost, Cat),
9     format('~w: ~w~n', [Item, Cost]).
10
11 is_expensive(Item) :-
12     expense(Item, Cost, _),
13     Cost > 200.
14
15 budget_check(Item, 'Alert: High Spend') :-
16     is_expensive(Item).
17
18 budget_check(Item, 'OK') :-
19     expense(Item, Cost, _),
20     Cost =< 200.

```



expense(Item, Cost, food).

| Item    | Cost |   |
|---------|------|---|
| canteen | 50   | 1 |
| pizza   | 300  | 2 |

?- expense(**Item**, **Cost**, food).

Examples History Solutions ☒ table results **Run!**



File Edit Examples Help

121 users online

Search

 Notebook



```
1 expense(canteen, 50, food).
2 expense(bus, 20, travel).
3 expense(netflix, 499, subscription).
4 expense(stationary, 100, study).
5 expense(pizza, 300, food).
6
7 list_category(Cat) :-
8     expense(Item, Cost, Cat),
9     format('~w: ~w~n', [Item, Cost]).
10
11 is_expensive(Item) :-
12     expense(Item, Cost, _),
13     Cost > 200.
14
15 budget_check(Item, 'Alert: High Spend') :-
16     is_expensive(Item).
17
18 budget_check(Item, 'OK') :-
19     expense(Item, Cost, _),
20     Cost <= 200.
```



 expense(Item, Cost, food).

| Item    | Cost |   |
|---------|------|---|
| canteen | 50   | 1 |
| pizza   | 300  | 2 |

 list\_category(study).

stationary: 100

true

Next 10 100 1,000 Stop

?- list\_category(study).

Examples History Solutions

☒ table results 

 **SWISH** File Edit Examples Help


Notebook

```
1 expense(canteen, 50, food).
2 expense(bus, 20, travel).
3 expense(netflix, 499, subscription).
4 expense(stationary, 100, study).
5 expense(pizza, 300, food).
6
7 list_category(Cat) :-
8     expense(Item, Cost, Cat),
9     format('~w: ~w~n', [Item, Cost]).
10
11 is_expensive(Item) :-
12     expense(Item, Cost, _),
13     Cost > 200.
14
15 budget_check(Item, 'Alert: High Spend') :-
16     is_expensive(Item).
17
18 budget_check(Item, 'OK') :-
19     expense(Item, Cost, _),
20     Cost <= 200.
```

121 users online

Search





 expense(Item,Cost,food).

 list\_category(study).

 is\_expensive(netflix).

true

?- is\_expensive(netflix).

Examples

History

Solutions

☒ table results



 **SWISH**

File

Edit

Examples

Help

Notebook



↶

↷

+

↶

↷

↶

↷

↶

↷

```
1 expense(canteen, 50, food).
2 expense(bus, 20, travel).
3 expense(netflix, 499, subscription).
4 expense(stationary, 100, study).
5 expense(pizza, 300, food).
6
7 list_category(Cat) :-
8     expense(Item, Cost, Cat),
9     format('~w: ~w~n', [Item, Cost]).
10
11 is_expensive(Item) :-
12     expense(Item, Cost, _),
13     Cost > 200.
14
15 budget_check(Item, 'Alert: High Spend') :-
16     is_expensive(Item).
17
18 budget_check(Item, 'OK') :-
19     expense(Item, Cost, _),
20     Cost <= 200.
```

120 users online

Search

Q





 expense(Item, Cost, food).

 list\_category(study).

 is\_expensive(netflix).

 budget\_check(bus, Status).

| Status |   |
|--------|---|
| 'OK'   | 1 |

?- budget\_check(bus, Status).

Examples

History

Solutions

☒ table results

Run!

 **SWISH**

File

Edit

Examples

Help

120 users online

Search




Notebook





```
1 expense(canteen, 50, food).
2 expense(bus, 20, travel).
3 expense(netflix, 499, subscription).
4 expense(stationary, 100, study).
5 expense(pizza, 300, food).
6
7 list_category(Cat) :-
8     expense(Item, Cost, Cat),
9     format('~w: ~w~n', [Item, Cost]).
10
11 is_expensive(Item) :-
12     expense(Item, Cost, _),
13     Cost > 200.
14
15 budget_check(Item, 'Alert: High Spend') :-
16     is_expensive(Item).
17
18 budget_check(Item, 'OK') :-
19     expense(Item, Cost, _),
20     Cost =< 200.
```



 expense(Item, Cost, food).

 list\_category(study).

 is\_expensive(netflix).

 budget\_check(bus, Status).

 expense(Name, Cost, \_), Cost > 200.

| Name    | Cost |   |
|---------|------|---|
| netflix | 499  | 1 |
| pizza   | 300  | 2 |

? expense(Name, Cost, \_), Cost > 200.

Examples

History

Solutions

☒ table results 