


Jenkins Pipeline for MyMavenSelenium01

Step 1: Open the Jenkins Dashboard in order to create a new item




The screenshot shows the Jenkins Dashboard. On the left, there's a sidebar with navigation links: '+ New Item', 'Build History', 'Project Relationship', and 'Check File Fingerprint'. Below these are two sections: 'Build Queue' (showing 'No builds in the queue.') and 'Build Executor Status' (showing '0/2'). The main area displays a table of build items. The table has columns: 'S' (Status), 'W' (Icon), 'Name', 'Last Success', 'Last Failure', and 'Last Duration'. The items listed are:

S	W	Name	Last Success	Last Failure	Last Duration
✗	☁	MavenAnsibleWebApp1	N/A	15 hr #1	12 sec
✓	☁	MyGradleApp	3 hr 25 min #4	1 day 9 hr #1	13 sec
✓	☁	MyMavenGuavaApp	3 hr 24 min #6	8 hr 32 min #4	11 sec
✓	☀	MyMavenPipelineApp	3 hr 25 min #3	N/A	13 sec
✓	☀	MyMavenSeleniumApp01	8 hr 52 min #3	N/A	8.5 sec
✓	☀	MyMavenSeleniumApp02	8 hr 54 min #3	N/A	8.7 sec
✓	☀	MyMavenSeleniumApp03	8 hr 50 min #2	N/A	8.6 sec
✗	☁	MyMavenSeleniumApp04	N/A	10 min #8	34 sec

Step 2: Click on New Item in order for creating an New Item and thus give the name as “MyMavenAppSelenium01” and Item type as Pipeline and

Create it




The screenshot shows the 'New Item' form in Jenkins. At the top, it says 'New Item' and 'Enter an item name'. The input field contains 'MyMavenSeleniumApp01'. Below this, it says 'Select an item type'. There are five options:

- ☐ Pipeline: Build, test, and deploy using pipelines. Supports stages, parallel work, and running on multiple agents.
- ☐ Freestyle project: Classic, general-purpose job type that checks out from up to one SCM, executes build steps serially, followed by post-build steps like archiving artifacts and sending email notifications.
- ☒ Maven project: Build a maven project. Jenkins takes advantage of your POM files and drastically reduces the configuration.
- ☐ Multi-configuration project: Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.
- ☐ Folder: Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the

At the bottom, there is an 'OK' button.

Step 3: To configure the pipeline, set the Definition to Pipeline script from SCM, choose Git as your SCM, and provide your Repository URL along with the GitHub Credentials you previously established.



Step 4: Now in Terminal, go to directory created for MyMavenAppSelenium01 and create a new file called “Jenkinsfile”

```
shravan-hegde@shravan-hegde-QEMU-Virtual-Machine:~/Devops/MyMavenSeleniumApp01$ tree
.
├── pom.xml
├── src
│   ├── main
│   │   └── java
│   │       ├── com
│   │       │   └── example
│   │       │       └── App.java
│   └── target
│       ├── classes
│       │   ├── com
│       │   │   └── example
│       │   │       └── App.class
│       ├── generated-sources
│       │   └── annotations
│       ├── maven-archiver
│       │   └── pom.properties
│       ├── maven-status
│       │   ├── maven-compiler-plugin
│       │   │   └── compile
│       │   │       └── default-compile
│       │   │           ├── createdFiles.lst
│       │   │           └── inputFiles.lst
│       └── MyMavenSeleniumApp01-1.0-SNAPSHOT.jar
17 directories, 7 files
shravan-hegde@shravan-hegde-QEMU-Virtual-Machine:~/Devops/MyMavenSeleniumApp01$ gedit Jenkinsfile
```

Step 5: Paste the code inside the Jenkinsfile

```
1 pipeline {
2   agent any
3
4   tools {
5     maven 'Maven'
6   }
7
8   stages {
9
10    stage('Checkout') {
11      steps {
12        git branch: 'main', url: 'https://github.com/shravan-hegde/MyMavenSeleniumApp01.git'
13      }
14    }
15
16    stage('Build') {
17      steps {
18        sh 'mvn clean install'
19      }
20    }
21
22    stage('Test') {
23      steps {
24        sh 'mvn test'
25      }
26    }
27  }
28
29  post {
30    success {
31      echo 'Build successful!'
32    }
33    failure {
34      echo 'Build failed!'
```

Step 6: Now we need to Push changes and commit by pushing the necessary “Jenkinsfile” to the respective Repo

shravan-hegde / MyMavenSeleniumApp01

<> Code Issues Pull requests Actions Projects Wiki Security and quality Insights Settings

MyMavenSeleniumApp01 Public

main 1 Branch 0 Tags

Go to file Add file <> Code

File	Commit	Time
src/main/java/com/example	Selenium SauceDemo Automation Project	last month
target	Selenium SauceDemo Automation Project	last month
jenkinsfile	Update Jenkinsfile	9 hours ago
pom.xml	Selenium SauceDemo Automation Project	last month

README

Add a README

Help people interested in this repository understand your project.

[Add a README](#)

About

No description, website, or topics provided.

Activity

0 stars

0 watching

0 forks

Releases

No releases published

[Create a new release](#)

Packages

No packages published

[Publish your first package](#)

Contributors 1

shravan-hegde

Languages

Step 7: Now go to Jenkins and Build the Pipeline and thus check the Stage view for the successful execution.

 Jenkins / MyMavenSeleniumApp01

Status

</> Changes

▶ Build Now

⚙️ Configure

🗑️ Delete Pipeline

🔍 Full Stage View

✎ Rename

🔔 Pipeline Syntax

Builds >

Filter

1

April 15, 2026

✓ #3 4:11 PM

✓ #2 4:03 PM

✓ #1 2:16 AM

✓ MyMavenSeleniumApp01

Add description

Stage View

Average stage times:
(full run time: ~12s)

	Declarative: Checkout SCM	Declarative: Tool Install	Checkout	Build	Test	Declarative: Post Actions
#3 Apr 15 16:11 1 commit	1s	98ms	1s	2s	1s	52ms
#2 Apr 15 16:03 2 commits	1s	103ms	2s	7s	1s	64ms

Permalinks

- Last build (#3), 8 hr 55 min ago
- Last stable build (#3), 8 hr 55 min ago
- Last successful build (#3), 8 hr 55 min ago
- Last completed build (#3), 8 hr 55 min ago