

The Kiran Academy

Java 5 Programs

Java Programming Tasks

Name: Sharavani Parade

Batch: 9011 internship program 7 pm

1. Hello World by YOUR_NAME

Code:

```
class Shravani {  
    public static void main(String[] args) {  
        System.out.println("Hello World by  
        Shravani");  
    }  
}
```

Output:

```
Hello World by Shravani
```

2. Create 2 variables cost_price, selling_price and calculate the profit or loss

Code:

```
import java.util.Scanner;
```

```
class ProfitLoss {
```

```
    public static void main(String[] args) {
```

```
        Scanner sc = new Scanner(System.in);
```

```
        System.out.print("Enter Cost Price: ");
```

```
        double costPrice = sc.nextDouble();
```

```
        System.out.print("Enter Selling Price: ");
```

```
        double sellingPrice = sc.nextDouble();
```

```
        if (sellingPrice > costPrice) {
```

```
            double profit = sellingPrice -  
costPrice;
```

```
            System.out.println("Profit = " + profit);
```

```
        }
```

```
        else if (sellingPrice < costPrice) {
```

```
            double loss = costPrice - sellingPrice;
```

```
            System.out.println("Loss = " + loss);
```

```
        }
```

```
        else {
```

```
            System.out.println("No Profit, No  
Loss");
```

```
        }
```

```
    }
```

```
}
```

Output:

```
Enter Cost Price: 500
```

```
Enter Selling Price: 600
```

```
Profit = 100.0
```

3. WAP to check whether the number is odd or even

Code:

```
import java.util.Scanner;

class OddEven {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        System.out.print("Enter a number: ");
        int num = sc.nextInt();

        if (num % 2 == 0) {
            System.out.println("Number is Even");
        }
        else {
            System.out.println("Number is Odd");
        }
    }
}
```

Output:

- $10 \% 2 = 0 \rightarrow \text{Even}$
- $7 \% 2 = 1 \rightarrow \text{Odd}$

4. WAP to check whether the age is valid and eligible for voting or not

Code:

```
import java.util.Scanner;

class Voting {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        System.out.print("Enter your age: ");
        int age = sc.nextInt();

        if (age >= 0 && age <= 120) {
            System.out.println("Age is Valid");

            if (age >= 18) {
                System.out.println("Eligible for Voting");
            }
            else {
                System.out.println("Not Eligible for Voting");
            }
        }
    }
}
```

```

        else {
            System.out.println("Age is Invalid");
        }
    }
}

```

Output:

```

Enter your age: 20

Age is Valid

Eligible for Voting

```

5. WAP to find whether word1 and word2 are Anagram or Not

Code:

```

import java.util.Scanner;
import java.util.Arrays;

class Anagram {
    public static void main(String[]
args) {
        Scanner sc = new
Scanner(System.in);

        System.out.print("Enter word
1: ");
        String word1 = sc.nextLine();

        System.out.print("Enter word
2: ");
        String word2 = sc.nextLine();

        char[] a =
word1.toLowerCase().toCharArray();
        char[] b =
word2.toLowerCase().toCharArray();

        Arrays.sort(a);
        Arrays.sort(b);

        if (Arrays.equals(a, b)) {
            System.out.println("Words
are Anagram");
        }
        else {
            System.out.println("Words
are Not Anagram");
        }
    }
}

```

Output:

```

Enter word 1: listen
Enter word 2: silent
Words are Anagram

```