

DS	Session	Tree 1	Question Information	Level 1	Challenge 65
----	---------	--------	----------------------	---------	--------------

Question description

Given an array of n integers, your task is to process q queries of the form: what is the minimum value in range $[a,b]$?

Constraints

- $1 \leq n, q \leq 2 \cdot 10^5$
- $1 \leq x_i \leq 10^9$
- $1 \leq a \leq b \leq n$

Input

The first input line has two integers n and q : the number of values and queries.

The second line has n integers $x_1, x_2, \dots, x_n$: the array values.

Finally, there are q lines describing the queries. Each line has two integers a and b : what is the minimum value in range $[a,b]$?

Output

Print the result of each query.

Logical Test Cases

Test Case 1

INPUT (STDIN)

```
8 4
3 2 4 5 1 1 5 3
2 4
5 6
1 8
3 3
```

EXPECTED OUTPUT

```
2
1
1
4
```

Test Case 2

INPUT (STDIN)

```
10 4
13 12 14 51 11 1 5 3 4 6
3 4
3 6
4 8
1 3
```

EXPECTED OUTPUT

```
14
1
1
12
```

▼ Mandatory Test Cases

Test Case 1

KEYWORD

```
void build(int *aa,int k,int l,int r)
```

Test Case 2

KEYWORD

```
int query(int k,int l,int r,int ql,int qr)
```

▼ Complexity Test Cases

Test Case 1

CYCLOMATIC COMPLEXITY

3

Test Case 2

TOKEN COUNT

390

Test Case 3

NLOC

40