



EXPLORED

OPEN EDITORS 1 unsaved

aboutus.component.html aboutus g

aboutus.component.spec.ts aboutus

aboutus.component.ts aboutus

add-items.ts additems

admin.component.css admin

admin.component.html admin 4

admin.component.spec.ts admin

admin.component.ts admin

app-routing.module.ts app

KITCHENSTORY

aboutus

additems

admin

app

app-routing.module.ts

app.component.css

app.component.html 1

app.component.spec.ts

app.component.ts

app.module.ts 7

assets

cart

changepswd

contactus

e2e

environments

home

kitchenitemsdupli

kitchendetail

kitchenitems

node\_modules

.bin

@angular

@angular-devkit

@babel

@discoveryjs

@istanbuljs

@jest

@jsdevtools

@ngtools

@ngmodelib

@ngpmcli

@schematics

@sindair

OUTLINE

TIMELINE

MDI EXPLORER

ts

TS aboutus.component.ts

TS add-items.ts

# admin.component.css

admin.component.html 4

TS admin.component.spec.ts

TS admin.component.ts

TS app-routing.module.ts x

app > TS app-routing.module.ts > routes

1 import { NgModule } from '@angular/core';

2 import { RouterModule, Routes } from '@angular/router';

3 import { AboutusComponent } from '../aboutus/aboutus.component';

4 //import { AdditemsComponent } from '../additems/add-items';

5 import { AdminComponent } from '../admin/admin.component';

6 import { CartComponent } from '../cart/cart.component';

7 import { ChangepswdComponent } from '../changepswd/changepswd.component';

8 import { ContactusComponent } from '../contactus/contactus.component';

9 import { HomeComponent } from '../home/home.component';

10 import { KitchenitemsdupliComponent } from '../kitchenitemsdupli/kitchenitemsdupli.component';

11 import { KitchendetailComponent } from '../kitchendetail/kitchendetail.component';

12

13 import { KitchenitemsComponent } from '../kitchenitems/kitchenitems.component';

14 //import { LoginComponent } from '../login/login.component';

15 //import { PaymentComponent } from '../payment/payment.component';

16 //import { RegisterComponent } from 'src/register/register.component';

17 //import { SuccessComponent } from 'src/success/success.component';

18 //import { ViewitemsComponent } from 'src/viewitems/viewitems.component';

19

20 const routes: Routes = [

21 {path: 'home', component: HomeComponent},

22 {path: 'about', component: AboutusComponent},

23 {path: 'items1', component: KitchenitemsComponent},

24 {path: 'items', component: KitchenitemsdupliComponent},

25 {path: 'items/:id', component: KitchendetailComponent},

26 {path: 'contact', component: ContactusComponent},

27 // {path: 'register', component: RegisterComponent},

28 // {path: 'login', component: LoginComponent},

29 {path: 'cart', component: CartComponent},

30 {path: '', component: HomeComponent},

31 {path: 'admin', component: AdminComponent},

32 // {path: 'view', component: ViewitemsComponent},

33 // {path: 'additems', component: AdditemsComponent},

34 {path: 'changepswd', component: ChangepswdComponent},

35 // {path: 'payment', component: PaymentComponent},

36 // {path: 'success', component: SuccessComponent}

37 // {path: '\*\*', component: HomeComponent}

38 ];

39

40 @NgModule({

41 imports: [RouterModule.forRoot(routes)],

42 exports: [RouterModule]

43 })

44 export class AppRoutingModule { }

45

Ln 21, Col 41 Spaces: 2 UTF-8 LF TypeScript Port: 5500 Prettier









EXPLORER

OPEN EDITORS 1 unsaved

aboutus.component.ts aboutus

add-items.ts addItems

admin.component.css admin

admin.component.html admin 4

admin.component.spec.ts admin

admin.component.ts admin

app-routing.module.ts app

app.module.ts app 7

cart.component.html cart

KITCHENSTORY

aboutus

addItems

admin

app

assets/images

cart

cart.component.css

cart.component.html

cart.component.spec.ts

cart.component.ts 2

changepswd

contactus

e2e

environments

home

kitchenitemsdupli

kitchendetail

kitchenitems

node\_modules

.bin

@angular

@angular-devkit

@babel

@discoveryjs

@istanbuljs

@jest

@jasdevtools

@ngtools

@ngtools

@modelib

@npmcli

@schematics

@sinclair

@tootallnate

@types

OUTLINE

TIMELINE

MDI EXPLORER

# admin.component.css

admin.component.html 4

admin.component.spec.ts

admin.component.ts

app-routing.module.ts

app.module.ts 7

cart.component.html

cart > cart.component.html > html

1 <html>

2

3

4 <head>

5

6 <meta name="viewport" content="width=device-width, initial-scale=1">

7 <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">

8 <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>

9 <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.js"></script>

10 <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"></script>

11 </head>

12

13 <body>

14 <!--Navbar-->

15 <div>

16 <nav class="navbar navbar-expand-lg navbar-light ">

17 <div class="container-fluid">

18 

19 <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#collapseExample" aria-controls="navbar-nav" aria-expanded="false" aria-label="Toggle navigation">

20 <span class="navbar-toggler-icon"></span>

21 </button>

22 <div class="collapse navbar-collapse" id="navbarNav">

23 <ul class="navbar-nav">

24

25 <li class="nav-item active">

26 <a class="nav-link" id="anch" [routerLink]="['/items']"><i class="fa fa-leaf"></i> Kitchen Items</a>

27 </li>

28

29 </ul>

30 <ul class="navbar-nav ml-auto tophnav">

31

32 <li class="nav-item active">

33 <a class="nav-link" id="anch" [routerLink]="['/home']"><i class="fa fa-sign-in" aria-hidden="true"></i> Logout</a>

34 </li>

35 </ul>

36 </div>

37 </div>

38 </nav>

39 </div>

40

41

42 <!--Detail-->

43 <h3 align="center" style="color: #darksalmon">Cart</h3>

44 <div class="table-responsive" style="background-color: #mistyrose;">

45 <table class="table">

46

47 <tbody>

48 <tr>

49 <td colspan="2"><div>

50 <div>

51 <div>

52 &lt;div&gt;

53 &lt;div&gt;

54 &lt;div&gt;


55 &lt;div&gt;

56 &lt;div&gt;

57 &lt;/tr&gt;

58 &lt;/tbody&gt;

Ln 12, Col 1 Spaces: 2 UTF-8 LF HTML Port: 5500 Prettier



EXPLORER

OPEN EDITORS 1 unsaved

admin.component.html admin 4

admin.component.spec.ts admin

admin.component.ts admin

app-routing.module.ts app

app.module.ts app 7

cart.component.html cart

cart.component.spec.ts cart

cart.component.ts cart 2

changepasswd.component.html 9+

changepasswd.component.css

changepasswd.component.spec.ts

changepasswd.component.ts

changepasswd.ts

contactus

e2e

environments

home

kitchenitemsdupli

kitchendetail

kitchenitems

node\_modules

bin

@angular

@angular-devkit

@babel

@discoveryjs

@istanbuljs

@jest

@jsdevtools

@ngtools

@ngmodule

@npmcli

@schematics

@sindair

@totalnate

OUTLINE

TIMELINE

MDI EXPLORER

TS admin.component.ts

TS app-routing.module.ts

TS app.module.ts 7

cart.component.html

TS cart.component.spec.ts

TS cart.component.ts 2

changepasswd.component.html 9+ X

changepasswd

changepasswd.component.html

html

body

Go to component

```
1 <html>
2   <head>
3
4   </head>
5   <body style="background-color: #seashell;">
6     <nav class="navbar navbar-expand-lg navbar-light">
7       <div class="container-fluid">
8         
9         <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#collapseExample" aria-controls="navbar-nav" aria-expanded="false" aria-label="
10            <span class="navbar-toggler-icon"></span>
11         </button>
12         <div class="collapse navbar-collapse" id="navbarNav">
13           <ul class="navbar-nav">
14
15             <li class="nav-item active">
16               <a class="nav-link" id="anch" [routerLink]="['/view']"><i class="fa fa-leaf"></i> View Items</a>
17             </li>
18
19           </ul>
20           <ul class="navbar-nav ml-auto topnav">
21
22             <li class="nav-item active">
23               <a class="nav-link" id="anch" [routerLink]="['/']"><i class="fa fa-sign-in" aria-hidden="true"></i> Logout</a>
24             </li>
25
26           </ul>
27         </div>
28       </div>
29     </nav>
30
31   <br>
32   <br>
33   <br>
34
35   <div class="card container">
36     <div class="card-header heading" align="center" style="background-color: #cadetblue;">
37       Please change your password !
38     </div>
39     <div class="card-body lg-4 md-6 sm-12 xs-12" align="center">
40       <form novalidate (ngSubmit)="Pass_change(regForm)" #regForm="ngForm">
41         <!-- Password -->
42         <div class="form-group row mb-2">
43           <label class="col-md-2 col-form-label" for="Password">Current Password</label>
44           <div class="col-md-8">
45             <input type="password" required
46               id="Password"
47               name="pass"
48               [(ngModel)]="admin.password"
49               #pass="ngModel"
50               minlength="7">
51             <ngClass="{ 'is-invalid': (pass.touched || pass.dirty) && !pass.valid}" />
52
53             <span class="invalid-feedback">
54               <span *ngIf="pass.errors?.required">
55                 Password is required
56               </span>
57
```

Ln 5, Col 47

Spaces: 4


UTF-8

LF

HTML

Port: 5500

Prettier






contactus.component.ts TS app.e2e-spec.ts TS app.po.ts JS protractor.conf.js TS environment.prod.ts TS environment.ts # home.component.css home.component.html

home > home.component.html > html > nav.navbar.navbar-expand-lg.navbar-light > div.container-fluid > div.navbarNav.collapse.navbar-collapse

```
1 <html>
2 <head>
3
4 <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-BnbxuPwQa2lc/FVzBcNJ7UAyJxM6wqIj61ttrc
5 <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js" integrity="sha384-q8l/X+965DzO0rT7abK41JSt0IAqVgRVzpbzo5smXKp4YfRvH+8abTTE1P6jizo" crossorigin="anony
6 <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.7/umd/popper.min.js" integrity="sha384-U02eT0CpHqD5JQ0h7Jty5KVphtPhzWj9W01c1HTMga33J02wrmQ4sF86dIH
7 <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js" integrity="sha384-Jj5SeVgyd03pX81rRiibZUAy0Ily60r06vrjIEaFF/n3GzIXFdsf4x0xIM+B07j
8 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/js/bootstrap.bundle.min.js" integrity="sha384-b5kHyXgcpbZJO/199UL7K6Kf1S0CwukcCD38L6YkeH8z0J1E0
9 <script src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.6.0/dist/umd/popper.min.js" integrity="sha384-KsvD1yQO11+1IA7g13P0tyJcT3vR+NdBTt13hS22lnve8agR6gATyNa8YmCF
10 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/js/bootstrap.min.js" integrity="sha384-nsgBua9hAw1y0W1btsywg6K1PnCUAFLUTMS2G72PMQm0Dyng585ACh4E
11 </head>
12 <nav class="navbar navbar-expand-lg navbar-light">
13 <div class="container-fluid">
14 
15 <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#collapseExample" aria-controls="navbar-nav" aria-expanded="false" aria-label="Toggle
16 <span class="navbar-toggler-icon"></span>
17 </button>
18 <div class="collapse navbar-collapse" id="navbarNav">
19 <ul class="navbar-nav">
20 <li class="nav-item active">
21 <a class="nav-link" id="anch" [routerLink]="['/home']"><i class="fa fa-home"></i> Home</a>
22 </li>
23 <li class="nav-item active">
24 <a class="nav-link" id="anch" [routerLink]="['/items']"><i class="fa fa-leaf"></i> Kitchen Items</a>
25 </li>
26 <li class="nav-item active">
27 <a class="nav-link" id="anch" [routerLink]="['/about']"><i class="fa fa-users" aria-hidden="true"></i> About Us</a>
28 </li>
29 <li class="nav-item active">
30 <a class="nav-link" id="anch" [routerLink]="['/contact']"><i class="bi bi-person-lines-fill"></i> Contact Us</a>
31 </li>
32 </ul>
33 <ul class="navbar-nav ml-auto topnav">
34 <li class="nav-item active">
35 <a class="nav-link" id="anch" [routerLink]="['/register']"><i class="fa fa-user-plus" aria-hidden="true"></i> Register</a>
36 </li>
37 <li class="nav-item active">
38 <a class="nav-link" id="anch" [routerLink]="['/login']"><i class="fa fa-sign-in" aria-hidden="true"></i> Login</a>
39 </li>
40 </ul>
41 </div>
42 </div>
43 </div>
44 <br/>
45 <br/>
46 <br/>
47 <br/>
48 <br/>
49 <br/>
50 <div class="container">
51 <div id="carouselExampleIndicators" class="carousel slide" data-bs-ride="carousel">
52 <div class="carousel-indicators">
53 <button type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide-to="0" class="active" aria-current="true" aria-label="Slide 1"></button>
54 <button type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide-to="1" aria-label="Slide 2"></button>
55 <button type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide-to="2" aria-label="Slide 3"></button>
56 </div>
57
```

main 69 0 [TypeScript Importer]: Symbols: 58 61 Blackbox 32 Ln 18, Col 60 Spaces: 2 UTF-8 LF HTML Port: 5500 Prettier





EXPLORE

OPEN EDITORS 1 unsaved

home.component.ts home

# kitchenitemsdupli.component.css kitchenitemsdupli.component.html kitchenitemsdupli.component.spec.ts

kitchenitem.dupliceservice.ts kitchenitem.dupliceservice.spec.ts

# kitchenitemdupli.component.css kitchenitemdupli.component.html kitchenitemdupli.component.spec.ts

KITCHENSTORY

aboutus

additems

admin

app

assets/images

cart

changepswd

contactus

e2e

environments

home

kitchenitemsdupli

kitchendetail

# kitchendetail.component.css

kitchendetail.component.html

kitchendetail.component.spec.ts

kitchenitemsdupli.component.ts

kitchenitems

node\_modules

.bin

@angular

@angular-devkit

@babel

@discoveryjs

@istanbuljs

@jest

@jsdevtools

@ngtools

@modelib

@npmcli

@schematics

@sinclair

@tootallinate

@types

OUTLINE

TIMELINE

MDI EXPLORER

kitchenitemdupli.component.spec.ts

kitchenitemdupli.component.ts

kitchenitem.dupliceservice.ts

kitchenitemdupli.spec.ts

# kitchendetail.component.css

kitchendetail.component.html

kitchendetail.component.spec.ts

kitchenitemsdupli.component.ts

kitchenitems

node\_modules

.bin

@angular

@angular-devkit

@babel

@discoveryjs

@istanbuljs

@jest

@jsdevtools

@ngtools

@modelib

@npmcli

@schematics

@sinclair

@tootallinate

@types

1 <html>

2 </html>

3

4 <head>

5

6 <meta name="viewport" content="width=device-width, initial-scale=1">

7 <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">

8 <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>

9 <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.js"></script>

10 <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"></script>

11 </head>

12 <!--Navbar-->

13 <body>

14 <div>

15 <nav class="navbar navbar-expand-lg navbar-light">

16 <div class="container-fluid">

17 

18 <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#collapseExample" aria-controls="navbar-nav" aria-expanded="false" aria-label="Toggle navigation">

19 <span class="navbar-toggler-icon"></span>

20 </button>

21 <div class="collapse navbar-collapse" id="navbarNav">

22 <ul class="navbar-nav">

23 <li class="nav-item active">

24 <a class="nav-link" id="anch" [routerLink]="['/home']"><i class="fa fa-home"></i> Home</a>

25 </li>

26 <li class="nav-item active">

27 <a class="nav-link" id="anch" [routerLink]="['/items']"><i class="fa fa-leaf"></i> Kitchen Items</a>

28 </li>

29 <li class="nav-item active">

30 <a class="nav-link" id="anch" [routerLink]="['/about']"><i class="fa fa-users" aria-hidden="true"></i> About Us</a>

31 </li>

32 <li class="nav-item active">

33 <a class="nav-link" id="anch" [routerLink]="['/contact']"><i class="bi bi-person-lines-fill"></i> Contact Us</a>

34 </li>

35 </ul>

36 </div>

37 <ul class="navbar-nav ml-auto topnav">

38 <li class="nav-item active">

39 <a class="nav-link" id="anch" [routerLink]="['/cart']"><i class="fa fa-shopping-cart" aria-hidden="true"></i> Cart</a>

40 </li>

41 <li class="nav-item active">

42 <a class="nav-link" id="anch" [routerLink]="['/home']"><i class="fa fa-sign-in" aria-hidden="true"></i> Logout</a>

43 </li>

44 </ul>

45 </div>

46 </div>

47 </div>

48 </div>

49 </div>

50 </div>

51 <!--card-->

52

53 <div class="firstdiv">

54 <div class="" align="center">

55 <div class="card-header">

56 <p style="color: indianred;font-size: 30px;">Item Name:{{kitchenitems.vegetablename}}</p>

57 <p style="color: rgb(70, 59, 223);font-size: 20px;">Quantity:{{kitchenitems.vegetablequantity}}</p>

58 </div>

Ln 12, Col 14 Spaces: 2 UTF-8 LF HTML Port: 5500 Prettier

EXPLORED

OPEN EDITORS 1 unsaved

kitchenitemsdupli.component.ht... 8

kitchenitemsdupli.component.spec.t...

kitchenitemsdupli.component.ts kitch...

kitchenitem.dupli.service.ts kitchenite...

kitchenitemsdupli.ts kitchenitemsdupli...

# kitchenitemdupli.component.css kitchen...

kitchenitemdupli.component.html kitch...

kitchenitemdupli.component.spec.ts kitch...

kitchenitemdupli.component.ts kitch...

KITCHENSTORY

aboutus

addItems

admin

app

assets/images

cart

changePswd

contactus

e2e

environments

home

kitchenitemsdupli

kitchendetail

# kitchenitemdupli.component.css

kitchenitemdupli.component.html

kitchenitemdupli.component.spec.ts

kitchenitemdupli.component.ts 2

kitchenitems

node\_modules

.bin

@angular

@angular-devkit

@babel

@discoveryjs

@istanbuljs

@jest

@jsdevtools

@ngtools

@nodelib

@npmcli

@schematics

@sinclair

@tostallinate

@types

OUTLINE

TIMELINE

MDI EXPLORER

kitchenitem.dupli.service.ts

kitchenitemsdupli.ts

# kitchenitemdupli.component.css

kitchenitemdupli.component.html

kitchenitemdupli.component.spec.ts

kitchenitemdupli.component.ts 2

kitchendetail > TS kitchendetail.component.ts > ...

```
3 //import { CartService } from 'src/cart.service';
4 import { KitchenItemsDupliComponent } from '../kitchenitemsdupli/kitchenitemsdupli.component';
5
6 import { KitchenItemDupliService } from '../kitchenitemsdupli/kitchenitem.dupli.service';
7 import { MyKitchen1 } from '../kitchenitemsdupli/kitchenitemsdupli';
8 @Component({
9   selector: 'app-kitchendetail',
10   templateUrl: './kitchendetail.component.html',
11   styleUrls: ['./kitchendetail.component.css']
12 })
13 export class KitchendetailComponent implements OnInit {
14   kitchenItems: MyKitchen1;
15   pageTitle: string = 'Item detail page';
16   constructor(private route: Router, private aRoute: ActivatedRoute, private cartService: CartService, private itemService: KitchenItemDupliService) {}
17
18
19
20
21   ngOnInit(): void {
22     let id = +this.aRoute.snapshot.paramMap.get('id');
23     this.pageTitle = `${id}`;
24     this.kitchenItems = this.itemService.getItem(id);
25
26   }
27
28   goBack() {
29     this.route.navigate(['../items']);
30   }
31
32   addToCart(product) {
33     {
34       this.cartService.addToCart(product);
35       this.kitchenItems.totalPrice += this.kitchenItems.vegetableQuantity * this.kitchenItems.vegetableCost;
36       window.alert('Added item to cart');
37     }
38   }
39
40   increment() {
41     {
42       this.kitchenItems.vegetableQuantity += 1;
43     }
44   }
45
46   decrement() {
47     {
48       this.kitchenItems.vegetableQuantity -= 1;
49     }
50   }
51
52 }
```

Ln 3, Col 3 Spaces: 2 UTF-8 LF TypeScript Port: 5500 Prettier

EXPLORED

OPEN EDITORS 1 unsaved

kitchenitemsdupli.component.html 8

kitchenitemsdupli.component.spec.ts

kitchenitem.dupli.service.ts

# kitchenitem.component.css

kitchenitem.component.html

kitchenitem.component.spec.ts

kitchenitem.component.ts 2

KITCHENSTORY

aboutus

addItems

admin

app

assets/images

cart

changepswd

contactus

e2e

environments

home

kitchenitemsdupli

# kitchenitemsdupli.component.css

kitchenitemsdupli.component.html 8

kitchenitemsdupli.component.spec.ts

kitchenitemsdupli.component.ts

kitchenitem.dupli.service.ts

kitchenitem.dupli.ts

kitchendetail

kitchenitems

node\_modules

.bin

@angular

@angular-devkit

@babel

@discoveryjs

@istanbuljs

@jest

@jsdevtools

@ngtools

@ngmodelib

@ngpmcli

@schematics

@sindair

OUTLINE

TIMELINE

MDI EXPLORER

kitchenitemsdupli > TS Kitchenitemsdupli.component.ts > KitchenitemsdupliComponent > kitchenitems

14 {

15 vegetableid:1,

16 vegetablename:"Tomato",

17 vegetablecost:50,

18 vegetableimg:"./assets/images/tomato.jpg",

19 vegetablequantity:0,

20 totalprice:0

21 },

22 {

23 vegetableid:2,

24 vegetablename:"Cabbage",

25 vegetablecost:40,

26 vegetableimg:"./assets/images/cabbage.jpg",

27 vegetablequantity:0,

28 totalprice:0

29 },

30 {

31 vegetableid:3,

32 vegetablename:"Carrot",

33 vegetablecost:60,

34 vegetableimg:"./assets/images/carrot.jpg",

35 vegetablequantity:0,

36 totalprice:0

37 },

38 {

39 vegetableid:4,

40 vegetablename:"Potato",

41 vegetablecost:30,

42 vegetableimg:"./assets/images/potato.jpg",

43 vegetablequantity:0,

44 totalprice:0

45 },

46 {

47 vegetableid:5,

48 vegetablename:"Banana",

49 vegetablecost:60,

50 vegetableimg:"./assets/images/banana.jpg",

51 vegetablequantity:0,

52 totalprice:0

53 },

54 {

55 vegetableid:6,

56 vegetablename:"Orange",

57 vegetablecost:55,

58 vegetableimg:"./assets/images/orange.jpg",

59 vegetablequantity:0,

60 totalprice:0

61 },

62 {

63 vegetableid:7,

64 vegetablename:"Straw Berry",

65 vegetablecost:70,

66 vegetableimg:"./assets/images/strawberry.jpg",

67 vegetablequantity:0,

68 totalprice:0

69 },

70 },

71 }

main

69 0

[TypeScript Importer]: Symbols: 58

61

Blackbox

32

Ln 31, Col 21

Spaces: 2

UTF-8

LF

TypeScript

Port: 5500

Prettier

