

Program 9: Style the React application using CSS

Aim : To Style the React application using CSS

Procedure:

Step 1: Install Node.js (if not already installed)

- a. Download and install **Node.js** from nodejs.org.
- b. Verify installation by running:

```
node -v
```

```
npm -v
```

Step 2: Create a React Project Using Vite

Open **VS Code** and run the following commands in the terminal:

- a. **Create a new Vite project:**

```
npm create vite@latest my-react-app --template react
```

- b. **Navigate to the project folder:**

```
cd my-react-app
```

- c. **Install dependencies:**

```
npm install
```

Step 3: Modify Files for React Rendering

- a. Edit App.jsx to Use the render() Method

Replace the content in src/App.jsx with:

```
import React, { Component } from "react";
import "./App.css";
```

```
class App extends Component {
  constructor(props) {
    super(props);
    this.state = {
      currentPage: "home",
    };
  }
}
```

```
// Function to switch pages
```

```
switchPage = (page) => {
  this.setState({ currentPage: page });
}
```

```
};
```

```
// Render method to display different pages
```

```
render() {  
  return (  
    <div className="container">  
      <nav>  
        <button onClick={() => this.switchPage("home")}>Home</button>  
        <button onClick={() => this.switchPage("about")}>About</button>  
      </nav>  
  
      {/* Conditional rendering */}  
      {this.state.currentPage === "home" ? <HomePage /> : <AboutPage />}  
    </div>  
  );  
}  
}
```

```
// Home Page Component
```

```
class HomePage extends Component {  
  render() {  
    return (  
      <div>  
        <h1>Home Page</h1>  
        <p>Welcome to the home page.</p>  
      </div>  
    );  
  }  
}
```

```
// About Page Component
```

```
class AboutPage extends Component {  
  render() {  
    return (  

```

```

    <div>
      <h1>About Page</h1>
      <p>This is the about page.</p>
    </div>
  );
}
}

```

```
export default App;
```

b. Modify main.jsx to Render the App

Replace the content in src/main.jsx with:

```

import React from "react";
import ReactDOM from "react-dom/client";
import App from "./App";
import "./index.css";

```

```
// Rendering the App component
```

```

ReactDOM.createRoot(document.getElementById("root")).render(
  <React.StrictMode>
    <App />
  </React.StrictMode>
);

```

c. Modify index.html

Ensure your index.html file inside public/ contains the root div:

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>React Vite App</title>
</head>
<body>
  <div id="root"></div>
  <script type="module" src="/src/main.jsx"></script>

```

```
</body>
```

```
</html>
```

Step 4: Add CSS Styling

Modify the src/App.css file:

```
.container {  
  text-align: center;  
  font-family: Arial, sans-serif;  
}
```

```
nav {  
  margin-bottom: 20px;  
}
```

```
button {  
  margin: 5px;  
  padding: 10px;  
  font-size: 16px;  
  cursor: pointer;  
}
```

```
h1 {  
  color: #007bff;  
}
```

Step 5: Run the React App

- a. Start the development server:

```
npm run dev
```

- b. Open **http://localhost:5173/** in your browser.

Step 6: Test the Application

- a. Click the **Home** and **About** buttons to switch pages dynamically.
 - b. Observe the UI update based on the selected page.
-

Output:

