

S3 BUCKETS

#CONNECTION

The screenshot shows the 'My Amazon S3 account' connection setup page. The left sidebar contains navigation icons. The main area has a breadcrumb 'Projects > Amazon > My Amazon S3 account' and a 'Delete connection' button. The setup form includes:

- Connection type ***: A dropdown menu with 'Cloud' selected.
- Authorization type ***: A dropdown menu with 'Access key (Deprecated)' selected.
- Access key ID ***: A text input field with a lock icon and a masked value '*****'. Below it, a note says: 'Go to AWS account name > My Security Credentials > Users. Get API key from existing user or create new user.'
- Secret access key ***: A text input field with a lock icon and a masked value '*****'. Below it, a note says: 'Go to AWS account name > My Security Credentials > Users. Get secret key from existing user or create new user.'

On the right, a 'Connected' status box shows:

- Location**: Amazon
- Connected**: Jun 8 4:39 AM
- Created**: Jun 8 4:39 AM
- Dependencies**: Used by 4 recipes
- Latest activity**: Edited by shreeja yerla, Jun 8 4:39 AM

An 'AssistIQ' logo is in the bottom right corner.

The screenshot shows the 'CREATE : Recipe' page. The left sidebar contains navigation icons. The main area has a breadcrumb 'Projects > Amazon > CREATE : Recipe' and a 'CREATE' button. Below the breadcrumb are tabs: 'Recipe', 'Jobs', 'Connections', 'Versions', 'Test cases', and 'Settings'. The 'Recipe' tab is active, showing a workflow diagram with four steps:

- TRIGGER**: 1. New/updated file in directory on FTP/FTPS server
- ACTIONS**: 2. Download file contents from FTP/FTPS server (File)
3. Upload file in Amazon S3 (File)
4. STOP job

On the right, an 'Inactive' status box shows:

- Successful jobs**: 1
- Failed jobs**: 0
- Location**: Amazon
- Stopped**: 40 minutes ago
- Dependencies**: Recipe uses 2 assets
- Description**: + Add description

An 'AssistIQ' logo is in the bottom right corner.

#create

#get

The screenshot shows the configuration for a recipe named 'GET' under the 'Amazon' project. The recipe is currently 'Inactive'. The workflow consists of the following steps:

- TRIGGER:** 1. Trigger every 5 minutes.
- ACTIONS:**
 - 2. Download file contents in Amazon S3 (File).
 - 3. Upload a file to FTP/FTPS server (File).
 - 4. STOP job.

On the right sidebar, the status is 'Inactive'. It shows 1 successful job and 0 failed jobs. The location is 'Amazon'. The recipe was stopped on Jun 8 6:39 AM. It has 2 dependencies. The description field is empty with a '+ Add description' button.

#update

The screenshot shows the configuration for a recipe named 'UPDATE1' under the 'Amazon' project. The recipe is currently 'Inactive'. The workflow consists of the following steps:

- TRIGGER:** 1. New/updated file in directory on FTP/FTPS server.
- ACTIONS:**
 - 2. Download file contents from FTP/FTPS server (File).
 - 3. Upload file in Amazon S3 (File).
 - 4. STOP job.

On the right sidebar, the status is 'Inactive'. It shows 1 successful job and 0 failed jobs. The location is 'Amazon'. The recipe was stopped on Jun 8 6:51 AM. It has 2 dependencies. The description field is empty with a '+ Add description' button.

#delete

S

Projects > Amazon > DELETE:Recipe

DELETE

Edit recipeStart recipe

RecipeJobsConnectionsVersionsTest casesSettings

Fullscreen

1Trigger every 5 minutes

ACTIONS

2Delete file or folder in Amazon S3

3STOP job

End

Inactive

Successful jobsFailed jobs

10

Location

Amazon

Move

Stopped

Jun 8 6:54 AM

Dependencies

Recipe uses [1.asset](#)

Description

+ Add description

AssistIQ