

RELEASE · OCTOBER 2026

Connected Environment 1.0

The home for everything environmental on site.

Danger

Weather Station

All Clear

Lightning

Check

Gas

WHY ONE PLACE

Is it safe to work right now?

Heat says one thing. Lightning says another. Gas says a third.

Danger

Weather Station

⚠️ Danger

Unsafe conditions

One or more readings indicate a danger-level condition. Act on the

Weather parameters

Featured — use ⚙️ Settings to choose parameters

🌡️

Heat Index

49.5 °C

⚠️ Danger

Danger, in words, with the steps to take.

All Clear

Lightning

✅ All Clear

Normal operations.

✅ Safe to work

All Clear. Only green counts as safe to work.

Check

Gas

❓ CHECK

3589602346

Offline. Last reading 3 h 29 min ago.

CHECK

H₂S

0

ppm

Within limits

O₂

20.4

%VOL

Within limits

LEL

0

%LEL

Within limits

Safe 19.5 to 23.5 %VOL - alarm above 23.5 - low-oxygen alarm is not raised yet

Not confirmed safe: 1 detector not reporting.

Resolve the items listed before relying on this reading.

Last reading 18 min ago · 4 of 5 detectors reporting

Check. Not confirmed safe: one detector is not reporting.

Connected Environment puts them under one roof: **one place to look.**

Three projects, three screens, one portal. Live production screens, 4 October 2026. Names blurred.

One product. Three environment products inside.

Connected Environment

One menu and header · one backend · each project switches on only what it uses

1.0

Weather Station

- A verdict and the steps to take, not just a heat number.
- Reports, and a Site Safety Policy with a 30 day preview.

Lightning

- Alert state and alert distances, on a map.
- Alarm history. A backup to the site's own cabinet lights and sounder.

Gas

- Overview and detectors.
- Alerts you can acknowledge and close, and compliance limits.

One platform behind them. Readings and status from all three sit in one place.

DIRECTION

Going forward, new environment products go under Connected Environment.

A heat number is not an answer

- 1 A verdict, in words.** The strip says Danger and the steps to take, in priority order.
- 2 The cycle in force.** The heat card shows work, rest and water for the crew.
- 3 Station health.** An offline station is named, and readiness reads Not ready.
- 4 Your readings.** The gear, Select parameters, chooses which readings are featured.

1 **Danger** Unsafe conditions One or more readings indicate a danger-level condition. Act on the recommended steps. Data confidence ■ Last updated 04 Oct, 2026 03:22 PM [View Recommended Steps](#) [Details >](#)

Weather parameters
Data as of 04 Oct, 2026 03:22 PM [Copy as image](#)

Featured — use [Settings](#) to choose parameters

Heat Index **49.5 °C** **2** **Danger**

Work Time — Rest Time
30 min Work Time 10 min Rest Time

Drinking Water
1 Cup (250ml)
every 15 min

1925073288 is offline
Data as of 04 Oct, 2026 03:22 PM
Readiness **Not ready** Total stations: 3
What needs attention
• 1 station offline
• Check station 1925073288

Stations
• **1925073288** **Offline**
Last reading was 1 minute(s) ago.
Last seen: 04 Oct, 2026 03:22 PM
No new data for 1 min
Heat Index 49.5 °C_Rand: Danger

Recommended actions
Listed in the order the safety service prioritised them.

- 1. Pause outdoor work and move crews to shade/rest** [Do first](#)
- 2. Notify the site safety officer**

[Copy actions](#)


Live production screens, 4 October 2026. Station names blurred.

Inset: View Recommended Steps. The first action is marked Do first.

Look back at the heat. Check what stops work.

REPORTS


Maximum Values Report



- Pick a period, today to the last 30 days, or a custom range.
- Peak heat index and peak wind speed, a daily breakdown, and an Excel export.

SETTINGS, WEATHER STATION

Site Safety Policy




- Temperature and wind limits show what they would have done in the last 30 days.
- Heat index bands, each with its own work, rest and water settings. A Change history tab lists changes.

CAREFUL The page warns: changing anything here changes when work stops, for everyone on the project.

A backup, not the alarm

- 1 **Cabinet lights and sounder first.** The page's top line says so.
- 2 **Only green is safe to work.** The tile reads All Clear, with a held-for timer.
- 3 **Alert distances, on a map.** Red and yellow rings and a dot for the sensor. A zone reference, not a live strike position.
- 4 **History you can export.** An alarm activity chart, and an alarm history with CSV export.



Live production screens, 4 October 2026. Map blurred.


Inset: the wallboard view. Wallboard and phone views open by web address, not from the menu.

ON THE PAGE

WakeCap lightning alerts are a backup. Always follow the site's cabinet lights and sounder first.

A quiet screen is not a safe screen

- 1 Overview.** Detectors, how many are online, live alarms, and the worst current reading per gas, each with its limits.
- 2 Gaps are named.** A detector that stops reporting shows as offline. The status reads Check: not confirmed safe.
- 3 Alerts.** Acknowledge and close, with edit access. Recorded in WakeCap only, not sent to the gas vendor.
- 4 Compliance.** Limits in force. Exposure and exceedance figures say Not available yet.



Live production screens, 4 October 2026.

Inset: the wallboard view, by web address.

NOTE

Acknowledge and close are recorded in WakeCap only. They are not sent to the gas vendor.

Each project switches on only what it uses

PROJECT	WEATHER STATION	LIGHTNING	GAS
Weather alone	☒	☐	☐
Lightning alone	☐	☒	☐
Weather with Gas	☒	☐	☒


Active or Inactive, one switch per product. Three real projects.

- **Settings, then Connected Products.** One switch per product on a project.
- **The menu follows.** A project's menu shows only what it has switched on.
- **One shell.** One menu and header across all three products.

Settings	Connected Products
Connected Products	
Weather Station	Weather Station Active ☒
Lightning	Gas Active ☒
	Lightning Inactive ☐

Live screen: Connected Products on a project with Weather Station and Gas on. Nothing was switched for this deck.

Three roads in, one platform behind them



All three reach the same portal: **Connected Environment.**

Gas has no mesh and no Modbus. Each detector reports on its own schedule, so each reading shows its age. Modbus is an industrial wiring and data standard many sensors speak.

What it does not do yet, and where it is going

Good to know

- **Gas acknowledge and close** are recorded in WakeCap only, not sent to the gas vendor.
- **Gas exposure and compliance figures** say Not available yet. Some gas history is not stored yet.
- **Trends** sits in the menu marked Planned.
- **The AI assistant** is direction only. Building blocks exist for Weather Station only. No assistant runs on any site.

DIRECTION

Direction, not a commitment

- **New environment products** go under Connected Environment.
- **A future assistant** could read weather readings and propose changes. A person approves.
- **The weather safety answer** comes from fixed rules. An assistant would only reword it.
- No dates are promised.

WATCH AND TRY

Five short videos, and one place to start

1

Connected Environment overview

One umbrella over weather, lightning and gas.

3:21

2

Weather Station

The verdict, steps, Reports and Site Safety Policy.

2:18

3

Lightning

A backup alert view, alert distances and history.

2:08

4

Gas

Overview, Check, alerts and compliance limits.

2:32

5

Setup tour

Explore, feature, enable and configure, with voice-over.

4:33

Try it

- 1 **Open your project** in the portal.
- 2 **In the left rail**, click the sun-and-cloud icon: Connected Environment, if your project has it.
- 3 **Read the top line first.** Weather verdict, Lightning banner, Gas status.
- 4 **Ask.** Questions now, or after.

CAREFUL


Look, do not switch. Enabling a product or changing a policy changes a real project.

All five videos show live production screens, read only.

How products are enabled and configured

1 Choose what to feature


WEATHER STATION PAGE, GEAR



- Select parameters: one switch per reading.
- Each card can also move or leave the area.

2 Enable products

SETTINGS, CONNECTED PRODUCTS



- One Active or Inactive switch per product.
- Changes a real project.

3 Configure Weather Station

SETTINGS, WEATHER STATION



- Site Safety Policy: limits, heat index bands, method, change history.
- Changes when work stops, for the whole project.

4 Configure Lightning

SETTINGS, LIGHTNING

Alerting radii	Alerting method	Alerting delay
Red	Sound	10s
Yellow	Visual	10s
All-clear	Visual	10s

- Edit alerting radii: red, yellow, all-clear delay.
- Set location: click the map or type coordinates.

Gas has no settings page. Its limits are shown, read only, on the Compliance page. The setup tour video (4:33) walks through all of this.

What we say, and what we do not say

Say

- Connected Environment 1.0 is live. Weather Station, Lightning and Gas are in it today.
- Lightning is a backup. The site's cabinet lights and sounder come first.
- Gas acknowledge and close are recorded in WakeCap only.
- The AI assistant is direction only.
- New environment products go under it. (Direction, no dates.)

Do not say

- That a site is safe.
- One rule set, or one audit trail.
- A go-live date, or any expansion plan.
- That the assistant approves or runs anything.
- That gas exposure or compliance figures exist today.

Terms used in the videos and on the screens

Verdict strip

The bar across the top of Weather Station: the state in words, and the steps to take.

Readiness

Whether the stations or detectors can be relied on. Not ready lists what needs attention, such as an offline station.

Held for

How long the current Lightning state has lasted.

Live alarms / Acknowledged

Gas: alerts nobody has acknowledged, and open alerts that are being handled.

Heat index

The heat number the policy uses, with a band such as Danger.

Alert distances

Lightning reference rings, red and yellow. A zone, not a live strike position.

Wallboard view

A large-type page for a site screen. Opens by web address.

Modbus

An industrial wiring and data standard many sensors speak.