Cloud


Shreenitha Devuni


2520030504


Sec:3


2 a)Enabling Multi-Factor Authentication to Secure Your Access
b) Creating First Linux Instance
c) S3 Bucket Creation and Upload Objects
I. Create an S3 Bucket for file storage.
II. Upload 5 objects with different file extensions.


1) IAM





(29) YouTube
Run Gemini Python Script (2)
Free Cloud Computing Services
Security credentials | IAM | Glob
Ask Gemini
us-east-1.console.aws.amazon.com/iam/home?region=ap-southeast-2#/security_credentials
aws
Search
[Alt+S]
Global
Shreenitha Devuni (733980972185)
Shreenitha%20Devuni
IAM / Security credentials
Identity and Access Management (IAM)
Search IAM
Dashboard
Access Management
Roles
Policies
IAM users
IAM user groups
Identity providers
Account settings
Root access management
Temporary delegation requests
Access reports
Access Analyzer
Resource analysis
Unused access
Analyzer settings
My security credentials
Root user
Info
The root user has access to all AWS resources in this account, and we recommend following best practices. To learn more about the types of AWS credentials and how they're used, see AWS Security Credentials in AWS General Reference
You don't have MFA assigned
As a security best practice, we recommend you assign MFA.
Assign MFA
Account details
Actions
Account name
Shreenitha Devuni
Email address
shreenithadevuni2203@gmail.com
AWS account ID
733980972185
Canonical user ID
46ebf40294bc6fcdcd462c9517c93415e1fca237a6594e26ced8c3635c509e87
Multi-factor authentication (MFA) (0)
Remove
Resync
Assign MFA device
Use MFA to increase the security of your AWS environment. Signing in with MFA requires an authentication code from an MFA device. Each user can have a maximum of 8 MFA devices assigned. Learn more
Type
Identifier
Certifications
Created on
No MFA devices. Assign an MFA device to improve the security of your AWS environment
Assign MFA device
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Search
ENG
IN
46%
10:14
12-11-2026



(29) YouTube
Run Gemini Python Script (2)
Free Cloud Computing Services
Security credentials | IAM | Glob
Ask Gemini
us-east-1.console.aws.amazon.com/iam/home?region=ap-southeast-2#/security_credentials
aws
Search
[Alt+S]
Global
Shreenitha Devuni (733980972185)
Shreenitha%20Devuni
IAM / Security credentials
Identity and Access Management (IAM)
Search IAM
Dashboard
Access Management
Roles
Policies
IAM users
IAM user groups
Identity providers
Account settings
Root access management
Temporary delegation requests
Access reports
Access Analyzer
Resource analysis
Unused access
Analyzer settings
733980972185
46ebf40294bc6fcdcd462c9517c93415e1fca237a6594e26ced8c3635c509e87
Multi-factor authentication (MFA) (0)
Remove
Resync
Assign MFA device
Use MFA to increase the security of your AWS environment. Signing in with MFA requires an authentication code from an MFA device. Each user can have a maximum of 8 MFA devices assigned. Learn more
Type
Identifier
Certifications
Created on
No MFA devices. Assign an MFA device to improve the security of your AWS environment
Assign MFA device
Access keys (0)
Create access key
Use access keys to send programmatic calls to AWS from the AWS CLI, AWS Tools for PowerShell, AWS SDKs, or direct AWS API calls. You can have a maximum of two access keys (active or inactive) at a time. Learn more
Access key ID
Created on
Access key last used
Region last used
Service last used
Status
No access keys
As a best practice, avoid using long-term credentials like access keys. Instead, use tools which provide short term credentials. Learn more
Create access key
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search
[Alt+S]
Global
Shreenitha Devuni (733980972185)
Shreenitha%20Devuni
IAM / Security credentials / Assign MFA device
Step 1
Select MFA device
Step 2
Set up device
Select MFA device Info
MFA device name
Device name
This name will be used within the identifying ARN for this device.
Device name
Maximum 64 characters. Valid characters: A-Z, a-z, 0-9, and + = , . @ _ - (hyphen)
MFA device
Device options
In addition to username and password, you will use this device to authenticate into your account.
Passkey or security key
Authenticate using your fingerprint, face, or screen lock. Create a passkey on this device or use another device, like a FIDO2 security key.
AWS recommends using a passkey or security key as an MFA device as they provide the most protection against attacks such as phishing.
Authenticator app
Authenticate using a code generated by an app installed on your mobile



Passkey saved and PIN created
You can view and manage your passkeys saved in Google Password Manager
Search
[Alt+S]
IAM / Security credentials
Identity and Access Management (IAM)
Search IAM
Dashboard
Access Management
Roles
Policies
IAM users
IAM user groups
Identity providers
Account settings
Root access management
Temporary delegation requests
Access reports
Access Analyzer
Resource analysis
Unused access
Analyzer settings
Passkey MFA device assigned
As security best practices, we recommend making sure your email and contact number are up to date, and encourage registering multiple devices in the case that your primary method is lost, disabled, or unavailable.
My security credentials Root user Info
The root user has access to all AWS resources in this account, and we recommend following best practices. To learn more about the types of AWS credentials and how they're used, see AWS Security Credentials in AWS General Reference
Account details
Actions
Account name
Shreenitha Devuni
Email address
shreenithadevuni2203@gmail.com
AWS account ID
733980972185
Canonical user ID
46ebf40294bc6fcdcd462c9517c93415e1fca237a6594e26ced8c3635c509e87
Multi-factor authentication (MFA) (0)
Remove
Resync
Assign MFA device
Use MFA to increase the security of your AWS environment. Signing in with MFA requires an authentication code from an MFA device. Each user can have a maximum of 8 MFA devices assigned. Learn more
Type
Identifier
Certifications
Created on
No MFA devices. Assign an MFA device to improve the security of your AWS environment
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Provide feedback
English
Use a saved passkey for aws.amazon.com
733980972185-root-Shreenitha@2203
Google Password Manager
Use a different passkey
Continue
Cancel
Additional verification r
Your account is protected with a pa
security key for multi-factor authentication (MFA).
To finish signing in, follow the instr
from your browser.
Sign in to a different account
Trouble signing in?
Go deeper at the AWS re:Invent Livestream
Join curated sessions matched to your role and industry, with virtual trainers and live Q&A.
Register free →


2) EC2



Search
[Alt+S]
Asia Pacific (Mumbai)
Shreenitha Devuni (733980972185)
Shreenitha Devuni
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Compute
Amazon Elastic Compute Cloud (EC2)
Create, manage, and monitor virtual servers in the cloud.
Amazon Elastic Compute Cloud (Amazon EC2) offers the broadest and deepest compute platform, with over 600 instance types and a choice of the latest processors, storage, networking, operating systems, and purchase models to help you best match the needs of your workload.
Launch a virtual server
Launch instance
View dashboard
Additional actions
View running instances
Migrate a server
Benefits and features
EC2 offers ultimate scalability and control
Fully resizable compute capacity to support virtually any workload. This service is best if you want:
Highest level of control of the entire technology stack, allowing full integration with all AWS services
Widest variety of server size options
Widest availability of operating systems to choose from including Linux, Windows, and macOS
Global scalability
Pricing (US)
EC2 pricing options
Use the AWS pricing calculator



Search
[Alt+S]
Asia Pacific (Mumbai)
Shreenitha Devuni (733980972185)
Shreenitha Devuni
EC2 / Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Instances Info
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Filter Instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
Public IPv4 DNS
No instances
You do not have any instances in this region
Launch instances
All instances
Instance alarm states
In alarm
None
View in CloudWatch
Service health
EC2 service status
Operating normally
View Service Health Dashboard
Health events affecting EC2 instances
Open events
None
Upcoming events
None
View AWS Health Dashboard
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search
[Alt+S]
Asia Pacific (Mumbai)
Shreenitha Devuni (733980972185)
Shreenitha Devuni
EC2 / Instances / Launch an instance
It seems like you may be new to launching instances in EC2. Take a walkthrough to learn about EC2, how to launch instances and about best practices
Take a walkthrough
Do not show me this message again.
Launch an instance Info
Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.
Name and tags Info
Name
e.g. My Web Server
Add additional tags
Application and OS Images (Amazon Machine Image) Info
An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose Browse more AMIs.
Search our full catalog including 1000s of application and OS images
Quick Start
Amazon Linux
macOS
Ubuntu
Windows
Red Hat
SUSE Linux
Debian
Browse more AMIs
Including AMIs from AWS, Marketplace and the
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-05fbd65e334e88c16
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search [Alt+S]
Asia Pacific (Mumbai)
Shreenitha Devuni (733980972185)
Shreenitha Devuni
EC2 / Instances / Launch an instance
It seems like you may be new to launching instances in EC2. Take a walkthrough to learn about EC2, how to launch instances and about best practices
Take a walkthrough
Do not show me this message again.
Launch an instance Info
Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.
Name and tags Info
Name
MyFirstEC2
Add additional tags
Application and OS Images (Amazon Machine Image) Info
An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose Browse more AMIs.
Search our full catalog including 1000s of application and OS images
Quick Start
Amazon Linux
macOS
Ubuntu
Windows
Red Hat
SUSE Linux
Debian
Browse more AMIs
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-05fbd65e334e88c16
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search [Alt+S]
Asia Pacific (Mumbai)
Shreenitha Devuni (733980972185)
Shreenitha Devuni
EC2 / Instances / Launch an instance
Success
Successfully initiated launch of instance (i-068a17f1d911a34d7)
Launch log
Next Steps
What would you like to do next with this instance, for example "create alarm" or "create backup"
1 2 3 4 5 6
Create billing usage alerts
To manage costs and avoid surprise bills, set up email notifications for billing usage thresholds.
Create billing alerts
Connect to your instance
Once your instance is running, log into it from your local computer.
Connect to instance
Learn more
Connect an RDS database
Configure the connection between an EC2 instance and a database to allow traffic flow between them.
Connect an RDS database
Create a new RDS database
Learn more
Create EBS snapshot policy
Create a policy that automates the creation, retention, and deletion of EBS snapshots
Create EBS snapshot policy
Manage detailed monitoring
Create Load Balancer
Create AWS budget
Manage CloudWatch alarms



Search [Alt+S]
Asia Pacific (Mumbai)
Shreenitha Devuni (733980972185)
Shreenitha Devuni
EC2 / Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Instances (1) Info
Last updated less than a minute ago
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Filter Instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
Public IPv4 DNS
MyFirstEC2
i-068a17f1d911a34d7
Running
t3.micro
3/3 checks passed
ap-south-1b
ec2-35-154-183-171.ap-sou...
All instances
Instance alarm states
In alarm
None
View in CloudWatch
Service health
EC2 service status
Operating normally
View Service Health Dashboard
Health events affecting EC2 instances
Open events
None
Upcoming events
None
View AWS Health Dashboard
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search
[Alt+S]
Asia Pacific (Mumbai)
Shreenitha Devuni (733980972185)
Shreenitha Devuni
Amazon Linux 2023
https://aws.amazon.com/linux/amazon-linux-2023
[ec2-user@ip-172-31-5-239 ~]$
i-068a17f1d911a34d7 (MyFirstEC2)
PublicIPs: 35.154.183.171 PrivateIPs: 172.31.5.239
CloudShell
Agent Toolkit for AWS
Feedback
Console mobile app
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search
[Alt+S]
Asia Pacific (Mumbai)
Shreenitha Devuni (733980972185)
Shreenitha Devuni
Amazon Linux 2023
https://aws.amazon.com/linux/amazon-linux-2023
[ec2-user@ip-172-31-5-239 ~]$ ls
[ec2-user@ip-172-31-5-239 ~]$ mkdir test
[ec2-user@ip-172-31-5-239 ~]$ ls
test
[ec2-user@ip-172-31-5-239 ~]$ vi file.text
i-068a17f1d911a34d7 (MyFirstEC2)
PublicIPs: 35.154.183.171 PrivateIPs: 172.31.5.239
CloudShell
Agent Toolkit for AWS
Feedback
Console mobile app
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search
[Alt+S]
Asia Pacific (Mumbai)
Shreenitha Devuni (733980972185)
Shreenitha Devuni
-- INSERT --
1,1
All
i-068a17f1d911a34d7 (MyFirstEC2)
PublicIPs: 35.154.183.171 PrivateIPs: 172.31.5.239
CloudShell
Agent Toolkit for AWS
Feedback
Console mobile app
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Amazon Linux 2023
https://aws.amazon.com/linux/amazon-linux-2023
Last login: Thu Nov 12 05:18:23 2026 from 13.233.177.5
[ec2-user@ip-172-31-5-239 ~]$ ls
test
[ec2-user@ip-172-31-5-239 ~]$ mkdir
mkdir: missing operand
Try 'mkdir --help' for more information.
[ec2-user@ip-172-31-5-239 ~]$ vi file.text
[1]+ Stopped vim file.text
[ec2-user@ip-172-31-5-239 ~]$
[ec2-user@ip-172-31-5-239 ~]$ vi file.text
[ec2-user@ip-172-31-5-239 ~]$ vi file.text
[ec2-user@ip-172-31-5-239 ~]$ cat file.text
Welcome to AWS EC2!
This is my first Linux instance.
Amazon Linux 2023 is running successfully.Welcome to AWS EC2!
This is my first Linux instance.
Amazon Linux 2023 is running successfully.
[ec2-user@ip-172-31-5-239 ~]$
i-068a17f1d911a34d7 (MyFirstEC2)
PublicIPs: 35.154.183.171 PrivateIPs: 172.31.5.239



Successfully initiated termination (deletion) of i-068a17f1d911a34d7
Instances (1/1)
MyFirstEC2
i-068a17f1d911a34d7
Shutting-down
t3.micro
ap-south-1b
i-068a17f1d911a34d7 (MyFirstEC2)
Details
Status and alarms
Monitoring
Security
Networking
Storage
Tags
Instance summary
Public IPv4 address
35.154.183.171 | open address
Private IPv4 addresses
172.31.5.239
Public DNS
ec2-35-154-183-171.ap-south-1.compute.amazonaws.com | open address


3) S3



Amazon S3
Storage
Amazon S3
Store and retrieve any amount of data from anywhere
Amazon S3 is an object storage service that offers industry-leading scalability, data availability, security, and performance.
Create a bucket
Every object in S3 is stored in a bucket. To upload files and folders to S3, you'll need to create a bucket where the objects will be stored.
Create bucket
Pricing
With S3, there are no minimum fees. You only pay for what you use. Prices are based on the location of your S3 bucket.
Estimate your monthly bill using the AWS Simple Monthly Calculator
View pricing details
How it works
Introduction to Amazon S3 | Amazon Web Services
Amazon Web Services



Search
[Alt+S]
Asia Pacific (Mumbai)
Shreenitha Devuni (733980972185)
Shreenitha Devuni
Amazon S3 / Buckets / Create bucket
Create bucket Info
Buckets are containers for data stored in S3.
General configuration
AWS Region
Asia Pacific (Mumbai) ap-south-1
Bucket type Info
General purpose
Recommended for most use cases and access patterns. General purpose buckets are the original S3 bucket type. They allow a mix of storage classes that redundantly store objects across multiple Availability Zones.
Directory
Recommended for low-latency use cases. These buckets use only the S3 Express One Zone storage class, which provides faster processing of data within a single Availability Zone.
Bucket namespace
Choose the namespace where you want to create your bucket. Learn more
Global namespace
By default, S3 creates general purpose buckets in the global namespace.
Account Regional namespace (recommended)
General purpose buckets created in your account Regional namespace are unique to your account. These buckets can never be created by another AWS account.
Bucket name Info
demobucket1
Bucket names must be 3 to 63 characters and unique within the global namespace. Bucket names must also begin and end with a letter or number. Valid characters are a-z, 0-9, periods (.), and hyphens (-). Learn more
Copy settings from existing bucket - optional
Only the bucket settings in the following configuration are copied.
Choose bucket
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search
[Alt+S]
Asia Pacific (Mumbai)
Shreenitha Devuni (733980972185)
Shreenitha Devuni
Amazon S3 / Buckets / demobucket1-733980972185-ap-south-1-an
Successfully created bucket "demobucket1-733980972185-ap-south-1-an"
demobucket1-733980972185-ap-south-1-an Info
Objects
Metadata
Properties
Permissions
Metrics
Management
File systems
Access Points
Objects (0)
Copy S3 URI
Copy URL
Download
Open
Delete
Actions
Create folder
Upload
Objects are the fundamental entities stored in Amazon S3. You can use Amazon S3 inventory to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. Learn more
Find objects by prefix
Name
Type
Last modified
Size
Storage class
No objects
You don't have any objects in this bucket.
Upload



Search
[Alt+S]
Asia Pacific (Mumbai)
Shreenitha Devuni (733980972185)
Shreenitha Devuni
Amazon S3 / Buckets / demobucket1-733980972185-ap-south-1-an / Upload
Upload Info
Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDKs or Amazon S3 REST API. Learn more
Drag and drop files and folders you want to upload here, or choose Add files or Add folder.
Files and folders (1 total, 2.9 MB)
Remove
Add files
Add folder
All files and folders in this table will be uploaded.
Find by name
Name
Folder
Type
Size
CN-Skill1.pdf
-
application/pdf
2.9 MB
Destination Info
Destination
s3://demobucket1-733980972185-ap-south-1-an
Destination details
Bucket settings that impact new objects stored in the specified destination.
Permissions
Grant public access and access to other AWS accounts
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search
[Alt+S]
Asia Pacific (Mumbai)
Shreenitha Devuni (733980972185)
Shreenitha Devuni
Amazon S3
Upload succeeded
For more information, see the Files and folders table.
Upload: status
Close
After you navigate away from this page, the following information is no longer available.
Summary
Destination
s3://demobucket1-733980972185-ap-south-1-an
Succeeded
1 file, 2.9 MB (100.00%)
Failed
0 files, 0 B (0%)
Files and folders
Configuration
Files and folders (1 total, 2.9 MB)
Find by name
Name
Folder
Type
Size
Status
Error
CN-Skill1.pdf
application/pdf
2.9 MB
Succeeded


Search
[Alt+S]
Asia Pacific (Mumbai)
Shreenitha Devuni
Amazon S3 / Buckets / demobucket1-733980972185-ap-south-1-an
Amazon S3
Buckets
General purpose buckets
Directory buckets
Table buckets
Vector buckets
Files
File systems
Access management and security
Access Points
Access Points for FSx
Access Grants
IAM Access Analyzer
Storage management and insights
Storage Lens
Batch Operations
demobucket1-733980972185-ap-south-1-an
Info
Objects
Metadata
Properties
Permissions
Metrics
Management
File systems
Access Points
Objects (1)
Copy S3 URI
Copy URL
Download
Open
Delete
Actions
Create folder
Upload
Objects are the fundamental entities stored in Amazon S3. You can use Amazon S3 inventory to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. Learn more
Find objects by prefix
Name
Type
Last modified
Size
Storage class
CN-Skill1.pdf
pdf
November 12, 2026, 11:17:30 (UTC+05:30)
2.9 MB
Standard


Search
[Alt+S]
Asia Pacific (Mumbai)
Shreenitha Devuni (733980972185)
Shreenitha Devuni
Amazon S3 / Buckets / testbucket-733980972185-ap-south-1-an
Amazon S3
Buckets
General purpose buckets
Directory buckets
Table buckets
Vector buckets
Files
File systems
Access management and security
Access Points
Access Points for FSx
Access Grants
IAM Access Analyzer
Storage management and insights
Storage Lens
Batch Operations
testbucket-733980972185-ap-south-1-an
Info
Objects
Metadata
Properties
Permissions
Metrics
Management
File systems
Access Points
Objects (1)
Copy S3 URI
Copy URL
Download
Open
Delete
Actions
Create folder
Upload
Objects are the fundamental entities stored in Amazon S3. You can use Amazon S3 inventory to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. Learn more
Find objects by prefix
Name
Type
Last modified
Size
Storage class
Dev_Environment_Setup_Guide (1).pdf
pdf
November 12, 2026, 11:20:49 (UTC+05:30)
123.8 KB
Standard


Search
[Alt+S]
Asia Pacific (Mumbai)
Shreenitha Devuni (733980972185)
Shreenitha Devuni
Amazon S3 / Buckets / testbucket-733980972185-ap-south-1-an / Dev_Environment_Setup_Guide (1).pdf
Amazon S3
Buckets
General purpose buckets
Directory buckets
Table buckets
Vector buckets
Files
File systems
Access management and security
Access Points
Access Points for FSx
Access Grants
IAM Access Analyzer
Storage management and insights
Storage Lens
Batch Operations
Dev_Environment_Setup_Guide (1).pdf
Info
Copy S3 URI
Download
Open
Object actions
Properties
Permissions
Versions
Object overview
Owner
46ebf40294bc6fcdcd462c9517c93415e1fca237a6594e26ced8c3635c509e87
AWS Region
Asia Pacific (Mumbai) ap-south-1
Last modified
November 12, 2026, 11:20:49 (UTC+05:30)
Size
123.8 KB
Type
pdf
Key
Dev_Environment_Setup_Guide (1).pdf
S3 URI
s3://testbucket-733980972185-ap-south-1-an/Dev_Environment_Setup_Guide (1).pdf
Amazon Resource Name (ARN)
arn:aws:s3:::testbucket-733980972185-ap-south-1-an/Dev_Environment_Setup_Guide (1).pdf
Entity tag (Etag)
76a8cd607383dc30f1e4834857aee71e
Object URL
https://testbucket-733980972185-ap-south-1-an.s3.ap-south-1.amazonaws.com/Dev_Environment_Setup_Guide+(1).pdf
Object management overview


Search
[Alt+S]
Asia Pacific (Mumbai)
Shreenitha Devuni (733980972185)
Shreenitha Devuni
Amazon S3
Successfully emptied bucket "testbucket-733980972185-ap-south-1-an"
View details below. If you want to delete this bucket, use the delete bucket configuration.
Empty bucket: status
Cancel
Exit
The details below are no longer available after you navigate away from this page.
Summary
Source
s3://testbucket-733980972185-ap-south-1-an
Successfully deleted
1 object, 123.8 KB
Failed to delete
0 objects
Failed to delete (0)
Find objects by name
1
Name
Prefix
Version ID
Type
Last modified
Size
Error
No failed object deletions