

Matrix theory - Assignment 9

Shreeprasad Bhat
AI20MTECH14011

Abstract—This document proves result on linear transformations

Download latex-tikz from

<https://github.com/shreeprasadbhat/matrix-theory/blob/master/assignment9/>

1 PROBLEM

Let \mathbf{V} be the space of $n \times 1$ matrices over F and let \mathbf{W} be the space of $m \times 1$ matrices over F . Let \mathbf{A} be a fixed $m \times n$ matrix over F and let T be the linear transformation from \mathbf{V} into \mathbf{W} defined by $T(\mathbf{X}) = \mathbf{AX}$. Prove that T is the zero transformation if and only if \mathbf{A} is the zero matrix.

2 PROOF

If \mathbf{A} is a zero transformation, then

$$\mathbf{AX} = 0 \quad (2.0.1)$$

Let,

$$\mathbf{A} = (\mathbf{A}_1 \quad \dots \quad \mathbf{A}_j \quad \dots \quad \mathbf{A}_n) \text{ and} \quad (2.0.2)$$

$$\mathbf{X}_j = \begin{pmatrix} x_1 \\ \vdots \\ x_j \\ \vdots \\ x_n \end{pmatrix}, \text{ where } x_i = \begin{cases} 1 & \text{if } i = j \\ 0 & \text{otherwise} \end{cases} \quad (2.0.3)$$

Since \mathbf{A} is zero transformation, for any $n \times 1$ vector \mathbf{X} , $\mathbf{AX} = 0$. Consider ,

$$\mathbf{AX}_j = 0 \quad (2.0.4)$$

$$(\mathbf{A}_1 \dots \mathbf{A}_j \dots \mathbf{A}_n) \begin{pmatrix} x_1 \\ \vdots \\ x_j \\ \vdots \\ x_n \end{pmatrix} = 0 \quad (2.0.5)$$

$$\Rightarrow \mathbf{A}_j = 0 \text{ for } j = 1, 2, \dots, n \quad (2.0.6)$$

$$\Rightarrow \mathbf{A} = \begin{pmatrix} 0 & 0 & \dots & 0 \end{pmatrix} \quad (2.0.7)$$

$$\therefore \mathbf{A} = 0 \quad (2.0.8)$$

Hence \mathbf{A} is zero matrix.

Let us assume \mathbf{A} is a zero matrix

$$\mathbf{A} = 0 \quad (2.0.9)$$

$$T(\mathbf{X}) = \mathbf{AX} = 0.\mathbf{X} \quad (2.0.10)$$

$$= 0, \forall \mathbf{X} \in F \quad (2.0.11)$$

Hence $T(\mathbf{X}) = \mathbf{AX}$ is the zero transformation.

From (2.0.8) and (2.0.11) it is proved that T is the zero transformation if and only if \mathbf{A} is the zero matrix.