| | |
|---|---|
| **Status** | Finished |
| **Started** | Monday, 19 October 2026, 11:59 AM |
| **Completed** | Monday, 19 October 2026, 12:08 PM |
| **Duration** | 8 mins 23 secs |
| **Grade** | **15.00** out of 15.00 (**100**%) |

Question **1**

Correct

Mark 1.00 out of 1.00

Which method is used to truncate a file to a specific size?

a. reduce()
b. truncate() ✓
c. shrink()
d. resize()

The correct answer is: truncate()

Question **2**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in write mode ('w') and the file already exists?

a. It clears the old data and starts fresh ✓
b. It appends data to the file
c. It does nothing
d. It raises an error

The correct answer is: It clears the old data and starts fresh

Question **3**

Correct

Mark 1.00 out of 1.00

What is the default mode in which the open() function opens a file?

a. Append
b. Binary
c. Read ✓
d. Write

The correct answer is: Read

Question **4**

Correct

Mark 1.00 out of 1.00

Select the incorrect file access mode

a. ab+
b. rw+ ✓
c. wb+
d. r

The correct answer is: rw+

Question **5**

Correct

Mark 1.00 out of 1.00

file_object.seek(offset [, reference_point])

What is the default, the value of reference_point?

a. 2
b. null
c. 1
d. 0 ✓
e. garbage

The correct answer is:
0

Question **6**

Correct

Mark 1.00 out of 1.00

What will the read() method return if used on an empty file?

- a. An empty string ✓
- b. None
- c. 0
- d. EOFError

The correct answer is: An empty string

Question **7**

Correct

Mark 1.00 out of 1.00

f.seek(5,1) means

- a. move the file pointer to beginning of the file
- b. moves the file pointer to the end of a file
- c. move the file pointer five characters ahead from the current position ✓
- d. move the file pointer five characters behind from the current position

The correct answer is:
move the file pointer five characters ahead from the current position

Question **8**

Correct

Mark 1.00 out of 1.00

How do you check if a file is closed in Python?

- a. file.closed()
- b. file.isclosed()
- c. file.closed ✓
- d. file.is_closed()

The correct answer is: file.closed

Question **9**

Correct

Mark 1.00 out of 1.00

Which method is used to sets the position of a file pointer

a. tell()
b. seek() ✓
c. ftell()
d. fseek()

The correct answer is: seek()

Question **10**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
f = open("test.txt", "w")
f.write("Hello, world!")
f.close()
f = open("test.txt", "r")
print(f.read())
f.close()
```

a. Hello, world! ✓
b. world
c. An error is raised
d. Hello

The correct answer is: Hello, world!

Question **11**

Correct

Mark 1.00 out of 1.00

Which method is used to close a file in Python?

a. terminate()
b. close() ✓
c. end()
d. finish()

The correct answer is: close()

Question **12**

Correct

Mark 1.00 out of 1.00

What does the encoding parameter in the open() function specify?

a. The size of the file
b. The mode of the file
c. The encoding format of the file ✓
d. The buffer size

The correct answer is: The encoding format of the file

Question **13**

Correct

Mark 1.00 out of 1.00

What will be the output of the following code if the file "example.txt" contains "Python Programming"?

```
f = open("example.txt", "r")
print(f.read(6))
f.close()
```

a. An error is raised
b. Program
c. Python ✓
d. Python Programming

The correct answer is: Python

Question **14**

Correct

Mark 1.00 out of 1.00

Which method is used to get the current file position?

a. current()
b. tell() ✓
c. position()
d. locate()

The correct answer is: tell()

Question **15**

Correct

Mark 1.00 out of 1.00

If the file is opened in write mode and already exists, it truncates the existing content and places the filehandle at the beginning of the file.

Select one:

True ✓
False

The correct answer is 'True'.