Status	Finished
Started	Monday, 19 October 2026, 11:26 AM
Completed	Monday, 19 October 2026, 11:37 AM
Duration	11 mins 50 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Following statement return values in the form of: D1.keys() # D1 is a dictionary

a. list ✓
b. tuple
c. string
d. dictionary

Question **2**

Correct

Mark 1.00 out of 1.00

What is the value of counter after the code is run?

```
phrase = "Cheese!!!! Cheese!!!! Python is a programming Language.Python!!"
counter = 0
letters = {}
for word in phrase.split():
    for letter in word:
        letter = letter.lower()
        if letter not in letters.keys():
            letters[letter] = 0
        letters[letter] += 1
for key in letters.keys():
    if letters[key] > 2:
        counter += 1
print(counter)
```

Answer: 9 ✓

Question **3**

Incorrect

Mark 0.00 out of 1.00

We can repeat the values of Key in Dictionary?

a. True

b. False ✗

Question **4**

Correct

Mark 1.00 out of 1.00

Which of the following is an example of dictionary?

a. D = { } ✓

b. None of the mentioned

c. L = [ ]

d. C = ( )

Question **5**

Incorrect

Mark 0.00 out of 1.00

Which of the following is not method of dictionary?

a. len ✗

b. pop

c. del

d. update

Question **6**

Correct

Mark 1.00 out of 1.00

There is no index value in dictionary like we have in List.(T/F)

a. True ✓

b. False

Question **7**

Correct

Mark 1.00 out of 1.00

A = {"A" : "Apple", "B" : "Ball", "C" : "Cat"} Which of the following statement will return : dict_items([('A', 'Apple'), ('B', 'Ball'), ('C', 'Cat')])

a. print(A.values)
b. print(A.get)
c. print(A.Items) ✓
d. print(A.keys)

Question **8**

Correct

Mark 1.00 out of 1.00

Write a statement to retrieve the value corresponding to the key 7 in dictionary 'D1'.

a. D1.values(7)
b. D1.pop(7)
c. D1.get(7) ✓
d. D1.disp(7)

Question **9**

Correct

Mark 1.00 out of 1.00

Suppose d = {“john”:40, “peter”:45}, to delete the entry for “john” what command do we use?

a. d.delete(“john”)
b. d.delete(“john”:40)
c. del d[“john”] ✓
d. del d(“john”:40)

Question **10**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

a. A dictionary can have two same keys with different values.

b. A dictionary can have two same keys or same values but cannot have two same key-value pair

c. A python, a dictionary can neither have two same keys nor two same values.

d. A dictionary can have two same values with different keys. ✓

Question **11**

Correct

Mark 1.00 out of 1.00

Which function/statement delete the dictionary from the memory?

a. delete

b. del ✓

c. pop

d. clear

Question **12**

Correct

Mark 1.00 out of 1.00

All elements in dictionary are separated by ____.

a. dot(.)

b. Comma(,) ✓

c. Semicolon(;)

d. Colon (

Question **13**

Correct

Mark 1.00 out of 1.00

Traversing a dictionary can be done using ____.

a. None of the mentioned

b. jump statement

c. loop ✓

d. if statement

Question **14**

Correct

Mark 1.00 out of 1.00

____ function returns the value corresponding to the key passed as the argument.

a. values
b. del
c. get ✓
d. update

Question **15**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

a. A dictionary can have two same keys or same values but cannot have two same key-value pair
b. A python, a dictionary can neither have two same keys nor two same values.
c. A dictionary can have two same values with different keys. ✓
d. A dictionary can have two same keys with different values.