Status	Finished
Started	Monday, 5 October 2026, 7:23 PM
Completed	Monday, 5 October 2026, 7:30 PM
Duration	7 mins 19 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code?

```
def sayHello():
    print('Hello World!')
sayHello()
sayHello()
```

a. None of the mentioned

b. 'Hello World!'
'Hello World!'

c. Hello World! ✓
Hello World!

d. Hello
Hello

Question **2**

Correct

Mark 1.00 out of 1.00

The ____ statement returns the values from the function to the calling function.

a. give

b. take

c. return ✓

d. send

Question **3**

Correct

Mark 1.00 out of 1.00

Function defined to achieve some task as per the programmer's requirement is called a ____.

- a. built in functions
- b. All of the mentioned
- c. library function
- d. user defined function ✓

Question **4**

Incorrect

Mark 0.00 out of 1.00

What is the output of the following function call?

```
def outer_fun(a, b):
    def inner_fun(c, d):
        return c + d
        return inner_fun(a, b)
    return a
result = outer_fun(5, 10)
print(result)
```

- a. 5
- b. 15 ✗
- c. Syntax Error
- d. (15,5)

Question **5**

Correct

Mark 1.00 out of 1.00

Which of the following function definition header is wrong?

- a. def div(p1=4, p2, p3): ✓
- b. def mul(p1, n1, m1):
- c. def scan(p1, p2 = 4, p3 = 5):
- d. def sum(n1, n2, n = 3):

Question **6**

Correct

Mark 1.00 out of 1.00

A variable that is defined inside any function or a block is known as a ____.

a. Function Variable
b. Local variable ✓
c. inside variable
d. Global variable

Question **7**

Correct

Mark 1.00 out of 1.00

Write the output of : print(min(tuple("computer")))

a. t
b. c ✓
c. o
d. u

Question **8**

Correct

Mark 1.00 out of 1.00

A function may return multiple values using ____.

a. Tuple ✓
b. Dictionary
c. String
d. List

Question **9**

Correct

Mark 1.00 out of 1.00

The return statement in function is used to ____.

a. returns the control to the calling function
b. Both return value and returns the control to the calling function ✓
c. None of the mentioned
d. return value

Question **10**

Correct

Mark 1.00 out of 1.00

What is the output of the following function call?

```
def fun1(name, age=20):
    print(name, age)
fun1('Emma', 25)
```

- a. Emma 25 ✓
- b. Emma 20
- c. name
- d. age

Question **11**

Correct

Mark 1.00 out of 1.00

Which of the following function headers is correct?

- a. def fun(a, b, c = 3, d)
- b. def fun(a, b = 2, c = 3) ✓
- c. def fun(a = 2, b, c = 3)
- d. def fun(a = 2, b = 3, c)

Question **12**

Correct

Mark 1.00 out of 1.00

Which of the following are advantages of using function in program?

- a. It makes debugging easier.
- b. It increases readability of program.
- c. All of the mentioned ✓
- d. It increases reusability.

Question **13**

Correct

Mark 1.00 out of 1.00

____ can be defined as a named group of instructions that accomplish a specific task when it is invoked/called.

a. Datatype
b. Token
c. Function ✓
d. Operator

Question **14**

Correct

Mark 1.00 out of 1.00

Which of the following items are present in the function header?

a. return value
b. Both A and B ✓
c. B. parameter list
d. A. function name

Question **15**

Correct

Mark 1.00 out of 1.00

Which of the following statement is a function call?

a. function sum
b. def sum
c. sum ✓
d. call sum