

Hands on 1


Create a Spring Web Project using Maven:





Output:

mvn clean package



Hands on 2

Spring Core - Load SimpleDateFormat from Spring Configuration XML:

Date-format.xml:

```
<?xml version="1.0" encoding="UTF-8"?>
<beans xmlns="http://www.springframework.org/schema/beans"
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xsi:schemaLocation="
        http://www.springframework.org/schema/beans
        https://www.springframework.org/schema/beans/spring-beans.xsd">
    <!-- Define the SimpleDateFormat bean -->
    <bean id="dateFormat" class="java.text.SimpleDateFormat">
```

springLearnApplication.java:

```
package com.cognizant.spring learn;
import java.text.ParseException;
import java.text.SimpleDateFormat;
import java.util.Date;
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import org.springframework.boot.SpringApplication;
Import org.springframework.boot.autoconfigure.SpringBootApplication;
mport org.springframework.context.ApplicationContext;
import org.springframework.context.support.ClassPathXmlApplicationContext;
    private static final Logger LOGGER =
LoggerFactory.getLogger(SpringLearnApplication.class);
        LOGGER.info("Inside main");
ClassPathXmlApplicationContext("date-format.xml");
             LOGGER.debug("Parsed Date: {}", date);
             System.out.println("Formatted Date: " + date);
             LOGGER.error("Date parsing failed", e);
```

Output:

