FLIGHT ANALYTICS – DATABASE ABOUT FLIGHT AND PASSENGER STATUS

Submitted By

Shreesha S (2022506008)

Pugazh U (2022506022)

Arun Kishore R (2022506053)

Sneya Gabreate S (2022506062)

In our project we have created a flight booking System, Where an user can book his/her flight ticket for domestic or international travel through our website.

CELINE   AIRLINES

Fig 1

This is the homepage of our website, when the user clicks the image present in the left side of the page (Fig 1). Then they will be directed to the next page.

Fig 2

In this page You can see two options running on the page, One for domestic and other for international flight bookings. You can choose depending on your respective Travel Place.


Fig 3

At the end of this page, We have inserted the images of our flight and contact details.


Fig 4

When you click domestic flights on Fig 3, You will be directed to this page. You can fill the required information to book ticket.

You can see a sample of user's info in this image.

After filling your details, The page will pop your payment amount (depending upon your place of travel)

localhost says
INTERNATIONAL PAYMENT:RS.8000

OK

CELINE AIRLINES
VERIFICATION

PASSENGER DETAILS
1. 'passport no:' 2147483647
'name:' harish
'aadhar no:' 2147483647
'address:' kk nagar,chennai
'departure place:'bhiwani
'arrival place:'srinagar international
'departure date:'2023-08-15

payment

Fig 5

After filling your details, You Will be directed to the verification page where you verify your information and click on payment option for next page.

Fig 6

you can fill your bank account information for payment.

Here You can see a sample of user information.

Then the page will pop that your ticket booked successfully.

After booking ticket, you can see dining options at the Top right corner of the page. You can click that to select your preferred meals from the menu.

DINING OPTIONS

VEGETARIAN

Mini Idlis, Medu Vada and Upma
RS:600

Shândesh Tiramisû
RS:250

Vegan Moilee Curry with Coconut Rice
RS:600

Matar Paneer Bhurji with Aloo Paratha
RS:600

Vegetable Manchurian with Fried Rice
RS:600

NON-VEGETARIAN

Masala Omelette with Chicken Sausages & Hash Brown
RS:600

Chilli Chicken with Hakka Noodles
RS:600

Chicken Junglee Sandwich
RS:400

Awadhi Chicken Biryani with Mirch Salan
RS:600

You can see the food menu here.

IN FLIGHT FOODS

BITES AND BEVERAGES

Roasted Cashews RS:200

Roasted Almonds RS:200

Himalayan Salt Caramel Popcorn RS:200

Butter Cookies RS:100

Masala Chai RS:100

Cappuccino RS:100

Paper Boat Alphonso Aamras RS:100

You can see snacks and beverages menu, After clicking INFLIGHT MEAL option.

Finally after choosing your preferred meals from the menu, Your ticket booking process is completed.

SOURCE CODE:

Home page:

```html
<html><head>
<style>
body {
  margin: 0;
  font-family: Arial;
  font-size: 17px;
}
```

```css
#myVideo {
  position: fixed;
  right: 0;
  bottom: 0;
  min-width: 100%;
  min-height: 100%;
}

.content {
  position: fixed;
  top: 0;
  background:white(0, 0, 0, 0.5);
  color:black;
  width: 100%;
  padding: 20px;
}
}
</style>
</head>
<body>

<video autoplay="" muted="" loop="" id="myVideo">
```

```html
  <source src="video.mp4" type="video/mp4">
</video>
<center>


<div class="content">
<center>
<h style="font-family:arial black;font-size:30px">CELINE AIRLINES</h>
    <h1 style="font-family:arial black;font-size:20">LET YOUR DREAM TAKE FLIGHT</h1>
</center>
<br><br><br><br><br><br><br><br><br><br><br><br><br>
<br><br><br><br>
<a href="http://localhost/PhpProject24/newhtml.html">
    <input type="image" src="plane.png" width="200" height="200" style="float:left">
    </a>
</div>


</center+></body></html>
```

Web Page:

```html
<!doctype html>
<html>
```

```html
<head>
<link rel="icon" type="image/x-icon"
href="C:\xampp\htdocs\PhpProject24\newcss.css">
    <style>
        input[type=submit] {
        background-color:#3F51B5;
        color: #fff;
        padding: 10px 20px;
        }
    .tt{
    top:8px;
    position:absolute;
    left:16px;


    }
    .br{
    position:sticky ;
    bottom:350px;
    right:16px;
    }


    *{box-sizing:border-box;}
    .my{display:none;}
```

```css
img{vertical-align:middle;}


.dot{
height:15px; width:15px; margin:0 2px;
background-color:#bbb;
border-radius:50%;
display:inline-block;
transition:background-color 0.6s ease;
}

.text {
  color: #303030;
  font-size: 15px;
  padding: 8px 12px;
  position: absolute;
  bottom: 8px;
  width: 100%;
  text-align: center;}

.numbertext {
  color: #303030;
  font-size: 12px;
```

```css
  padding: 8px 12px;

  position: absolute;

  top: 0;

  left:200px;

}


.c{

max-width:1000px;

position:relative;

margin:auto;

}
.active{background-color:#717171;}


.f

{

animation-name:fade;

animation-duration:1.5s;

}
@keyframes fade{

from {opacity:.4}

to{opacity{1}}

}
.container {
```

```
    position: relative;
    color:white;
font-family:arial black;
}
.top{
    position: absolute;
    top: 16px;
    left: 16px;
}
</style>
</head>
<body style="font-family:helvetica;background-color:#99ccff">
        <div style="background-image:url('f1.jpg');background-repeat:no-repeat;background-size:100%;padding:120px;height:20px;">
            <div class="tt "> <h2 style="font-family:helvetica;color:#0C1559; font-size:150%;">CELINE AIRLINES</h2></div>

        </div>
<marquee bgcolor="#1a8cff" direction="left">
<a href="http://localhost/PhpProject24/domestic.php"><h>D
```

OMESTIC FLIGHTS</h>

```
<a href="http://localhost/PhpProject24/inter.php"><h>INTERNATIONAL FLIGHTS</h></a>
</marquee>

<body style="font-family:helevtica;font-size:150%;style='width:50%'">
    <h2>


    <center>

    ABOUT US

    </center>


    </h2>
<p style="font-size:140%">
   <h>
```

Welcome to our new home!

Celine Airlines, a single platform to offer you the best of world.

We are delivering cost-effective, reliable, and convenient flight services across India and internationally.

We began our journey in 2018.Mufasa connects many destinations across India, including key metro cities.

<h style="font-family:arial black">OUR CORPORATE OFFICES</h>
  </h></p>

<div class="container">
<img src="gurgaon.jpg" style="width:30%;height:25%">
<div class="top">Gurugram

celine ASIA 1st Floor, DLF, Silokhera,
Block A, Sector 30, Gurugram, Haryana-122001,
India</div>
</div>

    <div class="container">
<img src="kochi.jpg" style="width:30%;height:25%">
<div class="top">Kochi

celine ASIA Door No. 54/4042 A&B,5thFloor,
Aryabhangy Pinnacle, Sahodaran Ayyappan Road,
Elamkulam,Kochi 682020, India.</div>
</div>


```html
<center>
<div class="c">
<div class="my fade">
  <div class="numbertext">1 / 4</div>
  <img src="flight emer.jpg"
style="width:500px;height:300px;">


</div>
<div class="my fade">
  <div class="numbertext">2 / 4</div>
  <img src="flight food.jpg"
style="width:500px;height:300px;">


</div>
<div class="my fade">
  <div class="numbertext">3 / 4</div>
  <img src="flight inner.jpg"
style="width:500px;height:300px;">


</div>
<div class="my fade">
  <div class="numbertext">4 / 4</div>
  <img src="flight lug.jpg"
style="width:500px;height:300px;">
```

```html
    </div>
  </div>
  <br>
  <div style="text-align:center">
    <span class="dot" ></span>
    <span class="dot" ></span>
    <span class="dot" ></span>
    <span class="dot" ></span>
  </div>
</center>
<script >
let si= 0;
sl();

function sl() {
  let i;
  let s = document.getElementsByClassName("my");
  let d = document.getElementsByClassName("dot");
  for (i = 0; i < s.length; i++) {
    s[i].style.display = "none";
  }
  si++;
```

```
  if (si > s.length)
  {si = 1}
  for (i = 0; i < d.length; i++) {
    d[i].className = d[i].className.replace(" active", "");
  }
  s[si-1].style.display = "block";
  d[si-1].className += " active";
  setTimeout(sl, 2000);
}
</script>
<script>
    save_btn = document.querySelector(".save-btn");
    save_btn.onclick = function(){
        this.innerHTML="<div class='loader'></div>";
        setTimeout(() => {
            this.innerHTML="Ticket Booked";
            this.style = "background: #f1f5f4; color: #333;
pointer-events: none";
        },2000);
    }
  </script>
<center>
<h style="color:#0C1559">
```

contact us

landline:004-23452662

mobile:1234567891

email_id:celine_offical@gmail.com
</h>
</center>
</body>
</html>

Domestic Page:

```
<!DOCTYPE html>
<html>
   <head>
      <title>Celine-Domestic</title>
      <meta charset="UTF-8">
      <meta name="viewport" content="width=device-width, initial-scale=1.0">
      <link rel="stylesheet" href="inputcust.css">
```

```css
<style>
div {
    background-color:#8D39821A;
    opacity:10;
    position: relative;
}
*{
    border: 5px;
    outline: none;
    user-select: none;
    font-family: "Google Sans Regular";
}
.save-btn{
    font-size: 22px;
    color:black;
    background:white;
    width: 250px;
    height: 60px;
    cursor: pointer;
    border-radius: 3px;
    box-shadow: 0 8px 5px -5px rgba(0, 0, 0, 0.2);
    transition: 0.2s;
}
```

```css
.loader{
    pointer-events: none;
    width: 30px;
    height: 30px;
    border-radius: 50%;
    border: 3px solid transparent;
    border-top-color: #fff;
    animation: an1 1s ease infinite;
}
@keyframes an1{
    0% {
        transform: rotate(0turn);
    }
    100% {
        transform: rotate(1turn);
    }
}
</style>
    </head>
    <body style="background-image:url('f4.jpg');background-repeat:no-repeat;background-size:100%;font-family:arial black">
    <form id="form1" name="form" method="post" action="dbproject.php">
```

```html
<h>
    <center>
        <h style="font-family:arial black">
            DOMESTIC FLIGHT
        </h>
    </center>
        <br>
        <br>
        <br>
        <div style="padding:20px;width:40%;font-family:arial black;font-size:20px">

    <div class="wrapper">
        <div class="input-data">


    <div class="underline"></div><label style="font-family:arial black;font-size:20px">Name:</label></div></div>
    <input type="text" name="n2" required>
    <div class="wrapper">
        <div class="input-data">
```

```html
            <div class="underline"></div><label style="font-family:arial black;font-size:20px" >Aadhar number:</label></div></div>
        <input type="text" name="n3" required>
        <div class="wrapper">
            <div class="input-data">


            <div class="underline"></div><label style="font-family:arial black;font-size:20px">Contact number:</label></div></div>
 <input type="text" name="n4" required>
        <div class="wrapper">
            <div class="input-data">


            <div class="underline"></div><label style="font-family:arial black;font-size:20px">Passport number:</label></div></div>
         <input type="text" name="n5" required>
        <div class="wrapper">
            <div class="input-data">


            <div class="underline"></div><label style="font-family:arial black;font-size:20px">Email-ID:</label></div></div>
<input type="email" name="n6" required>
```

```html
<div class="wrapper">
    <div class="input-data">


<div class="underline"></div><label style="font-family:arial black;font-size:20px" >Address:</label></div></div>
<input type="text" name="n7" required>
    <div class="wrapper">
        <div class="input-data">
            <text
        <div class="underline"></div><label style="font-family:arial black;font-size:20px">Date:</label></div>
            <input type="date" name="date1" required> to <input type="date" name="date2" required>
        <br>
    Departing from:
    <div class="select-container">
   <select name="state1" class="select-box" id="state" onchange="populate(this.id,'ports')" name="dept">
    <option>Select State</option>
    <option value="Andhra Pradesh">Andhra Pradesh</option>

    <option value="Andaman and Nicobar Islands">Andaman and Nicobar Islands</option>
```

```html
<option value="Arunachal Pradesh">Arunachal Pradesh</option>

<option value="Assam">Assam</option>

<option value="Bihar">Bihar</option>

<option value="Chandigarh">Chandigarh</option>

<option value="Chhattisgarh">Chhattisgarh</option>

<option value="Dadar and Nagar Haveli">Dadar and Nagar Haveli</option>

<option value="Daman and Diu">Daman and Diu</option>

<option value="Delhi">Delhi</option>

<option value="Ladakh">Ladakh</option>
```

```html
<option value="Lakshadweep">Lakshadweep</option>

<option value="Puducherry">Puducherry</option>

<option value="Goa">Goa</option>

<option value="Gujarat">Gujarat</option>

<option value="Haryana">Haryana</option>

<option value="Himachal Pradesh">Himachal Pradesh</option>

<option value="Jammu and Kashmir">Jammu and Kashmir</option>

<option value="Jharkhand">Jharkhand</option>

<option value="Karnataka">Karnataka</option>

<option value="Kerala">Kerala</option>
```

```html
<option value="Madhya Pradesh">Madhya Pradesh</option>

<option value="Maharashtra">Maharashtra</option>

<option value="Manipur">Manipur</option>

<option value="Meghalaya">Meghalaya</option>

<option value="Mizoram">Mizoram</option>

<option value="Nagaland">Nagaland</option>

<option value="Odisha">Odisha</option>

<option value="Punjab">Punjab</option>

<option value="Rajasthan">Rajasthan</option>

<option value="Sikkim">Sikkim</option>

<option value="Tamil Nadu">Tamil Nadu</option>
```

```html
        <option value="Telangana">Telangana</option>

        <option value="Tripura">Tripura</option>

        <option value="Uttar Pradesh">Uttar Pradesh</option>

        <option value="Uttarakhand">Uttarakhand</option>

        <option value="West Bengal">West Bengal</option>

    </select><div class="icon-container">
        <i class="fa-solid fa-caret-down"></i>
</div></div>&nbsp&nbsp

    <select name="ports1" id="ports"></select>&nbsp&nbsp&nbsp&nbsp
    <br>
    Arrival:
        <div class="select-container">
```

```html
<select name="state2" class="select-box" id="state1" onchange="populate(this.id,'ports1')" name="arri">
    <option>Select State</option>
    <option value="Andhra Pradesh">Andhra Pradesh</option>

    <option value="Andaman and Nicobar Islands">Andaman and Nicobar Islands</option>

    <option value="Arunachal Pradesh">Arunachal Pradesh</option>

    <option value="Assam">Assam</option>

    <option value="Bihar">Bihar</option>

    <option value="Chandigarh">Chandigarh</option>

    <option value="Chhattisgarh">Chhattisgarh</option>

    <option value="Dadar and Nagar Haveli">Dadar and Nagar Haveli</option>
```

```html
<option value="Daman and Diu">Daman and Diu</option>

<option value="Delhi">Delhi</option>

<option value="Ladakh">Ladakh</option>

<option value="Lakshadweep">Lakshadweep</option>

<option value="Puducherry">Puducherry</option>

<option value="Goa">Goa</option>

<option value="Gujarat">Gujarat</option>

<option value="Haryana">Haryana</option>

<option value="Himachal Pradesh">Himachal Pradesh</option>

<option value="Jammu and Kashmir">Jammu and Kashmir</option>
```

```
<option value="Jharkhand">Jharkhand</option>

<option value="Karnataka">Karnataka</option>

<option value="Kerala">Kerala</option>

<option value="Madhya Pradesh">Madhya Pradesh</option>

<option value="Maharashtra">Maharashtra</option>

<option value="Manipur">Manipur</option>

<option value="Meghalaya">Meghalaya</option>

<option value="Mizoram">Mizoram</option>

<option value="Nagaland">Nagaland</option>

<option value="Odisha">Odisha</option>

<option value="Punjab">Punjab</option>
```

```html
        <option value="Rajasthan">Rajasthan</option>

        <option value="Sikkim">Sikkim</option>

        <option value="Tamil Nadu">Tamil Nadu</option>

        <option value="Telangana">Telangana</option>

        <option value="Tripura">Tripura</option>

        <option value="Uttar Pradesh">Uttar Pradesh</option>

        <option value="Uttarakhand">Uttarakhand</option>

        <option value="West Bengal">West Bengal</option>

    </select><div class="icon-container">
        <i class="fa-solid fa-caret-down"></i>
</div></div>&nbsp&nbsp
```

```html
    <select name="ports2"
id="ports1"></select>&nbsp&nbsp&nbsp&nbsp

    <br>
    <br>

        <br>
        <br>
        <a href="payment.php">
        <button class="save-btn">Book</button>
        </a>


        </div>


        </form>
          <script>

    function populate(a,b){

        var a=document.getElementById(a);

        var b=document.getElementById(b);
```

```
		b.innerHTML="Select Airport";


	if(a.value=="Andhra Pradesh"){


		var optionarray=['Visakhapatnam
international|Visakhapatnam','kadapa|Kadapa','kurnool|
Kurnool','nellore|Nellore','rajahmundry|Rajahmundry'];


	}else if(a.value=="Andaman and Nicobar Islands"){


		var optionarray=['veer savarkar international|Port
Blair'];


	}else if(a.value=="Arunachal Pradesh"){


		var optionarray=['donyi
polo|Itanagar','pasighat|Pasighat','tezu|Tezu','ziro|Ziro'];


	}else if(a.value=="Assam"){


		var optionarray=['lokpriya gopinath bordoloi
international|Guwahati','rupsi|Dhubridibrugarh','Dibrugar
hjorhat|Jorhatlilabari','North
Lakhimpursilchar|silchar','tezpur|Tezpur'];
```

```javascript
    }else if(a.value=="Bihar"){

    var optionarray=['gaya
international|Gaya','darbhanga|Darbhanga','muzaffarpur|
Muzaffarpur'];

    }else if(a.value=="Chandigarh"){

    var optionarray=[];

    }else if(a.value=="Chhattisgarh"){

    var
optionarray=['bilsapur|Bilsapur','jagdalpur|Jagdalpur','sw
ami vivekananda|Raipur'];

    }else if(a.value=="Daman and Diu"){

    var optionarray=['diu|Diu'];

    }else if(a.value=="Delhi"){

    var optionarray=['indira gandhi international|New
Delhi'];
```

```javascript
      }else if(a.value=="Lakshadweep"){

          var optionarray=['agatti|Agatti Island'];

      }else if(a.value=="Puducherry"){

          var optionarray=['pondicherry|Pondicherry'];

      }else if(a.value=="Goa"){

          var optionarray=['dabolim|Dabolim','manohar
international|Mopa,North Goa'];

      }else if(a.value=="Gujarat"){

          var optionarray=['sardar vallabhbhai patel
international|Ahmedabad','amreli,Amreli','bhavnagar|Bha
vnagar','bhuj,Bhuj','jamnagar|Jamnagar','kandla,Kandla',
'keshod|Keshod','porbandar|Porbandar','rajkot|Rajkot','v
adodara|Vadodara'];

      }else if(a.value=="Haryana"){
```

```javascript
        var optionarray=['bhiwani|Bhiwani','maharaja agrasen international|Hisar','narnaul|Narnaul'];

    }else if(a.value=="Himachal Pradesh"){

        var optionarray=['kangra|Dharamshala,Kangra','kullu|Kullu,Manali','shimla|Shimla'];

    }else if(a.value=="Jammu and Kashmir"){

        var optionarray=['srinagar international|Srinagar','jammu|Jammu'];

    }else if(a.value=="Ladakh"){

        var optionarray=['kushok bakula rimpochee|Leh'];

    }else if(a.value=="Jharkhand"){

        var optionarray=['birsa munda international|Ranchi','bokaro|Bokaro','deoghar|Deoghar','dumka|Dumka','sonari|Jamshedpur'];
```

```javascript
        }else if(a.value=="Karnataka"){

        var optionarray=['kempegowda
international|Bengaluru','manglore
international|Manglore','belagavi|Belagavi','bidar|Bidar','h
ubli|Hubli','kalaburagi|Kalaburagi','mysore|Mysore'];

        }else if(a.value=="Kerala"){

        var optionarray=['cochin
international|Kochi','calicut
international|Kozhikode','trivandrum
international|Thiruvananthapuram'];

        }else if(a.value=="Madhya Pradesh"){

        var optionarray=['raja bhoj
international|Bhopal','chhatrapati shivaji
international|Mumbai','gwalior|Gwalior','jabalpur|Jabalpur
','khajuraho|Khajuraho'];

        }else if(a.value=="Maharashtra"){

        var optionarray=['dr.babasaheb ambedkar
international|Nagpur','gondia|Gondia','chhatrapati
```

```
rajaram maharaj|Kolhapur','shri guru gobind singh
ji|Nanded','shirdi|Shirdi','sindhudurg|Sindhudurg'];

    }else if(a.value=="Manipur"){

        var optionarray=['tulihal international|Imphal'];

    }else if(a.value=="Meghalaya"){

        var optionarray=['shillong|Shillong'];

    }else if(a.value=="Mizoram"){

        var optionarray=['lengpui|Aizawl'];

    }else if(a.value=="Nagaland"){

        var optionarray=['kohima chiethu|Kohima'];

    }else if(a.value=="Odisha"){

        var optionarray=['biju patnaik
international|Bhubaneswar','jeypore|Jeypore','veer
surendra sai|Jharsuguda','rourkela|Rourkela'];
```

```
        }else if(a.value=="Punjab"){


        var optionarray=['sri guru ram dass jee
international|Amritsar','bathinda|Bathinda','adampur|Jala
ndhar','ludhiana|Ludhiana','pathankot|Pathankot'];


        }else if(a.value=="Rajasthan"){


        var optionarray=['jaipur
international|Jaipur','kishangarh|Ajmer','bikaner|Bikaner',
'jaisalmer|Jaisalmer','jodhpur|Jodhpur','maharana
pratap|Udaipur'];


        }else if(a.value=="Sikkim"){


        var optionarray=['pakyong|Gangtok'];


        }else if(a.value=="Tamil Nadu"){


        var optionarray=['chennai
international|Chennai','coimbatore
international|Coimbatore','madurai
international|Madurai','tiruchirapalli
international|Tiruchirapalli','tuticorin|Thoothukudi'];
```

```
    }else if(a.value=="Telangana"){


        var optionarray=['rajiv gandhi
international|Hyderabad'];


    }else if(a.value=="Tripura"){


        var optionarray=['maharaja bir bikram|Agartala'];


    }else if(a.value=="Uttar Pradesh"){


        var optionarray=['chaudhary charan singh
international|Lucknow','lal bahadur shastri
international|Varanasi','agra|Agra','bareilly|Bareilly','hind
on|Ghaziabad','gorakhpur|Gorakhpur','kanpur|Kanpur','p
rayagraj|Prayagraj'];


    }else if(a.value=="Uttarakhand"){


        var optionarray=['jolly
grant|Dehradun','pantnagar|Pantnagar'];


    }else if(a.value=="West Bengal"){
```

```javascript
        var optionarray=['netaji subhash chandra bose international|Kolkata','kazi nazrul islam|Durgapur'];

    }


    for(var option in optionarray){

        var pair=optionarray[option].split("|");

        var newoption=document.createElement("option");

        newoption.value=pair[0];

        newoption.innerHTML=pair[1];

        b.options.add(newoption);

        document.getElementById(a).value=pair[1];
    }
}
```

```
</script>
    </body>
</html>
```

International Page:

```html
<!DOCTYPE html>
<html>
    <head>
        <title>Celine-Domestic</title>
        <meta charset="UTF-8">
        <meta name="viewport" content="width=device-
width, initial-scale=1.0">
        <link rel="stylesheet" href="inputcust.css">
        <style>
        div {
            background-color:#8D39821A;
            opacity:10;
            position: relative;
        }
        *{
            border: 5px;
            outline: none;
```

```css
        user-select: none;
        font-family: "Google Sans Regular";
    }
    .save-btn{
        font-size: 22px;
        color:black;
        background:white;
        width: 250px;
        height: 60px;
        cursor: pointer;
        border-radius: 3px;
        box-shadow: 0 8px 5px -5px rgba(0, 0, 0, 0.2);
        transition: 0.2s;
    }
    .loader{
        pointer-events: none;
        width: 30px;
        height: 30px;
        border-radius: 50%;
        border: 3px solid transparent;
        border-top-color: #fff;
        animation: an1 1s ease infinite;
    }
```

```
        @keyframes an1{
          0% {
            transform: rotate(0turn);
          }
          100% {
            transform: rotate(1turn);
          }
        }
</style>
  </head>
  <body style="background-
image:url('f4.jpg');background-repeat:no-
repeat;background-size:100%;font-family:arial black">
  <form id="form1" name="form" method="post"
action="dbproject.php">
    <h>
      <center>

        <h style="font-family:arial black">
          INTERNATIONAL AIRPORT
        </h>
        <br>
        <br>
        <br>
```

```html
        </center>
            <div style="padding:20px;;width:40%;font-family:arial black;font-size:20px">

    <div class="wrapper">
        <div class="input-data">


    <div class="underline"></div><label style="font-family:arial black;font-size:20px">Name:</label></div></div>
    <input type="text" name="n2" required>
    <div class="wrapper">
        <div class="input-data">


    <div class="underline"></div><label style="font-family:arial black;font-size:20px">Aadhar number:</label></div></div>
    <input type="text" name="n3" required>
    <div class="wrapper">
        <div class="input-data">


    <div class="underline"></div><label style="font-family:arial black;font-size:20px">Contact number:</label></div></div>
<input type="text" name="n4" required>
```

```html
<div class="wrapper">
    <div class="input-data">


    <div class="underline"></div><label style="font-family:arial black;font-size:20px">Passport number:</label></div></div>
     <input type="text" name="n5" required>
    <div class="wrapper">
        <div class="input-data">


    <div class="underline"></div><label style="font-family:arial black;font-size:20px">Email-ID:</label></div></div>
<input type="email" name="n6" required>
    <div class="wrapper">
        <div class="input-data">


    <div class="underline"></div><label style="font-family:arial black;font-size:20px">Address:</label></div></div>
<input type="text" name="n7" required>
    <div class="wrapper">
        <div class="input-data">
```

```html
        <div class="underline"></div><label style="font-family:arial black;font-size:20px">Date:</label></div>
        <input type="date" name="date1" required> to <input type="date" name="date2" required>
    </div><br>


    Departing from:
    <div class="select-container">
    <select name="state" class="select-box" id="state" onchange="populate(this.id,'ports')" name="dept">
        <option>Select country</option>
        <option value="Andaman and Nicobar Islands">north korea</option>
        <option value="Arunachal Pradesh">central asia</option>
        <option value="Assam">japan</option>
        <option value="Bihr">mongolia</option>
        <option value="Chandigarh">China</option>
        <option value="Chhattisgarh">south korea</option>
        <option value="Daman and Diu">bangladesh</option>
        <option value="Delhi">bhutan</option>
        <option value="Lakshadweep">india</option>
        <option value="Puducherry">maldives</option>
```

```html
        <option value="Goa">pakistan</option>
        <option value="Gujarat">srilanka</option>
<option value="Haryana">indonesia</option>
        <option value="Himachal
Pradesh">Singapore</option>
        <option value="Jammu and
Kashmir">Malaysia</option>
        <option value="Jharkhand">Oman</option>
          </select><div class="icon-container">
        <i class="fa-solid fa-caret-down"></i>
</div></div>&nbsp&nbsp


    <select name="ports1"
id="ports"></select>&nbsp&nbsp&nbsp&nbsp


    <br>Arrival:


        <div class="select-container">
    <select name="state1" class="select-box" id="state1"
onchange="populate(this.id,'ports1')" name="arri">
        <option>Select country</option>
        <option value="Andaman and Nicobar
Islands">north korea</option>
```

```html
        <option value="Arunachal Pradesh">central asia</option>
        <option value="Assam">japan</option>
        <option value="Bihr">mongolia</option>
        <option value="Chandigarh">China</option>
        <option value="Chhattisgarh">south korea</option>
        <option value="Daman and Diu">bangladesh</option>
        <option value="Delhi">bhutan</option>
        <option value="Lakshadweep">india</option>
        <option value="Puducherry">maldives</option>
        <option value="Goa">pakistan</option>
        <option value="Gujarat">srilanka</option>
<option value="Haryana">indonesia</option>
        <option value="Himachal Pradesh">Singapore</option>
        <option value="Jammu and Kashmir">Malaysia</option>
        <option value="Jharkhand">Oman</option>
    </select>
            <div class="icon-container">
        <i class="fa-solid fa-caret-down"></i>
</div></div>&nbsp&nbsp
```

```html
    <select name="ports2"
id="ports1"></select>&nbsp&nbsp&nbsp&nbsp

    <br>
    <br>


        <br>
        <br>
        <a href="payment.php">
        <button class="save-btn">Book</button>
        </a>
        <br>
        </form>
          <script>

    function populate(a,b){

        var a=document.getElementById(a);

        var b=document.getElementById(b);

        b.innerHTML="Select Airport";
```

```javascript
    if(a.value=="Andaman and Nicobar Islands"){

        var optionarray=['Pyongyang International
Airport|pyongyang'];

    }else if(a.value=="Arunachal Pradesh"){

        var optionarray=['Oral Ak Zhol
Airport|oral','Karaganda Airport|karanganda','taraz
airport|taraz'];

    }else if(a.value=="Assam"){

        var optionarray=['naha airport|naha','Haneda
Airport|tokyo','Komatsu Airport|komastsu'];

    }else if(a.value=="Bihr"){

        var optionarray=['Chinggis Khaan International
Airport|ullanbaatar'];

    }else if(a.value=="Chandigarh"){

        var optionarray=['Beijing Capital International
Airport|beijing','Shanghai Hongqiao International
Airport|Shanghai','Yanji Airport|Yanji'];

    }else if(a.value=="Chhattisgarh"){

        var optionarray=['Gimpo International
Airport|Seoul','Muan International Airport|muan','Jeju
International Airport|Jeju'];

    }else if(a.value=="Daman and Diu"){

        var optionarray=['Shah Amanat International
Airport|Chittagong','Osmani International
Airport|Sylhet','Shahjalal International Airport|Dhaka'];

    }else if(a.value=="Delhi"){
```

```javascript
		var optionarray=['paro airport|paro'];
	}else if(a.value=="Lakshadweep"){
		var optionarray=['Chennai International
Airport|chennai','Coimbatore International
Airport|coimbatore','Indira Gandhi International
Airport|delhi','Visakhapatnam International
Airport|Visakhapatnam','Rajiv Gandhi International
Airport|Hyderabad'];
	}else if(a.value=="Puducherry"){
		var optionarray=['Gan International Airport|addu
city','Velana International Airport|male'];
	}else if(a.value=="Goa"){
		var optionarray=['Islamabad International
Airport|Islamabad','Allama Iqbal International
Airport|lahore'];
	}else if(a.value=="Gujarat"){
		var optionarray=['Bandaranaike International
Airport|Colombo','Jaffna International AirportJaffna'];
	}else if(a.value=="Haryana"){
		var optionarray=['Hang Nadim International
Airport|Batam','El Tari International
Airport|Kupang','Minangkabau International
Airport|Padang'];
	}else if(a.value=="Himachal Pradesh"){
		var optionarray=['Changi Airport|Singapore'];
	}else if(a.value=="Jammu and Kashmir"){
```

```
        var optionarray=['Kuala Lumpur International
Airport|Kuala Lumpur','Langkawi International
Airport|Langkawi','Penang International Airport|Penang'];

    }else if(a.value=="Jharkhand"){

        var optionarray=['Muscat International
Airport|Muscat','Salalah International Airport|Salalah
','Sohar International Airport|Sohar'];

    }

    for(var option in optionarray){

        var pair=optionarray[option].split("|");

        var
newoption=document.createElement("option");

        newoption.value=pair[0];

        newoption.innerHTML=pair[1];

        b.options.add(newoption);

    }

  }
</script>
 </body>
</html>
```

Database Page:

```html
<!DOCTYPE html>
<html>
  <head>
    <meta charset="UTF-8">
    <title></title>
    <style>
      .save-btn{
        font-size: 22px;
        color:white;
        background:black;
        width: 150px;
        height: 60px;
      }
       div {
  background-color:#8D39821A;
  opacity:2;
}
    </style>
  </head>
  <body style="background-image:url('f4.jpg');background-repeat:no-repeat;background-size:100%;;font-family:arial black">
    <marquee bgcolor="black"> <h style="color:white">CELINE AIRLINES</h></marquee>
```

```html
<script>
  alert('DOMESTIC PAYMENT:RS.10000');
  alert('INTERNATIONAL PAYMENT:RS.20000');
</script>
<center>
  <h style="color:blue">VERIFICATION</h>
  <br>
  <br>
  <div style="padding:20px;width:50%">
  <?php
  $dep=$_POST["ports1"];
  $arr=$_POST["ports2"];
  $d1=$_POST["date1"];
  $d2=$_POST["date2"];
  function create()
  {
    $name=$_POST['n2'];
    $aadhar=$_POST['n3'];
    $pass=$_POST['n5'];
    $add=$_POST['n7'];
     $host="localhost";
     $user="root";
     $db="train";
```

```php
$con= mysqli_connect($host,$user,"",$db);
if($con==True){
    $q1="delete from train";
    $rs=mysqli_query($con,$q1);
    $q="INSERT INTO train(sno,name,age,place)
VALUES ('".$pass."', '".$name."', '".$aadhar."', '".$add."')";
    $rs=mysqli_query($con,$q);
    echo 'PASSENGER DETAILS<br>';
    $sql="select * from train";
    $rs= mysqli_query($con, $sql);
    $c=1;
while(($rows=mysqli_fetch_array($rs))!=null){
    echo "$c. 'passport no:' $rows[0] <br> 'name:'
$rows[1] <br> 'aadhar no:' $rows[2] <br>  'address:'
$rows[3]<br>";
        $c++;}
}
else{
    echo 'connection lost';
}
}
create();
echo "'departure place:'".$dep.'<br>';
echo "'arrival place:'".$arr.'<br>';
```

```php
        echo "'departure date:'".$d1.'<br>';
        echo "'arrival date:'".$d2.'<br>';
        ?>


        <br>
        <br>
        <a href="
http://localhost/PhpProject24/newhtml1.html">
            <button class="save-btn"
id="sub">payment</button>
        </a>
        </div>
    </center>
    </body>
    </html>
```

Dining options:

```html
<!DOCTYPE html>
<html>
<head>
    <title>Payment</title>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width,
initial-scale=1.0">
```

```
<style>
    div {
  background-color:#8D39821A;
  opacity:2;
}
* {
            border: 0;
            outline: none;
            user-select: none;
            font-family: "Google Sans Regular";
        }
        body{
            height: 95vh;
            display: grid;

            background-color: #7fbff0;
        }
        .h{
            font-family:arial black;
            font-size:16px;
        }
        .save-btn{
            font-size: 22px;
```

```css
    color:white;

    background:black;

    width: 250px;

    height: 60px;

    cursor: pointer;

    border-radius: 3px;

    box-shadow: 0 8px 5px -5px rgba(0, 0, 0, 0.2);

    transition: 0.2s;
}
.new{

    font-size:16px;

    color:white;

    background:black;

    width: 70px;

    height: 40px;
}
.loader{

    pointer-events: none;

    width: 30px;

    height: 30px;

    border-radius: 50%;

    border: 3px solid transparent;

    border-top-color: #fff;
```

```
            animation: an1 1s ease infinite;
        }
        .sidenav {
    height:50%;
    width: 200px;
    position: fixed;
    right:0;
    background-color:#8D39821A;
    opacity:2;
    overflow-x: hidden;
    padding-top:40px;
    font-size:20px;
}
        @keyframes an1{
            0% {
                transform: rotate(0turn);
            }
            100% {
                transform: rotate(1turn);
            }
        }
    </style>
</head>
```

```html
<body style="background-image:url('f4.jpg');background-repeat:no-repeat;background-size:100%;font-family:arial black">
<h style="font-family:papyrus;font-size:30px"><strong>CELINE AIRLINES</strong></h>
    <h1>Payment section:</h1>
    <div style="padding:20px;width:50%">
        <h style="font-family:arial black;font-size:16px;">SELECT THE BANK:</h>
        <input type="radio"><img src="1.jpg" alt="alt" width="15%" height="15%"/>
        <input type="radio"><img src="2.jpg" alt="alt" width="15%" height="15%"/>
        <input type="radio"><img src="3.jpg" alt="alt" width="15%" height="15%"/>
        <br>
        <br>
        <h style="font-family:arial black;font-size:16px;">ACCOUNT NUMBER:</h>
        <input type="text" id="accountNumber" maxlength="20">&nbsp&nbsp&nbsp&nbsp
        <br>
        <br>
        <h style="font-family:arial black;font-size:16px;">ACCOUNT HOLDER NAME:</h>
```

```html
        <input type="text"
id="accountHolderName">&nbsp&nbsp&nbsp&nbsp

        <br>

        <br>

        <h style="font-family:arial black;font-size:16px;">EXPIRY MONTH AND YEAR:</h>

        <input type="month"
id="expiryMonthYear">&nbsp&nbsp&nbsp&nbsp

        <br>

        <br>

        <h style="font-family:arial black;font-size:16px;">CVD:</h>

        <input type="password" id="cvd" maxlength="3"
required>&nbsp&nbsp&nbsp&nbsp

        <br>

        <br>

         <h style="font-family:arial black;font-size:16px;">AMOUNT:</h>

        <input type="text">&nbsp&nbsp&nbsp&nbsp

        <br>

        <br>

        <h style="font-family:arial black;font-size:16px;">OTP::</h>

        <input type="password" id="otp" maxlength="4"
required>&nbsp&nbsp&nbsp&nbsp
```

```html
        <br>
        <br>
        <button class="save-btn" id="sub">Book</button>
    </div>
    <div class="sidenav">
        Dining Options<br>
        <a
href="http://localhost/PhpProject24/newhtml3.html">
        CLICK HERE
        </a>
        <br>
        In-flight Meal Options<br>
        <a
href="http://localhost/PhpProject24/newhtml4.html">
        CLICK HERE
        </a>
    </div>
    <script>
        save_btn = document.querySelector(".save-btn");
        save_btn.onclick = function () {
            const accountNumberInput =
document.getElementById("accountNumber");
            const cvdInput =
document.getElementById("cvd");
```

```javascript
        const otpInput =
document.getElementById("otp");


        // Validate Account Number
        const accountNumber =
accountNumberInput.value.trim();
        if (!/^\d{16}$/.test(accountNumber)) {
            alert("Invalid account number. Please enter a
16-digit numeric value.");
            return;
        }


        // Validate CVD
        const cvd = cvdInput.value.trim();
        if (!/^\d{3}$/.test(cvd)) {
            alert("Invalid CVD. Please enter a 3-digit
numeric value.");
            return;
        }
        const otp = otpInput.value.trim();
        if (!/^\d{4}$/.test(cvd)) {
            alert("Invalid OTP");
            return;
        }
```

```
            this.innerHTML = "<div class='loader'></div>";
            setTimeout(() => {
                this.innerHTML = "Ticket Booked";
                this.style = "background: #f1f5f4; color: #333;
pointer-events: none";
                alert("Ticket booked successfully!");
            }, 2000);
        };
    </script>
</body>
</html>
```

Inflight Meal Options:

```
<!DOCTYPE html>
<head>
    <style>
        .column {
  float: left;
  width: 33.33%;
}
}
```

```
.row::after {

  content: "";

  clear: both;

  display: table;

}

    </style>

</head>

<body>

<h style="font-family:arial black">DINING OPTIONS</h>

<br>

<br>

 <div class="row">

    VEGETARIAN<br><br>

 <div class="column">

    Mini Idlis, Medu Vada and Upma<br>

RS:600<br>

  <img src="h1.jpg.png" alt="Snow" style="width:35%">

 </div>

    <div class="column">

      Shôndesh Tiramisù<br>

      RS:250<br>

    <img src="h9.jpg.png" alt="Mountains"
style="width:35%">
```

```html
    </div>
      <div class="column">
        Vegan Moilee Curry with Coconut Rice<br>
        RS:600<br>
      <img src="h3.jpg.png" alt="Mountains"
style="width:35%">
    </div>
        <div class="column">
          Matar Paneer Bhurji with Aloo Paratha<br>
          RS:600<br>
      <img src="h4.jpg.png" alt="Mountains"
style="width:35%">
    </div>
        <div class="column">
          Vegetable Manchurian with Fried Rice<br>
          RS:600<br>
      <img src="h5.jpg.png" alt="Mountains"
style="width:35%">
    </div>
    </div>
        <br>
        <br>
        NON-VEGETARIAN<br><br>
        <div class="column">
```

Masala Omelette with Chicken Sausages & Hash Brown

RS:600


```html
<img src="h2.jpg.png" alt="Forest" style="width:35%">
 </div>


    <div class="column">
      Chilli Chicken with Hakka Noodles<br>
      RS:600<br>
   <img src="h6.jpg.png" alt="Mountains" style="width:35%">
 </div>


    <div class="column">
      Chicken Junglee Sandwich<br>
      RS:400<br>
   <img src="h8.jpg.png" alt="Mountains" style="width:35%">
 </div>


    <div class="column">
      Awadhi Chicken Biryani with Mirch Salan<br>
      RS:600<br>
```

```html
    <img src="h10.jpg.png" alt="Mountains" style="width:35%">
  </div>

</body>


<!DOCTYPE html>
<head>
    <style>
        .column {
  float: left;
  width: 33.33%;
}
.row::after {
  content: "";
  clear: both;
  display: table;
}
        </style>
</head>
<body>
<h style="font-family:arial black">IN FLIGHT FOODS</h>
```

```html
<br>
<br>
  <div class="row">
     BITES AND BEVERAGES<br><br>
  <div class="column">
    Roasted Cashews
    RS:200<br>
   <img src="p1.jpg.png" alt="Snow" style="width:35%">
  </div>
      <div class="column">
       Roasted Almonds
       RS:200<br>
    <img src="p2.jpg.png" alt="Mountains"
style="width:35%">
  </div>
    <div class="column">
     Himalayan Salt Caramel Popcorn
     RS:200<br>
    <img src="p3.jpg.png" alt="Mountains"
style="width:35%">
  </div>
      <div class="column">
        Butter Cookies
```

```html
        RS:100<br>
   <img src="p9.jpg.png" alt="Mountains"
style="width:35%">
  </div>
  </div>
<br>

    <div class="column">
      Masala Chai
RS:100<br>
   <img src="p4.jpg.png" alt="Mountains"
style="width:35%">
  </div>
    <div class="column">
      Cappuccino
RS:100<br>
   <img src="p5.jpg.png" alt="Mountains"
style="width:35%">
  </div>
    <div class="column">
      Paper Boat Alphonso Aamras
RS:100<br>
   <img src="p6.jpg.png" alt="Mountains"
style="width:35%">
```

```
    </div>

</body>
```

EXTERNAL CSS :::::

```css
@import
url('https://fonts.googleapis.com/css2?family=REM&disp
lay=swap');


* {
    margin: 0;
    padding: 0;
    outline: none;
    box-sizing: border-box;
    font-family: 'REM', sans-serif;
}
body{
    display: flex;
    align-items: center;
    justify-content: center;
    min-height: 100vh;
    background: linear-gradient(-
135deg,#0096FF,#ADD8E6);
}
.wrapper{
```

```css
    width: 300px;
    height: 100px;
    background: hsla(197, 88%, 51%, 0.396);
    padding: 30px;
    box-shadow: 0px 0px 10px rgba(0,0,0,0.1);
}
.wrapper .input-data{
    height: 40px;
    width: 250px;
    position: relative;
}
.wrapper .input-data input{
    height: 100%;
    width: 100%;
    border: none;
    font-size: 17px;
    border-bottom: 2px solid black;
}
.input-data input:focus ~ label,
.input-data input:valid ~ label{
    transform: translateY(-30px);
    font-size: 15px;
    color: black;
```

```css
        }
        .wrapper .input-data label{
            position: absolute;
            bottom: 10px;
            left: 0;
            color: grey;
            pointer-events: none;
            transition: all 0.3s ease;
        }
        .wrapper .input-data .underline{
            position: relative;
            bottom: 0px;
            height: 2px;
            width: 40px;
            color:white;
        }
        .input-data .underline:before{
            background: #4158d0;
            position: absolute;
            content: "";
            height: 100%;
            width: 150%;
            transform: scaleX(0);
```

```css
    background: blue;
    transition: transform 0.3s ease;
}
.input-data input:focus ~ .underline:before,
.input-data input:valid ~ .underline:before{
    transform: scaleX(-1);
}


input[type=date]:required:invalid::-webkit-datetime-edit {

    color: transparent;

}


input[type=date]:focus::-webkit-datetime-edit {

    color: black !important;

}
.select-container{
    display: flex;
    justify-content: center;
```

```css
        position:relative;
        min-width: 250px;
        height: 50px;
    }
    .select-box{
        border: none;
        appearance: none;
        padding: 0 30px 0 15px;
        width:100%;
        color: white;
        background-color: #2873ff;
        font-size: 20px;
        cursor: pointer;
    }
    .select-container{
        width: 50px;
        height: 100%;
        position: relative;
        right:0;
        display:grid;
        align-items: relative;
        justify-content: center;
    }
```