

RESORT MANAGEMENT SYSTEM

A PROJECT COMPONENT REPORT

Submitted by


P.SHREE SUHA THARISHANA (REG: 9517202104148)

*for the Theory Cum Project Component
of*

19CS391 – PROGRAMMING WITH JAVA

during

III Semester – 2022 – 2023



DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

MEPCO SCHLENK ENGINEERING COLLEGE, SIVAKASI

(An Autonomous Institution affiliated to Anna University Chennai)

December 2022

MEPCO SCHLENK ENGINEERING COLLEGE, SIVAKASI

(An Autonomous Institution affiliated to Anna University Chennai)

Department of Computer Science and Engineering

BONAFIDE CERTIFICATE

Certified that this project component report titled **RESORT MANAGEMENT SYSTEM** is the bonafide work of **P.SHREE SUHA THARISHANA(Reg.No. 9517202104148)** who carried out this work under my guidance for the Theory cum Project Component course “**19CS391 – PROGRAMMING WITH JAVA**” during the third semester.

Dr. S. KAVI PRIYA, M.E.,Ph.D.
Associate Professor
Course Coordinator
Department of Computer Science & Engg.
Mepco Schlenk Engineering College
(Autonomous)
Sivakasi.

Dr. J. RAJA SEKAR, M.E.,Ph.D.
Professor & Head of the Department
Department of Computer Science & Engg.
Mepco Schlenk Engineering College
(Autonomous)
Sivakasi.

Submitted for viva-Voce Examination held at **MEPCO SCHLENK ENGINEERING COLLEGE (Autonomous), SIVAKASI** on/...../.... 20.....

Internal Examiner

External Examiner

ABSTRACT

Resort management system project main idea is to develop a online web portal for atomization of resort booking system and to create a scope for visiting tourists from different geographic locations. For every resort there will be different branches at different location so managing all these resorts information will be easy through this online application. This application will help to improve services for tourists and also improve revenue source for resorts management. In existing system manual work is used where tourists should contact through phone and know details about availability of rooms and locations to view at that area. As the usage of internet had increased developing web portal will be helpful and atomized.

ACKNOWLEDGEMENT

First and foremost, we thank the **LORD ALMIGHTY** for his abundant blessings that is showered upon our past, present and future successful endeavors.

We extend our sincere gratitude to our college management and Principal **Dr. S. Arivazhagan M.E., Ph.D.**, for providing sufficient working environment such as systems and library facilities. We also thank him very much for providing us with adequate lab facilities, which enable us to complete our project.

We would like to extend our heartfelt gratitude to **Dr. J. Raja Sekar M.E., Ph.D.**, Professor and Head, Department of Computer Science and Engineering, Mepco Schlenk Engineering College for giving me the golden opportunity to undertake a project of this nature and for his most valuable guidance given at every phase of our work.

We would also like to extend our gratitude and sincere thanks to **Dr. S. KAVI PRIYA M.E., Ph.D.**, Associate Professor, **Mrs.N.Anita M.Tech(Ph.D.)**, Assistant Professor Department of Computer Science and Engineering, Mepco Schlenk Engineering College for being our Project Mentors. They put their valuable experience and expertise in directing, suggesting and supporting us throughout the Project to bring out the best.

Our sincere thanks to our revered **faculty members and lab technicians** for their help over this project work.

Last but not least, we extend our indebtedness towards our beloved family and our friends for their support which made the project a successful one.

TABLE OF CONTENTS

CHAPTER NO.	TITLE	PAGE NO.
	ABSTRACT	ii
	LIST OF TABLES	v
	LIST OF FIGURES	vi
1	INTRODUCTION	8
2	EXISTING & PROPOSED MODEL	9
3	SYSTEM DESIGN	10
	3.1 Class Diagram	10
	3.2 Design Components	13
	3.3 Database Description	13
	3.4 User Interface Design	15
4	SYSTEM IMPLEMENTATION	31
5	RESULTS AND DISCUSSION	32
	5.1 Test Cases and Results	32
6	CONCLUSION AND FUTURE ENHANCEMENT(S)	33
APPENDIX – A	SYSTEM REQUIREMENTS	34
APPENDIX – B	SOURCE CODE	35

LIST OF TABLES

Table No.	Table Caption	Page No.
3.1	Customer Description	13
3.2	Admin Description	14
3.3	Ledger Description	14
3.4	Login Details	14
3.5	Customer Details	14
5.1	Positive Test Case and result for Login	32
5.2	Negative Test Case and result for Login	32

LIST OF FIGURES

Figure No.	Figure Caption	Page No.
3.1	Main Layout of Resort Management System	15
3.2	Sign in page for users	15
3.3	Signup page for customers	16
3.4	Signup page for Admin	17
3.5	Homepage	18
3.6	Customer Details	19
3.7	Details of the admin	20

CHAPTER 1

INTRODUCTION

1.1 PERSPECTIVE

Resort Management System is developed for following system development stages for smooth running and management of “SSH” resort. As a travel lover I have visited different places and most of the time facing different kinds of hassle. To take the decision to develop this type of system we have gathered information for several Resorts Management and found that most of the Resorts are managed by manually. We realize that the Resorts basically need a computerized Resort management system. After the analysis of the collected Data in the problem phase we have found that All of the Requirements like Hardware and Software are available in the current market to implement the Resort Management system. We have also identified that these required things are affordable by the Resort Management. We are trying to identify all of the loopholes of the system and also taking action to resolve the loopholes. The system is developed using Java spring framework language. Hopefully, This system will help the Resort management to realize the maximum potentiality in addition to its competence in the Resort business field.

1.2 OBJECTIVES

The Objective of the “Resort Management System” is to provide facility to the customers to reserve the Room for a hassle free tour. Also, Customer able to make a plan about the accommodation cost before start of the tour as the Resort Management System is sharing all of the costs in their system. The Management also get a view about the availability of the rooms and also able to calculate the earnings through the system. If the management would like to achieve the consistency of the business through the system then they can incorporate any kinds of changes in the current system for expending of their business

1.3 SCOPE

The scope of the project is to give the peaceful environment to the customers. Besides that, the scope of the project is to provide relaxation form the hectic lifestyle

CHAPTER 2

EXISTING AND PROPOSED MODEL

2.1 EXISTING MODEL

The functional requirement in Resort Management System is the collective information about what are the operations available in the system.

- It should provide the functionality of authentication for the valid users it maybe admin or customer
- It should provide the functionality of real time notification sent to the customer.
- It should provide the functionality for accepting or rejecting the requests made by the customer.
- It should also provide the functionality for navigation from the current location of the user to the destination place.

2.2 PROPOSED MODEL


The non-functional requirement describes about platform and physical resource required for building the resort management system.


- The details of the customer, admin and their login details are stored in Firebase server. So the information will be reliable and must be stored efficiently in safe manner.
- The application must be user friendly and must be very interactive to the user.
- The admin and customer can share their location.
- The user must have the internet availability while using this application.


CHAPTER 3

SYSTEM DESIGN


3.1 CLASS DIAGRAM







:



3.2 DESIGN COMPONENTS

3.2.1 Front End:

The Resort Management System uses Apache NetBeans for developing interactive pages.

3.2.2 Back End:

Uses XAMPP to store the collected customer details.

3.3 DATABASE DESCRIPTION

Listed below gives a description of database document schemas used for Resort Management System.

3.3.1 Customer Description

As shown in table 3.1, donor structure contains the details of the donors.

Table 3.1: Customer Description

Attribute Name	Type	Width	Constraint(s)	Description
Contact	Integer	10	Contact of the admin	Contact of the customer
Name	String	50	Name of the admin	Name of the customer
Age	Integer	2	Age of the admin	Age of the customer
Address	String	50	Address of the admin	Address of the customer
Email-id	String	50	Mail id of the admin	Mail id of the customer
Password	String	50	Password of the admin used for login details	Password of the customer used for login details

3.3.2 Admin Description

As shown in table 3.2, Admin description contains the details of the Admin.

Table 3.2: Admin Description

Attribute Name	Type	Width	Constraint(s)	Description
Admin name	Varchar	25	--	Resort name
Password	Varchar	10	--	Confidential

3.3.3 Login Description

As shown in table 3.3, User description contains the detail of the user.

Table 3.3: Login Description

Attribute Name	Type	Width	Constraint(s)	Description
Username	String	25	--	Name of the user
Password	String	10	--	Confidential

3.4 USER INTERFACE DESIGN

3.4.1 Main Activity

Figure 3.1: provide the interface for main activity.




Figure 3.1: Main layout of Resort Management System

3.4.2 Home page

Figure 3.2: provide the interface for Home page




Figure 3.2: Home Page

3.4.3: User login page

Figure 3.3: provide the interface for user login page




Figure 3.3:User login Page

3.4.4: Registration page

Figure 3.4: provide the interface for registration page




Figure 3.4: Registration Page

3.4.5: Admin login page

Figure 3.5: provide the interface for admin login page




Figure 3.5: Unauthorized login Page

3.4.6: Admin login page

Figure 3.6: provide the interface for admin login page




Figure 3.6: Authorized login Page

3.4.7: Admin page

Figure 3.7: provide the interface for admin page




Figure 3.7: Admin Page

3.4.8: Registration connected page

Figure 3.8: provide the interface for connected page





Figure 3.8: Registration connected Page

3.4.9: Registration invalid page

Figure 3.9: provide the interface for invalid page



The screenshot shows a web browser window titled "USER REGISTRATION". The form contains the following fields and their validation status:


- USER NAME: (Invalid user name)
- AGE: (Invalid age)
- GENDER: ☐ MALE ☒ FEMALE
- CONTACT: (Invalid contact number)
- EMAIL-ID: (Invalid email id)
- AADHAR NUMBER: (Invalid aadhar num...)
- DATE OF BIRTH: (Valid)
- ADDRESS: (Valid)
- PASSWORD: (Invalid password)
- CONFIRM PASSWORD:

At the bottom of the form, there is a red "BACK" button and a green "REGISTER" button. The Windows taskbar at the bottom shows the search bar, taskbar icons, and system clock (07:58 AM, 14-Dec-2022).

Figure 3.9: Invalid Page

3.4.10: Registration invalid page

Figure 3.10: provide the interface for invalid page



The screenshot shows a web browser window titled "USER REGISTRATION". The form contains the following fields and their validation status:

- USER NAME: (Invalid user name)
- AGE: (Invalid age)
- GENDER: ☐ MALE ☐ FEMALE
- CONTACT: (Invalid contact number)
- EMAIL-ID: (Invalid email id)
- AADHAR NUMBER: (Invalid aadhar num...)
- DATE OF BIRTH: (Valid)
- ADDRESS: (Valid)
- PASSWORD: (Invalid password)
- CONFIRM PASSWORD:

At the bottom of the form, there is a red "BACK" button and a green "REGISTER" button. The Windows taskbar at the bottom shows the search bar, taskbar icons, and system clock (07:58 AM, 14-Dec-2022).

Figure 3.10: Invalid Page

3.4.11: Registration invalid page

Figure 3.11: provide the interface for invalid page

The screenshot shows a web browser window titled "USER REGISTRATION". The form contains the following fields and labels:

- USER NAME: [Empty text box] with error message **Invalid user name*
- AGE: [Empty text box] with error message **Invalid age*
- GENDER: Radio buttons for ☐ MALE and ☐ FEMALE
- CONTACT: [Empty text box] with error message **Invalid contact number*
- EMAIL-ID: [Empty text box] with error message **Invalid email id*
- AADHAR NUMBER: [Empty text box] with error message **Invalid aadhar num...*
- DATE OF BIRTH: [Empty date picker]
- ADDRESS: [Empty text box]
- PASSWORD: [Empty text box] with error message **Invalid password*
- CONFIRM PASSWORD: [Empty text box]

At the bottom of the form are two buttons: a red "BACK" button and a green "REGISTER" button. The Windows taskbar at the bottom shows the search bar, taskbar icons, and system clock (07:56 AM, 14-Dec-2022).

Figure 3.11:Invalid Page

3.4.12: Registration invalid page

Figure 3.12: provide the interface for invalid page

The screenshot shows the same "USER REGISTRATION" form as Figure 3.11, but with some fields filled:

- CONTACT: 9979121914
- DATE OF BIRTH: [Filled date picker]

The error messages are the same as in Figure 3.11. The "BACK" and "REGISTER" buttons are at the bottom. The Windows taskbar at the bottom shows the search bar, taskbar icons, and system clock (07:56 AM, 14-Dec-2022).

Figure 3.12:Invalid Page

3.4.13: Registration invalid page

Figure 3.13: provide the interface for invalid page

The screenshot shows a web browser window titled "USER REGISTRATION". The form contains the following fields and their validation status:

- USER NAME: (Invalid user name)
- AGE: (Invalid age)
- GENDER: ☐ MALE ☒ FEMALE
- CONTACT: (Invalid contact number)
- EMAIL ID: (Invalid email id)
- AADHAR NUMBER: (Invalid aadhar num...)
- DATE OF BIRTH: (Invalid date of birth)
- ADDRESS:
- PASSWORD: (Invalid password)
- CONFIRM PASSWORD:

At the bottom of the form, there are two buttons: a red "BACK" button and a green "REGISTER" button. The Windows taskbar at the bottom shows the search bar, task view button, and several application icons. The system clock indicates 07:57 AM on 14-Dec-2022.

Figure 3.13:Invalid Page

3.4.14: Registration invalid page

Figure 3.14: provide the interface for invalid page

The screenshot shows a web browser window titled "USER REGISTRATION". The form contains the following fields and their validation status:

- USER NAME: (Invalid user name)
- AGE: (Invalid age)
- GENDER: ☐ MALE ☒ FEMALE
- CONTACT: (Invalid contact number)
- EMAIL ID: (Invalid email id)
- AADHAR NUMBER: (Invalid aadhar num...)
- DATE OF BIRTH: (Invalid date of birth)
- ADDRESS:
- PASSWORD: (Invalid password)
- CONFIRM PASSWORD:

At the bottom of the form, there are two buttons: a red "BACK" button and a green "REGISTER" button. The Windows taskbar at the bottom shows the search bar, task view button, and several application icons. The system clock indicates 07:57 AM on 14-Dec-2022.

Figure 3.14:Invalid Page

3.4.15: Registration invalid page

Figure 3.15: provide the interface for invalid page

The screenshot shows a web browser window titled "USER REGISTRATION". The form contains the following fields and their validation status:

- USER NAME: (Invalid user name)
- AGE: (Invalid age)
- GENDER: ☐ MALE ☒ FEMALE
- CONTACT: (Invalid contact number)
- EMAIL-ID: (Invalid email id)
- AADHAR NUMBER: (Value: 123456789012)
- DATE OF BIRTH: (Value: Dec 1, 2022)
- ADDRESS: (Value: asdghjklqwertyuiop)
- PASSWORD: (Invalid password)
- CONFIRM PASSWORD:

At the bottom of the form, there are two buttons: a red "BACK" button and a green "REGISTER" button. The Windows taskbar at the bottom shows the search bar, task view button, and several application icons. The system clock indicates 07:57 AM on 14-Dec-2022.

Figure 3.15:Invalid Page

3.4.16: Registration invalid page

Figure 3.16: provide the interface for invalid page

The screenshot shows a web browser window titled "USER REGISTRATION". The form contains the following fields and their validation status:

- USER NAME: (Invalid user name)
- AGE: (Invalid age)
- GENDER: ☐ MALE ☒ FEMALE
- CONTACT: (Invalid contact number)
- EMAIL-ID: (Invalid email id)
- AADHAR NUMBER: (Invalid aadhar num...)
- DATE OF BIRTH: (Value: Dec 1, 2022)
- ADDRESS: (Value: asdghjklqwertyuiop)
- PASSWORD: (Invalid password)
- CONFIRM PASSWORD:

At the bottom of the form, there are two buttons: a red "BACK" button and a green "REGISTER" button. The Windows taskbar at the bottom shows the search bar, task view button, and several application icons. The system clock indicates 07:58 AM on 14-Dec-2022.

Figure 3.16:Invalid Page

3.4.17: Registered page

Figure 3.17: provide the interface for registered page

The screenshot shows a web application window titled "USER REGISTRATION". The form contains the following fields and values:

- USER NAME: shree suha
- AGE: 19
- GENDER: ☒ MALE ☐ FEMALE
- CONTACT: (empty)
- EMAIL-ID: (empty)
- AADHAR NUMBER: (empty)
- DATE OF BIRTH: Jul 19, 2003
- ADDRESS: anna nagar chennai
- PASSWORD: (masked with asterisks)
- CONFIRM PASSWORD: (masked with asterisks)

At the bottom of the form, there is a red "BACK" button and a green "REGISTER" button. A modal message box is displayed in the center, showing an information icon, the word "REGISTERED", and an "OK" button. The Windows taskbar at the bottom shows the date as 14-Dec-2022 and the time as 08:00 AM.

Figure 3.17: Registered Page

3.4.18: Sign in page

Figure 3.18: provide the interface for sign in page


The screenshot shows a web application window titled "WELCOME TO SSH MAGICAL RESORT". The page has a blue background with a central white box containing three options:

-  [SIGN IN](#)
-  [REGISTER](#)
-  [ADMIN](#)

Figure 3.18: Sign in Page

3.4.19: User login page

Figure 3.19: provide the interface for User login page




The screenshot shows a web application titled "USER REGISTRATION" with a light blue background. On the left, there is a vertical list of form fields: USER NAME, AGE, GENDER, CONTACT, EMAIL-ID, AADHAR NUMBER, DATE OF BIRTH, ADDRESS, PASSWORD, and CONFIRM PASSWORD. The main form area contains input fields for these fields, with "Haren_1" in the User Name field and "19" in the Age field. The Password and Confirm Password fields contain "Magical@2x22". A modal window titled "USERLOGIN" is centered over the form. It contains a user icon, input fields for "USER NAME" and "PASSWORD", a "Show" checkbox, and "CANCEL" and "LOGIN" buttons. Below the modal, there is a link that says "If don't have an account? Signup here". At the bottom of the form, there are "BACK" and "REGISTER" buttons, and a note "If already an user? Sign in here".

Figure 3.19:User login Page

3.4.20. Wedding page

Figure 3.20: provide the interface for Wedding page



The screenshot shows a web application titled "EVENT BOOKING - WEDDING" with a light pink background. The main section is titled "COUPLE DETAILS" and contains a list of form fields: GROOM NAME, BRIDE NAME, CLIENT NAME, CONTACT, GROOM'S AADHAR NO, BRIDE'S AADHAR NO, NO OF DAYS, NO OF NIGHTS, DATE OF WEDDING, DATE OF RECEPTION, and ADDRESS. To the right of these fields, there is a "WEDDING THEME" section with two image thumbnails and a "VIEW" button. Below the theme section, there are radio buttons for "Indoor" and "Outdoor". Further down, there is a "SEAT COUNT" field. Below that, there is a "FOOD" section with two image thumbnails and radio buttons for "Sea Shore Dining" and "Regular". At the bottom of the form, there are "BACK" and "SUBMIT" buttons. The Windows taskbar is visible at the bottom of the screen, showing the time as 06:40 PM on 14-Dec-2022.

Figure 3.20:Wedding Page

3.4.21. Wedding Connected page

Figure 3.21: provide the interface for Wedding Connected page

The screenshot shows a web application titled "EVENT BOOKING - WEDDING". The page is divided into several sections:

- COUPLE DETAILS:** A form with fields for GROOM NAME (Hani), BRIDE NAME (Hareni), CLIENT NAME (Shefi), CONTACT (9597618589), GROOM'S AADHAR NO (324545758364), BRIDE'S AADHAR NO (538692567389), NO OF DAYS (3), NO OF NIGHTS (4), DATE OF WEDDING (18.7.2025), DATE OF RECEPTION (17.7.2025), and ADDRESS (117/B Sankar Colony, Tulcorin).
- WEDDING THEME:** Two image thumbnails are shown, with a "VIEW" button next to the second one. Below the thumbnails, there are radio buttons for "Outdoor" (selected) and "Indoor".
- FOOD:** Two image thumbnails are shown. Below them are radio buttons for "Sea Shore Dinning" (selected) and "Regular".
- Buttons:** A red "BACK" button is at the bottom left, and a green "SUBMIT" button is at the bottom right.

A "Message" dialog box is open in the center of the screen, displaying an information icon, the text "CONNECTED", and an "OK" button.

Figure 3.21: Wedding Connected Page

3.4.22. Wedding Theme page

Figure 3.22: provide the interface for Wedding Theme page

The screenshot shows a web application titled "WEDDING THEMES". The page is divided into two main sections:

- INDOOR THEME:** Four image thumbnails are shown, each with a label below it: "YELLOW", "SNOWFALL", "REDBLACK", and "PURPLE".
- OUTDOOR THEME:** Seven image thumbnails are shown, each with a label below it: "GREEN", "GOLDEN", "COLOURFUL", "BLUE", "PINK", "TRENDY", and "TRADITIONAL".

Below the outdoor theme section, there is a text input field labeled "SELECT YOUR THEME" and a green "SUBMIT" button.

A note on the right side of the indoor theme section states: "THEMES CAN BE CONVERTED AS PER CUSTOMERS PREFERENCE".

Figure 3.22: Wedding Theme Page

3.4.23. Wedding Registered page

Figure 3.23: provide the interface for Wedding Registered page




Figure 3.23: Wedding Registered Page

3.4.24. End page

Figure 3.24: provide the interface for End page





Figure 3.24: End Page

3.4.25. Food page

Figure 3.25: provide the interface for Food page



The screenshot shows a web application titled "FOOD SERVICE" with a light blue header. Below the header is a black icon of a person serving food. The main area has a light pink background. It contains a "NAME" label with a text input field containing "Hareni". Below this is a "SERVICES" section with two columns. The left column has a photo of a buffet line and a radio button labeled "BUFFET SYSTEM" which is selected. Below it is a "PLATE COUNT" label with a text input field containing "50". The right column has a photo of a waiter with a tray and a radio button labeled "ROOM DELIVERY" which is not selected. Below it is a "ROOM NO" label with a text input field. At the bottom are three buttons: "BACK" (blue), "CANCEL" (red), and "SUBMIT" (green).

Figure 3.25: Food Page

3.4.26. Types of food page

Figure 3.26: provide the interface for Types of food page




Figure 3.26: Typed of Food Page

3.4.27.Non veg food page

Figure 3.27: provide the interface for Non veg food page

The screenshot shows a window titled "NON-VEG MENU LIST". It contains a table with the following data:

S.NO	UNIT AMOUNT	QUANTITY	FOOD NAME
1	RS.25	2	☒ PAROTTA
2	RS.120	4	☒ CHICKEN FRIED RICE
3	RS.80	1	☒ BUTTER CHICKEN GRAVY
4	RS.150		☐ MUTTON BRYANI
5	RS.100		☐ MUTTON GRAVY

Below the table, there is a "NET AMOUNT" field with a value of 610. At the bottom, there are four buttons: BACK, DISPLAY, RESET, and SUBMIT.

Figure 3.27: Non veg Food Page

3.4.28. Displayed Non veg food page

Figure 3.28: provide the interface for Displayed Non veg food page

The screenshot shows the same window as Figure 3.27, but with the "DISPLAY" button clicked. The table now shows the displayed items:

FOOD NAME	UNIT AMOUNT	QUANTITY	AMOUNT
BUTTER CHICKEN GR...	80	1	80
CHICKEN FRIED RICE	120	4	480
PAROTTA	25	2	50

The "NET AMOUNT" field now shows 610. The buttons remain the same.

Figure 3.28: Displayed Non veg Food Page

3.4.29. Veg food page

Figure 3.29: provide the interface for Veg food page

The screenshot shows a window titled "VEG MENU LIST". It contains a form on the left and a table on the right.

S.NO	UNIT AMOUNT	QUANTITY	FOOD MENU
1	RS. 30	3	☒ SambarRice
2	RS. 30	2	☒ LemonRice
3	RS. 30	1	☒ TomatoRice
4	RS. 30	3	☒ FriedRice

Below the form, there is a "NET AMOUNT" field with the value "270". At the bottom are four buttons: "BACK", "DISPLAY", "RESET", and "SUBMIT".

FOOD NAME	UNIT AMOUNT	QUANTITY	AMOUNT
FriedRice	30	3	90
TomatoRice	30	1	30
LemonRice	30	2	60
SambarRice	30	3	90

Figure 3.29:Veg Food Page

3.4.30. Food Registered page

Figure 3.30: provide the interface for food registered page

This screenshot is similar to Figure 3.29, but it includes a "Message" dialog box in the foreground. The dialog box has an information icon and the text "REGISTERED", with an "OK" button at the bottom right.

The background window "VEG MENU LIST" shows the same form and table as in Figure 3.29, with the "NET AMOUNT" field still showing "270".

Figure 3.30: Food Registered Page

3.4.31. Room booking page

Figure 3.31: provide the interface for room booking page

The screenshot shows a web application window titled "ROOM BOOKING". The interface is divided into two main sections. On the left, there is a form with the following fields: "NAME" (text input), "CONTACT" (text input), "CHECK-IN" (text input with a calendar icon), "DAYS" (text input), "ROOM TYPE" (a dropdown menu currently showing "LUXURY"), and "ROOM NO" (text input). Below these fields are three buttons: "BACK" (blue), "CANCEL" (red), and "NEXT" (green). On the right, under the heading "ROOM TYPE AND FACILITIES", there are three room options, each with a thumbnail image and a list of facilities:

- LUXURY**: 1) 24*7 WIFI ACCESSIBILITY, 2) A/C, 3) 2*DOUBLE BED, 4) BREAKFAST ROOM DELIVERY, 5) BEACH VIEW & DINING, PRICE -> 5000 PER DAY.
- VILLA**: 1) 24*7 WIFI ACCESSIBILITY, 2) ELECTRICAL KETTLE, DRYER & A/C, 3) SWIMMING POOL, 4) FIRST DINNER COMPLEMENTARY, 5) REGULAR DINING, PRICE -> 10000 PER DAY.
- PREMIUM**: 1) 24*7 WIFI ACCESSIBILITY, 2) BATH TUB & A/C, 3) ALL TIME ROOM SERVICE, 4) BEACH VIEW & DINING, 5) ELECTRICAL APPLIANCES, PRICE -> 13000 PER DAY.

Figure 3.31: Room Booking Page

3.4.32. Room booked page

Figure 3.32: provide the interface for room booked page

The screenshot shows the same "ROOM BOOKING" web application window, but now the form fields are populated with data: "NAME" is "Harish", "CONTACT" is "9597618589", "CHECK-IN" is "Dec 18, 2022", "DAYS" is "3", "ROOM TYPE" is "PREMIUM", and "ROOM NO" is "23". A modal message box is displayed in the center, showing an information icon, the word "BOOKED", and an "OK" button. The "ROOM TYPE AND FACILITIES" section on the right remains the same as in Figure 3.31.

Figure 3.32: Room Booked Page

CHAPTER 4

SYSTEM IMPLEMENTATION

4.1 LOGIN IMPLEMENTATION

The login credentials are obtained. If the credentials are OK, then the user is redirected to the homepage

IF userid, password valid

 RETURN homepage

ELSE

 TOAST Invalid Credential

4.2 SIGNUP IMPLEMENTATION

The form fields are obtained. If they are valid, then the user is added to the database.

GET requestFields

IF requestFields valid

 RETURN added to db

ELSE

 TOAST enter valid details

4.3 CUSTOMER IMPLEMENTATION

The form fields are obtained. If they are valid, then the receiver details are listed.

GET needed details

IF needed details valid

 RETURN registered

ELSE

 RETURN invalid details

CHAPTER 5

RESULTS AND DISCUSSION

5.1 TEST CASES AND RESULTS

5.1.1 Test Cases and Results for Login function:

The Table 5.1, Table 5.2 shows that the possible test data for the both positive and negative test case given below, if the user is already having account then the output is true otherwise false.

Table 5.1: Positive Test Case and result for Login

Test Case ID	SSH ADMIN
Test Case Description	It tests whether the given login details are valid or not
Test Data	realadmin123
Expected Output	TRUE
Result	PASS

Table 5.2: Negative Test Case and result for Login

Test Case ID	sshadmin
Test Case Description	It tests whether the given login details are valid or not
Test Data	Admin123
Expected Output	FALSE
Result	PASS

CHAPTER 6

CONCLUSION AND FUTURE ENHANCEMENT(S)

This project is basically developed for Online Reservation and to avoid manual process in resort business. It eliminates the 3rd party completely. This software aims to reduce the paper work and provides multiple facilities to the customer with less efforts and accessing the portal according to choice and availability

We have a plan to enhance this project in a very short time. Especially, we would like to implement the payment gateway for (visa card, bkash etc). Moreover, we also have a plan to implement the dashboard system which is not implemented yet because lack of time. We will also added some extend feature like Laundry facility, swimming pool facilities so the customer can fully enjoy the tour

APPENDIX – A

SYSTEM REQUIREMENTS

HARDWARE REQUIREMENT:

- i. LENOVO MODEL
- ii. 16 GB RAM
- iii. MOUSE
- iv. KEYBOARD

SOFTWARE REQUIREMENT:

Operating System :	Windows 10
DBMS :	XAMPP
IDE used :	Android Studio
Android Version:	5.1 and above

APPENDIX – B

SOURCE CODE

Frontpage.java

```
package resort;

import javax.swing.JFrame;

public class Frontpage extends javax.swing.JFrame {

    public Frontpage() {
        initComponents();
        Frontpage();
    }

    @SuppressWarnings("unchecked")

    private void initComponents() {

        jPanel2 = new javax.swing.JPanel();
        jLabel2 = new javax.swing.JLabel();
        jLabel1 = new javax.swing.JLabel();
        jProgressBar1 = new javax.swing.JProgressBar();
        jLabel4 = new javax.swing.JLabel();

        setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
        setForeground(new java.awt.Color(255, 153, 153));
        getContentPane().setLayout(new org.netbeans.lib.awtextra.AbsoluteLayout());
        jPanel2.setLayout(new org.netbeans.lib.awtextra.AbsoluteLayout());
        jLabel2.setFont(new java.awt.Font("Arial Rounded MT Bold", 2, 18)); // NOI18N
```

```

jLabel2.setText("Our resort is the perfect place to Relax Refresh and Re-energize");
jLabel1.setBackground(new java.awt.Color(51, 255, 255));
jLabel1.setFont(new java.awt.Font("Stencil", 1, 32)); // NOI18N
jLabel1.setText("WELCOME TO SSH MAGICAL RESORT");

jPanel2.add(jLabel1, new org.netbeans.lib.awtextra.AbsoluteConstraints(360, 220,
638, 50));

jPanel2.add(jProgressBar1, new org.netbeans.lib.awtextra.AbsoluteConstraints(360,
420, 590, 20));

jLabel4.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/resort/clear.jpg"))); // NOI18N

jLabel4.setText("jLabel4");

jPanel2.add(jLabel4, new org.netbeans.lib.awtextra.AbsoluteConstraints(0, 0, 1380,
720));

getContentPane().add(jPanel2, new org.netbeans.lib.awtextra.AbsoluteConstraints(0, 0,
1380, 720));

pack();

} // </editor-fold>

```

```

public static void main(String args[]) {
try {
    for (javax.swing.UIManager.LookAndFeelInfo info :
javax.swing.UIManager.getInstalledLookAndFeels()) {
        if ("Nimbus".equals(info.getName())) {
            javax.swing.UIManager.setLookAndFeel(info.getClassName());
            break;
        }
    }
} catch (ClassNotFoundException ex) {

java.util.logging.Logger.getLogger(Frontpage.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);

```

```

        } catch (InstantiationException ex) {

java.util.logging.Logger.getLogger(Frontpage.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);

        } catch (IllegalAccessException ex) {

java.util.logging.Logger.getLogger(Frontpage.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);

        } catch (javax.swing.UnsupportedLookAndFeelException ex) {

java.util.logging.Logger.getLogger(Frontpage.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);

        }java.awt.EventQueue.invokeLater(new Runnable() {

        public void run() {

            new Frontpage().setVisible(true);

        }

    });

}

private void Frontpage()
{
    new Thread (new Runnable(){

@Override

public void run()

{

try{

for(int i=0; i<101;i++)

{

jProgressBar1.setValue(i);

Thread.sleep(20);

}

}

}

}

```

```

    }catch(Exception e){

    }

    Front2 f2 =new Front2();

        f2.setVisible(true);

        f2.pack();

        f2.setLocationRelativeTo(null);

        f2.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);

    }

}).start();

}

}

```

Homepage.java

```

package resort;

public class Home extends javax.swing.JFrame {

    public Home() {

        initComponents();

    } @SuppressWarnings("unchecked")

    // <editor-fold defaultstate="collapsed" desc="Generated Code">

    private void initComponents() {

        jPanel1 = new javax.swing.JPanel();

        jLabel1 = new javax.swing.JLabel();

        jLabel2 = new javax.swing.JLabel();

        jPanel3 = new javax.swing.JPanel();

        jToggleButton1 = new javax.swing.JToggleButton();

        jToggleButton4 = new javax.swing.JToggleButton();

        jToggleButton3 = new javax.swing.JToggleButton();
    }
}

```

```

jLabel3 = new javax.swing.JLabel();
jLabel5 = new javax.swing.JLabel();
jLabel6 = new javax.swing.JLabel();
jLabel7 = new javax.swing.JLabel();
jLabel8 = new javax.swing.JLabel();
jToggleButton5 = new javax.swing.JToggleButton();

setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
getContentPane().setLayout(new org.netbeans.lib.awtextra.AbsoluteLayout());

jPanel1.setBackground(new java.awt.Color(0, 255, 255));

jLabel1.setFont(new java.awt.Font("Lucida Fax", 1, 18)); // NOI18N
jLabel1.setText("HOMEPAGE");

jLabel2.setIcon(new javax.swing.ImageIcon(getClass().getResource("/resort/beach
mini.png"))); // NOI18N
jLabel2.setText("jLabel2");

javax.swing.GroupLayout jPanel1Layout = new javax.swing.GroupLayout(jPanel1);
jPanel1.setLayout(jPanel1Layout);
jPanel1Layout.setHorizontalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel1Layout.createSequentialGroup()
        .addComponent(jLabel2, javax.swing.GroupLayout.PREFERRED_SIZE, 40,
javax.swing.GroupLayout.PREFERRED_SIZE)

```

```

        .addGap(18, 18, 18)
        .addComponent(jLabel1)
        .addContainerGap(1208, Short.MAX_VALUE))
    );

    jPanel1Layout.setVerticalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel1Layout.createSequentialGroup()
            .addContainerGap()

.addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BA
SELINE)
            .addComponent(jLabel2, javax.swing.GroupLayout.PREFERRED_SIZE, 40,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addComponent(jLabel1))
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

    getContentPane().add(jPanel1, new
org.netbeans.lib.awtextra.AbsoluteConstraints(0, 0, 1380, -1));

    jPanel3.setBackground(new java.awt.Color(204, 255, 255));

    jToggleButton1.setBackground(new java.awt.Color(204, 204, 255));
    jToggleButton1.setFont(new java.awt.Font("Segoe UI", 3, 14)); // NOI18N
    jToggleButton1.setText("OTHERS");
    jToggleButton1.setCursor(new
java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));
    jToggleButton1.addActionListener(new java.awt.event.ActionListener() {

```

```

        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jToggleButton1ActionPerformed(evt);
        }
    });

    jToggleButton4.setBackground(new java.awt.Color(204, 204, 255));
    jToggleButton4.setFont(new java.awt.Font("Segoe UI", 3, 14)); // NOI18N
    jToggleButton4.setText("WEDDING");
    jToggleButton4.setCursor(new
java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));
    jToggleButton4.addMouseListener(new java.awt.event.MouseAdapter() {
        public void mouseClicked(java.awt.event.MouseEvent evt) {
            jToggleButton4MouseClicked(evt);
        }
    });
    jToggleButton4.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jToggleButton4ActionPerformed(evt);
        }
    });

    jToggleButton3.setBackground(new java.awt.Color(204, 204, 255));
    jToggleButton3.setFont(new java.awt.Font("Segoe UI", 3, 14)); // NOI18N
    jToggleButton3.setText("ROOMS");
    jToggleButton3.setCursor(new
java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));
    jToggleButton3.addMouseListener(new java.awt.event.MouseAdapter() {
        public void mouseClicked(java.awt.event.MouseEvent evt) {

```

```

        jToggleButton3MouseClicked(evt);
    }
});

jToggleButton3.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jToggleButton3ActionPerformed(evt);
    }
});

jLabel3.setIcon(new javax.swing.ImageIcon(getClass().getResource("/resort/front
resortnewhome.png"))); // NOI18N
jLabel3.setText("jLabel3");

jLabel5.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/resort/homepageW.jpg"))); // NOI18N
jLabel5.setText("jLabel4");

jLabel6.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/resort/homepaageG.jpg"))); // NOI18N
jLabel6.setText("jLabel4");

jLabel7.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/resort/homepageR.jpg"))); // NOI18N
jLabel7.setText("jLabel4");

jLabel8.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/resort/homefood2.jpg"))); // NOI18N
jLabel8.setText("jLabel4");

```



```

        .addGroup(jPanel3Layout.createSequentialGroup())
        .addGap(47, 47, 47)
        .addComponent(jLabel7, javax.swing.GroupLayout.PREFERRED_SIZE,
250, javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGroup(jPanel3Layout.createSequentialGroup())
        .addGap(92, 92, 92)
        .addComponent(jToggleButton3,
javax.swing.GroupLayout.PREFERRED_SIZE, 160,
javax.swing.GroupLayout.PREFERRED_SIZE)))

.addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TR
AILING)

        .addGroup(jPanel3Layout.createSequentialGroup())
        .addGap(83, 83, 83)
        .addComponent(jLabel8, javax.swing.GroupLayout.PREFERRED_SIZE,
250, javax.swing.GroupLayout.PREFERRED_SIZE)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED, 94,
Short.MAX_VALUE)

        .addComponent(jLabel5, javax.swing.GroupLayout.PREFERRED_SIZE,
250, javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(77, 77, 77))
        .addGroup(jPanel3Layout.createSequentialGroup())
        .addGap(126, 126, 126)
        .addComponent(jToggleButton5,
javax.swing.GroupLayout.PREFERRED_SIZE, 160,
javax.swing.GroupLayout.PREFERRED_SIZE)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)

        .addComponent(jToggleButton4,
javax.swing.GroupLayout.PREFERRED_SIZE, 160,
javax.swing.GroupLayout.PREFERRED_SIZE)

```

```

        .addGap(122, 122, 122)))

    .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel3Layout.createSequentialGroup()

            .addComponent(jLabel6, javax.swing.GroupLayout.PREFERRED_SIZE,
250, javax.swing.GroupLayout.PREFERRED_SIZE)

                .addGap(79, 79, 79))

            .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel3Layout.createSequentialGroup()

                .addComponent(jToggleButton1,
javax.swing.GroupLayout.PREFERRED_SIZE, 160,
javax.swing.GroupLayout.PREFERRED_SIZE)

                    .addGap(110, 110, 110))))

    );

    jPanel3Layout.setVerticalGroup(

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel3Layout.createSequentialGroup()

        .addContainerGap()

            .addComponent(jLabel3, javax.swing.GroupLayout.PREFERRED_SIZE, 409,
javax.swing.GroupLayout.PREFERRED_SIZE)

                .addGap(18, 18, 18)

                    .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)

                        .addComponent(jLabel5, javax.swing.GroupLayout.PREFERRED_SIZE,
167, javax.swing.GroupLayout.PREFERRED_SIZE)

                            .addComponent(jLabel8, javax.swing.GroupLayout.PREFERRED_SIZE,
167, javax.swing.GroupLayout.PREFERRED_SIZE)

```

```

        .addComponent(jLabel6, javax.swing.GroupLayout.PREFERRED_SIZE,
167, javax.swing.GroupLayout.PREFERRED_SIZE)

        .addComponent(jLabel7, javax.swing.GroupLayout.PREFERRED_SIZE,
167, javax.swing.GroupLayout.PREFERRED_SIZE))

.addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

        .addGroup(jPanel3Layout.createSequentialGroup()

                .addComponent(jToggleButton3,
javax.swing.GroupLayout.PREFERRED_SIZE, 40,
javax.swing.GroupLayout.PREFERRED_SIZE)

                .addComponent(jToggleButton4,
javax.swing.GroupLayout.PREFERRED_SIZE, 40,
javax.swing.GroupLayout.PREFERRED_SIZE)

                .addComponent(jToggleButton1,
javax.swing.GroupLayout.PREFERRED_SIZE, 40,
javax.swing.GroupLayout.PREFERRED_SIZE))

                .addGap(27, 27, 27))

        .addGroup(jPanel3Layout.createSequentialGroup()

                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)

                .addComponent(jToggleButton5,
javax.swing.GroupLayout.PREFERRED_SIZE, 40,
javax.swing.GroupLayout.PREFERRED_SIZE)

                .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))))

);

```

```
        getContentPane().add(jPanel3, new  
org.netbeans.lib.awtextra.AbsoluteConstraints(0, 50, 1380, 670));
```

```
        pack();  
    }// </editor-fold>
```

```
private void jToggleButton1ActionPerformed(java.awt.event.ActionEvent evt) {  
    // TODO add your handling code here:  
}
```

```
private void jToggleButton4ActionPerformed(java.awt.event.ActionEvent evt) {  
    // TODO add your handling code here:  
}
```

```
private void jToggleButton3MouseClicked(java.awt.event.MouseEvent evt) {  
    Room rm=new Room();  
    rm.setVisible(true);  
    dispose();  
    // TODO add your handling code here:
```

```
    this.toBack();  
    Room newframe= new Room();  
    newframe.setVisible(true);  
    newframeToFront();  
}
```

```
private void jToggleButton4MouseClicked(java.awt.event.MouseEvent evt) {  
    Wedding wed=new Wedding();
```

```

wed.setVisible(true);

dispose();    // TODO add your handling code here:
}

private void jToggleButton3ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
}

private void jToggleButton5MouseClicked(java.awt.event.MouseEvent evt) {
    // TODO add your handling code here:

    Food fd=new Food();
    fd.setVisible(true);
    dispose();
}

private void jToggleButton5ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
}

try {
    for (javax.swing.UIManager.LookAndFeelInfo info :
        javax.swing.UIManager.getInstalledLookAndFeels()) {
        if ("Nimbus".equals(info.getName())) {
            javax.swing.UIManager.setLookAndFeel(info.getClassName());
            break;
        }
    }
} catch (ClassNotFoundException ex) {

```

```
java.util.logging.Logger.getLogger(Home.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
```

```
    } catch (InstantiationException ex) {
```

```
java.util.logging.Logger.getLogger(Home.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
```

```
    } catch (IllegalAccessException ex) {
```

```
java.util.logging.Logger.getLogger(Home.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
```

```
    } catch (javax.swing.UnsupportedLookAndFeelException ex) {
```

```
java.util.logging.Logger.getLogger(Home.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
```

```
    }
```

```
//</editor-fold>
```

```
/* Create and display the form */
```

```
java.awt.EventQueue.invokeLater(new Runnable() {
```

```
    public void run() {
```

```
        new Home().setVisible(true);
```

```
    }
```

```
});
```

```
}
```

```
}
```

```
package resort;
```

```
import java.awt.*;
```

```
import java.awt.event.*;
```

```

import static java.awt.event.WindowEvent.WINDOW_CLOSING;

import java.sql.Connection;

import java.sql.DriverManager;

import java.sql.Statement;

import javax.swing.JFrame;

import javax.swing.JOptionPane;

/**
 *
 * @author Lenovo
 */

public class Userlogin extends javax.swing.JFrame {

    private Object WindowEvent;

    /**
     * Creates new form Userlogin
     */
    public Userlogin() {
        initComponents();
        try
        {
            Class.forName("com.mysql.cj.jdbc.Driver");

            System.out.println("HI");

            Connection
con=DriverManager.getConnection("jdbc:mysql://localhost:3306/resort","root","");

            JOptionPane.showMessageDialog (null, "CONNECTED");
        }
    }

```

```

        catch(Exception e)
        {
            System.out.println(e);
            JOptionPane.showMessageDialog (null,"NOT CONECTED");
        }
    }

    /*public void close(){
        WindowEvent winClosingEvent;

        winClosingEvent = new WindowEvent(this.WindowEvent.WINDOW_CLOSING );
        Toolkit.getDefaultToolkit().getSystemEventQueue().postEvent(winClosingEvent);
    } */

    /**
     * This method is called from within the constructor to initialize the form.
     * WARNING: Do NOT modify this code. The content of this method is always
     * regenerated by the Form Editor.
     */

    @SuppressWarnings("unchecked")
    // <editor-fold defaultstate="collapsed" desc="Generated Code">
    private void initComponents() {

        jPanel1 = new javax.swing.JPanel();
        jToggleButton1 = new javax.swing.JToggleButton();
        jLabel3 = new javax.swing.JLabel();
        jLabel1 = new javax.swing.JLabel();
        jLabel2 = new javax.swing.JLabel();
        jTextField1 = new javax.swing.JTextField();
        jPasswordField1 = new javax.swing.JPasswordField();

```

```

jCheckBox1 = new javax.swing.JCheckBox();
jButton1 = new javax.swing.JButton();
jButton2 = new javax.swing.JButton();
jLabel4 = new javax.swing.JLabel();
jLabel5 = new javax.swing.JLabel();
jPanel2 = new javax.swing.JPanel();
jLabel6 = new javax.swing.JLabel();

setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
getContentPane().setLayout(new org.netbeans.lib.awtextra.AbsoluteLayout());

jPanel1.setBackground(new java.awt.Color(0, 255, 255));

jToggleButton1.setBackground(new java.awt.Color(255, 0, 0));
jToggleButton1.setText("X");
jToggleButton1.addMouseListener(new java.awt.event.MouseAdapter() {
    public void mouseClicked(java.awt.event.MouseEvent evt) {
        jToggleButton1MouseClicked(evt);
    }
});

jLabel3.setFont(new java.awt.Font("Lucida Fax", 1, 16)); // NOI18N
jLabel3.setText("USERLOGIN");

javax.swing.GroupLayout jPanel1Layout = new javax.swing.GroupLayout(jPanel1);
jPanel1.setLayout(jPanel1Layout);
jPanel1Layout.setHorizontalGroup(

```

```

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel1Layout.createSequentialGroup()
    .addContainerGap()
    .addComponent(jLabel3)
    .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED,
329, Short.MAX_VALUE)
    .addComponent(jToggleButton1)
    .addContainerGap())
);
jPanel1Layout.setVerticalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel1Layout.createSequentialGroup()
    .addContainerGap()

.addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BA
SELINE)
    .addComponent(jToggleButton1)
    .addComponent(jLabel3))
    .addContainerGap(7, Short.MAX_VALUE))
);

getContentPane().add(jPanel1, new
org.netbeans.lib.awtextra.AbsoluteConstraints(0, 0, 461, -1));

jLabel1.setFont(new java.awt.Font("Lucida Fax", 1, 14)); // NOI18N
jLabel1.setText("PASSWORD");

getContentPane().add(jLabel1, new
org.netbeans.lib.awtextra.AbsoluteConstraints(71, 206, -1, -1));

```

```

jLabel2.setFont(new java.awt.Font("Lucida Fax", 1, 14)); // NOI18N
jLabel2.setText("USER NAME");

getContentPane().add(jLabel2, new
org.netbeans.lib.awtextra.AbsoluteConstraints(65, 146, -1, -1));

getContentPane().add(jTextField1, new
org.netbeans.lib.awtextra.AbsoluteConstraints(188, 144, 160, -1));

jPasswordField1.setToolTipText("");

getContentPane().add(jPasswordField1, new
org.netbeans.lib.awtextra.AbsoluteConstraints(188, 204, 160, -1));

jCheckBox1.setText("Show");
jCheckBox1.addMouseListener(new java.awt.event.MouseAdapter() {
    public void mouseClicked(java.awt.event.MouseEvent evt) {
        jCheckBox1MouseClicked(evt);
    }
});
jCheckBox1.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jCheckBox1ActionPerformed(evt);
    }
});

getContentPane().add(jCheckBox1, new
org.netbeans.lib.awtextra.AbsoluteConstraints(366, 205, -1, -1));

jButton1.setBackground(new java.awt.Color(51, 255, 51));
jButton1.setFont(new java.awt.Font("Lucida Fax", 1, 14)); // NOI18N
jButton1.setText("LOGIN");

```

```

jButton1.addMouseListener(new java.awt.event.MouseAdapter() {
    public void mouseClicked(java.awt.event.MouseEvent evt) {
        jButton1MouseClicked(evt);
    }
});

jButton1.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton1ActionPerformed(evt);
    }
});

getContentPane().add(jButton1, new
org.netbeans.lib.awtextra.AbsoluteConstraints(284, 258, -1, -1));


jButton2.setBackground(new java.awt.Color(255, 51, 51));
jButton2.setFont(new java.awt.Font("Lucida Fax", 1, 14)); // NOI18N
jButton2.setText("CANCEL");
jButton2.addMouseListener(new java.awt.event.MouseAdapter() {
    public void mouseClicked(java.awt.event.MouseEvent evt) {
        jButton2MouseClicked(evt);
    }
});

getContentPane().add(jButton2, new
org.netbeans.lib.awtextra.AbsoluteConstraints(98, 258, -1, -1));


jLabel4.setText("If don't have an account?Signup here");
jLabel4.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));
jLabel4.addMouseListener(new java.awt.event.MouseAdapter() {
    public void mouseClicked(java.awt.event.MouseEvent evt) {

```

```

        jLabel4MouseClicked(evt);
    }

});

getContentPane().add(jLabel4, new
org.netbeans.lib.awtextra.AbsoluteConstraints(149, 299, 212, -1));

jLabel5.setIcon(new javax.swing.ImageIcon(getClass().getResource("/resort/user
(1).png"))); // NOI18N

getContentPane().add(jLabel5, new
org.netbeans.lib.awtextra.AbsoluteConstraints(214, 53, 91, 84));

jLabel6.setIcon(new javax.swing.ImageIcon(getClass().getResource("/resort/user
bojhe.jpg"))); // NOI18N

jLabel6.setText("jLabel6");

javax.swing.GroupLayout jPanel2Layout = new javax.swing.GroupLayout(jPanel2);
jPanel2.setLayout(jPanel2Layout);
jPanel2Layout.setHorizontalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addComponent(jLabel6, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
);
jPanel2Layout.setVerticalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel2Layout.createSequentialGroup()
        .addComponent(jLabel6, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    );

```

```
        getContentPane().add(jPanel2, new  
org.netbeans.lib.awtextra.AbsoluteConstraints(0, 30, 460, 290));
```

```
        pack();  
    } // </editor-fold>
```

```
private void jCheckBox1ActionPerformed(java.awt.event.ActionEvent evt) {  
    // TODO add your handling code here:  
}
```

```
private void jToggleButton1MouseClicked(java.awt.event.MouseEvent evt) {  
    System.exit(0);    // TODO add your handling code here:  
}
```

```
private void jCheckBox1MouseClicked(java.awt.event.MouseEvent evt) {  
    if(jCheckBox1.isSelected())  
    {  
        jPasswordField1.setEchoChar((char)0);  
    }else  
    {  
        jPasswordField1.setEchoChar('*');  
    }  
}
```

```
private void jButton2MouseClicked(java.awt.event.MouseEvent evt) {  
    jTextField1.setText("");  
}
```

```

        jPasswordField1.setText("");    // TODO add your handling code here:
    }

    private void jLabel4MouseClicked(java.awt.event.MouseEvent evt) {
        Registration reg=new Registration();
        reg.setVisible(true);
        reg.pack();
        reg.setLocationRelativeTo(null);
        reg.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
    }

    private void jButton1MouseClicked(java.awt.event.MouseEvent evt) {
        try
        {
            Connection con =
DriverManager.getConnection("jdbc:mysql://localhost:3306/resort","root","");

            Statement stmt=con.createStatement();

            //insert of data in server

            String q1="insert into ssh values("
+jTextField1.getText()+",""+jPasswordField1.getText()+")";
            stmt.executeUpdate(q1);

            JOptionPane.showMessageDialog(null,"INSERTED");
        }
        catch(Exception e)
        {
            System.out.println(e);
        }
    }

```

```

/*String Username = jTextField1.getText();
String Password = jPasswordField1.getText();
if(Username.equals("")&& Password.equals(""))
{
    JOptionPane.showMessageDialog(this,"KINDLY ENTER USERNAME
AND PASSWORD");
}
else if(!(Username.equals("")&&Password.equals("")))
{
    JOptionPane.showMessageDialog(this,"KINDLY ENTER
PASSWORD");
}*/

```

```

Home pg=new Home();
pg.setVisible(true);
dispose();

}

```

```

private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {
String Username = jTextField1.getText().toString();
String Password = jPasswordField1.getText().toString();
if(Username.equals("")&& Password.equals(""))
{
    JOptionPane.showMessageDialog(this,"KINDLY ENTER USERNAME
AND PASSWORD");
}
}

```

```

        else if(!(Username.equals(""))&&Password.equals(""))
        {
            JOptionPane.showMessageDialog(this,"KINDLY ENTER
PASSWORD");
        }    // TODO add your handling code here:
        else if(Username.equals(""))
        {

            JOptionPane.showMessageDialog(this,"KINDLY ENTER USERNAME");
        }
    }

    public static void main(String args[]) {
        try {
            for (javax.swing.UIManager.LookAndFeelInfo info :
javax.swing.UIManager.getInstalledLookAndFeels()) {
                if ("Nimbus".equals(info.getName())) {
                    javax.swing.UIManager.setLookAndFeel(info.getClassName());
                    break;
                }
            }
        } catch (ClassNotFoundException ex) {

            java.util.logging.Logger.getLogger(Userlogin.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);

        } catch (InstantiationException ex) {

            java.util.logging.Logger.getLogger(Userlogin.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);

        } catch (IllegalAccessException ex) {

```

```
java.util.logging.Logger.getLogger(Userlogin.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
```

```
    } catch (javax.swing.UnsupportedLookAndFeelException ex) {
```

```
java.util.logging.Logger.getLogger(Userlogin.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
```

```
    }
```

```
//</editor-fold>
```

```
/* Create and display the form */
```

```
java.awt.EventQueue.invokeLater(new Runnable() {
```

```
    public void run() {
```

```
        new Userlogin().setVisible(true);
```

```
    }
```

```
});
```

```
}
```

```
}
```

```
import java.awt.HeadlessException;
```

```
import java.sql.Connection;
```

```
import java.sql.DriverManager;
```

```
import java.sql.SQLException;
```

```
import java.sql.Statement;
```

```
import java.util.Date;
```

```
import javax.swing.JOptionPane;
```

```
public class Registration extends javax.swing.JFrame {
```

```

public Registration() {
    initComponents();
    setExtendedState(MAXIMIZED_BOTH);
    try
    {
        // Class.forName("com.mysql.jdbc.Driver");

        Connection con =
DriverManager.getConnection("jdbc:mysql://localhost:3306/resort","root","");
        JOptionPane.showMessageDialog(null,"CONNECTED");
    }
    catch(Exception e)
    {
        JOptionPane.showMessageDialog(null,"NOT CONNECTED");
    }
}

```

```

@SuppressWarnings("unchecked")

```

```

// <editor-fold defaultstate="collapsed" desc="Generated Code">

```

```

private void initComponents() {

    buttonGroup1 = new javax.swing.ButtonGroup();
    jPanel1 = new javax.swing.JPanel();
    jLabel1 = new javax.swing.JLabel();
    jLabel3 = new javax.swing.JLabel();
    jPanel2 = new javax.swing.JPanel();
    jLabel12 = new javax.swing.JLabel();
    jButton1 = new javax.swing.JButton();
}

```

```
jButton2 = new javax.swing.JButton();
repass = new javax.swing.JPasswordField();
pass = new javax.swing.JPasswordField();
jScrollPane1 = new javax.swing.JScrollPane();
address = new javax.swing.JTextArea();
bdate = new com.toedter.calendar.JDateChooser();
aadhar = new javax.swing.JTextField();
contact = new javax.swing.JTextField();
jRadioButton1 = new javax.swing.JRadioButton();
jRadioButton2 = new javax.swing.JRadioButton();
age = new javax.swing.JTextField();
name = new javax.swing.JTextField();
jLabel10 = new javax.swing.JLabel();
jLabel11 = new javax.swing.JLabel();
jLabel9 = new javax.swing.JLabel();
jLabel8 = new javax.swing.JLabel();
jLabel7 = new javax.swing.JLabel();
jLabel6 = new javax.swing.JLabel();
jLabel5 = new javax.swing.JLabel();
jLabel2 = new javax.swing.JLabel();
jLabel4 = new javax.swing.JLabel();
jLabel14 = new javax.swing.JLabel();

setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
setBackground(new java.awt.Color(255, 204, 204));
getContentPane().setLayout(new org.netbeans.lib.awtextra.AbsoluteLayout());
```

```

jPanel1.setBackground(new java.awt.Color(0, 255, 255));

jLabel1.setIcon(new javax.swing.ImageIcon(getClass().getResource("/resort/add-
user-male mini.png"))); // NOI18N

jLabel1.setText("jLabel1");

jLabel3.setFont(new java.awt.Font("Lucida Fax", 1, 16)); // NOI18N
jLabel3.setText("USER REGISTRATION");

javax.swing.GroupLayout jPanel1Layout = new javax.swing.GroupLayout(jPanel1);
jPanel1.setLayout(jPanel1Layout);
jPanel1Layout.setHorizontalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel1Layout.createSequentialGroup()
        .addComponent(jLabel1, javax.swing.GroupLayout.PREFERRED_SIZE, 40,
javax.swing.GroupLayout.PREFERRED_SIZE)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
        .addComponent(jLabel3)
        .addGap(0, 1141, Short.MAX_VALUE))
    );

jPanel1Layout.setVerticalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

.addGroup(jPanel1Layout.createSequentialGroup()
    .addComponent(jLabel1, javax.swing.GroupLayout.PREFERRED_SIZE, 40,
javax.swing.GroupLayout.PREFERRED_SIZE)
    .addComponent(jLabel3))

```

```

);

    getContentPane().add(jPanel1, new
org.netbeans.lib.awtextra.AbsoluteConstraints(0, 0, 1370, -1));

jPanel2.setLayout(new org.netbeans.lib.awtextra.AbsoluteLayout());

jLabel12.setText("If already an user?Sign in here");
jLabel12.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));
jLabel12.addMouseListener(new java.awt.event.MouseAdapter() {
    public void mouseClicked(java.awt.event.MouseEvent evt) {
        jLabel12MouseClicked(evt);
    }
});

jPanel2.add(jLabel12, new org.netbeans.lib.awtextra.AbsoluteConstraints(633, 645,
-1, -1));

jButton1.setBackground(new java.awt.Color(51, 255, 51));
jButton1.setFont(new java.awt.Font("Lucida Fax", 1, 16)); // NOI18N
jButton1.setText("REGISTER");
jButton1.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton1ActionPerformed(evt);
    }
});

jPanel2.add(jButton1, new org.netbeans.lib.awtextra.AbsoluteConstraints(1071,
596, 118, 31));

```

```

jButton2.setBackground(new java.awt.Color(255, 0, 0));
jButton2.setFont(new java.awt.Font("Lucida Fax", 1, 16)); // NOI18N
jButton2.setText("BACK");
jButton2.addMouseListener(new java.awt.event.MouseAdapter() {
    public void mouseClicked(java.awt.event.MouseEvent evt) {
        jButton2MouseClicked(evt);
    }
});

jPanel2.add(jButton2, new org.netbeans.lib.awtextra.AbsoluteConstraints(258, 596,
118, 31));

jPanel2.add(repass, new org.netbeans.lib.awtextra.AbsoluteConstraints(570, 509,
402, 36));

jPanel2.add(pass, new org.netbeans.lib.awtextra.AbsoluteConstraints(570, 455, 402,
36));


address.setColumns(20);
address.setRows(5);
jScrollPane1.setViewportViewView(address);


jPanel2.add(jScrollPane1, new org.netbeans.lib.awtextra.AbsoluteConstraints(570,
380, 402, 58));

jPanel2.add(bdate, new org.netbeans.lib.awtextra.AbsoluteConstraints(570, 318,
402, 33));

jPanel2.add(aadhar, new org.netbeans.lib.awtextra.AbsoluteConstraints(570, 268,
402, 32));

jPanel2.add(contact, new org.netbeans.lib.awtextra.AbsoluteConstraints(570, 216,
402, 33));


buttonGroup1.add(jRadioButton1);
jRadioButton1.setFont(new java.awt.Font("Lucida Fax", 1, 16)); // NOI18N

```

```

jRadioButton1.setText("MALE");

jPanel2.add(jRadioButton1, new org.netbeans.lib.awtextra.AbsoluteConstraints(570,
169, -1, -1));

buttonGroup1.add(jRadioButton2);

jRadioButton2.setFont(new java.awt.Font("Lucida Fax", 1, 16)); // NOI18N
jRadioButton2.setText("FEMALE");

jPanel2.add(jRadioButton2, new org.netbeans.lib.awtextra.AbsoluteConstraints(787,
169, -1, -1));

jPanel2.add(age, new org.netbeans.lib.awtextra.AbsoluteConstraints(570, 109, 402,
33));

name.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        nameActionPerformed(evt);
    }
});

jPanel2.add(name, new org.netbeans.lib.awtextra.AbsoluteConstraints(570, 48, 402,
33));

jLabel10.setFont(new java.awt.Font("Lucida Fax", 1, 16)); // NOI18N
jLabel10.setText("CONFIRM PASSWORD");

jPanel2.add(jLabel10, new org.netbeans.lib.awtextra.AbsoluteConstraints(296, 510,
-1, 33));

jLabel11.setFont(new java.awt.Font("Lucida Fax", 1, 16)); // NOI18N
jLabel11.setText("PASSWORD");

jPanel2.add(jLabel11, new org.netbeans.lib.awtextra.AbsoluteConstraints(296, 456,
172, 33));

```

```
jLabel9.setFont(new java.awt.Font("Lucida Fax", 1, 16)); // NOI18N
jLabel9.setText("ADDRESS");
jPanel2.add(jLabel9, new org.netbeans.lib.awtextra.AbsoluteConstraints(296, 404,
172, 33));
```

```
jLabel8.setFont(new java.awt.Font("Lucida Fax", 1, 16)); // NOI18N
jLabel8.setText("DATE OF BIRTH");
jPanel2.add(jLabel8, new org.netbeans.lib.awtextra.AbsoluteConstraints(296, 318,
172, 33));
```

```
jLabel7.setFont(new java.awt.Font("Lucida Fax", 1, 16)); // NOI18N
jLabel7.setText("AADHAR NUMBER");
jPanel2.add(jLabel7, new org.netbeans.lib.awtextra.AbsoluteConstraints(296, 267,
172, 33));
```

```
jLabel6.setFont(new java.awt.Font("Lucida Fax", 1, 16)); // NOI18N
jLabel6.setText("CONTACT");
jPanel2.add(jLabel6, new org.netbeans.lib.awtextra.AbsoluteConstraints(296, 215,
172, 33));
```

```
jLabel5.setFont(new java.awt.Font("Lucida Fax", 1, 16)); // NOI18N
jLabel5.setText("GENDER");
jPanel2.add(jLabel5, new org.netbeans.lib.awtextra.AbsoluteConstraints(296, 165,
172, 32));
```

```
jLabel2.setFont(new java.awt.Font("Lucida Fax", 1, 16)); // NOI18N
jLabel2.setText("AGE");
jPanel2.add(jLabel2, new org.netbeans.lib.awtextra.AbsoluteConstraints(296, 108,
172, 33));
```

```

jLabel4.setFont(new java.awt.Font("Lucida Fax", 1, 16)); // NOI18N
jLabel4.setText("NAME");

jPanel2.add(jLabel4, new org.netbeans.lib.awtextra.AbsoluteConstraints(296, 47,
172, 33));

jLabel14.setIcon(new javax.swing.ImageIcon(getClass().getResource("/resort/new
bokhe2blue.jpg"))); // NOI18N
jLabel14.setText("jLabel14");

jPanel2.add(jLabel14, new org.netbeans.lib.awtextra.AbsoluteConstraints(0, 0,
1370, 700));

getContentPane().add(jPanel2, new
org.netbeans.lib.awtextra.AbsoluteConstraints(0, 40, 1360, 700));

pack();
} // </editor-fold>

private void jLabel12MouseClicked(java.awt.event.MouseEvent evt) {
Userlogin UL=new Userlogin();
UL.setVisible(true);    // TODO add your handling code here:
}

private void jButton2MouseClicked(java.awt.event.MouseEvent evt) {
Front2 f2=new Front2 ();
f2.setVisible(true);    // TODO add your handling code here:
}

private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {
Date DOB=bdate.getDate();

```

```

try
{
    // Class.forName("com.mysql.jdbc.Driver");

    Connection con =
DriverManager.getConnection("jdbc:mysql://localhost:3306/resort","root","");

    Statement stmt = con.createStatement();

    // Inserting data in database

    String q=jRadioButton1.isSelected()? "MALE":"FEMALE";

    String q1 = "insert into registration values("
+name.getText()+",""+age.getText()+",""+q+"",""+contact.getText()+",""+aadhar.getText(
)+",""+bdate.getDate()+",""+address.getText()+",""+pass.getText()+",""+repass.getText(
+""");

    stmt.executeUpdate(q1);

    JOptionPane.showMessageDialog(null,"REGISTERED");
}

catch(HeadlessException | SQLException e)
{
    System.out.println(e);
}

Userlogin UL=new Userlogin();
UL.setVisible(true);

// TODO add your handling code here:

}

private void nameActionPerformed(java.awt.event.ActionEvent evt) {

    // TODO add your handling code here:

}

public static void main(String args[]) {

```

```

    try {
        for (javax.swing.UIManager.LookAndFeelInfo info :
            javax.swing.UIManager.getInstalledLookAndFeels()) {
            if ("Nimbus".equals(info.getName())) {
                javax.swing.UIManager.setLookAndFeel(info.getClassName());
                break;
            }
        }
    } catch (ClassNotFoundException ex) {

java.util.logging.Logger.getLogger(Registration.class.getName()).log(java.util.logging.L
evel.SEVERE, null, ex);

    } catch (InstantiationException ex) {

java.util.logging.Logger.getLogger(Registration.class.getName()).log(java.util.logging.L
evel.SEVERE, null, ex);

    } catch (IllegalAccessException ex) {

java.util.logging.Logger.getLogger(Registration.class.getName()).log(java.util.logging.L
evel.SEVERE, null, ex);

    } catch (javax.swing.UnsupportedLookAndFeelException ex) {

java.util.logging.Logger.getLogger(Registration.class.getName()).log(java.util.logging.L
evel.SEVERE, null, ex);

    }

//</editor-fold>

    java.awt.EventQueue.invokeLater() -> {
        new Registration().setVisible(true);
    });
}

```

```
// Variables declaration - do not modify

private javax.swing.JTextField aadhar;
private javax.swing.JTextArea address;
private javax.swing.JTextField age;
private com.toedter.calendar.JDateChooser bdate;
private javax.swing.ButtonGroup buttonGroup1;
private javax.swing.JTextField contact;
private javax.swing.JButton jButton1;
private javax.swing.JButton jButton2;
private javax.swing.JLabel jLabel1;
private javax.swing.JLabel jLabel10;
private javax.swing.JLabel jLabel11;
private javax.swing.JLabel jLabel12;
private javax.swing.JLabel jLabel14;
private javax.swing.JLabel jLabel2;
private javax.swing.JLabel jLabel3;
private javax.swing.JLabel jLabel4;
private javax.swing.JLabel jLabel5;
private javax.swing.JLabel jLabel6;
private javax.swing.JLabel jLabel7;
private javax.swing.JLabel jLabel8;
private javax.swing.JLabel jLabel9;
private javax.swing.JPanel jPanel1;
private javax.swing.JPanel jPanel2;
private javax.swing.JRadioButton jRadioButton1;
private javax.swing.JRadioButton jRadioButton2;
private javax.swing.JScrollPane jScrollPane1;
```

```

        private javax.swing.JTextField name;
        private javax.swing.JPasswordField pass;
        private javax.swing.JPasswordField repass;
        // End of variables declaration
    }

```

```

package resort;

import javax.swing.JFrame;
import java.awt.HeadlessException;
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.SQLException;
import java.sql.Statement;
import java.text.SimpleDateFormat;
import javax.swing.JOptionPane;
import java.util.Date;

public class Room extends javax.swing.JFrame {

```

```

    public Room() {
        initComponents();
        setExtendedState(MAXIMIZED_BOTH);
        try
        {
            Connection con =
DriverManager.getConnection("jdbc:mysql://localhost:3306/resort","root","");
            JOptionPane.showMessageDialog(null,"CONNECTED");
        }
    }

```

```

        catch(Exception e)
        {
            JOptionPane.showMessageDialog(null,"NOT CONNECTED");
        }
    }

    @SuppressWarnings("unchecked")
    // <editor-fold defaultstate="collapsed" desc="Generated Code">
    private void initComponents() {

        buttonGroup1 = new javax.swing.ButtonGroup();
        jRadioButton5 = new javax.swing.JRadioButton();
        buttonGroup2 = new javax.swing.ButtonGroup();
        jPanel1 = new javax.swing.JPanel();
        jButton1 = new javax.swing.JButton();
        jLabel10 = new javax.swing.JLabel();
        jLabel1 = new javax.swing.JLabel();
        jLabel17 = new javax.swing.JLabel();
        jPanel2 = new javax.swing.JPanel();
        jLabel16 = new javax.swing.JLabel();
        jLabel15 = new javax.swing.JLabel();
        jLabel12 = new javax.swing.JLabel();
        jLabel11 = new javax.swing.JLabel();
        bdate = new com.toedter.calendar.JDateChooser();
        c1 = new javax.swing.JTextField();
        n1 = new javax.swing.JTextField();
        jButton3 = new javax.swing.JButton();
        jPanel3 = new javax.swing.JPanel();

```

```
jLabel4 = new javax.swing.JLabel();
jLabel6 = new javax.swing.JLabel();
jLabel5 = new javax.swing.JLabel();
jButton4 = new javax.swing.JButton();
jLabel7 = new javax.swing.JLabel();
jLabel8 = new javax.swing.JLabel();
jLabel9 = new javax.swing.JLabel();
jLabel13 = new javax.swing.JLabel();
jLabel14 = new javax.swing.JLabel();
jLabel19 = new javax.swing.JLabel();
jLabel20 = new javax.swing.JLabel();
jLabel21 = new javax.swing.JLabel();
jLabel22 = new javax.swing.JLabel();
jLabel23 = new javax.swing.JLabel();
jLabel24 = new javax.swing.JLabel();
jLabel25 = new javax.swing.JLabel();
jLabel26 = new javax.swing.JLabel();
jLabel27 = new javax.swing.JLabel();
jLabel28 = new javax.swing.JLabel();
jLabel29 = new javax.swing.JLabel();
jLabel30 = new javax.swing.JLabel();
jLabel31 = new javax.swing.JLabel();
jLabel32 = new javax.swing.JLabel();
jLabel33 = new javax.swing.JLabel();
jLabel34 = new javax.swing.JLabel();
jLabel35 = new javax.swing.JLabel();
jButton5 = new javax.swing.JButton();
```

```

d1 = new javax.swing.JTextField();
jLabel18 = new javax.swing.JLabel();
rtype = new javax.swing.JComboBox<>();
jButton6 = new javax.swing.JButton();
jLabel2 = new javax.swing.JLabel();
roomno = new javax.swing.JTextField();

jRadioButton5.setText("NON A/C");
jRadioButton5.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jRadioButton5ActionPerformed(evt);
    }
});

setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
setMinimumSize(null);
getContentPane().setLayout(null);

jPanel1.setBackground(new java.awt.Color(0, 255, 255));

jButton1.setBackground(new java.awt.Color(255, 0, 0));
jButton1.setText("X");
jButton1.addMouseListener(new java.awt.event.MouseAdapter() {
    public void mouseClicked(java.awt.event.MouseEvent evt) {
        jButton1MouseClicked(evt);
    }
});

```

```

jLabel10.setFont(new java.awt.Font("Lucida Fax", 1, 18)); // NOI18N
jLabel10.setText("ROOM BOOKING");

jLabel1.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/resort/booking mini.png"))); // NOI18N
jLabel1.setText("jLabel1");

javax.swing.GroupLayout jPanel1Layout = new javax.swing.GroupLayout(jPanel1);
jPanel1.setLayout(jPanel1Layout);
jPanel1Layout.setHorizontalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel1Layout.createSequentialGroup()
        .addGap()
        .addComponent(jLabel1, javax.swing.GroupLayout.PREFERRED_SIZE, 40,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(jLabel10, javax.swing.GroupLayout.PREFERRED_SIZE, 199,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED,
1077, Short.MAX_VALUE)
        .addComponent(jButton1)
        .addGap(38, 38, 38)
    );
jPanel1Layout.setVerticalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

```

```
.addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BA  
SELINE)
```

```
    .addComponent(jLabel1, javax.swing.GroupLayout.PREFERRED_SIZE, 40,  
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
    .addComponent(jLabel10, javax.swing.GroupLayout.DEFAULT_SIZE,  
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
```

```
    .addComponent(jButton1))
```

```
);
```

```
getContentPane().add(jPanel1);
```

```
jPanel1.setBounds(0, 0, 1400, 40);
```

```
jLabel17.setFont(new java.awt.Font("Lucida Fax", 1, 14)); // NOI18N
```

```
getContentPane().add(jLabel17);
```

```
jLabel17.setBounds(121, 450, 0, 0);
```

```
jPanel2.setBackground(new java.awt.Color(255, 204, 204));
```

```
jPanel2.setMaximumSize(null);
```

```
jPanel2.setMinimumSize(new java.awt.Dimension(0, 0));
```

```
jLabel16.setFont(new java.awt.Font("Lucida Fax", 1, 16)); // NOI18N
```

```
jLabel16.setText("DAYS");
```

```
jLabel15.setFont(new java.awt.Font("Lucida Fax", 1, 16)); // NOI18N
```

```
jLabel15.setText("CHECK-IN");
```

```
jLabel12.setFont(new java.awt.Font("Lucida Fax", 1, 16)); // NOI18N
```

```
jLabel12.setText("CONTACT ");
```

```
jLabel11.setFont(new java.awt.Font("Lucida Fax", 1, 16)); // NOI18N
jLabel11.setText("NAME");
```

```
n1.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        n1ActionPerformed(evt);
    }
});
```

```
jButton3.setBackground(new java.awt.Color(255, 0, 0));
jButton3.setFont(new java.awt.Font("Lucida Fax", 1, 16)); // NOI18N
jButton3.setText("CANCEL");
jButton3.addMouseListener(new java.awt.event.MouseAdapter() {
    public void mouseClicked(java.awt.event.MouseEvent evt) {
        jButton3MouseClicked(evt);
    }
});
jButton3.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton3ActionPerformed(evt);
    }
});
```

```
jPanel3.setBackground(new java.awt.Color(255, 204, 204));
jPanel3.setBorder(javax.swing.BorderFactory.createEtchedBorder());
```

```
jLabel4.setIcon(new  
javax.swing.ImageIcon(getClass().getResource("/resort/download (3).jpg"))); // NOI18N  
  
jLabel4.setText("jLabel4");
```

```
jLabel6.setIcon(new javax.swing.ImageIcon(getClass().getResource("/resort/now  
room.jpg"))); // NOI18N  
  
jLabel6.setText("jLabel4");
```

```
jLabel5.setFont(new java.awt.Font("Lucida Fax", 1, 18)); // NOI18N  
jLabel5.setText("ROOM TYPE AND FACILITIES");
```

```
jButton4.setBackground(new java.awt.Color(51, 255, 51));  
jButton4.setFont(new java.awt.Font("Lucida Fax", 1, 16)); // NOI18N  
jButton4.setText("NEXT");  
jButton4.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jButton4ActionPerformed(evt);  
    }  
});
```

```
jLabel7.setIcon(new  
javax.swing.ImageIcon(getClass().getResource("/resort/now4.jpg"))); // NOI18N  
  
jLabel7.setText("jLabel4");
```

```
jLabel8.setFont(new java.awt.Font("Lucida Fax", 1, 18)); // NOI18N  
jLabel8.setText("LUXURY");
```

```
jLabel9.setFont(new java.awt.Font("Lucida Fax", 1, 18)); // NOI18N
```

```
jLabel9.setText("VILLA");
```

```
jLabel13.setFont(new java.awt.Font("Lucida Fax", 1, 18)); // NOI18N
```

```
jLabel13.setText("PREMIUM");
```

```
jLabel14.setText("1) 24*7 WIFI ACCESSIBILITY");
```

```
jLabel19.setText("2) A/C");
```

```
jLabel20.setText("3) 2*DOUBLE BED");
```

```
jLabel21.setText("4) BREAKFAST ROOM DELIEVERY");
```

```
jLabel22.setText("5)BEACH VIEW & DINING");
```

```
jLabel23.setText("PRICE -> 5000 PER DAY");
```

```
jLabel24.setText("1) 24*7 WIFI ACCESSIBILITY");
```

```
jLabel25.setText("2) ELECTRICAL KETTLE ,DRYER & A/C");
```

```
jLabel26.setText("3) SWIMMING POOL");
```

```
jLabel27.setText("4) FIRST DINNER COMPLEMENTARY");
```

```
jLabel28.setText("5) REGULAR DINING");
```

```

jLabel29.setText("PRICE -> 10000 PER DAY");

jLabel30.setText("1)24*7 WIFI ACCESSIBILITY");

jLabel31.setText("2)BATH TUB & A/C");

jLabel32.setText("3)ALL TIME ROOM SERVICE");

jLabel33.setText("4) BEACH VIEW & DINING");

jLabel34.setText("5)ELECTRICAL APPLIANCES");


jLabel35.setText("5)PRICE -> 13000 PER DAY");


javax.swing.GroupLayout jPanel3Layout = new javax.swing.GroupLayout(jPanel3);
jPanel3.setLayout(jPanel3Layout);
jPanel3Layout.setHorizontalGroup(

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel3Layout.createSequentialGroup()
        .addGap(59, 59, 59)

        .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel3Layout.createSequentialGroup()
                .addComponent(jLabel4, javax.swing.GroupLayout.PREFERRED_SIZE,
208, javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(51, 51, 51)

```

```

.addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING)

    .addComponent(jLabel32)

    .addComponent(jLabel31,
javax.swing.GroupLayout.Alignment.LEADING)

    .addComponent(jLabel30,
javax.swing.GroupLayout.Alignment.LEADING)

    .addComponent(jLabel33,
javax.swing.GroupLayout.Alignment.LEADING)

    .addComponent(jLabel34,
javax.swing.GroupLayout.Alignment.LEADING)

    .addComponent(jLabel35,
javax.swing.GroupLayout.Alignment.LEADING))

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED, 266,
Short.MAX_VALUE)

    .addComponent(jButton4, javax.swing.GroupLayout.PREFERRED_SIZE,
91, javax.swing.GroupLayout.PREFERRED_SIZE)

    .addGap(124, 124, 124))

.addGroup(jPanel3Layout.createSequentialGroup())

.addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

    .addComponent(jLabel5,
javax.swing.GroupLayout.PREFERRED_SIZE, 290,
javax.swing.GroupLayout.PREFERRED_SIZE)

    .addGroup(jPanel3Layout.createSequentialGroup())

    .addComponent(jLabel6,
javax.swing.GroupLayout.PREFERRED_SIZE, 205,
javax.swing.GroupLayout.PREFERRED_SIZE)

.addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

    .addGroup(jPanel3Layout.createSequentialGroup())

```

```
.addGap(57, 57, 57)
```

```
.addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
.addComponent(jLabel19)
```

```
.addComponent(jLabel14)
```

```
.addComponent(jLabel20)
```

```
.addComponent(jLabel21)
```

```
.addComponent(jLabel22)
```

```
.addComponent(jLabel23)))
```

```
.addGroup(jPanel3Layout.createSequentialGroup())
```

```
.addGap(32, 32, 32)
```

```
.addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
.addComponent(jLabel13)
```

```
.addComponent(jLabel8)
```

```
.addComponent(jLabel9))))))
```

```
.addGroup(jPanel3Layout.createSequentialGroup())
```

```
.addComponent(jLabel7,  
javax.swing.GroupLayout.PREFERRED_SIZE, 208,  
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
.addGap(50, 50, 50)
```

```
.addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
.addComponent(jLabel24)
```

```
.addComponent(jLabel26)
```

```
.addComponent(jLabel25)
```

```
.addComponent(jLabel27)
```

```
.addComponent(jLabel28)
```

```

        .addComponent(jLabel29))))
        .addGap(0, 0, Short.MAX_VALUE))))
    );

    jPanel3Layout.setVerticalGroup(

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel3Layout.createSequentialGroup()
            .addGap(27, 27, 27)
            .addComponent(jLabel5, javax.swing.GroupLayout.PREFERRED_SIZE, 44,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(18, 35, Short.MAX_VALUE)

.addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
            .addGroup(jPanel3Layout.createSequentialGroup()
                .addComponent(jLabel6, javax.swing.GroupLayout.PREFERRED_SIZE,
140, javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(49, 49, 49)

.addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TR
AILING)
            .addGroup(jPanel3Layout.createSequentialGroup()
                .addComponent(jLabel9)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
                .addComponent(jLabel24)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
                .addComponent(jLabel25)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)

```

```

        .addComponent(jLabel26)

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
        .addComponent(jLabel27)

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
        .addComponent(jLabel28)

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
        .addComponent(jLabel29)

        .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

            .addGroup(jPanel3Layout.createSequentialGroup()

                .addGap(134, 134, 134)

                .addComponent(jButton4,
                    javax.swing.GroupLayout.PREFERRED_SIZE, 38,
                    javax.swing.GroupLayout.PREFERRED_SIZE))

            .addGroup(jPanel3Layout.createSequentialGroup()

                .addGap(45, 45, 45)

                .addComponent(jLabel13)

            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)

            .addComponent(jLabel30)

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)

        .addComponent(jLabel31)

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)

        .addComponent(jLabel32)

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)

```

```

        .addComponent(jLabel33)

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)

        .addComponent(jLabel34))))

        .addGroup(jPanel3Layout.createSequentialGroup())

        .addComponent(jLabel7,
        javax.swing.GroupLayout.PREFERRED_SIZE, 133,
        javax.swing.GroupLayout.PREFERRED_SIZE)

        .addGap(60, 60, 60)

        .addComponent(jLabel4,
        javax.swing.GroupLayout.PREFERRED_SIZE, 133,
        javax.swing.GroupLayout.PREFERRED_SIZE))))

        .addGroup(jPanel3Layout.createSequentialGroup())

        .addComponent(jLabel8)

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)

        .addComponent(jLabel14)

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)

        .addComponent(jLabel19)

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)

        .addComponent(jLabel20)

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)

        .addComponent(jLabel21)

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)

        .addComponent(jLabel22)

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)

        .addComponent(jLabel23)))

```

```

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
        .addComponent(jLabel35)
        .addGap(26, 26, 26))
);

jButton5.setBackground(new java.awt.Color(0, 255, 255));
jButton5.setFont(new java.awt.Font("Lucida Fax", 1, 16)); // NOI18N
jButton5.setText("BACK");
jButton5.addMouseListener(new java.awt.event.MouseAdapter() {
    public void mouseClicked(java.awt.event.MouseEvent evt) {
        jButton5MouseClicked(evt);
    }
});

jButton5.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton5ActionPerformed(evt);
    }
});

d1.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        d1ActionPerformed(evt);
    }
});

jLabel18.setFont(new java.awt.Font("Lucida Fax", 1, 16)); // NOI18N
jLabel18.setText("ROOM TYPE");

```

```

rtype.setFont(new java.awt.Font("Lucida Fax", 1, 14)); // NOI18N
rtype.setModel(new javax.swing.DefaultComboBoxModel<>(new String[] {
"LUXURY", "VILLA", "PREMIUM" }));

jButton6.setBackground(new java.awt.Color(0, 255, 0));
jButton6.setFont(new java.awt.Font("Lucida Fax", 1, 16)); // NOI18N
jButton6.setText("NEXT");
jButton6.addMouseListener(new java.awt.event.MouseAdapter() {
    public void mouseClicked(java.awt.event.MouseEvent evt) {
        jButton6MouseClicked(evt);
    }
});
jButton6.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton6ActionPerformed(evt);
    }
});

jLabel2.setFont(new java.awt.Font("Lucida Fax", 1, 16)); // NOI18N
jLabel2.setText("ROOM NO");

javax.swing.GroupLayout jPanel2Layout = new javax.swing.GroupLayout(jPanel2);
jPanel2.setLayout(jPanel2Layout);
jPanel2Layout.setHorizontalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel2Layout.createSequentialGroup()

```

```
.addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(jPanel2Layout.createSequentialGroup()
```

```
        .addGap(82, 82, 82)
```

```
.addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addComponent(jLabel12)
```

```
    .addComponent(jLabel11)
```

```
    .addComponent(jLabel18)
```

```
    .addComponent(jLabel16)
```

```
    .addComponent(jLabel15)
```

```
    .addComponent(jLabel2)))
```

```
.addGroup(jPanel2Layout.createSequentialGroup()
```

```
    .addGap(92, 92, 92)
```

```
    .addComponent(jButton5, javax.swing.GroupLayout.PREFERRED_SIZE, 102, javax.swing.GroupLayout.PREFERRED_SIZE)))
```

```
.addGap(103, 103, 103)
```

```
.addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)
```

```
    .addGroup(jPanel2Layout.createSequentialGroup()
```

```
        .addComponent(jButton3, javax.swing.GroupLayout.PREFERRED_SIZE, 114, javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED, 120, Short.MAX_VALUE)
```

```
    .addComponent(jButton6, javax.swing.GroupLayout.PREFERRED_SIZE, 114, javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
    .addGap(63, 63, 63))
```

```
.addGroup(jPanel2Layout.createSequentialGroup()
```

```

.addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)

        .addComponent(n1, javax.swing.GroupLayout.DEFAULT_SIZE, 269,
Short.MAX_VALUE)

        .addComponent(c1, javax.swing.GroupLayout.DEFAULT_SIZE, 269,
Short.MAX_VALUE)

        .addComponent(d1)

        .addComponent(rtype, 0, javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)

        .addComponent(bdate, javax.swing.GroupLayout.DEFAULT_SIZE,
269, Short.MAX_VALUE)

        .addComponent(roomno))

.addGap(142, 142, 142)))

.addComponent(jPanel3, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)

.addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))

);

jPanel2Layout.setVerticalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

.addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel2Layout.createSequentialGroup()

.addGap(105, 105, 105)

.addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)

.addComponent(jLabel11)

.addComponent(n1, javax.swing.GroupLayout.PREFERRED_SIZE, 33,
javax.swing.GroupLayout.PREFERRED_SIZE))

.addGap(18, 18, 18)

```

```
.addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING)
```

```
    .addComponent(jLabel12, javax.swing.GroupLayout.PREFERRED_SIZE, 24, javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
    .addComponent(c1, javax.swing.GroupLayout.PREFERRED_SIZE, 36, javax.swing.GroupLayout.PREFERRED_SIZE))
```

```
    .addGap(37, 37, 37)
```

```
.addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addComponent(jLabel15)
```

```
    .addComponent(bdate, javax.swing.GroupLayout.PREFERRED_SIZE, 33, javax.swing.GroupLayout.PREFERRED_SIZE))
```

```
    .addGap(25, 25, 25)
```

```
.addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
```

```
    .addComponent(d1, javax.swing.GroupLayout.PREFERRED_SIZE, 32, javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
    .addComponent(jLabel16))
```

```
    .addGap(27, 27, 27)
```

```
.addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
```

```
    .addComponent(jLabel18)
```

```
    .addComponent(rtype, javax.swing.GroupLayout.PREFERRED_SIZE, 30, javax.swing.GroupLayout.PREFERRED_SIZE))
```

```
    .addGap(36, 36, 36)
```

```
.addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
```

```
    .addComponent(jLabel2)
```

```

        .addComponent(roomno, javax.swing.GroupLayout.PREFERRED_SIZE,
36, javax.swing.GroupLayout.PREFERRED_SIZE))

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)

.addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BA
SELINE)

        .addComponent(jButton3, javax.swing.GroupLayout.PREFERRED_SIZE,
34, javax.swing.GroupLayout.PREFERRED_SIZE)

        .addComponent(jButton6, javax.swing.GroupLayout.PREFERRED_SIZE,
34, javax.swing.GroupLayout.PREFERRED_SIZE)

        .addComponent(jButton5, javax.swing.GroupLayout.PREFERRED_SIZE,
34, javax.swing.GroupLayout.PREFERRED_SIZE))

        .addGap(51, 51, 51))

        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel2Layout.createSequentialGroup()

        .addContainerGap()

        .addComponent(jPanel3, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))

    );

    getContentPane().add(jPanel2);

    jPanel2.setBounds(0, 30, 1390, 690);

    pack();
} // </editor-fold>

private void jButton3ActionPerformed(java.awt.event.ActionEvent evt) {

    // TODO add your handling code here:

}

```

```

private void jButton4ActionPerformed(java.awt.event.ActionEvent evt) {

    Date DOB=bdate.getDate();

    try
    {
        // Class.forName("com.mysql.jdbc.Driver");

        Connection con =
DriverManager.getConnection("jdbc:mysql://localhost:3306/resort","root","");

        Statement stmt = con.createStatement();

        String q2;

        q2 ="insert into Room value('"+
n1.getText()+bdate.getDate()+"','"+c1.getText()+"','"+d1.getText()+"','"+rtype.getItemAt(
rtype.getSelectedIndex())+"')";

        stmt.executeUpdate(q2);

        JOptionPane.showMessageDialog(null,"BOOKED");
    }

    catch(HeadlessException | SQLException e)
    {
        System.out.println(e);
    }

    // new Roomfac().setVisible(true);

}

private void jButton1MouseClicked(java.awt.event.MouseEvent evt) {

    System.exit(0);    // TODO add your handling code here:

}

```

```
private void jButton5ActionPerformed(java.awt.event.ActionEvent evt) {  
    // TODO add your handling code here:  
}
```

```
private void n1ActionPerformed(java.awt.event.ActionEvent evt) {  
    // TODO add your handling code here:  
}
```

```
private void jButton3MouseClicked(java.awt.event.MouseEvent evt) {  
    this.toBack();  
    Home newframe= new Home();  
    newframe.setVisible(true);  
    newframeToFront();    // TODO add your handling code here:  
}
```

```
private void jButton5MouseClicked(java.awt.event.MouseEvent evt) {  
    // TODO add your handling code here:  
}
```

```
private void jButton5ActionPerformed(java.awt.event.ActionEvent evt) {  
    Home HP=new Home();  
    HP.setVisible(true);    // TODO add your handling code here:  
}
```

```
private void d1ActionPerformed(java.awt.event.ActionEvent evt) {  
    // TODO add your handling code here:  
}
```

```

private void jButton6MouseClicked(java.awt.event.MouseEvent evt) {

    // TODO add your handling code here:

}

private void jButton6ActionPerformed(java.awt.event.ActionEvent evt) {

    Date DOB=bdate.getDate();

    try
    {

        Connection con =
DriverManager.getConnection("jdbc:mysql://localhost:3306/resort","root","");

        Statement stmt = con.createStatement();

        String q2;

        q2 ="insert into Room value('"+
n1.getText()+"','"+c1.getText()+"','"+bdate.getDate()+"','"+d1.getText()+"','"+rtype.getIte
mAt(rtype.getSelectedIndex())+"')";

        stmt.executeUpdate(q2);

        JOptionPane.showMessageDialog(null,"BOOKED");

    }

    catch(HeadlessException | SQLException e)

    {

        System.out.println(e);

    } // TODO add your handling code here:

}

try {

    for (javax.swing.UIManager.LookAndFeelInfo info :
javax.swing.UIManager.getInstalledLookAndFeels()) {

        if ("Nimbus".equals(info.getName())) {

            javax.swing.UIManager.setLookAndFeel(info.getClassName());

```

```

        break;
    }
}

} catch (ClassNotFoundException ex) {

java.util.logging.Logger.getLogger(Room.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);

    } catch (InstantiationException ex) {

java.util.logging.Logger.getLogger(Room.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);

    } catch (IllegalAccessException ex) {

java.util.logging.Logger.getLogger(Room.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);

    } catch (javax.swing.UnsupportedLookAndFeelException ex) {

java.util.logging.Logger.getLogger(Room.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);

    }

//</editor-fold>

/* Create and display the form */
java.awt.EventQueue.invokeLater(new Runnable() {
    public void run() {
        new Room().setVisible(true);
    }
});
}

}

package resort;

```

```

import java.awt.HeadlessException;

import java.sql.Connection;

import java.sql.DriverManager;

import java.sql.SQLException;

import java.sql.Statement;

import javax.swing.JOptionPane;


public class Wedding extends javax.swing.JFrame {

    public Wedding() {

        initComponents();

        setExtendedState(MAXIMIZED_BOTH);

        try
        {

            Connection con =
DriverManager.getConnection("jdbc:mysql://localhost:3306/resort","root","");

            JOptionPane.showMessageDialog(null,"CONNECTED");

        }

        catch(Exception e)

        {

            JOptionPane.showMessageDialog(null,"NOT CONNECTED");

        }

    }

    @SuppressWarnings("unchecked")
    // <editor-fold defaultstate="collapsed" desc="Generated Code">
    private void initComponents() {

        buttonGroup1 = new javax.swing.ButtonGroup();

        buttonGroup2 = new javax.swing.ButtonGroup();

```

```
buttonGroup3 = new javax.swing.ButtonGroup();
jPanel1 = new javax.swing.JPanel();
jLabel16 = new javax.swing.JLabel();
jLabel2 = new javax.swing.JLabel();
jLabel4 = new javax.swing.JLabel();
jLabel7 = new javax.swing.JLabel();
jLabel8 = new javax.swing.JLabel();
jLabel9 = new javax.swing.JLabel();
bname = new javax.swing.JTextField();
gname = new javax.swing.JTextField();
cname = new javax.swing.JTextField();
jPanel2 = new javax.swing.JPanel();
jLabel3 = new javax.swing.JLabel();
jLabel6 = new javax.swing.JLabel();
jLabel5 = new javax.swing.JLabel();
baadhar = new javax.swing.JTextField();
jLabel17 = new javax.swing.JLabel();
days = new javax.swing.JTextField();
jLabel11 = new javax.swing.JLabel();
jLabel12 = new javax.swing.JLabel();
nights = new javax.swing.JTextField();
address = new javax.swing.JTextField();
jLabel13 = new javax.swing.JLabel();
wedding = new javax.swing.JTextField();
jLabel14 = new javax.swing.JLabel();
jLabel15 = new javax.swing.JLabel();
reception = new javax.swing.JTextField();
```

```

jButton2 = new javax.swing.JButton();
jLabel1 = new javax.swing.JLabel();
jLabel18 = new javax.swing.JLabel();
jLabel19 = new javax.swing.JLabel();
jLabel21 = new javax.swing.JLabel();
jRadioButton4 = new javax.swing.JRadioButton();
jLabel22 = new javax.swing.JLabel();
jLabel23 = new javax.swing.JLabel();
jLabel25 = new javax.swing.JLabel();
jRadioButton5 = new javax.swing.JRadioButton();
jRadioButton6 = new javax.swing.JRadioButton();
jRadioButton7 = new javax.swing.JRadioButton();
seat = new javax.swing.JTextField();
contact = new javax.swing.JTextField();
gaadhar = new javax.swing.JTextField();
jButton3 = new javax.swing.JButton();
jButton1 = new javax.swing.JButton();
jTextField11 = new javax.swing.JTextField();

setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
setBackground(new java.awt.Color(204, 255, 255));
getContentPane().setLayout(null);

jPanel1.setBackground(new java.awt.Color(0, 255, 255));

jLabel16.setFont(new java.awt.Font("Lucida Fax", 1, 18)); // NOI18N
jLabel16.setText("EVENT BOOKING - WEDDING");

```

```

        jLabel2.setIcon(new javax.swing.ImageIcon(getClass().getResource("/resort/icons8-bride-51mini.png"))); // NOI18N

        jLabel2.setText("jLabel2");

        javax.swing.GroupLayout jPanel1Layout = new javax.swing.GroupLayout(jPanel1);
        jPanel1.setLayout(jPanel1Layout);
        jPanel1Layout.setHorizontalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel1Layout.createSequentialGroup()
        .addGap(1, 1, 1)
        .addComponent(jLabel2, javax.swing.GroupLayout.PREFERRED_SIZE, 40,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
        .addComponent(jLabel16)
        .addGap(1114, Short.MAX_VALUE))
    );
        jPanel1Layout.setVerticalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel1Layout.createSequentialGroup()
        .addGap(1, 1, 1)
        .addComponent(jLabel2, javax.swing.GroupLayout.PREFERRED_SIZE, 40,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
        .addComponent(jLabel16)
        .addGap(0, 0, Short.MAX_VALUE))
    );

```

```

getContentPane().add(jPanel1);
jPanel1.setBounds(0, 0, 1430, 40);

jLabel4.setFont(new java.awt.Font("Lucida Fax", 1, 14)); // NOI18N
jLabel4.setText(" ");
getContentPane().add(jLabel4);
jLabel4.setBounds(173, 210, 5, 17);

jLabel7.setFont(new java.awt.Font("Lucida Fax", 1, 14)); // NOI18N
jLabel7.setText("CLIENT NAME");
getContentPane().add(jLabel7);
jLabel7.setBounds(47, 208, 103, 17);

jLabel8.setFont(new java.awt.Font("Lucida Fax", 1, 14)); // NOI18N
jLabel8.setText("GROOM'S AADHAR NO");
getContentPane().add(jLabel8);
jLabel8.setBounds(47, 288, 170, 17);

jLabel9.setFont(new java.awt.Font("Lucida Fax", 1, 14)); // NOI18N
jLabel9.setText("CONTACT");
getContentPane().add(jLabel9);
jLabel9.setBounds(47, 248, 73, 17);
getContentPane().add(bname);
bname.setBounds(288, 166, 311, 22);

gname.addActionListener(new java.awt.event.ActionListener() {

```

```

        public void actionPerformed(java.awt.event.ActionEvent evt) {
            gnameActionPerformed(evt);
        }
    });

    getContentPane().add(gname);
    gname.setBounds(288, 126, 311, 22);

    cname.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            cnameActionPerformed(evt);
        }
    });

    getContentPane().add(cname);
    cname.setBounds(288, 208, 311, 22);

    jPanel2.setBackground(new java.awt.Color(255, 204, 204));
    jPanel2.setLayout(null);

    jLabel3.setFont(new java.awt.Font("Algerian", 0, 24)); // NOI18N
    jLabel3.setText("COUPLE DETAILS");
    jPanel2.add(jLabel3);
    jLabel3.setBounds(310, 20, 200, 30);

    jLabel6.setFont(new java.awt.Font("Lucida Fax", 1, 14)); // NOI18N
    jLabel6.setText("GROOM NAME");
    jPanel2.add(jLabel6);
    jLabel6.setBounds(50, 90, 120, 17);

```

```
jLabel5.setFont(new java.awt.Font("Lucida Fax", 1, 14)); // NOI18N
jLabel5.setText("BRIDE NAME");
jPanel2.add(jLabel5);
jLabel5.setBounds(50, 130, 100, 17);
```

```
baadhar.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        baadharActionPerformed(evt);
    }
});
jPanel2.add(baadhar);
baadhar.setBounds(290, 290, 311, 22);
```

```
jLabel17.setFont(new java.awt.Font("Lucida Fax", 1, 14)); // NOI18N
jLabel17.setText("BRIDE'S AADHAR NO");
jPanel2.add(jLabel17);
jLabel17.setBounds(50, 290, 160, 17);
```

```
days.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        daysActionPerformed(evt);
    }
});
jPanel2.add(days);
days.setBounds(290, 330, 311, 22);
```

```
jLabel11.setFont(new java.awt.Font("Lucida Fax", 1, 14)); // NOI18N
jLabel11.setText("NO OF DAYS ");
jPanel2.add(jLabel11);
jLabel11.setBounds(50, 330, 110, 17);
```

```
jLabel12.setFont(new java.awt.Font("Lucida Fax", 1, 14)); // NOI18N
jLabel12.setText("NO OF NIGHTS");
jPanel2.add(jLabel12);
jLabel12.setBounds(50, 370, 120, 17);
```

```
nights.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        nightsActionPerformed(evt);
    }
});
jPanel2.add(nights);
nights.setBounds(290, 370, 311, 22);
```

```
address.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        addressActionPerformed(evt);
    }
});
jPanel2.add(address);
address.setBounds(290, 490, 311, 60);
```

```
jLabel13.setFont(new java.awt.Font("Lucida Fax", 1, 14)); // NOI18N
```

```

jLabel13.setText("DATE OF WEDDING");
jPanel2.add(jLabel13);
jLabel13.setBounds(50, 410, 150, 17);

wedding.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        weddingActionPerformed(evt);
    }
});
jPanel2.add(wedding);
wedding.setBounds(290, 410, 311, 22);

jLabel14.setFont(new java.awt.Font("Lucida Fax", 1, 14)); // NOI18N
jLabel14.setText("ADDRESS");
jPanel2.add(jLabel14);
jLabel14.setBounds(50, 490, 160, 17);

jLabel15.setFont(new java.awt.Font("Lucida Fax", 1, 14)); // NOI18N
jLabel15.setText("DATE OF RECEPTION");
jPanel2.add(jLabel15);
jLabel15.setBounds(50, 450, 160, 20);

reception.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        receptionActionPerformed(evt);
    }
});

```

```

jPanel2.add(reception);
reception.setBounds(290, 450, 311, 22);

jButton2.setBackground(new java.awt.Color(0, 255, 0));
jButton2.setFont(new java.awt.Font("Lucida Fax", 1, 16)); // NOI18N
jButton2.setText("SUBMIT");
jButton2.addMouseListener(new java.awt.event.MouseAdapter() {
    public void mouseClicked(java.awt.event.MouseEvent evt) {
        jButton2MouseClicked(evt);
    }
});
jButton2.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton2ActionPerformed(evt);
    }
});
jPanel2.add(jButton2);
jButton2.setBounds(920, 610, 100, 30);

jLabel1.setFont(new java.awt.Font("Lucida Fax", 1, 14)); // NOI18N
jLabel1.setText("FOOD");
jPanel2.add(jLabel1);
jLabel1.setBounds(680, 390, 170, 50);

jLabel18.setIcon(new javax.swing.ImageIcon(getClass().getResource("/resort/table
food.jpg"))); // NOI18N
jLabel18.setText("jLabel10");
jPanel2.add(jLabel18);

```

```

jLabel18.setBounds(910, 440, 130, 90);

jLabel19.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/resort/outdoorr.png"))); // NOI18N
jLabel19.setText("jLabel10");
jPanel2.add(jLabel19);
jLabel19.setBounds(850, 150, 130, 90);

jLabel21.setFont(new java.awt.Font("Lucida Fax", 1, 14)); // NOI18N
jLabel21.setText("WEDDING THEME");
jPanel2.add(jLabel21);
jLabel21.setBounds(680, 70, 170, 50);

buttonGroup1.add(jRadioButton4);
jRadioButton4.setText("Outdoor");
jPanel2.add(jRadioButton4);
jRadioButton4.setBounds(860, 260, 120, 20);

jLabel22.setFont(new java.awt.Font("Lucida Fax", 1, 14)); // NOI18N
jLabel22.setText("SEAT COUNT");
jPanel2.add(jLabel22);
jLabel22.setBounds(680, 320, 170, 50);

jLabel23.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/resort/hs.png"))); // NOI18N
jLabel23.setText("jLabel10");
jPanel2.add(jLabel23);
jLabel23.setBounds(670, 160, 130, 90);

```

```
jLabel25.setIcon(new javax.swing.ImageIcon(getClass().getResource("/resort/sea  
shore dinning.jpg"))); // NOI18N
```

```
jLabel25.setText("jLabel10");
```

```
jPanel2.add(jLabel25);
```

```
jLabel25.setBounds(680, 440, 130, 90);
```

```
buttonGroup2.add(jRadioButton5);
```

```
jRadioButton5.setText("Sea Shore Dinning");
```

```
jPanel2.add(jRadioButton5);
```

```
jRadioButton5.setBounds(690, 550, 170, 20);
```

```
buttonGroup2.add(jRadioButton6);
```

```
jRadioButton6.setText("Regular");
```

```
jPanel2.add(jRadioButton6);
```

```
jRadioButton6.setBounds(920, 550, 110, 20);
```

```
buttonGroup1.add(jRadioButton7);
```

```
jRadioButton7.setText("Indoor");
```

```
jPanel2.add(jRadioButton7);
```

```
jRadioButton7.setBounds(680, 260, 130, 20);
```

```
seat.addActionListener(new java.awt.event.ActionListener() {
```

```
    public void actionPerformed(java.awt.event.ActionEvent evt) {
```

```
        seatActionPerformed(evt);
```

```
    }
```

```
});
```

```
jPanel2.add(seat);
```

```

seat.setBounds(820, 340, 311, 22);
jPanel2.add(contact);
contact.setBounds(290, 210, 311, 22);
jPanel2.add(gaadhar);
gaadhar.setBounds(290, 250, 311, 22);


jButton3.setBackground(new java.awt.Color(204, 0, 0));
jButton3.setFont(new java.awt.Font("Lucida Fax", 1, 16)); // NOI18N
jButton3.setText("BACK");
jButton3.addMouseListener(new java.awt.event.MouseAdapter() {
    public void mouseClicked(java.awt.event.MouseEvent evt) {
        jButton3MouseClicked(evt);
    }
});
jButton3.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton3ActionPerformed(evt);
    }
});
jPanel2.add(jButton3);
jButton3.setBounds(60, 610, 80, 30);


jButton1.setText("VIEW");
jButton1.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton1ActionPerformed(evt);
    }
}

```

```

    });

    jPanel2.add(jButton1);

    jButton1.setBounds(1020, 190, 60, 20);


    getContentPane().add(jPanel2);

    jPanel2.setBounds(0, 40, 1430, 690);

    getContentPane().add(jTextField11);

    jTextField11.setBounds(288, 248, 311, 22);


    pack();
} // </editor-fold>


private void gnameActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
}


private void cnameActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
}


private void baadharActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
}


private void daysActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
}

```

```

private void nightsActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
}

private void addressActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
}

private void weddingActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
}

private void receptionActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
}

private void jButton2MouseClicked(java.awt.event.MouseEvent evt) {
    // TODO add your handling code here:
}

private void jButton2ActionPerformed(java.awt.event.ActionEvent evt) {
    try
    {
        // Class.forName("com.mysql.jdbc.Driver");

        Connection con =
DriverManager.getConnection("jdbc:mysql://localhost:3306/resort","root","");

        Statement stmt = con.createStatement();

```

```

String q;

q = jButton7.isSelected()?"Indoor":"Outdoor";

String q1;

q1 = jButton5.isSelected()?"Sea Shore Dinning":"Regular";

String q2;

q2 ="insert into wedding value("
+gname.getText()+",""+bname.getText()+",""+cname.getText()+",""+contact.getText()+
','"+gaadhar.getText()+",""+baadhar.getText()+",""+days.getText()+",""+nights.getText()
+",""+wedding.getText()+",""+reception.getText()+",""+address.getText()+",""+q+",""+s
eat.getText()+",""+q1+"");

stmt.executeUpdate(q2);

JOptionPane.showMessageDialog(null,"REGISTERED");

}

catch(HeadlessException | SQLException e)

{

    System.out.println(e);

}

new weddingtheme().setVisible(true);

}

private void jButton3MouseClicked(java.awt.event.MouseEvent evt) {

    // TODO add your handling code here:

}

private void jButton3ActionPerformed(java.awt.event.ActionEvent evt) {

    // TODO add your handling code here:

}

```

```

private void seatActionPerformed(java.awt.event.ActionEvent evt) {

    // TODO add your handling code here:

}

private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {

    weddingtheme wed = new weddingtheme();

    wed.setVisible(true); // TODO add your handling code here:

}

public static void main(String args[]) {

    try {

        for (javax.swing.UIManager.LookAndFeelInfo info :
            javax.swing.UIManager.getInstalledLookAndFeels()) {

            if ("Nimbus".equals(info.getName())) {

                javax.swing.UIManager.setLookAndFeel(info.getClassName());

                break;

            }

        }

    } catch (ClassNotFoundException ex) {

        java.util.logging.Logger.getLogger(Wedding.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);

    } catch (InstantiationException ex) {

        java.util.logging.Logger.getLogger(Wedding.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);

    } catch (IllegalAccessException ex) {

```

```
java.util.logging.Logger.getLogger(Wedding.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
```

```
    } catch (javax.swing.UnsupportedLookAndFeelException ex) {
```

```
java.util.logging.Logger.getLogger(Wedding.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
```

```
    }
```

```
//</editor-fold>
```

```
java.awt.EventQueue.invokeLater(new Runnable() {
```

```
    public void run() {
```

```
        new Wedding().setVisible(true);
```

```
    }
```

```
});
```

```
}
```

```
}
```

```
package resort;
```

```
import javax.swing.JFrame;
```

```
import java.awt.HeadlessException;
```

```
import java.sql.Connection;
```

```
import java.sql.DriverManager;
```

```
import java.sql.SQLException;
```

```
import java.sql.Statement;
```

```
import javax.swing.JOptionPane;
```

```

public class Food extends javax.swing.JFrame {

    public Food() {
        initComponents();
        setExtendedState(MAXIMIZED_BOTH);

        try
        {
            Connection con =
DriverManager.getConnection("jdbc:mysql://localhost:3306/resort","root","");
            JOptionPane.showMessageDialog(null,"CONNECTED");
        }
        catch(Exception e)
        {
            JOptionPane.showMessageDialog(null,"NOT CONNECTED");
        }
    }

    @SuppressWarnings("unchecked")
    // <editor-fold defaultstate="collapsed" desc="Generated Code">
    private void initComponents() {

        buttonGroup1 = new javax.swing.ButtonGroup();
        jPanel1 = new javax.swing.JPanel();
        jLabel1 = new javax.swing.JLabel();
        jLabel2 = new javax.swing.JLabel();
        jPanel2 = new javax.swing.JPanel();
        jToggleButton1 = new javax.swing.JToggleButton();
    }
}

```

```

jToggleButton2 = new javax.swing.JToggleButton();
jLabel5 = new javax.swing.JLabel();
name = new javax.swing.JTextField();
jLabel4 = new javax.swing.JLabel();
jLabel3 = new javax.swing.JLabel();
jToggleButton3 = new javax.swing.JToggleButton();
bs = new javax.swing.JRadioButton();
jLabel10 = new javax.swing.JLabel();
jLabel11 = new javax.swing.JLabel();
jLabel12 = new javax.swing.JLabel();
rd = new javax.swing.JRadioButton();
jLabel6 = new javax.swing.JLabel();
room = new javax.swing.JTextField();
jLabel7 = new javax.swing.JLabel();
plate = new javax.swing.JTextField();

setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
setUndecorated(true);
getContentPane().setLayout(null);

jPanel1.setBackground(new java.awt.Color(0, 255, 255));

jLabel1.setFont(new java.awt.Font("Lucida Fax", 1, 18)); // NOI18N
jLabel1.setText("FOOD SERVICE");

jLabel2.setIcon(new javax.swing.ImageIcon(getClass().getResource("/resort/meal
mmini.png"))); // NOI18N
jLabel2.setText("jLabel2");

```

```

        javax.swing.GroupLayout jPanel1Layout = new javax.swing.GroupLayout(jPanel1);
        jPanel1.setLayout(jPanel1Layout);
        jPanel1Layout.setHorizontalGroup(

            jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

                .addGroup(jPanel1Layout.createSequentialGroup()

                    .addComponent(jLabel2, javax.swing.GroupLayout.PREFERRED_SIZE, 40,
                        javax.swing.GroupLayout.PREFERRED_SIZE)

                    .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)

                    .addComponent(jLabel1, javax.swing.GroupLayout.PREFERRED_SIZE, 153,
                        javax.swing.GroupLayout.PREFERRED_SIZE)

                    .addContainerGap(1165, Short.MAX_VALUE))

                );

        jPanel1Layout.setVerticalGroup(

            jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

                .addGroup(jPanel1Layout.createSequentialGroup()

                    .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)

                        .addComponent(jLabel2, javax.swing.GroupLayout.PREFERRED_SIZE, 40,
                            javax.swing.GroupLayout.PREFERRED_SIZE)

                        .addComponent(jLabel1, javax.swing.GroupLayout.PREFERRED_SIZE, 30,
                            javax.swing.GroupLayout.PREFERRED_SIZE))

                    );

        getContentPane().add(jPanel1);

        jPanel1.setBounds(0, 0, 1370, 40);

        jPanel2.setBackground(new java.awt.Color(255, 204, 204));

```

```

jPanel2.setLayout(new org.netbeans.lib.awtextra.AbsoluteLayout());

jToggleButton1.setBackground(new java.awt.Color(0, 255, 255));
jToggleButton1.setFont(new java.awt.Font("Lucida Fax", 1, 14)); // NOI18N
jToggleButton1.setText("BACK");
jToggleButton1.addMouseListener(new java.awt.event.MouseAdapter() {
    public void mouseClicked(java.awt.event.MouseEvent evt) {
        jToggleButton1MouseClicked(evt);
    }
});

jToggleButton1.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jToggleButton1ActionPerformed(evt);
    }
});

jPanel2.add(jToggleButton1, new
org.netbeans.lib.awtextra.AbsoluteConstraints(180, 570, 107, 37));

```

```

jToggleButton2.setBackground(new java.awt.Color(255, 0, 0));
jToggleButton2.setFont(new java.awt.Font("Lucida Fax", 1, 14)); // NOI18N
jToggleButton2.setText("CANCEL");
jToggleButton2.addMouseListener(new java.awt.event.MouseAdapter() {
    public void mouseClicked(java.awt.event.MouseEvent evt) {
        jToggleButton2MouseClicked(evt);
    }
});

jToggleButton2.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {

```

```

        jToggleButton2ActionPerformed(evt);
    }
});

jPanel2.add(jToggleButton2, new
org.netbeans.lib.awtextra.AbsoluteConstraints(460, 570, 114, 37));

jLabel5.setFont(new java.awt.Font("Lucida Fax", 1, 18)); // NOI18N
jLabel5.setText("SERVICES");
jPanel2.add(jLabel5, new org.netbeans.lib.awtextra.AbsoluteConstraints(560, 190,
180, 30));

name.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        nameActionPerformed(evt);
    }
});

jPanel2.add(name, new org.netbeans.lib.awtextra.AbsoluteConstraints(600, 110,
400, 30));

jLabel4.setFont(new java.awt.Font("Lucida Fax", 1, 18)); // NOI18N
jLabel4.setText("NAME");
jPanel2.add(jLabel4, new org.netbeans.lib.awtextra.AbsoluteConstraints(420, 110,
153, 30));

jLabel3.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/resort/external-buffet-hotel-
receptionist-housekeeper-services-stick-figures-gan-khoon-lay.png"))); // NOI18N
jLabel3.setText("jLabel3");

jPanel2.add(jLabel3, new org.netbeans.lib.awtextra.AbsoluteConstraints(520, 10,
109, 88));

```

```

jToggleButton3.setBackground(new java.awt.Color(0, 255, 0));
jToggleButton3.setFont(new java.awt.Font("Lucida Fax", 1, 14)); // NOI18N
jToggleButton3.setText("SUBMIT");
jToggleButton3.addMouseListener(new java.awt.event.MouseAdapter() {
    public void mouseClicked(java.awt.event.MouseEvent evt) {
        jToggleButton3MouseClicked(evt);
    }
});
jToggleButton3.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jToggleButton3ActionPerformed(evt);
    }
});
jPanel2.add(jToggleButton3, new
org.netbeans.lib.awtextra.AbsoluteConstraints(740, 570, 114, 37));

buttonGroup1.add(bs);

bs.setFont(new java.awt.Font("Lucida Fax", 1, 14)); // NOI18N
bs.setText("BUFFET SYSTEM");
jPanel2.add(bs, new org.netbeans.lib.awtextra.AbsoluteConstraints(270, 450, -1, -
1));

jLabel10.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/resort/room4.png"))); // NOI18N
jLabel10.setText("jLabel7");
jPanel2.add(jLabel10, new org.netbeans.lib.awtextra.AbsoluteConstraints(730, 270,
310, 160));

```

```
jLabel11.setIcon(new javax.swing.ImageIcon(getClass().getResource("/resort/buffet
system.jpg"))); // NOI18N
```

```
jLabel11.setText("jLabel7");
```

```
jPanel2.add(jLabel11, new org.netbeans.lib.awtextra.AbsoluteConstraints(180, 270,
310, 160));
```

```
jLabel12.setIcon(new javax.swing.ImageIcon(getClass().getResource("/resort/buffet
system.jpg"))); // NOI18N
```

```
jLabel12.setText("jLabel7");
```

```
jPanel2.add(jLabel12, new org.netbeans.lib.awtextra.AbsoluteConstraints(180, 270,
310, 160));
```

```
buttonGroup1.add(rd);
```

```
rd.setFont(new java.awt.Font("Lucida Fax", 1, 14)); // NOI18N
```

```
rd.setText("ROOM DELIVERY");
```

```
jPanel2.add(rd, new org.netbeans.lib.awtextra.AbsoluteConstraints(740, 450, -1, -
1));
```

```
jLabel6.setFont(new java.awt.Font("Lucida Fax", 1, 18)); // NOI18N
```

```
jLabel6.setText("ROOM NO");
```

```
jPanel2.add(jLabel6, new org.netbeans.lib.awtextra.AbsoluteConstraints(670, 500,
100, 20));
```

```
jPanel2.add(room, new org.netbeans.lib.awtextra.AbsoluteConstraints(780, 490,
190, 30));
```

```
jLabel7.setFont(new java.awt.Font("Lucida Fax", 1, 18)); // NOI18N
```

```
jLabel7.setText("PLATE COUNT");
```

```
jPanel2.add(jLabel7, new org.netbeans.lib.awtextra.AbsoluteConstraints(90, 500,
140, 20));
```

```
jPanel2.add(plate, new org.netbeans.lib.awtextra.AbsoluteConstraints(250, 490, 190,
30));
```

```

getContentPane().add(jPanel2);

jPanel2.setBounds(0, 40, 1370, 730);


getAccessibleContext().setAccessibleDescription("");


pack();
} // </editor-fold>


private void jToggleButton3ActionPerformed(java.awt.event.ActionEvent evt) {
    try
    {
        // Class.forName("com.mysql.jdbc.Driver");

        Connection con =
DriverManager.getConnection("jdbc:mysql://localhost:3306/resort","root","");

        Statement stmt = con.createStatement();

        String q;

        q = bs.isSelected()? "BUFFET SYSTEM": "ROOM DELIVERY";

        // String q1;

        // q1 = jRadioButton5.isSelected()? "Sea Shore Dinning": "Regular";

        String q2;

        q2 = "insert into food value("
+name.getText()+","+"q+", "+"plate.getText()+","+"room.getText()+")";

        stmt.executeUpdate(q2);

        JOptionPane.showMessageDialog(null, "REGISTERED");
    }

    catch(HeadlessException | SQLException e)
    {

```

```

        System.out.println(e);
    }
    new TYPES().setVisible(true);
}

private void jToggleButton3MouseClicked(java.awt.event.MouseEvent evt) {
    // TODO add your handling code here:
}

private void nameActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
}

private void jToggleButton2ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
}

private void jToggleButton2MouseClicked(java.awt.event.MouseEvent evt) {
    TYPES typ=new TYPES();
    typ.setVisible(true);
    dispose();
    typ.setLocationRelativeTo(null);
    typ.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);*/
    // TODO add your handling code here:
}

private void jToggleButton1ActionPerformed(java.awt.event.ActionEvent evt) {

```

```

        Home HP=new Home();

        HP.setVisible(true);    // TODO add your handling code here:
    }

    private void jToggleButton1MouseClicked(java.awt.event.MouseEvent evt) {
        name.setText("");

        //jComboBox1("");
    }

    public static void main(String args[]) {
        try {
            for (javax.swing.UIManager.LookAndFeelInfo info :
                javax.swing.UIManager.getInstalledLookAndFeels()) {
                if ("Nimbus".equals(info.getName())) {
                    javax.swing.UIManager.setLookAndFeel(info.getClassName());
                    break;
                }
            }
        } catch (ClassNotFoundException ex) {

            java.util.logging.Logger.getLogger(Food.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);

        } catch (InstantiationException ex) {

            java.util.logging.Logger.getLogger(Food.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);

        } catch (IllegalAccessException ex) {

            java.util.logging.Logger.getLogger(Food.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);

```

```

    } catch (javax.swing.UnsupportedLookAndFeelException ex) {

java.util.logging.Logger.getLogger(Food.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);

    }

    java.awt.EventQueue.invokeLater(new Runnable() {
        public void run() {
            new Food().setVisible(true);
        }
    });
}
}

```

