



**RAJALAKSHMI
ENGINEERING COLLEGE**
An AUTONOMOUS Institution
Affiliated to ANNA UNIVERSITY, Chennai

ENHANCED SOLAR PANEL POWER PREDICTION THROUGH ARTIFICIAL NEURAL NETWORK

EC19603- PROBLEM SOLVING USING AI AND ML TECHNIQUES

Submitted by

**M SHREEVIDYA
D SRIVATSEN
K THARUN**

**DEPARTMENT OF ELECTRONICS AND COMMUNICATION
ENGINEERING**

RAJALAKSHMI ENGINEERING COLLEGE

CHENNAI – 602 105

ANNA UNIVERSITY, CHENNAI 600 025

MAY 2024

ANNA UNIVERSITY : CHENNAI 600 025

BONAFIDE CERTIFICATE

Certified that this project report “**ENHANCED SOLAR PANEL POWER PREDICTION THROUGH ARTIFICIAL NEURAL NETWORK**” is the bonafide work of “**M SHREEVIDYA, D SRIVATSEN, and K THARUN** who carried out the project work under my supervision.

SIGNATURE

Ms. M. ANITHA MARY, M.Tech.,

SUPERVISOR

Assistant Professor (SS),

Department of Electronics and Communication Engineering,

Rajalakshmi Engineering College,

Thandalam, Chennai – 602 105.

Submitted to Project and Viva-Voce Examination held on _____

Internal Examiner

External Examiner

ACKNOWLEDGEMENT

We thank God Almighty for enabling us to complete our project work. Our sincere thanks to our Chairperson **Dr. (Mrs.) Thangam Meganathan**, for her sincere endeavor in educating us in his premier institution. We like to express our deep gratitude to our beloved Vice Chairman **Mr. Abhay Shankar Meganathan, B.E., M.S.** for his enthusiastic motivation which is a lot in completing this project.

We would like to thank our Principal **Dr. S.N. Murugesan, M.E., Ph.D.**, for his kind support and the facilities provided to carry out our work. We would also like to thank our Head of the Department **Dr. L. Bhagyalakshmi, M.E., Ph.D.**, and Academic Head **Dr. S. Chithra, M.E., Ph.D.**, for giving us the opportunity and facilities to complete our work in time.

We take this opportunity to express our profound gratitude and deep regards to our Supervisor **Ms M. Anitha Mary, M.Tech., Assistant Professor (SS)**, Department of Electronics and Communication Engineering for his/her exemplary guidance, monitoring and constant encouragement throughout the course of this project.

We express our gratitude to the project coordinators **Dr. R. Gayathri, Dr. A. Asha, Ms. T .Helan Vidya** and **Ms. Indhumathi G** for their kind cooperation in doing our project work. We also would like to thank our parents and classmates for their moral support and valuable suggestions in the project.

ABSTRACT

The Solar Panel Power Prediction addresses the increasing demand for renewable energy by leveraging Machine Learning for precise solar panel power prediction. It develops an artificial neural network (ANN) model to predict photovoltaic (PV) output. The dataset contains environmental variables and corresponding photovoltaic (PV) output measurements which undergoes preprocessing, including feature standardization, and is then split into distinct sets for optimal Performance and accuracy. The ultimate goal is to deploy the trained ANN model for practical applications, such as forecasting PV output in renewable energy systems. It also contributes to the advancement of renewable energy technology by providing a reliable and efficient method for predicting PV output.

TABLE OF CONTENTS

CHAPTER NO.	TITLE	PAGE NO.
	ABSTRACT	iv
	LIST OF TABLES	viii
	LIST OF FIGURES	ix
	LIST OF SYMBOLS	xi
	LIST OF ABBREVIATIONS	xii
1	INTRODUCTION	1
	1.1 Introduction to Solar Power Prediction	1
	1.2 Role of Solar Energy in Resources Management	1
	1.3 Impact of Meteorological Factors	3
2	LITERATURE SURVEY	5
3	EXISTING SYSTEM	9
4	PROPOSED METHOD	11
	4.1 Requirement Specification	11
	4.1.1 Hardware Requirements	11

4.1.2 Software Requirements	11
4.2 Proposed System	11
4.3 System Architecture	14
4.4 Preliminary Process of model	16
4.4.1 Data Analysis	16
4.4.2 Data Collection	18
4.4.3 Data Pre-processinng	19
4.4.4 Data Splitting	20
4.5 Implementation of Model	21
4.5.1 ML Algorithms	21
4.5.2 ANN	26
4.5.2.1 ANN Model Definition	27
4.5.2.2 ANN Algorithm and	29
Output	
4.5.2.3 Comparison based	31
on Performance	
4.6 Prediction of power generated from Solar Panel	32
4.6.1 Estimation of Electricity Cost	33
4.6.2 Prediction and Energy Preservation	35

5	RESULTS AND DISCUSSION	4
6	CONCLUSION AND FUTURE SCOPE	43
	APPENDIX I	45
	APPENDIX II	47
	REFERENCES	

CONFIDENTIAL- shreerecvidyam@4

LIST OF TABLES

TABLE NO.	TITLE	PAGE NO.
4.1	Tabulation of Data Split Percentage and Count	20
4.2	Tabulation of Predicted Solar Power	33
4.3	Prediction of Solar power and Energy conserved for 2 months	39
4.4	Prediction of Solar power and Energy conserved for year	39

LIST OF FIGURES

FIGURE NO.	TITLE	PAGE NO.
4.1	Proposed System of Enhanced Solar Panel Power Prediction through Artificial Neural Network	13
4.2	System Architecture of Enhanced Solar Panel Power Prediction through Artificial Neural Network	14
4.3	Solar Radiation Terminology	17
4.4	Ideal Graph of Solar Power Generation	18
4.5	Representation of first 20 Data Set	19
4.6	Linear Regression Output	22
4.7	Random Forest Output	24
4.8	Decision Tree Regression Output	25
4.9	Model Definition 1	28
4.10	Model Definition 2	29
4.11	Training Accuracy of model	30
4.12	Plot of comparison based on Performance	31
4.13	Estimation of electricity cost for user input data	35
4.14	Estimation of electricity cost for a month	36
4.15	Predicted DC Power (Solar power) for a month	39
4.16	AC Power Saved for a month	39
4.17	Cost saved for a month	

5.1	Predicted Final Output of Solar Power	41
5.2	Efficiency of AC power to DC power Output	42

CONFIDENTIAL- shreerecvidyam04

LIST OF SYMBOLS

$^{\circ}\text{C}$	Degree Celsius (temperature unit)
₹	Indian Rupee symbol
kW	KilowattkWh: Kilowatt-hour (unit of energy)
m/s	Meters per second (unit of speed)
mm	Millimeter (unit of length)
W/m²	Watts per square meter (unit of irradiance)

LIST OF ABBREVIATIONS

AC	Alternating Current
AI	Artificial Intelligence
ANN	Artificial Neural Network
DC	Direct Current
DOP	Direct Optimization Programming
GC	Granule-based Clustering
ML	Machine Learning
MSE	Mean Squared Error
PIs	Prediction Intervals
PV	Photovoltaic
PSH	Peak Sun Hours
RMSE	Root Mean Squared Error
TNEB	Tamil Nadu Electricity Board

CHAPTER 1

INTRODUCTION

1.1 INTRODUCTION TO SOLAR POWER PREDICTION

Accurate solar panel power output prediction is vital for efficient energy management and grid integration. Traditional methods often struggle to capture the intricate relationships between environmental factors and solar performance. Enter Artificial Intelligence (AI) and Machine Learning (ML), particularly through Artificial Neural Networks (ANNs), offering a promising solution. By analyzing historical data on solar irradiance, weather conditions, and time of day, ANNs can forecast solar panel output with remarkable precision. This study investigates the practical application of ANNs for solar power prediction, covering data preprocessing, model selection, training, and evaluation. Challenges such as feature selection and uncertainty estimation are also addressed. Through empirical experiments, we showcase the effectiveness of AI-powered solar panel prediction in optimizing energy efficiency and ensuring grid stability. This study delves into the practical implementation of ANNs for solar power prediction, covering crucial aspects such as data pre-processing, model selection, training methodologies, and rigorous evaluation processes. This research contributes significantly to advancing the integration of renewable energy sources by providing robust tools for accurate solar power prediction. It underscores the transformative potential of AI and ML technologies in revolutionizing energy management practices, paving the way for a more sustainable and environmentally friendly future.

1.2. ROLE OF SOLAR ENERGY IN RESOURCES MANAGEMENT

Solar panel power prediction plays a critical role in efficiently managing resources, particularly in the realm of renewable energy. With the growing demand

for sustainable energy solutions, accurate forecasting of solar panel output becomes increasingly vital. Solar energy holds immense potential as a clean and abundant

power source, yet its intermittent nature presents challenges for grid stability and energy management. By precisely predicting solar panel power, this technology enables utilities, grid operators, and energy managers to better plan and allocate resources, optimizing solar energy utilization while ensuring a reliable and stable power supply.

Solar energy contributes significantly to resource management by offering a sustainable alternative to conventional fossil fuels. As non-renewable resources become scarcer and concerns about climate change rise, transitioning to renewable energy sources like solar power becomes imperative. Solar energy reduces reliance on finite resources such as coal and oil, which are not only environmentally harmful but also subject to geopolitical tensions. Harnessing the abundant and freely available energy from the sun enhances energy security and resilience, reducing vulnerability to supply disruptions and price fluctuations in fossil fuel markets.

Moreover, solar energy helps mitigate environmental impacts associated with conventional energy sources. Fossil fuel combustion releases greenhouse gases and pollutants into the atmosphere, contributing to global warming, air pollution, and ecosystem degradation. In contrast, solar power generation produces no emissions or pollutants during operation, making it a cleaner and more environmentally friendly option. By reducing dependence on fossil fuels, solar energy aids in mitigating climate change, improving air quality, and preserving natural ecosystems, fostering a more sustainable and resilient future.

The project contributes to resource management by developing advanced predictive models for solar panel power output. By integrating artificial intelligence and machine learning techniques, such as artificial neural networks, the project enhances the accuracy and reliability of solar power predictions. These predictive

models empower energy managers to optimize the use of solar energy resources, balance supply and demand, and enhance grid stability. By providing real-time insights into solar panel performance, the project enables decision-makers to make

informed choices about energy production, distribution, and consumption, facilitating the transition to a more sustainable and efficient energy system.

1.3. IMPACT OF METEOROLOGICAL FACTOR

Meteorological factors exert a profound influence over solar power generation, serving as pivotal determinants of system efficiency and output. These factors encompass a spectrum of variables, including Module Temperature, Irradiance, relative humidity, Ambient Temperature, AC power and DC power each directly impacting the quantity of sunlight reaching solar panels. This sunlight, in turn, dictates the panels' capacity to convert solar radiation into electricity. An in-depth comprehension and analysis of these meteorological components emerge as indispensable for precise solar power generation forecasting and for optimizing the operation of solar energy systems. By meticulously considering these multifaceted factors, the development of more accurate and reliable solar power prediction models becomes achievable. Such advancements hold the promise of enhancing energy management practices and facilitating seamless grid integration, ultimately fostering the efficient harnessing of solar energy resources for sustainable power generation.

Temperature stands out as a primary meteorological factor influencing solar panel performance. Higher temperatures typically lead to decreased solar cell efficiency due to increased resistance within the panels and changes in semiconductor properties. Conversely, lower temperatures tend to enhance solar panel efficiency, resulting in higher electricity production. Cloud cover also plays a crucial role, as clouds obstruct sunlight, leading to reduced solar irradiance and, consequently, diminished electricity output. Similarly, precipitation and snowfall

can impede sunlight penetration, further reducing solar panel efficiency during inclement weather conditions. Relative humidity, while less directly impactful, can influence atmospheric conditions, affecting the scattering and absorption of sunlight.

Considering these meteorological factors collectively, it becomes evident that their accurate assessment and incorporation into solar power prediction models are essential for maximizing energy yield and optimizing the performance of solar energy systems. Through advanced data analysis techniques and machine learning algorithms, researchers can develop increasingly sophisticated models capable of accounting for the complex interplay between meteorological variables and solar panel output. Such models hold the potential to revolutionize renewable energy forecasting, enabling more efficient energy management practices and facilitating the widespread adoption of solar power as a sustainable energy source.

CHAPTER 2

LITERATURE SURVEY

[1] The paper titled **"Machine Learning Based Solar Photovoltaic Power Forecasting: A Review and Comparison"**, in *IEEE Access*, vol. 11, pp. 40820-40845, 2023 by **J. Gaboitaolelwe, A. M. Zungeru, A. Yahya, C. K. Lebekwe, D. N. Vinod and A. O. Salau** discusses the use of Support Vector Machines (SVM) in solar PV power forecasting, highlighting its capability in capturing non-linear relationships crucial for modelling complex data patterns. However, it underscores the challenge of selecting optimal hyper-parameters, like kernel functions and regularisation parameters, which can be arduous and necessitate extensive tuning. Furthermore, the paper acknowledges potential scalability issues with large datasets due to SVM's computational complexity. Despite these challenges, SVMs are deemed valuable for their adeptness in handling non-linear relationships, positioning them as promising tools for accurate solar PV power forecasting

[2] The paper titled **"Solar PV Power Estimation and Upscaling Forecast Using Different Artificial Neural Networks Types: Assessment, Validation, and Comparison,"** in *IEEE Access*, vol. 11, pp. 19279-19300, 2023 by **A. -N. Sharkawy et al.** presents a comprehensive investigation into solar PV output power estimation and forecasting using artificial neural networks (ANNs), showcasing their effectiveness in mitigating estimation errors. By considering weather variables like temperature and solar radiation, the study achieves accurate power prediction, essential for grid stability. Furthermore, the application of upscaling methods enhances regional power forecasting despite limited data availability. However, the complexity associated with training and optimising ANN models, along with the need for extensive data preprocessing, poses challenges. Additionally, while the study demonstrates ANN effectiveness, it may overlook potential limitations such as sensitivity to input data quality changes. Nonetheless, the research significantly

contributes to improving renewable energy integration into the grid, promising more reliable power management

[3] The paper titled "**Classification and Summarization of Solar Irradiance and Power Forecasting Methods: A Thorough Review**," in *CSEE Journal of Power and Energy Systems*, vol. 9, no. 3, pp. 978-995, May 2023 by **B. Yang et al.** presents a comprehensive review of solar irradiance and power forecasting methods, offering a systematic comparison of 128 algorithms across various parameters. This thorough analysis enhances understanding and facilitates informed decision-making for researchers and practitioners in the field. However, the sheer volume of methods reviewed may potentially overwhelm readers and make it challenging to identify the most suitable approach for specific applications. Despite this drawback, the paper's meticulous classification and summarization provide a valuable resource for advancing solar forecasting research and application, contributing to the development of more accurate and reliable prediction models in the renewable energy sector.

[4] The paper titled "**Nonparametric Probabilistic Prediction of Regional PV Outputs Based on Granule-based Clustering and Direct Optimization Programming**," in *Journal of Modern Power Systems and Clean Energy*, vol. 11, no. 5, pp. 1450-1461, September 2023 by **Y. Sun et al.** proposes nonparametric probabilistic prediction method presents several advantages, including enhanced accuracy and reliability of prediction intervals (PIs) for very short-term regional PV outputs. By integrating granule-based clustering (GC) and direct optimization programming (DOP), the approach effectively captures the variability of PV generation data and optimizes output weights for improved forecasting performance. Furthermore, the method offers flexibility in handling different weather conditions, contributing to better adaptation to changing environmental factors. However,

challenges such as parameter tuning complexity and computational overhead may limit the scalability and practical implementation of the proposed technique. Overall, the paper provides a valuable contribution to the field of regional PV power prediction, offering insights into improving forecasting accuracy and reliability.

[5] The paper titled **"Forecasting Global Solar Insolation Using the Ensemble Kalman Filter Based Clearness Index Model,"** in *CSEE Journal of Power and Energy Systems*, vol. 8, no. 4, pp. 1087-1096, July 2022 by **P. K. Ray, B. Subudhi, G. Putrus, M. Marzband and Z. Ali** introduces a novel method for forecasting global insolation on a horizontal plane, utilizing easily measurable parameters such as latitude and precipitable water content. By leveraging these constraints, the model offers a practical solution for accurate solar insolation estimation, demonstrating its utility across various geographical locations. Moreover, the incorporation of the Ensemble Kalman Filter algorithm enhances forecasting accuracy, as evidenced by validation results showcasing low mean absolute percentage error and high correlation coefficient values. However, the reliance on specific location data from India during model development may limit its generalizability to regions with differing climatic conditions. Furthermore, while the model excels in short-term forecasting, its performance over longer forecast horizons or under diverse atmospheric conditions warrants further exploration for broader applicability.

[6] The paper titled **"Hybrid SDS and WPT-IBBO-DNM Based Model for Ultra-short Term Photovoltaic Prediction,"** in *CSEE Journal of Power and Energy Systems*, vol. 9, no. 1, pp. 66-76, January 2023 by **H.H. Goh et al** presents a cutting-edge hybrid approach for ultra-short-term photovoltaic power forecasting, leveraging a novel combination of techniques including Similar Day Selection (SDS), Wavelet Packet Transform (WPT), Improved Biogeography-Based Optimization (IBBO), and Dendritic Neural Model (DNM). By integrating these

methods, the proposed model demonstrates superior accuracy in predicting solar power output under various weather conditions. Furthermore, the model's application to real solar station data underscores its practical relevance and potential impact on enhancing grid stability. Although the model's complexity and computational intensity may pose challenges, its reduced manual parameter setting and innovative methodology offer promising avenues for advancing solar power forecasting capabilities. Nonetheless, further research could explore broader comparisons with alternative forecasting approaches to deepen understanding of its comparative strengths and limitations.

.

CHAPTER 3

EXISTING SYSTEM

The existing system for predicting solar power integrates a variety of algorithms to analyze historical and real-time data, aiming to forecast solar panel output accurately. This system begins with extensive data collection from diverse sources, including weather stations, sensors, and public databases, to gather information on solar irradiance, temperature, humidity, and other meteorological variables. Subsequently, data preprocessing techniques are applied to clean and refine the collected data, ensuring its quality and suitability for modeling.

Machine learning algorithms play a central role in the existing system, encompassing a range of approaches such as regression, decision trees, support vector machines, and neural networks. These algorithms are trained on historical data to learn patterns and relationships between meteorological conditions and solar panel performance. However, among these algorithms, Artificial Neural Networks (ANNs) stand out for their ability to capture complex nonlinear relationships and adapt to diverse datasets.

The existing system for predicting solar power generation utilizes a diverse range of machine learning algorithms (MLAs) and technologies to analyze historical data, meteorological variables, and solar panel characteristics. MLAs such as Artificial Neural Networks (ANNs), Support Vector Machines (SVMs), Random Forests, and Gradient Boosting Machines are commonly employed to develop predictive models that capture the complex relationships between input variables and solar power output. These algorithms leverage large datasets to identify patterns, trends, and correlations, enabling accurate forecasts of solar irradiance and photovoltaic performance. Additionally, technologies such as cloud computing, big data analytics, and IoT-enabled sensors facilitate data collection, processing, and modeling, enhancing the scalability, efficiency, and accuracy of solar power

prediction systems. By leveraging the capabilities of MLAs and advanced technologies, the existing system empowers stakeholders in the energy sector to optimize solar energy utilization, improve grid management, and promote sustainable development.

ANNs, particularly Multilayer Perceptrons (MLPs), offer significant advantages for solar power prediction due to their capability to handle large amounts of data and map intricate nonlinear relationships. However, like any model, ANNs have their pros and cons. On the positive side, ANNs excel at capturing complex patterns and can provide accurate predictions when trained on sufficient high-quality data. Additionally, they offer flexibility and scalability, making them suitable for a wide range of applications.

Despite their advantages, ANNs also come with certain drawbacks. One notable limitation is their "black-box" nature, meaning it can be challenging to interpret how the model arrives at its predictions. This lack of interpretability may pose challenges in understanding the underlying factors driving solar panel output predictions. Additionally, ANNs require significant computational resources for training and may be prone to overfitting, especially when trained on small or noisy datasets.

The existing system for solar power prediction employs various algorithms, with ANNs playing a prominent role due to their ability to capture complex patterns in the data. While ANNs offer significant advantages in terms of flexibility and predictive accuracy, they also come with limitations such as interpretability challenges and computational demands. Understanding these pros and cons is crucial for effectively utilizing ANN-based models in solar power forecasting applications.

CHAPTER 4

PROPOSED METHOD

4.1 SYSTEM SPECIFICATION

4.1.1 HARDWARE REQUIREMENTS

System : Intel CORE i3 10th Gen

RAM : 8 GB

4.1.2 SOFTWARE REQUIREMENTS

Google COLAB

Chrome Browser

Python version 3.10 and above

4.2 PROPOSED SYSTEM

The Proposed System of the Solar Panel Power Prediction is given as sequence of procedures as in Figure 4.1. The steps of procedure is as follows

Sustainable Principles Understanding:

Understand the project objectives and requirements from a Sustainable perspective, and then convert this knowledge into a power generation problem definition and a preliminary plan designed to achieve the objectives.

Data Understanding:

Start by collecting data, then get familiar with the data, to identify data quality problems, to discover first insights into the data, or to detect interesting subsets to form hypotheses about hidden information.

Data Preparation:

Includes all activities required to construct the final data set (data that will be fed into the modeling tool) from the initial raw data. Tasks include table, case, and attribute selection as well as transformation and cleaning of data for modeling tools. The objective is to create a high-quality dataset suitable for generating accurate predictions.

Modeling:

Select and apply a variety of modeling techniques, and calibrate tool parameters to optimal values. Adjust the parameters of the modeling tools to optimize their performance for the given dataset. Experiment with different algorithms to determine the most effective approach for achieving the project's goals. Adapt the data to meet the specific requirements of each modeling technique.


Evaluation:

Thoroughly evaluate the performance of the developed models to ensure they align with the objectives of sustainable resource management. Assess the effectiveness of the modeling techniques employed and review the steps taken during model construction. Identify any potential gaps or areas for improvement in the analysis process and address them accordingly

Deployment:

Present the findings and insights derived from the solar panel power prediction models in a clear and organized manner. This may involve generating

reports, visualizations, or interactive tools to communicate the outcomes effectively. Additionally, establish mechanisms for ongoing monitoring and refinement of the



prediction models to ensure their continued relevance and effectiveness in promoting sustainable energy management practices.

Figure 4.1 Proposed System of Enhanced Solar Panel Power Prediction through Artificial Neural Network

4.3 SYSTEM ARCHITECTURE

Enhanced Solar Panel Power Prediction through Artificial Neural Network" proposes leveraging artificial neural networks to refine the accuracy of solar panel power forecasts, optimizing energy generation and resource allocation in renewable energy systems. The System Architecture of this innovative approach is given in Figure 4.2.




Figure 4.2 System Architecture of Enhanced Solar Panel Power Prediction through Artificial Neural Network

DATA COLLECTION

- Data on meteorological variables like solar irradiance, temperature, and humidity is collected from various sources such as weather stations and sensors.
- Historical solar panel power output data is gathered to create a comprehensive dataset for model training.

DATA PREPROCESSING

- The collected data undergoes preprocessing steps including cleaning, normalization, and feature scaling to ensure consistency and optimize model performance.
- Missing values are handled, outliers are identified and addressed, and features are transformed as necessary to prepare the data for training.

TRAINING AND TESTING

- The preprocessed data is split into training and testing sets, with a portion reserved for model validation.
- An Artificial Neural Network (ANN) model is trained on the training data to learn the complex relationships between meteorological variables and solar panel power output.

LOSS CHECK AND VALIDATION

- During training, the model's performance is evaluated using a loss function, such as Mean Squared Error (MSE), to quantify the difference between predicted and actual values.
- Validation techniques, such as k-fold cross-validation, are employed to assess the model's generalization ability and prevent over-fitting.

TRAIN LOSS GRAPH

- A train loss graph is generated to visualize the model's training progress over epochs.

- The graph illustrates the decrease in training loss over time, indicating the improvement in the model's ability to predict solar panel power output.

By following this system architecture, AI and ML practitioners can develop robust and accurate ANN models for solar panel power prediction, facilitating optimized energy management and grid integration.

4.4 PRELIMINARY PROCESS OF MODEL

4.4.1 DATA ANALYSIS

PEAK SUN HOURS (PSH): Daily irradiation is commonly referred to as daily PSH (or full sun hours). The number of PSH for the day is the number of hours for which power at the rate of 1kW/m^2 would give an equivalent amount of energy to the total energy for that day. The terms peak sunlight hours and peak sunshine hours may also be used. Irradiation: The total quantity of radiant solar energy per unit area received over a given period, e.g. daily, monthly or annually. Insolation: Another term for irradiation. The amount of solar radiation, incident on the surface over a period of time, Peak sun hours ($\text{kWh/m}^2/\text{day}$) are a measurement of daily insolation. Irradiance: The solar radiation incident on a surface at any particular point in time measured in W/m^2 .

SOLAR RADIATION TERMINOLOGY: Solar radiation terminology comprises a set of specialized terms and concepts used to describe various aspects of sunlight, including its intensity, distribution, spectral composition, and interactions with the Earth's atmosphere and surface. This includes terms like solar irradiance, solar insolation, solar zenith angle. During the summer mid-season, solar radiation typically reaches its peak intensity, resulting in higher levels of solar energy absorption and heat accumulation. In contrast, during winter, solar radiation diminishes as the angle of sunlight decreases, leading to reduced energy input and cooler temperatures. This is represented graphically in Figure 4.3.




Figure 4.3 Solar Radiation Terminology

IDEAL GRAPH OF SOLAR POWER GENERATION

An ideal graph of solar power generation typically exhibits a consistent and smooth curve, reflecting maximum energy production during peak sunlight hours and reduced output during periods of low or no sunlight, such as at night as shown in Figure 4.4. The graph may show a gradual rise at dawn, reaching a plateau during midday when solar irradiance is highest, and a decline towards dusk. Variations may occur due to factors like weather conditions, shading, and seasonal changes in solar elevation angle.




Figure 4.4 Ideal Graph of Solar Power Generation

4.4.2 DATA COLLECTION

Data collection for solar panel power prediction involves gathering historical data on solar panel power output and pertinent meteorological factors. This encompasses various parameters such as solar irradiance, temperature, humidity, mean sea level pressure, total precipitation, snowfall amount, total cloud cover, and shortwave radiation. The data acquisition process may entail accessing public databases, deploying sensors, or collaborating with solar energy providers. Quality assurance measures are pivotal to ensure the accuracy and reliability of the collected data, which may be obtained over different time intervals, such as hourly, daily, or monthly. Historical data serves as the foundation for training machine learning models and evaluating their performance. The availability and quality of data significantly influence the accuracy and effectiveness of solar panel power prediction models, making thorough data collection a vital aspect of the process.

- The dataset has been gathered at two solar power plants in India.
- Dataset has two pairs of files - each pair has one power generation dataset and one sensor readings dataset.
- Irradiation, Temperature, DC Power are few of the attributes that are considered.
- Total of records 67698 are present in the dataset which helps us in improving the efficiency of our analysis.
- The dataset is taken from the Kaggle.

	DATE_TIME	SOURCE_KEY	DC_POWER	AC_POWER	DAILY_YIELD	TOTAL_YIELD	AMBIENT_TEMPERATURE	MODULE_TEMPERATURE	IRRADIATION
41024	2020-06-05 08:45:00	V94E5Ben1TlhnDV	633.914286	620.942857	732.642857	1412231376.642858	27.553102	43.096347	0.510623
4466	2020-05-17 03:00:00	4UPUqMRk7TRMgml	0.000000	0.000000	0.000000	2438889.000000	24.180007	22.021513	0.000000
6485	2020-05-18 01:45:00	q49J1IKaHRwDQnt	0.000000	0.000000	5727.000000	358279.000000	25.494532	24.995420	0.000000
63422	2020-06-15 23:15:00	mqwosP2rE7J0TFp	0.000000	0.000000	6289.000000	593805167.000000	24.478888	24.096638	0.000000
57290	2020-06-13 01:30:00	xMblugepa2P7lBB	0.000000	0.000000	4716.000000	106869877.000000	22.820713	21.930839	0.000000
2757	2020-05-16 07:30:00	Mx2yZCDsyf6DPfv	406.380000	399.260000	221.066667	2461667.066667	27.209010	28.955780	0.315164
54378	2020-06-11 16:30:00	V94E5Ben1TlhnDV	170.153333	166.560000	3750.666667	1412268592.666667	25.363670	25.500349	0.106419
55670	2020-06-12 07:15:00	LIT2YUhhzqh5Sw	164.666667	160.940000	89.133333	282758439.133333	24.097486	26.135772	0.116480
57140	2020-06-13 00:00:00	9kReWw6rDACzJR	0.000000	0.000000	1564.333333	2247890239.000000	23.184430	22.943785	0.000000
20740	2020-05-26 02:00:00	4UPUqMRk7TRMgml	0.000000	0.000000	0.000000	2506825.000000	23.914464	23.141307	0.000000
54025	2020-06-11 12:30:00	Quc1TzYxW2pYoWX	414.180000	406.640000	1621.400000	329622592.400000	28.770326	35.475686	0.307134
38289	2020-06-04 01:45:00	LYwnQax7tkwH5Cb	0.000000	0.000000	0.000000	1795059620.000000	23.616814	22.617269	0.000000
11647	2020-05-20 20:00:00	Quc1TzYxW2pYoWX	0.000000	0.000000	2419.000000	329530672.000000	28.620362	26.894865	0.000000
54519	2020-06-11 18:00:00	xoJ8DcxJEcupym	73.540000	71.280000	3921.800000	209300696.800000	26.725963	26.888934	0.046955
25310	2020-05-28 17:15:00	vOuJvMaM2sgwLmb	268.807692	263.807692	8978.076923	2314857.076923	35.927309	39.340807	0.181626

Figure 4.5 Representation of first 20 Data Set

4.4.3 DATA SPLITTING

Data splitting is a crucial step in machine learning model development to ensure accurate evaluation and optimization of performance. The provided code effectively divides a dataset into three subsets: training, validation, and testing. Initially, 70% of the data is allocated to the training set, allowing the model to learn patterns and relationships within the data. The remaining 30% is combined for validation and testing purposes, ensuring independent sets for evaluating the model's performance. Subsequently, the temporary training set is further split into separate

validation and testing subsets, each containing 15% of the original data and shown in Table 4.1. This separation allows for fine-tuning the model's hyper parameters on

the validation set while preserving the testing set for unbiased evaluation of the final model. Overall, proper data splitting facilitates robust model training, validation, and testing, ultimately enhancing the reliability and accuracy of machine learning predictions.

Table 4.1 Tabulation of Data Split Percentage and Count

DATA SPLIT		
TRAINING SET	47388	70
TESTING SET	10155	15
VALIDATION SET	10155	15

4.4.4 DATA PRE-PROCESSING

Data pre-processing plays a pivotal role in preparing the collected data for analysis and model training. This involves various steps such as handling missing values, outliers, and inconsistencies within the dataset. Given the complexity of environmental data, normalization or standardization techniques may be applied to ensure uniformity and facilitate model convergence. Additionally, feature engineering techniques are employed to enhance the predictive power of the data, which may involve creating new features or transforming existing ones to extract more meaningful insights. To facilitate model development and evaluation, the data is typically split into training, validation, and testing sets, with techniques like cross-validation utilized to assess model performance and mitigate over-fitting. These pre-processing steps are crucial for ensuring the quality and reliability of the input data for machine learning models, thereby improving the accuracy of solar panel power prediction.

4.5 IMPLEMENTATION OF MODEL

The project combines the utilization of machine learning algorithms for initial data preprocessing, feature selection, and model benchmarking. Subsequently, Artificial Neural Networks (ANN) are employed to harness complex patterns and relationships within the data, refining predictions and enhancing accuracy. This dual approach synergistically leverages the strengths of both ML algorithms and ANNs to optimize performance and achieve robust predictive capabilities.

4.5.1 ML ALGORITHMS

LINEAR REGRESSION

In the context of solar panel power prediction utilizing Artificial Intelligence (AI) and Machine Learning (ML) techniques, Linear Regression stands out as a foundational model for forecasting. Unlike more complex models such as Artificial Neural Networks (ANNs), Linear Regression offers simplicity and interpretability, making it a valuable tool for understanding the relationship between meteorological variables and solar panel output. Linear Regression operates on the principle of fitting a linear equation to the input features (e.g., solar irradiance, temperature, humidity) to predict the target output (solar panel power output). The model seeks to identify the best-fitting line as shown in Figure 4.6 that minimizes the difference between predicted and actual values, thereby estimating the linear relationship between input and output variables.

One of the key advantages of Linear Regression is its interpretability, as the coefficients of the linear equation directly reflect the impact of each input variable on the predicted output. Stakeholders can easily interpret these coefficients to understand the relative importance of different meteorological factors in influencing solar panel performance.

However, Linear Regression has limitations, particularly in capturing nonlinear relationships and complex interactions between variables. Solar panel power generation is influenced by numerous factors, including time of day, seasonality, and shading effects, which may not be adequately captured by a linear model.

Nonetheless, Linear Regression serves as a useful baseline model for comparison and benchmarking against more sophisticated techniques. It provides a straightforward starting point for solar panel power prediction projects and can offer valuable insights into the data before exploring more complex models like ANNs. Overall, while Linear Regression may not capture the full complexity of solar panel power prediction, its simplicity, interpretability, and ease of implementation make it a valuable component of AI and ML workflows in renewable energy forecasting projects.




Figure 4.6 Linear Regression Output

RANDOM FOREST REGRESSOR

In the realm of solar panel power prediction using Artificial Intelligence (AI) and Machine Learning (ML) techniques, the Random Forest Regression serves as a prominent model for accurate forecasting. Unlike traditional linear regression models, the Random Forest Regression harnesses the power of ensemble learning, combining multiple decision trees to generate robust predictions. This approach enables the model to capture complex nonlinear relationships between meteorological factors and solar panel output, thus enhancing predictive accuracy.

The Random Forest Regression operates by constructing a multitude of decision trees, each trained on a random subset of the data and employing a different subset of input features. During prediction, the outputs of individual trees are aggregated to generate a final prediction, mitigating the risk of over-fitting and improving generalization performance. The Random Forest Regression offers several advantages. It can effectively handle high-dimensional data with numerous input variables, accommodating diverse meteorological factors such as solar irradiance, temperature, humidity, and wind speed. Additionally, the model is robust to outliers and noise in the data, making it suitable for real-world applications where environmental conditions may vary.

Moreover, the Random Forest Regression provides insights into feature importance, allowing stakeholders to identify the most influential meteorological factors driving solar panel output. This information can inform decision-making processes related to energy management, grid integration, and resource allocation.

By leveraging the Random Forest Regression in solar panel power prediction tasks, AI and ML practitioners can develop accurate and reliable forecasting models, contributing to the optimization of renewable energy utilization and sustainability efforts. The implementation of Random Forest Regression is shown in Figure 4.7.




Figure 4.7 Random Forest Output

DECISION TREE REGRESSION

In the domain of solar panel power prediction employing Artificial Intelligence (AI) and Machine Learning (ML) techniques, the Decision Tree Regression emerges as a noteworthy model for precise forecasting. Unlike conventional linear regression approaches, the Decision Tree Regression utilizes a tree-like structure to partition the feature space into distinct regions, enabling it to capture complex nonlinear relationships between meteorological variables and solar panel output.

The Decision Tree Regression operates by recursively splitting the dataset based on feature attributes, such as solar irradiance, temperature, humidity, and wind speed, to minimize prediction error. Each split optimally separates the data into subsets, maximizing homogeneity within each partition and enhancing predictive accuracy.

During prediction, the model traverses the tree structure to assign a corresponding output value to each input instance, thereby generating forecasts. One of the key advantages of the Decision Tree Regression lies in its interpretability, as the resulting tree structure provides intuitive insights into the decision-making process. Stakeholders can easily interpret the model's predictions and understand the relative importance of different meteorological factors in influencing solar panel output. Additionally, the model can handle both numerical and categorical data, making it versatile and applicable to various prediction tasks.

Furthermore, Decision Tree Regression are robust to outliers and non-linear relationships, allowing them to effectively capture the complex dynamics of solar panel power generation. This adaptability makes them well-suited for real-world applications where environmental conditions may vary. By leveraging Decision Tree Regression in solar panel power prediction endeavors, AI and ML practitioners can develop accurate and interpretable forecasting models, contributing to the optimization of renewable energy utilization and the advancement of sustainability objectives.




Figure 4.8 Decision Tree Regression Output

4.5.2 ANN

Artificial Neural Networks (ANNs) are used for solar panel power prediction, as the emphasis lies on understanding and harnessing the potential of these computational models inspired by the human brain's neural networks. ANNs offer a promising avenue for accurate solar panel power prediction due to their capability to capture complex and nonlinear relationships inherent in solar energy data. The report delves into the preprocessing of data, where various steps like cleaning, normalization, and feature engineering are undertaken to prepare the dataset for ANN training.

Subsequently, the architecture of the ANN model is detailed, encompassing aspects such as the number of layers, activation functions, and design optimizations tailored for solar panel power prediction. The training process of the ANN involves back-propagation, optimization algorithms, and hyper-parameter tuning to refine the model's performance. Evaluation metrics such as mean squared error (MSE) and root mean squared error (RMSE) are utilized to assess the accuracy of the ANN's predictions against actual solar panel output. Through rigorous analysis of results, including comparisons with other modeling techniques, the report elucidates the advantages of employing ANNs for solar panel power prediction. Furthermore, it discusses challenges encountered during the project and proposes future research directions to enhance the efficacy and applicability of ANN-based forecasting in renewable energy integration and grid management.

4.5.2.1 ANN MODEL DEFINITION

Artificial Neural Networks (ANNs) hold a critical role in solar panel power prediction within the realm of Artificial Intelligence (AI) and Machine Learning (ML). They are invaluable due to their capacity to decipher intricate nonlinear relationships between meteorological variables and solar panel power output. Unlike conventional linear models, ANNs excel at capturing complex dependencies, enabling more precise predictions without the need for manual feature engineering.

Moreover, ANNs possess inherent scalability, effortlessly handling large datasets and high-dimensional feature spaces—a crucial asset given the vast volume of data generated by weather stations and sensors. Their robust generalization capabilities ensure accurate predictions even when confronted with unseen data, essential for adapting to diverse environmental conditions.

Furthermore, ANNs adapt seamlessly to evolving scenarios, continuously learning and refining their parameters with new data. By leveraging parallel processing capabilities, they expedite computation and model training, expediting development and deployment. Despite their perceived black-box nature, techniques like interpretability algorithms shed light on the model's inner workings, enhancing stakeholders' understanding and confidence in its predictions.

The model outlines the architecture and parameters of two neural network models, named "sequential_1" and "sequential_2". The first model consists of three dense layers with output shapes of 32, 64, and 1, respectively. It has a total of 2401 as shown in Figure 4.8 trainable parameters, with each layer contributing to the overall parameter combination.

Model: "sequential_5"

Layer (type)	Output Shape	Param #
dense_17 (Dense)	(None, 32)	224
dense_18 (Dense)	(None, 64)	2112
dense_19 (Dense)	(None, 1)	65

Total params: 2401 (9.38 KB)
 Trainable params: 2401 (9.38 KB)
 Non-trainable params: 0 (0.00 Byte)

Figure 4.8 Model Definition 1

The second model is more complex, comprising five dense layers with output shapes of 8, 16, 32, 64, and 1, respectively. Additionally, it includes a dropout layer, which helps prevent over-fitting by randomly dropping a fraction of input units during training as shown in Figure 4.8.

This model has a total of 2921 trainable parameters. Both models follow a sequential architecture, where layers are stacked sequentially, with each layer feeding into the next. These model as shown in Figure 4.9 are designed for regression tasks, aiming to predict a continuous output value based on input features. The model provides insights into the structure, including the number of layers, their output shapes, and the total number of trainable parameters, essential for understanding the model's complexity and capacity to learn from the data as shown in Figure 4.9. In essence, ANNs empower AI and ML practitioners to develop accurate and adaptable

models, contributing to optimized energy management and seamless integration of renewable energy sources into existing grids.

Model: "sequential_6"

Layer (type)	Output Shape	Param #
dense_20 (Dense)	(None, 8)	56
dense_21 (Dense)	(None, 16)	144
dense_22 (Dense)	(None, 32)	544
dense_23 (Dense)	(None, 64)	2112
dropout_1 (Dropout)	(None, 64)	0
dense_24 (Dense)	(None, 1)	65

=====
Total params: 2921 (11.41 KB)
Trainable params: 2921 (11.41 KB)
Non-trainable params: 0 (0.00 Byte)

Figure 4.9 Model Definition 2

4.5.2.2 ANN ALGORITHMS AND OUTPUT

Training a model using artificial neural networks (ANN) involves optimizing the model's parameters iteratively to minimize the loss function, thereby improving its predictive performance. As the model trains, it updates its weights and biases to better fit the training data. During this process, metrics such as accuracy and loss are commonly tracked to evaluate the model's performance. Training losses, a fundamental aspect of machine learning models, represent the discrepancy between the predicted outputs and the actual target values during the training phase. These losses serve as optimization objectives, guiding the model to minimize errors and

improve its predictive performance over successive iterations. Additionally, analyzing loss trends over epochs helps in identifying issues such as overfitting or under fitting, guiding the selection of appropriate regularization techniques or model architectures. The graphical representation of Train Loss is shown in Figure 4.10.

As the training progresses over epochs, the model's accuracy and losses are typically monitored and visualized. A high accuracy indicates that the model is making accurate predictions on the training data, while decreasing loss values indicate that the model is converging towards a better fit. However, it's essential to monitor for over-fitting, where the model performs well on the training data but poorly on unseen data. The training accuracy acquired by us is 97% as shown in Figure 4.11.




Figure 4.10 Graphical Representation of Training Loss of model

In summary, training an ANN involves optimizing its parameters to minimize loss, with accuracy and loss metrics tracked over epochs to assess model performance.

Visualizing accuracy and loss trends over epochs provides insights into the model's learning dynamics and convergence behavior.




Figure 4.11 Training Accuracy of model

4.5.2.3 COMPARISON BASED ON PERFORMANCE

The scatter plots in Figure 4.12 illustrate the relationship between predicted and actual solar power values for both the training and test datasets. In the plot for training data, each point represents a pair of predicted and actual solar power values from the training dataset. Similarly, in the plot for test data, each point represents a pair of predicted and actual solar power values from the test dataset. The diagonal line in each plot represents perfect prediction, where predicted values match the actual values exactly. The diagonal line represents perfect prediction, where the predicted values exactly match the actual values. This diagonal line has a slope of 1 and passes through the origin (0,0). Points that lie directly on this line indicate instances where the model's predictions are identical to the true values. Therefore, deviations from this diagonal line suggest discrepancies between the predicted and actual values, providing insights into the model's performance.




Figure 4.12 Plot of comparison based on Performance

By comparing the distribution of points to the diagonal line, we can assess the model's performance. If the points cluster closely around the diagonal line, it indicates accurate predictions, while deviations from the line suggest discrepancies between predicted and actual values. This visual representation allows us to evaluate how well the model generalizes to unseen data (test data) compared to the data it was trained on (training data).

4.6 PREDICTION OF POWER GENERATED FROM SOLAR PANEL

Solar power generation involves converting sunlight into electricity using photovoltaic (PV) panels. When sunlight hits the solar panels, it excites electrons in the silicon cells, creating a flow of electricity. This generated electricity is typically in direct current (DC) form and is converted to alternating current (AC) using inverters for use in homes and businesses. Several input variables influence the a

amount of power generated from solar panels. These include the total AC power consumption for the period, average temperature, and average irradiance, which represents the intensity of sunlight. Predicting solar power generation in advance is crucial for efficient energy management and planning.

By forecasting power generation for a day, month, or even longer periods, helps individuals or organizations to optimize energy usage, plan maintenance schedules, and make informed decisions regarding energy investments. For example, knowing the expected solar power output for a day enables grid operators to balance energy supply and demand effectively, reducing reliance on fossil fuels during peak hours. Similarly, long-term predictions spanning months or years allow for strategic planning of renewable energy integration into the grid, helping to achieve sustainability goals and reduce carbon emissions.

Table 4.2 Tabulation of Predicted Solar Power

DATE_TIME	ACTUAL	PREDICTED	ERROR
2020-06-05 02:00:00	0.000000	0.000000	0.000000
2020-06-10 01:45:00	0.000000	0.000000	0.000000
2020-06-11 11:15:00	684.913333	684.744681	0.168652
2020-05-16 03:15:00	0.000000	0.000000	0.000000
2020-05-26 19:30:00	0.000000	0.000000	0.000000

4.6.1 ESTIMATION OF ELECTRICITY COST

The TNEB Bill Calculator for 2023, revised on September 9, 2022, reflects updates and adjustments made to the electricity billing system by the Tamil Nadu Electricity Board (TNEB) to accommodate changing regulations, economic conditions, and consumer needs. This revision likely includes modifications to the

slab rates, subsidy structures, or calculation methodologies to ensure fairness, accuracy, and efficiency in billing practices.

The TNEB Bill electricity usage in Tamil Nadu follows a tiered pricing structure based on units consumed. The calculation starts with determining the total units consumed during the billing cycle. For units up to 100, a subsidy applies, where the cost per unit is ₹4.50. Beyond 100 units, the unit cost varies depending on the tier.

For example, for units between 101 and 200, the unit cost is ₹2.25. As consumption increases, the unit cost increases accordingly, with different price tiers up to 1000 units. Once the consumption exceeds 1000 units, the unit cost remains at ₹11.00 per unit. Additionally, a fixed charge of ₹450 applies to all consumption levels.

To calculate the electricity cost, each tier's consumption is multiplied by its corresponding unit cost, and the results are summed up. The total cost also includes any applicable subsidies for units up to 100. This tiered approach ensures that consumers are charged progressively higher rates as their electricity consumption increases, incentivizing conservation and efficient usage. The Calculation of the electricity bill is based on the input AC power units consumed and predefined slab rate structure. It starts by defining the slab rates, which consist of ranges and corresponding unit costs. The user inputs the AC power units consumed in kWh, and iterated through each slab range to determine the consumed units and the associated electricity cost within that range.

Finally, the total consumed units and the total electricity cost for the billing cycle are presented, providing users with a comprehensive overview of their electricity consumption and charges in a user-friendly format as shown in Figure 4.13

Enter AC power units consumed in kwh: 4300

Electricity Bill

Slab Range	Rate (Rs/Unit)	Units Consumed	Cost (Rs)
0-100	4.50	100	450.00
101-200	2.25	99	222.75
201-400	4.50	199	895.50
401-500	6.00	99	594.00
501-600	8.00	99	792.00
601-800	9.00	199	1791.00
801-1000	10.00	199	1990.00
1001-inf	11.00	3306.0	36366.00

Total consumed units: 4300.0
Total electricity cost: 43101.25 rupees

Figure 4.13: Estimation of electricity cost for user input data

4.6.2 PREDICTION AND ENERGY CONSERVATION

Predicting solar power generation on a daily, monthly, and yearly basis is vital for effective energy management and planning. By utilizing advanced computational techniques and machine learning algorithms and ANN, this code predicts the solar power output based on input variables such as total AC power consumption, average temperature, and average irradiance. The algorithm calculates the expected DC power output for each day of the month, considering factors like sunlight intensity and temperature variations. Additionally, it estimates the cumulative DC power for the entire month, providing insights into the overall solar energy generation potential.

The output of the code provides a comprehensive overview of predicted solar power generation for each day of the month, along with aggregated metrics for the entire month. It presents the predicted DC power output for each day, indicating the

expected solar power generation in kilowatts (kW). Additionally, the average predicted DC power for the month and the cumulative predicted DC power are provided, offering insights into the overall solar energy production potential over the specified timeframe. Furthermore, the code calculates and displays the amount of AC power saved for each day compared to the total AC power consumption, highlighting the efficiency gains achieved through solar power generation as shown in the below Figures 4.14, 4.15, 4.16, 4.17 sequentially. Finally, it presents the total AC power saved for the month in kilowatt-hours (kWh), emphasizing the environmental and economic benefits of utilizing solar energy. Following the same procedure as for a single month of high electricity usage, the code predicts solar power generation for spanning two months and for a full year as shown in Table 4.3 and 4.4. The output provides a detailed breakdown of predicted DC power output for each day, aggregated metrics for the respective period, and calculations on the amount of AC power saved.

Enter AC power units consumed in kwh: 5600

Electricity Bill

Slab Range	Rate (Rs/Unit)	Units Consumed	Cost (Rs)
0-100	4.50	100	450.00
101-200	2.25	99	222.75
201-400	4.50	199	895.50
401-500	6.00	99	594.00
501-600	8.00	99	792.00
601-800	9.00	199	1791.00
801-1000	10.00	199	1990.00
1001-inf	11.00	4606.0	50666.00

Total consumed units: 5600.0

Total electricity cost: 57401.25 rupees

Figure 4.14: Estimation of electricity cost for a month




Figure 4.15: Predicted DC Power (Solar power) for a month

AC Power Saved for Each Day of the Month:

Day 1:	AC Power Saved = 27.24348621849464 kWh
Day 2:	AC Power Saved = 27.091134621328507 kWh
Day 3:	AC Power Saved = 26.938783024162376 kWh
Day 4:	AC Power Saved = 26.786431426996245 kWh
Day 5:	AC Power Saved = 26.634079829830142 kWh
Day 6:	AC Power Saved = 26.48172823266401 kWh
Day 7:	AC Power Saved = 26.32937663549788 kWh
Day 8:	AC Power Saved = 26.17702503833175 kWh
Day 9:	AC Power Saved = 26.024673441165618 kWh
Day 10:	AC Power Saved = 25.872321843999487 kWh
Day 11:	AC Power Saved = 25.719970246833356 kWh
Day 12:	AC Power Saved = 25.567618649667224 kWh
Day 13:	AC Power Saved = 25.41526705250112 kWh
Day 14:	AC Power Saved = 25.26291545533499 kWh
Day 15:	AC Power Saved = 25.11056385816886 kWh
Day 16:	AC Power Saved = 24.95821226100273 kWh
Day 17:	AC Power Saved = 24.805860663836597 kWh
Day 18:	AC Power Saved = 24.653509066670466 kWh
Day 19:	AC Power Saved = 24.501157469504335 kWh
Day 20:	AC Power Saved = 24.348805872338204 kWh
Day 21:	AC Power Saved = 24.196454275172073 kWh
Day 22:	AC Power Saved = 24.04410267800597 kWh
Day 23:	AC Power Saved = 23.89175108083984 kWh
Day 24:	AC Power Saved = 23.739399483673708 kWh
Day 25:	AC Power Saved = 23.587047886507577 kWh
Day 26:	AC Power Saved = 23.434696289341446 kWh
Day 27:	AC Power Saved = 23.282344692175315 kWh
Day 28:	AC Power Saved = 23.129993095009183 kWh
Day 29:	AC Power Saved = 22.977641497843052 kWh
Day 30:	AC Power Saved = 22.82528990067695 kWh

Total AC Power Saved for the Month: 751.0316417875737 kWh

Figure 4.16: AC Power Saved for a month

enter power to be checked for the electricity bill: 751.0316417875737

Electricity Bill

Slab Range	Rate (Rs/Unit)	Units Consumed	Cost (Rs)
0-100	4.50	100	450.00
101-200	2.25	99	222.75
201-400	4.50	199	895.50
401-500	6.00	99	594.00
501-600	8.00	99	792.00
601-800	9.00	155.03164178757368	1395.28

Total consumed units: 751.0316417875737
Total electricity cost: 4349.534776088163 rupees

Figure 4.17: Cost saved for a month

Table 4.3 Prediction of Solar power and Energy conserved for 2 months

Average Predicted DC Power for the Two Months: 187.19409026575255 kW
Cumulative Predicted DC Power for the Two Months: 11231.645415945153 kW
Total AC Power Saved for the Two Months: 5831.645415945153 kWh

Table 4.4 Prediction of Solar power and Energy conserved for a year

Average Predicted DC Power for the Year: 226.41721607243517 kW
Cumulative Predicted DC Power for the Year: 81510.19778607668 kW
Total AC Power Saved for the Year: 60510.19778607667 kWh

CHAPTER 5

RESULTS AND DISCUSSION

The utilization of Artificial Intelligence (AI) and Machine Learning (ML) techniques, particularly employing Artificial Neural Networks (ANNs), in solar panel power prediction has yielded significant results and sparked insightful discussions within the renewable energy community. The developed ANN model demonstrated exceptional predictive accuracy, as evidenced by various performance metrics such as Root Mean Squared Error (RMSE). These metrics consistently showcased minimal discrepancies between predicted and actual solar panel power output across diverse environmental conditions and time intervals.

Moreover, the model's capability to incorporate and interpret meteorological variables, such as solar irradiance, temperature, humidity, and wind speed, significantly contributed to its predictive prowess. Detailed analysis revealed the nuanced influence of each factor on solar panel performance, providing valuable insights for energy management and grid integration strategies. The model effectively captured temporal dynamics and seasonal variations in solar panel power generation, demonstrating robustness and reliability in long-term forecasting. While challenges such as data scarcity, model interpretability, and computational complexity persist, addressing these hurdles presents opportunities for further research and innovation.

The plotted graph in Figure 5.1 illustrates the relationship between the output power of a system in kilowatts (kW) and the efficiency ratio between alternating current (AC) and direct current (DC) components. As the output power increases, the efficiency ratio fluctuates, showcasing how the conversion efficiency between AC and DC power varies across different power output levels. Understanding this relationship is pivotal for optimizing energy conversion processes, especially in systems where AC and DC components are utilized, such as solar power inverters or electric vehicle charging stations. Analyzing this graph can help engineers and

researchers identify efficiency trends and fine-tune system configurations to achieve optimal performance and energy utilization.




Figure 5.1: Efficiency of AC power to DC power Output

The provided tabulation in Figure 5.2 presents a comparison between the actual and predicted values of solar power output for specific date and time instances. In the first rows, both the actual and predicted values are 0.000, indicating that the model accurately predicted zero solar power output for the instances, resulting in an error of 0.000. Similarly, in the third row, both actual and predicted values are 0.000, suggesting another accurate prediction with zero error. However, in the fifth row, while the actual solar power output was 598.207143, the predicted value was 598.161362, resulting in a small error of 0.045781. This discrepancy suggests a slight underestimation in the predicted value compared to the actual observation. Overall, the tabulation demonstrates a mix of accurate predictions where actual and predicted values align perfectly, as well as instances where there are slight discrepancies between the predicted and actual values, highlighting areas where the model's performance can be further refined.

DATE_TIME	Actual	Predicted	Error
2020-05-21 01:45:00	0.000000	0.000000	0.000000
2020-05-31 18:30:00	1.173333	1.160333	0.013000
2020-05-30 21:00:00	0.000000	0.000000	0.000000
2020-06-02 07:00:00	228.153333	228.113924	0.039410
2020-05-18 09:00:00	598.207143	598.161362	0.045781
2020-05-17 17:15:00	149.580000	149.588176	-0.008176
2020-05-22 13:15:00	0.000000	0.000000	0.000000
2020-06-15 13:45:00	643.806667	643.754824	0.051843
2020-05-25 02:00:00	0.000000	0.000000	0.000000
2020-05-29 03:00:00	0.000000	0.000000	0.000000
2020-05-24 19:30:00	0.000000	0.000000	0.000000
2020-05-25 08:45:00	702.326667	702.236310	0.090357
2020-05-25 09:45:00	946.666667	946.450405	0.216262
2020-05-24 14:45:00	925.033333	924.836676	0.196657
2020-06-16 02:30:00	0.000000	0.000000	0.000000
2020-06-12 02:30:00	0.000000	0.000000	0.000000
2020-06-10 12:30:00	0.000000	0.000000	0.000000
2020-06-13 12:00:00	956.707143	957.085395	-0.378252
2020-05-27 00:00:00	0.000000	0.000000	0.000000
2020-06-07 21:15:00	0.000000	0.000000	0.000000
2020-06-06 16:45:00	508.953333	509.032386	-0.079052
2020-05-25 19:15:00	0.000000	0.000000	0.000000
2020-06-08 09:30:00	0.000000	0.000000	0.000000
2020-05-28 18:30:00	26.073333	26.117495	-0.044162
2020-06-09 17:30:00	171.860000	171.882505	-0.022505

Figure 5.2: Predicted Final Output of Solar Power

CHAPTER 6

CONCLUSION AND FUTURE SCOPE

The integration of Artificial Intelligence (AI) and Machine Learning (ML) techniques, particularly through the use of Artificial Neural Networks (ANNs), for solar panel power prediction marks a significant milestone in renewable energy forecasting. The developed ANN models have demonstrated remarkable predictive accuracy, effectively capturing the complex relationships between meteorological variables and solar panel output. Through comprehensive analysis and evaluation, it is evident that AI and ML with ANNs offer a potent tool for optimizing energy management practices and facilitating the seamless integration of renewable energy sources into existing grids. These models not only provide valuable insights for decision-making processes in both residential and commercial settings but also hold promise for informing policy decisions and investment strategies in the renewable energy sector. While challenges such as data scarcity, model interpretability, and computational complexity remain, ongoing research and collaboration present opportunities for further innovation and refinement. Furthermore, the ability to estimate electricity costs and predict DC power generation on a daily, monthly, and yearly basis ensures effective energy management and planning. This project not only promotes sustainability by harnessing renewable energy but also offers mobility through solar-powered transportation. Additionally, the system's affordability and scalability make it accessible for various applications, contributing to the widespread adoption of renewable energy solutions. Overall, this project showcases the potential for innovation in renewable energy and vehicle design, paving the way for a greener and more sustainable future. By continuing to advance the capabilities of AI and ML techniques in solar panel power prediction, we can pave the way for a more sustainable and resilient energy future.

In the future, the scope of the solar panel power prediction project extends to advanced AI-driven algorithms and IoT integration, enabling real-time monitoring and adaptive control of solar energy systems. This includes leveraging big data analytics and machine learning techniques to enhance prediction accuracy and efficiency, while also exploring novel methods for integrating renewable energy sources into smart grid networks. Additionally, advancements in sensor technology and data collection techniques may further refine predictive models, leading to more precise forecasts of solar power generation at various temporal and spatial scales, thereby optimizing energy management strategies and promoting widespread adoption of sustainable energy practices. Moreover, in utility-scale solar farms, predictive models guide energy production scheduling, grid stability management, and investment decisions, maximizing energy output and enhancing grid reliability. Beyond these sectors, applications extend to smart cities, electric vehicle charging infrastructure, and remote off-grid installations, fostering a more efficient and sustainable energy ecosystem.

APPENDIX 1

LIST OF PUBLICATION

1. Applied paper titled "Enhanced Solar Panel Prediction through Artificial Neural Networks" in an IEEE Powercon International Conference for Power System Technology “.
2. Submitted an idea titled "Enhanced Solar Panel Prediction through Artificial Neural Networks" in EDII- TN’s HACKATHON 2023-2024.

The screenshot displays the EDII's Hackathon 2023-24 web portal. The header includes navigation icons and the text "EDII's Hackat... innovation.tn.gov.in". Below the header, a menu bar shows "Menu : Dashboard" and "Institution : Rajalakshmi Engineering College". A welcome message for "Mentor ANITHA MARY M" is visible. The main content area is titled "Team Progress:" and features a dropdown menu set to "Innovators ECE1". Below this, the "IDEA STATUS : SUBMITTED" is displayed, followed by a "View Idea" button. A table lists team members and their approval status:

Name	Student Idea Send For Approval	Mentor Approval
M Shreevidya	✓	✓
D Srivatssen	✓	✓
K Tharun	✓	✓

© EDII's Hackathon 2023-24® All Rights Reserved.

3. Submitted an idea titled "Enhanced Solar Panel Prediction through Artificial Neural Networks" in AICTE “The Invertors Challenge 2024”.



RAJALAKSHMI
ENGINEERING COLLEGE
An AUTONOMOUS Institution
Affiliated to ANNA UNIVERSITY, Chennai



Authorization letter for participation in "The Inventors Challenge 2024"

To whom so ever it may concern

Subject: Authorization of Participants for "The Inventors Challenge 2024" jointly organized by All India Council for Technical Education (AICTE), Arm Education and ST Microelectronics.

I hereby certify/authorize that the below listed faculty and students are enrolled in our institution

RAJALAKSHMI ENGINEERING COLLEGE

Name of the Faculty	Designation	E-mail	Department
Ms. M. Anitha Mary	M.Tech., Assistant Professor (SS)	anithamary.m@rajalakshmi.edu.in	Department of ECE

Students' Name	Degree	Current Year/Semester	E-mail	Department
1. K THARUN	B.E., ECE	2024/VI	210801224@rajalakshmi.edu.in	Electronics and Communication Engineering
2. D SRIVATSEN	B.E., ECE	2024/VI	210801213@rajalakshmi.edu.in	Electronics and Communication Engineering
3. M.SHREEVIDYA	B.E., ECE	2024/VI	210801194@rajalakshmi.edu.in	Electronics and Communication Engineering


Name of the idea: Enhanced Solar Panel Power Prediction Through Artificial Neural Network

Abstract of the Idea: The Solar Panel Power Prediction addresses the increasing demand for renewable energy by leveraging Machine Learning for precise solar panel power prediction. It develops an artificial neural network (ANN) model to predict photovoltaic (PV) output. The dataset contains environmental variables and corresponding photovoltaic (PV) output measurements which undergoes preprocessing, including feature standardization, and is then split into distinct sets for optimal Performance and accuracy. The ultimate goal is to deploy the trained ANN model for practical applications, such as forecasting PV output in renewable energy systems. It also contributes to the advancement of renewable energy technology by providing a reliable and efficient method for predicting PV output.



Institute Seal HOD Name: Dr. L. BHAGYALAKSHMI, M.E., Ph.D.,

HOD Signature

: 
30.4.24

Date

: 30.4.24,


COLLEGE: Rajalakshmi Nagar, Thandalem, Chennai - 602 105, India. Ph.: 044-37181111, 37181112 Email: admin@rajalakshmi.edu.in
CITY OFFICE: 69, New Avadi Road, Kilpauk, Chennai - 600 010, India. Ph.: 044-26442474, 26461316 Fax: 044-26445151 Email: cityoffice@rajalakshmi.edu.in www.rajalakshmi.org

Rajalakshmi
Institutions
Because the world needs you...

APPENDIX 2

CERTIFICATE FOR PRESENTATION

Shortlisted as Top 3 Project in “DESIGN THINKING CONTEST 2024”

 <p>RAJALAKSHMI ENGINEERING COLLEGE An AUTONOMOUS Institution Affiliated to ANNA UNIVERSITY, Chennai Rajalakshmi Nagar, Thandalam, Chennai - 602105</p>  <p>INSTITUTION'S INNOVATION COUNCIL (Ministry of Education Initiative)</p> <p>DESIGN THINKING PROJECT CONTEST 2024 24th APRIL 2024</p>  <p>25 YEARS OF ACADEMIC EXCELLENCE</p>  <p>RajalakshmiTM Institutions Because the World needs you...</p>	<h3>CERTIFICATE OF PARTICIPATION</h3> <p>This is to certify that</p> <p>Mr./Ms. <u>SHREEVIDYA M</u></p> <p>of <u>III</u> Year <u>ECE</u> Department,</p> <p>has successfully presented a project in the 2nd Project Contest</p> <p>on Design Thinking 2024, a multidisciplinary project contest</p> <p>organized by Centre for Design Thinking, Rajalakshmi</p> <p>Engineering College, Chennai on 24.04.2024.</p> <p>The project has been shortlisted as one of the Top 3 projects</p> <p>within the departments.</p> <table border="0"><tr><td> Dr. R. Gayathri Chief Coordinator DT Contest 2024</td><td> Dr. V. Murali Bhaskaran Convenor DT Contest 2024</td><td> Dr. S.N. Murugesan Principal</td></tr></table>	 Dr. R. Gayathri Chief Coordinator DT Contest 2024	 Dr. V. Murali Bhaskaran Convenor DT Contest 2024	 Dr. S.N. Murugesan Principal
 Dr. R. Gayathri Chief Coordinator DT Contest 2024	 Dr. V. Murali Bhaskaran Convenor DT Contest 2024	 Dr. S.N. Murugesan Principal		

CONFIDENTIAL

Participated in “PROJECT DESIGN AND PRESENTATION CONTEST”

 <p>RAJALAKSHMI ENGINEERING COLLEGE An AUTONOMOUS Institution Affiliated to ANNA UNIVERSITY, Chennai Rajalakshmi Nagar, Thandalam, Chennai - 602105</p>	<h2>CERTIFICATE OF PARTICIPATION</h2> <p>This is to certify that</p> <p>Mr./Ms. <u>SHREEVIDYA . M</u></p> <p>of <u>III</u> Year <u>ECE-D</u> Department,</p> <p>has successfully presented a project in the Project design and presentation contest on Problem Solving using AI & ML, organized by Department of ECE in association with IIC and IEEE Photonics Society, REC on 03.05.2024.</p>
 <p>INSTITUTION'S INNOVATION COUNCIL (Ministry of Education Initiative)</p>  <p>IEEE Photonics Society</p> <p>AI & ML PROJECT DESIGN AND PRESENTATION CONTEST 03rd MAY 2024</p>  <p>25 years OF ACADEMIC EXCELLENCE</p> <p>Rajalakshmi Institutions  Because the World needs you...</p>	 <p>Dr. S. Chitra Prof. & Academic Head/ECE</p>  <p>Dr. L. Bhagyalakshmi Convenor & HoD/ECE</p>  <p>Dr. S.N. Murugesan Principal</p>

CONFIDENTIAL

REFERENCES

- [1] A. Afthanorhan, M. A. Alotaibi, S. S. Chandel, H. Malik, F. P. García Márquez and S. Tajjour, "Short-Term Solar Irradiance Forecasting Using Deep Learning Techniques: A Comprehensive Case Study," in *IEEE Access*, vol. 11, pp. 119851-119861, 2023, doi: 10.1109/ACCESS.2023.3325292.
- [2] F. Aksan, P. Janik, B. S. Revathi, T. Sikorski and V. Suresh, "Probabilistic LSTM-Autoencoder Based Hour-Ahead Solar Power Forecasting Model for Intra-Day Electricity Market Participation: A Polish Case Study," in *IEEE Access*, vol. 10, pp. 110628-110638, 2022, doi: 10.1109/ACCESS.2022.3215080.
- [3] F. Alasali, A. M. Hayajneh, W. Holderbaum and A. Salama, "Intelligent Solar Forecasts: Modern Machine Learning Models and TinyML Role for Improved Solar Energy Yield Predictions," in *IEEE Access*, vol. 12, pp. 10846-10864, 2024, doi: 10.1109/ACCESS.2024.3354703.
- [4] Z. Ali, G. Putrus, M. Marzband, P. K. Ray, B. Subudhi, "Forecasting Global Solar Insolation Using the Ensemble Kalman Filter Based Clearness Index Model," in *CSEE Journal of Power and Energy Systems*, vol. 8, no. 4, pp. 1087-1096, July 2022, doi: 10.17775/CSEEJPES.2021.06230.
- [5] D. Almakhlles, M. S. Bhaskar, N. Gowtham, V. Prema, and K. U. Rao, "Critical Review of Data, Models and Performance Metrics for Wind and Solar Power Forecast," in *IEEE Access*, vol. 10, pp. 667-688, 2022, doi: 10.1109/ACCESS.2021.3137419.
- [6] D. J. Ault, M. Bello, W. B. Hobbs, A. Tuohy, and Q. Wang, "Evaluating Potential Benefits of Flexible Solar Power Generation in the Southern Company System," in *IEEE Journal of Photovoltaics*, vol. 12, no. 1, pp. 152-160, Jan. 2022, doi: 10.1109/JPHOTOV.2021.3126118.
- [7] M. Badoni, R. Kumar, H. Saxena, A. K. Singh, and A. Singh, "Grid Tied Solar PV System with Power Quality Enhancement Using Adaptive Generalized Maximum Versoria Criterion," in *CSEE Journal of Power and Energy Systems*, vol. 9, no. 2, pp. 722-732, March 2023, doi: 10.17775/CSEEJPES.2020.04820.

- [8] G.Bull, T. Cooke, J. Johns, G. Singh, A. Valdez and L. Vega, "Telephone Interference From Solar PV Switching," in *IEEE Open Access Journal of Power and Energy*, vol. 10, pp. 373-384, 2023, doi: 10.1109/OAJPE.2023.3239854.
- [9] C. V. Chandrakant and S. Mikkili, "A Typical Review on Static Reconfiguration Strategies in Photovoltaic Array Under Non-Uniform Shading Conditions," in *CSEE Journal of Power and Energy Systems*, vol. 9, no. 6, pp. 2018-2039, November 2023, doi: 10.17775/CSEEJPES.2020.02520.
- [10] F. Cheng, H. Gong, M. Li, C. Liu, Y. Yu and Z. Wu, "A Review of Multitemporal and Multispatial Scales Photovoltaic Forecasting Methods," in *IEEE Access*, vol. 10, pp. 35073-35093, 2022, doi: 10.1109/ACCESS.2022.3162206.
- [11] K. Davies, D. Matthews, C. Qin, A. Y. Saber, and A. K. Srivastava, "Geometric Deep-Learning-Based Spatiotemporal Forecasting for Inverter-Based Solar Power," in *IEEE Systems Journal*, vol. 17, no. 3, pp. 3425-3435, Sept. 2023, doi: 10.1109/JSYST.2023.3250403
- [12] F. V. De Almeida, P. L. P. Corrêa, A. L. F. Marques, and M. J. Teixeira "Neural Networks Forecast Models Comparison for the Solar Energy Generation in Amazon Basin," in *IEEE Access*, vol. 12, pp. 17915-17925, 2024, doi: 10.1109/ACCESS.2024.3358339
- [13] A. Dimitrovski, H. Liu, S. Mahdavi, H. Panamtash, G. -J. Qi, and Q. Z. Sun, "Very Short-Term Solar Power Forecasting Using a Frequency Incorporated Deep Learning Model," in *IEEE Open Access Journal of Power and Energy*, vol. 10, pp. 517-527, 2023, doi: 10.1109/OAJPE.2023.3294457.
- [14] H. Ding, L. Fan, Z. Miao, and D. Ramasubramanian, "Operational Challenges of Solar PV Plus Storage Power Plants and Modeling Recommendations," in *IEEE Open Access Journal of Power and Energy*, vol. 10, pp. 477-489, 2023, doi: 10.1109/OAJPE.2023.3284375.
- [15] A. H. Elmetwaly et al., "Improving Power Quality Problems of Isolated MG Based on ANN Under Different Operating Conditions Through PMS and ASSC Integration," in *IEEE Access*, vol. 11, pp. 99822-99835, 2023, doi: 10.1109/ACCESS.2023.3311369.
- [16] J. Gaboitaolelwe, A. M. Zungeru, A. Yahya, C. K. Lebekwe, D. N. Vinod and A. O. Salau, "Machine Learning Based Solar Photovoltaic Power Forecasting: A

Review and Comparison," in *IEEE Access*, vol. 11, pp. 40820-40845, 2023, doi: 10.1109/ACCESS.2023.3270041.

[17] J. Gaboitaolelwe, A. M. Zungeru, A. Yahya, C. K. Lebekwe, D. N. Vinod and A. O. Salau, "Machine Learning Based Solar Photovoltaic Power Forecasting: A Review and Comparison," in *IEEE Access*, vol. 11, pp. 40820-40845, 2023, doi: 10.1109/ACCESS.2023.3270041.

[18] H. H. Goh et al., "Hybrid SDS and WPT-IBBO-DNM Based Model for Ultra-short Term Photovoltaic Prediction," in *CSEE Journal of Power and Energy Systems*, vol. 9, no. 1, pp. 66-76, January 2023, doi: 10.17775/CSEEJPES.2021.04560.

[19] S. Guo, Y. He, A. Kurban, H. Pei and F. Wu, "Multi-Objective Sizing of Solar-Wind-Hydro Hybrid Power System with Doubled Energy Storages Under Optimal Coordinated Operational Strategy," in *CSEE Journal of Power and Energy Systems*, vol. 9, no. 6, pp. 2144-2155, November 2023, doi: 10.17775/CSEEJPES.2021.00190.

[20] X. Guo, S. Lou, Y. Wang and Y. Wu, "Low-carbon Operation of Combined Heat and Power Integrated Plants Based on Solar-assisted Carbon Capture," in *Journal of Modern Power Systems and Clean Energy*, vol. 10, no. 5, pp. 1138-1151, September 2022, doi: 10.35833/MPCE.2021.000046

[21] N. M. Haegel and S. R. Kurtz, "Global Progress Toward Renewable Electricity: Tracking the Role of Solar (Version 3)," in *IEEE Journal of Photovoltaics*, vol. 13, no. 6, pp. 768-776, Nov. 2023, doi: 10.1109/JPHOTOV.2023.3309922.

[22] B. F. Hobbs *et al.*, "How Can Probabilistic Solar Power Forecasts Be Used to Lower Costs and Improve Reliability in Power Spot Markets? A Review and Application to Flexiramp Requirements," in *IEEE Open Access Journal of Power and Energy*, vol. 9, pp. 437-450, 2022, doi: 10.1109/OAJPE.2022.3217909

[23] H. Kim, S. Kim, H. -J. Park, S. Park, H. -G. Son, "Solar Radiation Forecasting Based on the Hybrid CNN-CatBoost Model," in *IEEE Access*, vol. 11, pp. 13492-13500, 2023, doi: 10.1109/ACCESS.2023.3243252.

[24] S. R. Kiran, C. H. H. Basha, V. P. Singh, C. Dhanamjayulu, B. R. Prusty and B. Khan, "Reduced Simulative Performance Analysis of Variable Step Size ANN Based MPPT Techniques for Partially Shaded Solar PV Systems," in *IEEE Access*, vol. 10, pp. 48875-48889, 2022, doi: 10.1109/ACCESS.2022.3172322.

- [25] P. K. Ray, B. Subudhi, G. Putrus, M. Marzband and Z. Ali, "Forecasting Global Solar Insolation Using the Ensemble Kalman Filter Based Clearness Index Model," in *CSEE Journal of Power and Energy Systems*, vol. 8, no. 4, pp. 1087-1096, July 2022, doi: 10.17775/CSEEJPES.2021.06230.
- [26] A. -N. Sharkawy et al., "Solar PV Power Estimation and Upscaling Forecast Using Different Artificial Neural Networks Types: Assessment, Validation, and Comparison," in *IEEE Access*, vol. 11, pp. 19279-19300, 2023, doi: 10.1109/ACCESS.2023.3249108.
- [27] Y. Sun et al., "Nonparametric Probabilistic Prediction of Regional PV Outputs Based on Granule-based Clustering and Direct Optimization Programming," in *Journal of Modern Power Systems and Clean Energy*, vol. 11, no. 5, pp. 1450-1461, September 2023, doi: 10.35833/MPCE.2022.000577.
- [28] B. Yang et al., "Classification and Summarization of Solar Irradiance and Power Forecasting Methods: A Thorough Review," in *CSEE Journal of Power and Energy Systems*, vol. 9, no. 3, pp. 978-995, May 2023, doi: 10.17775/CSEEJPES.2020.04930.
- [29] K. Y. Yap, C. R. Sarimuthu and J. M. -Y. Lim, "Artificial Intelligence Based MPPT Techniques for Solar Power System: A review," in *Journal of Modern Power Systems and Clean Energy*, vol. 8, no. 6, pp. 1043-1059, November 2020, doi: 10.35833/MPCE.2020.000159.
- [30] N. Zanib, M. Batool, S. Riaz and F. Nawaz, "Performance Analysis of Renewable Energy Based Distributed Generation System Using ANN Tuned UPQC," in *IEEE Access*, vol. 10, pp. 110034-110049, 2022, doi: 10.1109/ACCESS.2022.3213948.

RAJALAKSHMI ENGINEERING COLLEGE

DEPARTMENT OF ECE

PROGRAM OUTCOMES (POs)

Engineering Graduates will be able to:

PO1 Engineering knowledge: Apply the knowledge of mathematics, science, engineering fundamentals, and an engineering specialization to the solution of complex engineering problems.

PO2 Problem analysis: Identify, formulate, review research literature, and analyze complex engineering problems reaching substantiated conclusions using first principles of mathematics, natural sciences, and engineering sciences.

PO3 Design/development of solutions: Design solutions for complex engineering problems and design system components or processes that meet the specified needs with appropriate consideration for the public health and safety, and the cultural, societal, and environmental considerations.

PO4 Conduct investigations of complex problems: Use research-based knowledge and research methods including design of experiments, analysis and interpretation of data, and synthesis of the information to provide valid conclusions.

PO5 Modern tool usage: Create, select, and apply appropriate techniques, resources, and modern engineering and IT tools including prediction and modeling to complex engineering activities with an understanding of the limitations.

PO6 The engineer and society: Apply reasoning informed by the contextual knowledge to assess societal, health, safety, legal and cultural issues and the consequent responsibilities relevant to the professional engineering practice.

PO7 Environment and sustainability: Understand the impact of the professional engineering solutions in societal and environmental contexts, and demonstrate the knowledge of, and need for sustainable development.

PO8 Ethics: Apply ethical principles and commit to professional ethics and responsibilities and norms of the engineering practice.

PO9 Individual and team work: Function effectively as an individual, and as a member or leader in diverse teams, and in multidisciplinary settings.

PO10 Communication: Communicate effectively on complex engineering activities with the engineering community and with society at large, such as, being able to comprehend and write effective reports and design documentation, make effective presentations, and give and receive clear instructions.

PO11 Project management and finance: Demonstrate knowledge and understanding of the engineering and management principles and apply these to one's own work, as a member and leader in a team, to manage projects and in multidisciplinary environments.

PO12 Life-long learning: Recognize the need for, and have the preparation and ability to engage in independent and life-long learning in the broadest context of technological change.

PROGRAM SPECIFIC OUTCOMES (PSOs)

PSO1: An ability to carry out research in different areas of Electronics and Communication Engineering fields resulting in journal publications and product development.

PSO2: To design and formulate solutions for industrial requirements using Electronics and Communication engineering

PSO3: To understand and develop solutions required in multidisciplinary engineering fields.

COURSE OUTCOMES (COs)

CO1	To acquire practical knowledge within the chosen area of technology for project development.
CO2	To identify, analyze, formulate and handle projects with a comprehensive and systematic approach.
CO3	To contribute as an individual or in a team in development of technical projects.
CO4	To develop effective communication skills for presentation of project related activities.
CO5	To extend the work and make it as a final year project.

EC19603 – PROBLEM SOLVING USING AI AND ML TECHNIQUES

(Mini Project)

Project Title: ENHANCED SOLAR PANEL POWER PREDICTION USING ARTIFICIAL NEURAL NETWORK

Batch Members: M. SHREEVIDYA

D. SRIVATSEN

K. THARUN

Name of the Supervisor: Ms. M. Anitha Mary, M.Tech., Assistant Professor (SS)

CO - PO – PSO matrices of course

PO/PS O CO	PO 1	PO 2	PO 3	PO 4	PO 5	PO 6	PO 7	PO 8	PO 9	PO1 0	PO1 1	PO1 2	PSO 1	PS O2	PS O3
CO1	3	3	2	3	3	1	3	3	3	2	3	3	3	1	2
CO2	3	3	3	3	3	2	3	2	2	3	3	2	3	2	2
CO3	2	2	3	3	3	3	3	3	3	3	3	3	3	2	2
CO4	3	2	2	3	3	3	3	2	3	3	2	3	3	2	2
CO5	3	3	3	3	3	3	3	3	3	3	2	3	2	2	3
Average	2.8	2.6	2.6	3	3	2.4	3	2.6	2.8	2.8	2.6	2.8	2.8	1.8	2.2

Note: Enter correlation levels 1, 2 or 3 as defined below:

1: Slight (Low) 2: Moderate (Medium) 3: Substantial (High), If there is no correlation, put -“

Signature of the Supervisor