Shadows

CS 385 - Class 26
28 April 2022

Anatomy of a Shadow

Shadow Parts

- The dark part of a shadow is called the *umbra*



Shadow Parts

- The dark part of a shadow is called the *umbra*
- The less dark part is called the *penumbra*



What Nature Thinks ...

- The dark part of a shadow is called the *umbra*
- The less dark part is called the *penumbra*
- Point lights and directional lights will only generate an umbra
- Area lights, or multiple point lights will also generate a penumbra



Planar Shadows

Basic Geometry of Planar Shadows

Find $\overrightarrow{p}$, given we know $\overrightarrow{\ell}$, $\overrightarrow{v}$, and the plane Γ



Basic Geometry of Planar Shadows

$\vec{p}$ lies on the line between $\vec{\ell}$ and $\vec{v}$



$$\vec{p}(t) = \vec{\ell} + t\left(\vec{v} - \vec{\ell}\right)$$

often, we'll normalize $\vec{v} - \vec{\ell}$ and call it $\hat{d}$

Basic Geometry of Planar Shadows

But we also know the equation of the plane Γ, that $\overrightarrow{p}$ lives on



$$\hat{n} \cdot \overrightarrow{p} + D = 0$$

Basic Geometry of Planar Shadows

Substitute, and solve for t

$$\hat{n} \cdot \vec{p}(t) + D = 0$$

$$\hat{n} \cdot \left[\vec{\ell} + t\hat{d} \right] + D = 0$$

$$\hat{n} \cdot \vec{\ell} + \hat{n} \cdot t\hat{d} + D = 0$$

$$t = \frac{-\left(\hat{n} \cdot \vec{\ell} + D \right)}{(\hat{n} \cdot \hat{d})}$$

$$t = -\left(\hat{n} \cdot \vec{\ell} + D \right)$$

Basic Geometry of Planar Shadows

$$\vec{p}(t) = \vec{\ell} + t\hat{d}$$



$$\vec{p} = \vec{\ell} - \left(\hat{n} \cdot \vec{\ell} + D\right)\hat{d}$$

(do this in the vertex shader)

Shadow Maps

Shadow Rendering

- Multi-pass algorithm
  - one pass to generate the shadow map (depth texture)
  - one pass to shade the scene



Depth Textures

- Single-channel texture map
- Distance from light to geometry at each pixel
- Just like rendering color, except:
  - use the light's position instead of the eye's position
  - record the depth, as compared to the fragment's color
    - this can be automatically done using a depth attachment to an FBO
- Often called a *shadow map*



Shadow Rendering

- Render the scene as normal
- Modify the fragment shader to:
  - compute the distance to the object from the light
  - retrieve the shadow distance from the shadow map
- Compare the distances
  - if the shadow map value is less than the object distance, it's in shadow
  - otherwise, it's in the light, and illuminate accordingly



Demo!



Projected Textures

Demo!