

1. Physicochemical Property

Property	Value	Comment
Molecular Weight	375.24	Contain hydrogen atoms. Optimal:100~600
Volume	399.011	Van der Waals volume
Density	0.94	Density = MW / Volume
nHA	5	Number of hydrogen bond acceptors. Optimal:0~12
nHD	4	Number of hydrogen bond donors. Optimal:0~7
nRot	5	Number of rotatable bonds. Optimal:0~11
nRing	3	Number of rings. Optimal:0~6
MaxRing	14	Number of atoms in the biggest ring. Optimal:0~18
nHet	5	Number of heteroatoms. Optimal:1~15
fChar	0	Formal charge. Optimal:-4 ~4
nRig	17	Number of rigid bonds. Optimal:0~30
Flexibility	0.294	Flexibility = nRot /nRig
Stereo Centers	2	Optimal: ≤ 2
TPSA	89.79	Topological Polar Surface Area. Optimal:0~140
logS	-3.635	Log of the aqueous solubility. Optimal: -4~0.5 log mol/L
logP	3.569	Log of the octanol/water partition coefficient. Optimal: 0~3
logD	3.016	logP at physiological pH 7.4. Optimal: 1~3

2. Medicinal Chemistry

Property	Value	Decision	Comment
QED	0.608	•	■ A measure of drug-likeness based on the concept of desirability; ■ Attractive: > 0.67; unattractive: 0.49~0.67; too complex: < 0.34
SAscore	3.849	•	 ■ Synthetic accessibility score is designed to estimate ease of synthesis of drug-like molecules. ■ SAscore ≥ 6, difficult to synthesize; SAscore <6, easy to synthesize
Fsp3	0.682	•	 ■ The number of sp3 hybridized carbons / total carbon count, correlating with melting point and solubility. ■ Fsp³ ≥0.42 is considered a suitable value.
MCE-18	78.946	•	■ MCE-18 stands for medicinal chemistry evolution.■ MCE-18≥45 is considered a suitable value.

NPscore 1.569 - Natural product-likeness score. This score is typically in the range from –5 to 5 The higher the score is, the higher the probability that the molecule is a NP. MW ≤ 500; logP ≤ 5; Hacc ≤ 10; Hdon ≤ 5 If two properties are out of range, a poor absorption or permeability is possible, one is acceptable.	
Lipinski Rule Accepted A	
logD > 2: TDCA + 75	
Pfizer Rule Accepted Square In International Accepted Accepted Compounds with a high log P (>3) and low TPSA (<75) are likely to be toxic.	A
GSK Rule Accepted ■ MW ≤ 400; logP ≤ 4 ■ Compounds satisfying the GSK rule may have more favorable ADMET profile	e a
Golden Triangle Accepted Accepted Accepted ■ 200 ≤ MW ≤ 50; -2 ≤ logD ≤ 5 ■ Compounds satisfying the Golden Triangle rule may have a more favorable ADMET profile.	le
PAINS 1 alerts - Pan Assay Interference Compounds, frequent hit Alpha-screen artifacts and reactive compound.	itters,
ALARM 1 alerts - Thiol reactive compounds.	
BMS 0 alerts - Undesirable, reactive compounds.	
Chelator Rule - Chelating compounds.	

3. Absorption

Property	Value	Decision	Comment
Caco-2 Permeability	-4.703	•	Optimal: higher than -5.15 Log unit
MDCK Permeability	2.1e-05	•	 ■ low permeability: < 2 x 10⁻⁶ cm/s ■ medium permeability: 2-20 x 10⁻⁶ cm/s ■ high passive permeability: > 20 x 10⁻⁶ cm/s
Pgp-inhibitor	0.393	•	■ Category 1: Inhibitor; Category 0: Non-inhibitor; ■ The output value is the probability of being Pgp-inhibitor
Pgp-substrate	0.015	•	■ Category 1: substrate; Category 0: Non-substrate; ■ The output value is the probability of being Pgp-substrate
НІА	0.007	•	■ Human Intestinal Absorption ■ Category 1: HIA+(HIA < 30%); Category 0: HIA-(HIA < 30%); The output value is the probability of being HIA+
F _{20%}	0.992	•	■ 20% Bioavailability ■ Category 1: $F_{20\%}$ + (bioavailability < 20%); Category 0: $F_{20\%}$ - (bioavailability ≥ 20%); The output value is the probability of being $F_{20\%}$ +

F _{30%}	0.897	•	■ 30% Bioavailability ■ Category 1: $F_{30\%}$ + (bioavailability < 30%); Category 0: $F_{30\%}$ - (bioavailability ≥ 30%); The output value is the probability of being $F_{30\%}$ +
------------------	-------	---	---

4. Distribution

Property	Value	Decision	Comment
PPB	95.45%	•	 ■ Plasma Protein Binding ■ Optimal: < 90%. Drugs with high protein-bound may have a low therapeutic index.
VD	1.613	•	■ Volume Distribution ■ Optimal: 0.04-20L/kg
BBB Penetration	0.8	•	■ Blood-Brain Barrier Penetration ■ Category 1: BBB+; Category 0: BBB-; The output value is the probability of being BBB+
Fu	7.338%	•	■ The fraction unbound in plasms ■ Low: <5%; Middle: 5~20%; High: > 20%

5. Metabolism

Property	Value	Comment
CYP1A2 inhibitor	0.061	■ Category 1: Inhibitor; Category 0: Non-inhibitor;■ The output value is the probability of being inhibitor.
CYP1A2 substrate	0.663	■ Category 1: Substrate; Category 0: Non-substrate;■ The output value is the probability of being substrate.
CYP2C19 inhibitor	0.18	■ Category 1: Inhibitor; Category 0: Non-inhibitor;■ The output value is the probability of being inhibitor.
CYP2C19 substrate	0.746	■ Category 1: Substrate; Category 0: Non-substrate;■ The output value is the probability of being substrate.
CYP2C9 inhibitor	0.28	■ Category 1: Inhibitor; Category 0: Non-inhibitor;■ The output value is the probability of being inhibitor.
CYP2C9 substrate	0.814	■ Category 1: Substrate; Category 0: Non-substrate;■ The output value is the probability of being substrate.
CYP2D6 inhibitor	0.215	■ Category 1: Inhibitor; Category 0: Non-inhibitor; ■ The output value is the probability of being inhibitor.
CYP2D6 substrate	0.469	■ Category 1: Substrate; Category 0: Non-substrate;■ The output value is the probability of being substrate.
CYP3A4 inhibitor	0.295	■ Category 1: Inhibitor; Category 0: Non-inhibitor;■ The output value is the probability of being inhibitor.
CYP3A4 substrate	0.339	■ Category 1: Substrate; Category 0: Non-substrate;■ The output value is the probability of being substrate.

6. Excretion

Property	Value	Decision	Comment
CL	7.377	•	■ Clearance ■ High: >15 mL/min/kg; moderate: 5-15 mL/min/kg; low: <5 mL/min/kg
T _{1/2}	0.605	-	 ■ Category 1: long half-life; Category 0: short half-life; ■ long half-life: >3h; short half-life: <3h ■ The output value is the probability of having long half-life.

7. Toxicity

Property	Value	Decision	Comment	
hERG Blockers	0.01	•	■ Category 1: active; Category 0: inactive;■ The output value is the probability of being active.	
н-нт	0.266	•	 ■ Human Hepatotoxicity ■ Category 1: H-HT positive(+); Category 0: H-HT negative(-); ■ The output value is the probability of being toxic. 	
DILI	0.019	•	 ■ Drug Induced Liver Injury. ■ Category 1: drugs with a high risk of DILI; Category 0: drugs with no risk of DILI. The output value is the probability of being toxic. 	
AMES Toxicity	0.157	•	■ Category 1: Ames positive(+); Category 0: Ames negative(-);■ The output value is the probability of being toxic.	
Rat Oral Acute Toxicity	0.269	•	 ■ Category 0: low-toxicity; Category 1: high-toxicity; ■ The output value is the probability of being highly toxic. 	
FDAMDD	0.689	•	 ■ Maximum Recommended Daily Dose ■ Category 1: FDAMDD (+); Category 0: FDAMDD (-) ■ The output value is the probability of being positive. 	
Skin Sensiti zation	0.928	•	■ Category 1: Sensitizer; Category 0: Non-sensitizer; ■ The output value is the probability of being sensitizer.	
Carcinogen city	0.059	•	■ Category 1: carcinogens; Category 0: non-carcinogens;■ The output value is the probability of being toxic.	
Eye Corrosion	0.003	•	■ Category 1: corrosives ; Category 0: noncorrosives ■ The output value is the probability of being corrosives.	
Eye Irritation	0.112	•	■ Category 1: irritants; Category 0: nonirritants ■ The output value is the probability of being irritants.	

Respiratory Toxicity	0.602	•	■ Category 1: respiratory toxicants; Category 0: respiratory nontoxicants ■ The output value is the probability of being toxic.
-------------------------	-------	---	---

8. Environmental toxicity

Property	Value	Comment	
Bioconcentration Factors	0.561	 ■ Bioconcentration factors are used for considering secondary poisoning potential and assessing risks to human health via the food chain. ■ The unit is -log10[(mg/L)/(1000*MW)] 	
IGC ₅₀	3.824	■ Tetrahymena pyriformis 50 percent growth inhibition concentration ■ The unit is -log10[(mg/L)/(1000*MW)]	
LC ₅₀ FM	4.061	■ 96-hour fathead minnow 50 percent lethal concentration ■ The unit is -log10[(mg/L)/(1000*MW)]	
LC ₅₀ DM	5.313	■ 48-hour daphnia magna 50 percent lethal concentration ■ The unit is -log10[(mg/L)/(1000*MW)]	

9. Tox21 pathway

Property	Value	Decision	Comment
NR-AR	0.13	•	 Androgen receptor Category 1: actives; Category 0: inactives; The output value is the probability of being active.
NR-AR-LBD	0.006	•	 Androgen receptor ligand-binding domain Category 1: actives; Category 0: inactives; The output value is the probability of being active.
NR-AhR	0.132	•	 ■ Aryl hydrocarbon receptor ■ Category 1: actives; Category 0: inactives; ■ The output value is the probability of being active.
NR-Aromatase	0.7	•	■ Category 1: actives; Category 0: inactives; ■ The output value is the probability of being active.
NR-ER	0.359	•	 ■ Estrogen receptor ■ Category 1: actives; Category 0: inactives; ■ The output value is the probability of being active.
NR-ER-LBD	0.03	•	 ■ Estrogen receptor ligand-binding domain ■ Category 1: actives; Category 0: inactives; ■ The output value is the probability of being active.
NR-PPAR- gamma	0.754	•	 ■ Peroxisome proliferator-activated receptor gamma ■ Category 1: actives; Category 0: inactives; ■ The output value is the probability of being active.
SR-ARE	0.685	•	 ■ Antioxidant response element ■ Category 1: actives; Category 0: inactives; ■ The output value is the probability of being active.
SR-ATAD5	0.038	•	 ■ ATPase family AAA domain-containing protein 5 ■ Category 1: actives; Category 0: inactives; ■ The output value is the probability of being active.

SR-HSE	0.735	•	 ■ Heat shock factor response element ■ Category 1: actives; Category 0: inactives; ■ The output value is the probability of being active.
SR-MMP	0.776	•	 ■ Mitochondrial membrane potential ■ Category 1: actives; Category 0: inactives; ■ The output value is the probability of being active.
SR-p53	0.895	•	■ Category 1: actives; Category 0: inactives; ■ The output value is the probability of being active.

10. Toxicophore Rules

Property	Value	Comment
Acute Toxicity Rule	0 alerts	■ 20 substructures■ acute toxicity during oral administration
Genotoxic Carcinogenicity Rule	0 alerts	■ 117 substructures ■ carcinogenicity or mutagenicity
NonGenotoxic Carcinogenicity Rule	0 alerts	■ 23 substructures ■ carcinogenicity through nongenotoxic mechanisms
Skin Sensitization Rule	5 alerts	■ 155 substructures ■ skin irritation
Aquatic Toxicity Rule	0 alerts	■ 99 substructures ■ toxicity to liquid(water)
NonBiodegradable Rule	1 alerts	■ 19 substructures ■ non-biodegradable
SureChEMBL Rule	1 alerts	■ 164 substructures ■ MedChem unfriendly status