## Working with Volume Groups/creating a volume group via console.txt

Creating a Volume Group via console Create a volume group in the Block Volume service.

Open the navigation menu and click Storage. Under Block Storage, click Volume Groups.

Click Create volume group.

On the Basic information page, enter a user-friendly name or description. Avoid entering confidential information.

On the Basic information page, enter a user-friendly name or description. Avoid entering confidential information. Select the compartment that you want to store the volume group in. Select the availability domain for the volume group. (Optional) Click Show Tagging Options to add tags to the volume group. Tag namespace: To add a defined tag, select an existing namespace. To add a free-from tag, leave the value blank. Tag key: To add a defined tag, select an existing tag key. To add a free-form tag, type the key name that you want. Tag value: Type the tag value that you want. Add tag: Click to add another tag.

If you have permissions to create a resource, then you also have permissions to apply free-form tags to that resource. To apply a defined

## Click Next.

On the Add volumes page, add each volume that you want. After adding volumes, click Next. Click + Additional Volume.

Select the compartment that contains the volume that you want. Select the volume that you want.

## For both block volumes and boot volumes:

You can't add a volume with an existing backup policy assignment to a volume group with a backup policy assignment. Remove the backup pol To a volume with an existing backup policy assignment to a volume group with a backup policy assignment. Remove the backup policy and the volumes you add to the group are configured for replication, the destination region configured for them must match the destination of the volume group, and then click Next. If any of the volumes you add to the group are configured for replication, the destination region configured for them must match the dest (Optional) On the Backup policies page, select a backup policy to configure schedule backups for the volume group, and then click Next. For more information, see Policy-Based Volume Group Backups.

On the Summary page, review the information to confirm that it's correct.

Click Create. Was this article helpful?

Updated 2023-12-08 Copyright © 2023, Oracle and/or its affiliates. About Oracle