

QUESTION - 1

```
<!DOCTYPE html>
<html>
<head>
<title>Square and Cube</title>
</head>
<body>

<h2>Square and Cube</h2>

<input type="number" id="number" placeholder="Enter Number">

<br><br>

<button onclick="findSquare()">SQUARE</button>
<button onclick="findCube()">CUBE</button>

<script>
function findSquare() {
let enteredNumber = Number(document.getElementById("number").value);
let square = enteredNumber * enteredNumber;
alert("Square of " + enteredNumber + " is " + square);
}

function findCube() {
let enteredNumber = Number(document.getElementById("number").value);
let cube = enteredNumber * enteredNumber * enteredNumber;
alert("Cube of " + enteredNumber + " is " + cube);
}
</script>

</body>
</html>
```

QUESTION - 2

```
<!DOCTYPE html>
<html>
<head>
<title>Simple Calculator</title>
</head>
<body>

<h2>Calculator</h2>

<input type="number" id="firstNumber" placeholder="First Number">
<input type="number" id="secondNumber" placeholder="Second Number">

<h3 id="result">Result : </h3>
```

```

<button onclick="calculate('+')">+</button>
<button onclick="calculate('-')">-</button>
<button onclick="calculate('*')">*</button>
<button onclick="calculate('/')">/</button>

<script>
function calculate(operation) {

let firstValue = Number(document.getElementById("firstNumber").value);
let secondValue = Number(document.getElementById("secondNumber").value);

let answer;

if (operation == "+") {
answer = firstValue + secondValue;
}
else if (operation == "-") {
answer = firstValue - secondValue;
}
else if (operation == "*") {
answer = firstValue * secondValue;
}
else if (operation == "/") {
answer = firstValue / secondValue;
}

document.getElementById("result").innerHTML = "Result : " + answer;
}
</script>

</body>
</html>

```

QUESTION - 3

```

<!DOCTYPE html>
<html>
<head>
<title>Area of Circle</title>
</head>
<body>

<h2>Area and Circumference of Circle</h2>

<input type="number" id="radius" placeholder="Enter Radius">

<button onclick="calculateCircle()">Calculate</button>

<script>

function calculateCircle() {

```

```
const PI = 3.14;

let radius = Number(document.getElementById("radius").value);

let area = PI * radius * radius;

let circumference = 2 * PI * radius;

alert("Area = " + area + "\nCircumference = " + circumference);

}

</script>

</body>
</html>
```

QUESTION - 4

```
<!DOCTYPE html>
<html>
<head>
<title>Positive Negative Zero</title>
</head>
<body>

<script>

let number = Number(prompt("Enter a number"));

if (number > 0) {
alert("Number is Positive");
}
else if (number < 0) {
alert("Number is Negative");
}
else {
alert("Number is Zero");
}

</script>

</body>
</html>
```

QUESTION - 5

```
<!DOCTYPE html>
<html>
<head>
<title>Even Odd</title>
</head>
<body>

<h2>Even and Odd Numbers</h2>

<script>

for (let currentNumber = 1; currentNumber <= 15; currentNumber++) {

if (currentNumber % 2 == 0) {
document.write(currentNumber + " is even <br>");
}
else {
document.write(currentNumber + " is odd <br>");
}

}

</script>

</body>
</html>
```

QUESTION - 6

```
<!DOCTYPE html>
<html>
<head>
<title>Divisible Message</title>
</head>
<body>

<button onclick="printMessage()">Print Message</button>

<p id="output"></p>

<script>

function printMessage() {

let message = "";

for (let currentNumber = 1; currentNumber <= 100; currentNumber++) {

if (currentNumber % 3 == 0 && currentNumber % 5 == 0) {
```

```

message += currentNumber + " : Number is divisible by 3 and 5 both <br>";
}
else if (currentNumber % 3 == 0) {
message += currentNumber + " : Number is divisible by 3 <br>";
}
else if (currentNumber % 5 == 0) {
message += currentNumber + " : Number is divisible by 5 <br>";
}

}

document.getElementById("output").innerHTML = message;

}

</script>

</body>
</html>

```

QUESTION - 7

```

<!DOCTYPE html>
<html>
<head>
<title>Prime Number in Range</title>
</head>
<body>

<script>

function hasPrimeNumber(startNumber, endNumber) {

for (let currentNumber = startNumber; currentNumber <= endNumber; currentNumber++) {

let isPrime = true;

if (currentNumber < 2) {
isPrime = false;
}

for (let divisor = 2; divisor < currentNumber; divisor++) {

if (currentNumber % divisor == 0) {
isPrime = false;
break;
}

}

}

```

```
if (isPrime) {  
  return true;  
}  
  
}  
  
return false;  
  
}  
  
document.write(hasPrimeNumber(10, 15));  
document.write("<br>");  
document.write(hasPrimeNumber(8, 10));  
  
</script>  
  
</body>  
</html>
```