



AWS CLOUD NETWORKING

Assignment Report

AWS 2VPC Communication using VPC Peering and Remote Access

Establishing Secure Cross-VPC Connectivity on Amazon Web Services

PREPARED BY


Shreya Panchal

OBJECTIVE

To create two AWS VPCs using Class B private IP address ranges, establish connectivity using VPC Peering, remotely access a public EC2 instance, and verify communication with a private EC2 instance using the ping command.

STEP 1 Create VPC-1

- ▶ Open the AWS Management Console.
- ▶ Navigate to **VPC Dashboard**.
- ▶ Click **Create VPC**.
- ▶ Name: **VPC-1**
- ▶ IPv4 CIDR Block: **172.16.0.0/16** (Class B)
- ▶ Click **Create VPC**.



STEP 2 Create VPC-2

- ▶ Click **Create VPC**.
- ▶ Name: **VPC-2**
- ▶ IPv4 CIDR Block: **172.17.0.0/16** (Class B)
- ▶ Click **Create VPC**.

Create VPC info

A VPC is an isolated portion of the AWS Cloud populated by AWS objects, such as Amazon EC2 instances.

VPC settings

Resources to create info
Create only the VPC resource or the VPC and other networking resources.

☒ VPC only ☐ VPC and more

Name tag - optional info
Creates a tag with a key of 'Name' and a value that you specify.

vpc-2

IPv4 CIDR block info
☒ IPv4 CIDR manual input
☐ IPAM-allocated IPv4 CIDR block

IPv4 CIDR
172.17.0.0/16
CIDR block size must be between /16 and /28.

IPv6 CIDR block info
☒ No IPv6 CIDR block
☐ IPAM-allocated IPv6 CIDR block
☐ Amazon-provided IPv6 CIDR block

✓ You successfully created vpc-09b402620d09cfe65 / vpc-2

Your VPCs

VPCs | VPC encryption controls

Your VPCs (2) info
Last updated less than a minute ago

Find VPCs by attribute or tag

☐	Name	VPC ID	State	Encryption c...	Encryption control ...	Block Public...	IPv4 t
☐	vpc-1	vpc-0ff1c563efee1ac7a	Available	-	-	Off	172.1
☐	vpc-2	vpc-09b402620d09cfe65	Available	-	-	Off	172.1

STEP 3 Create Subnets

► VPC-1

- Create a **Public Subnet**.
- CIDR Block: **172.16.1.0/24**
- Enable **Auto Assign Public IP**.

Create subnet info

VPC
VPC ID
Create subnets in this VPC.
vpc-0ff1c563efee1ac7a (vpc-1)

Associated VPC CIDRs
IPv4 CIDRs
172.16.0.0/16

Subnet settings
Specify the CIDR blocks and Availability Zone for the subnet.

Subnet 1 of 1

Subnet name
Create a tag with a key of 'Name' and a value that you specify.
vpc1-pub-subnet
The name can be up to 256 characters long.

Subnet 2 of 2

Subnet name
Create a tag with a key of 'Name' and a value that you specify.
vpc1-prvt-subnet
The name can be up to 256 characters long.

Availability Zone [Info](#)
Choose the zone in which your subnet will reside, or let Amazon choose one for you.
Asia Pacific (Mumbai) / ap-south-1b

IPv4 VPC CIDR block [Info](#)
Choose the VPC's IPv4 CIDR block for the subnet. The subnet's IPv4 CIDR must lie within this block.
172.16.0.0/16

IPv4 subnet CIDR block
172.16.2.0/24 256 IPs
< > ^ v

Tags - optional

Key **Value - optional**

Q Name X Q vpc1-prvt-subnet X Remove

Add new tag

You have successfully created 2 subnets: subnet-054658dee434423c1, subnet-039a2d9e10deb3a17

Subnets (2) [Info](#)
Find subnets by attribute or tag
Subnet ID : subnet-054658dee434423c1 X Subnet ID : subnet-039a2d9e10deb3a17 X Clear filters
Last updated less than a minute ago Actions Create subnet

☐	Name	Subnet ID	State	VPC	Block Public...	IPv4 CIDR
☐	vpc1-pub-subnet	subnet-054658dee434423c1	Available	vpc-0ff1c563efee1ac7a vpc-1	Off	172.16.1.0/24
☐	vpc1-prvt-subnet	subnet-039a2d9e10deb3a17	Available	vpc-0ff1c563efee1ac7a vpc-1	Off	172.16.2.0/24

► VPC-2

- Create a **Private Subnet**.
- CIDR Block: **172.17.1.0/24**
- Do not assign a Public IP.

Create subnet [Info](#)

VPC
VPC ID
Create subnets in this VPC.
vpc-09b402620d09cfe65 (vpc-2)

Associated VPC CIDRs
IPv4 CIDRs
172.17.0.0/16

Subnet settings
Specify the CIDR blocks and Availability Zone for the subnet.

Subnet 1 of 2

Subnet name
Create a tag with a key of 'Name' and a value that you specify.
vpc2-pub-subnet

Subnet 2 of 2

Subnet name
Create a tag with a key of 'Name' and a value that you specify.
vpc2-prvt-subnet
The name can be up to 256 characters long.

Availability Zone [Info](#)
Choose the zone in which your subnet will reside, or let Amazon choose one for you.
Asia Pacific (Mumbai) / ap-south-1b

IPv4 VPC CIDR block [Info](#)
Choose the VPC's IPv4 CIDR block for the subnet. The subnet's IPv4 CIDR must lie within this block.
172.17.0.0/16

IPv4 subnet CIDR block
172.17.2.0/24 256 IPs

You have successfully created 2 subnets: subnet-0737e0c1e71d8946e, subnet-0431b94287b55720a

Subnets (2/2) [Info](#)
Find subnets by attribute or tag
Subnet ID : subnet-0737e0c1e71d8946e Subnet ID : subnet-0431b94287b55720a Clear filters

☒	Name	Subnet ID	State	VPC	Block Public...	IPv4 CIDR
☒	vpc2-pub-subnet	subnet-0737e0c1e71d8946e	Available	vpc-09b402620d09cfe65 vpc-2	Off	172.17.1.0/24
☒	vpc2-prvt-subnet	subnet-0431b94287b55720a	Available	vpc-09b402620d09cfe65 vpc-2	Off	172.17.2.0/24

STEP 4 Create and Attach Internet Gateway

- ▶ Create an Internet Gateway (IGW).
- ▶ Attach it to VPC-1.

Create internet gateway [Info](#)
An internet gateway is a virtual router that connects a VPC to the internet. To create a new internet gateway specify the name for the gateway below.

Internet gateway settings

Name tag
Creates a tag with a key of 'Name' and a value that you specify.
igw1

Tags - optional
A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Key **Value - optional**

Name igw1 Remove

Add new tag
You can add 49 more tags.

Cancel Create internet gateway

Attach to VPC (igw-06e865f327c687a4a) [Info](#)

VPC
Attach an internet gateway to a VPC to enable the VPC to communicate with the internet. Specify the VPC to attach below.

Available VPCs
Attach the internet gateway to this VPC.
vpc-0ff1c563efee1ac7a

▶ AWS Command Line Interface command

Cancel Attach internet gateway

STEP 5 Configure Route Table

- ▶ Edit the route table associated with the Public Subnet.
- ▶ Add the following route:

Destination	Target
0.0.0.0/0	Internet Gateway

Create route table Info

A route table specifies how packets are forwarded between the subnets within your VPC, the internet, and your VPN connection.

Route table settings

Name - optional
Create a tag with a key of 'Name' and a value that you specify.

Rt1

VPC
The VPC to use for this route table.

vpc-0ff1c563efee1ac7a (vpc-1)

Tags
A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Key **Value - optional**

Q Name X Q Rt1 X Remove

Add new tag

You can add 49 more tags.

Cancel Create route table

Edit routes: rtb-0382252d915d17977 / Rt1

Destination	Target	Status	Propagated	Route Origin
172.16.0.0/16	local	Active	No	CreateRouteTable
Q 0.0.0.0/0 X	Internet Gateway	-	No	CreateRoute
Q igw-06e865f327c687a4a X				

Add route

Cancel Preview Save changes

STEP 6 Launch EC2 Instances

- ▶ **Public EC2 Instance**
 - ▶ Launch an Ubuntu EC2 instance in **VPC-1**.
 - ▶ Place it in the **Public Subnet**.
 - ▶ Enable **Auto Assign Public IP**.

Launch an instance Info

Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.

Name and tags Info

Name: vpc1-public-ec2 [Add additional tags](#)

Application and OS Images (Amazon Machine Image) Info

An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose [Browse more AMIs](#).

Search our full catalog including 1000s of application and OS images

Recents Quick Start

Amazon Linux macOS Ubuntu Windows Red Hat SUSE Linux Debian [Browse more AMIs](#)

Summary

Number of instances: 1

Software Image (AMI): Canonical, Ubuntu, 26.04, amd64...[read more](#)
ami-01a00762f46d584a1

Virtual server type (instance type): t3.micro

Firewall (security group): New security group

Storage (volumes): 1 volume(s) - 8 GiB

[Cancel](#) [Launch instance](#) [Preview code](#)

Key pair (login) Info

You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.

Key pair name - *required*: admin@123 [Create new key pair](#)

Network settings Info

VPC - *required*: vpc-0ff1c563efee1ac7a (vpc-1) 172.16.0.0/16 [Create new VPC](#)

Subnet: subnet-054658dee434423c1 vpc1-pub-subnet [Create new subnet](#)

VPC: vpc-0ff1c563efee1ac7a Owner: 673034950588 Availability Zone: ap-south-1a (aps1-az1)
Zone type: Availability Zone IP addresses available: 251 CIDR: 172.16.1.0/24

Auto-assign public IP: Enable

Firewall (security groups): [Create security group](#) [Select existing security group](#)

Instances (1/1) Info

Save filter sets: Choose filter set [Find Instance by attribute or tag \(case-sensitive\)](#)

☒	Name	Instance ID	Instance state	Instance type	Status check	Availability Zone	Public IPv4 DNS	F
☒	vpc1-public-ec2	i-04e6defd0a2ec6947	Running	t3.micro	Initializing	ap-south-1a	-	1

► Private EC2 Instance

- Launch another Ubuntu EC2 instance in **VPC-2**.
- Place it in the **Private Subnet**.
- Do not assign a Public IP.

Launch an instance

Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.

Name and tags

Name: vpc2-prvt-ec2 [Add additional tags](#)

Application and OS Images (Amazon Machine Image)

An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose [Browse more AMIs](#).

Search:

Recents: [Quick Start](#)

Amazon Linux, macOS, Ubuntu, Windows, Red Hat, SUSE Linux, Debian, [Browse more AMIs](#)

Summary

Number of instances: 1

Software Image (AMI): Canonical, Ubuntu, 26.04, amd64...[read more](#)
ami-01a00762f46d584a1

Virtual server type (instance type): t3.micro

Firewall (security group): New security group

Storage (volumes): 1 volume(s) - 8 GiB

[Cancel](#) [Launch instance](#) [Preview code](#)

Key pair (login)

You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.

Key pair name - required: admin@123 [Create new key pair](#)

Network settings

VPC - required: vpc-09b40262d09cfe65 (vpc-2) 172.17.0.0/16 [Create new VPC](#)

Subnet: subnet-0431b94287b55720a VPC: vpc-09b40262d09cfe65 Owner: 673034950588 Availability Zone: ap-south-1b (aps1-az3) Zone type: Availability Zone IP addresses available: 251 CIDR: 172.17.2.0/24 vpc2-prvt-subnet [Create new subnet](#)

Auto-assign public IP: Disable

Firewall (security groups): [Create security group](#) [Select existing security group](#)

Instances (1/2)

Connect Instance state Actions Launch instances

Name	Instance ID	Instance state	Instance type	Status check	Availability Zone	Public IPv4 DNS
☒ vpc2-prvt-ec2	i-0bd5c84385db0962b	Running	t3.micro	Initializing	ap-south-1b	-
☐ vpc1-public-ec2	i-04e6defd0a2ec6947	Running	t3.micro	3/3 checks passed	ap-south-1a	1

STEP 7 Configure Security Groups

Public EC2


Allow:

- ▶ SSH (Port 22) from **My IP**
- ▶ ICMP (Ping)

▶ Private EC2


Allow:

- ▶ ICMP from the Public EC2 Security Group
- ▶ SSH from the Public EC2 Security Group (if required)



STEP 8 Create VPC Peering Connection

- ▶ Open **VPC Peering Connections**.
- ▶ Create a new Peering Connection.
- ▶ Requester: **VPC-1**
- ▶ Acceptor: **VPC-2**
- ▶ Accept the Peering Request.



The first screenshot shows the 'Create peering connection' wizard. It is set to 'This Region (ap-south-1)'. The 'VPC ID (Accepter)' is 'vpc-09b402620d09cfe65 (vpc-2)'. The 'VPC CIDRs for vpc-09b402620d09cfe65 (vpc-2)' table shows a single entry: CIDR '172.17.0.0/16' with status 'Associated'. The 'Tags' section is empty. The 'Create peering connection' button is highlighted.

The second screenshot shows the 'Peering connections (1/1)' list. It contains one entry: 'VPC Peering Connections' with ID 'pcx-0f1de30e32e67e33c', status 'Pending acceptance', requester VPC 'vpc-0f1c563efee1ac7a / vpc-1', accepter VPC 'vpc-09b402620d09cfe65 / vpc-2', requester CIDRs '172.16.0.0/16', and accepter CIDRs '-'. The 'Create peering connection' button is highlighted.

The third screenshot shows the 'Accept VPC peering connection request' dialog box. It asks 'Are you sure you want to accept this VPC peering connection request? (pcx-0f1de30e32e67e33c / VPC Peering Connections)'. The dialog displays the following details:

Requester VPC	Accepter VPC	Requester CIDRs
vpc-0f1c563efee1ac7a / vpc-1	vpc-09b402620d09cfe65 / vpc-2	172.16.0.0/16

Additional details shown in the dialog:


Requester Region	Accepter Region
Mumbai (ap-south-1)	Mumbai (ap-south-1)

Owner IDs are also listed: Requester owner ID '673034950588(This account)' and Accepter owner ID '673034950588(This account)'. The 'Accept request' button is highlighted.

STEP 9 Update Route Tables


► Route Table of VPC-1

Destination	Target
172.17.0.0/16	VPC Peering



► Route Table of VPC-2

Destination	Target
172.16.0.0/16	VPC Peering



STEP 10 Connect to the Public EC2

Use SSH to connect to the Public EC2 instance.

```
ssh -i key.pem ubuntu@<Public-IP>
```

```

ubuntu@ip-172-16-1-44: ~
PS C:\Users\Shreya\downloads>
PS C:\Users\Shreya\downloads>
PS C:\Users\Shreya\downloads> ping 43.204.37.221

Pinging 43.204.37.221 with 32 bytes of data:
Reply from 43.204.37.221: bytes=32 time=39ms TTL=58
Reply from 43.204.37.221: bytes=32 time=32ms TTL=58
Reply from 43.204.37.221: bytes=32 time=33ms TTL=58
Reply from 43.204.37.221: bytes=32 time=32ms TTL=58

Ping statistics for 43.204.37.221:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 32ms, Maximum = 39ms, Average = 34ms
PS C:\Users\Shreya\downloads> ssh -i "admin@123.pem" ubuntu@43.204.37.221
The authenticity of host '43.204.37.221 (43.204.37.221)' can't be established.
ED25519 key fingerprint is SHA256:0Xt25pSvjYPBjNF4EkRn+CsAePyZ6ITJIO+DsyLACvw.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '43.204.37.221' (ED25519) to the list of known hosts.
Welcome to Ubuntu 26.04 LTS (GNU/Linux 7.0.0-1006-aws x86_64)

 * Documentation:  https://docs.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro

System information as of Mon Aug  3 18:38:48 UTC 2026

System load:  0.02           Temperature:   -273.1 C
Usage of /:   31.0% of 6.61GB Processes:    119
Memory usage: 26%           Users logged in: 0
Swap usage:   0%            IPv4 address for ens5: 172.16.1.44

Expanded Security Maintenance for Applications is not enabled.

0 updates can be applied immediately.

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

The list of available updates is more than a week old.
To check for new updates run: sudo apt update

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

ubuntu@ip-172-16-1-44:~$ |

```

STEP 11 Verify Private IP

Check the Private IP address of the EC2 instance in **VPC-2**.

Example:

```
172.17.1.145
```

STEP 12 Test Connectivity

From the Public EC2 instance, ping the Private EC2 instance.

```
ping 172.17.1.145
```

Expected output:

```
64 bytes from 172.17.1.145
icmp_seq=1 ttl=64
icmp_seq=2 ttl=64
icmp_seq=3 ttl=64
```

RESULT

Successfully created two VPCs using Class B IP addressing, established communication through VPC Peering, remotely accessed the Public EC2 instance, and verified connectivity to the Private EC2 instance using the ping command.

```
ubuntu@ip-172-17-2-239: ~
64 bytes from 172.17.2.239: icmp_seq=2 ttl=64 time=0.553 ms
64 bytes from 172.17.2.239: icmp_seq=3 ttl=64 time=0.544 ms
ping 172.17.2.239 64 bytes from 172.17.2.239: icmp_seq=4 ttl=64 time=0.559 ms
^C
--- 172.17.2.239 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3105ms
rtt min/avg/max/mdev = 0.544/0.628/0.859/0.133 ms
ubuntu@ip-172-16-1-44: ~$
ubuntu@ip-172-16-1-44: ~$
ubuntu@ip-172-16-1-44: ~$ ping 172.17.2.239
PING 172.17.2.239 (172.17.2.239) 56(84) bytes of data.
64 bytes from 172.17.2.239: icmp_seq=1 ttl=64 time=0.539 ms
64 bytes from 172.17.2.239: icmp_seq=2 ttl=64 time=0.537 ms
64 bytes from 172.17.2.239: icmp_seq=3 ttl=64 time=0.548 ms
64 bytes from 172.17.2.239: icmp_seq=4 ttl=64 time=0.561 ms
64 bytes from 172.17.2.239: icmp_seq=5 ttl=64 time=0.550 ms
64 bytes from 172.17.2.239: icmp_seq=6 ttl=64 time=0.540 ms
64 bytes from 172.17.2.239: icmp_seq=7 ttl=64 time=0.549 ms
64 bytes from 172.17.2.239: icmp_seq=8 ttl=64 time=0.550 ms
64 bytes from 172.17.2.239: icmp_seq=9 ttl=64 time=0.549 ms
64 bytes from 172.17.2.239: icmp_seq=10 ttl=64 time=0.556 ms
^C
--- 172.17.2.239 ping statistics ---
10 packets transmitted, 10 received, 0% packet loss, time 9244ms
rtt min/avg/max/mdev = 0.537/0.547/0.561/0.007 ms
```

```

ubuntu@ip-172-17-2-239: ~
ubuntu@ip-172-16-1-44:~$
ubuntu@ip-172-16-1-44:~$ cat >> admin@123.pem
-----BEGIN RSA PRIVATE KEY-----
MIIEogIBAAKCAQEAsJL30q3mdLOWgqIyK6k/gQv+JcYuGDPNTZxzIRUZ5cZaB53s
PZdL8bEzHtUNGf9fS8UQbCWwQEO1M06wpgbdMoL/tKjJcHKcSv44aBndpbWVjk5k
dsxA0LMA25JmjzsMHXXgqEZ4FSLQrAGSBfTBPOYJj47/2y3f46wpWJ/QAw+phLot
RZb4nh12H9vysYhjzXPYQbuUvwdYSEoPtEZj+vkaX6uwk85jQ3awlTxmZ4X0AKJe
+2EEYDc6XF8GQ05acxky0rk0Y2w0ECL9N/TfHFbc4WW8Yed404esm0fFQqCcFh8d
ErHPkoiCabsObLiuFNBgeVHJMXjf+OC179vJ3QIDAQABAoIBAEnhjB8vL10VU1kgZ
nD2/9b0+qeLseusbGXh0wff3AZXsGe5zdGzPgKfFwDJMn0FgKr4SPKhJTxccFPFC
ujJmL/pML+3tIB/ELISl8ZPjvrT3Wydqxc7Z71xfGIwxWXAawgcF2EjKKKSJpEmjh
f+6HJ02tf2/l7Mf654UbiBu38HvAGnw9dR43HUxr95yFmWjNusaHtWg9ZdfBc2g4
UdYJWukXxpnRdFCX080p1mZIpkWgKmlAjvZMwtQax1a8Cz4F+gYrAJXcadoPS1g
a95o1QAKV6o+hx/XnA9m6m/uwdnZuPWxaVv1jX60CWq5yJji9qJvaGPYb8zsH+uh
78+ZxCECgYEA3l/0XuwIc9BEAyJ3cEdE4KLFbP2wvV3l48lnuBcq4QEWZuP/Ea/e
miq8U1Y1cHA981fhBNlm3LCwSXiv/ccAX5TBHuE2bhbfe5ZrngwhVystzfdPgVlX
Jt/Bl5C/CzVtHuET0X7zQL+Nt/s5mtwHU+3jGYi+EK/QddAxb74KtuUCgYEAy0YV
ppmzJpAcvRGP8MxH/qCNMg363vP62CgQVdtpdtBHJxES2ncktmWsexGpd/gXzEav
TwsCch3j7yrUI2KamWGowG7oR+fuPQdoXos/KP3ZVfjErtG68REynzR0cQ7fZxGY
SWavb2caxE0UrAPDG7CB3Wtttxo1Y51+sbBn35kCgYAjY+YCTVIzDEwmq4+So0UH
VCKmZWGBYbY6gE0vcRBz6rZj/ZkUeYbVxkNeh/PNRy+00KGRIGBK0xvbNY05dbhl
feMWRQVik+VRR+ksqAWOV+LcSqWukdaenXW50RgRkpthaifyLJyN77YLvVF/gp0
gwGHiMmm4jQs68tSW05d0QKBgEVkvp1qWRtwFS+CYFY/FtDZNHqDBUK5ncfPHYyB
4+YYwkGW9Y25IMJXwWMeK3F2M4GcG9rrEkGs7JRIVbViwW5bpYVUF1380nrpHXsx
JDW10027KEHZ/Wywh0yMVrgF8MQ54HgmYvuWAhZDjiwO+LtqLVtOgl0AyHsiWA8G
/t75AoGAJUQBgsOSQ+2rTBwjHBfL8V0FHT0/uFrssh51kebanrGQclaejW35vrKF
rszYMAJ7/LpVJQ/Q+ooRGwps5pc6WtTp3ltmg9fR7g54lPozXjIXk5dJYysrgxMP
6npD3KWVDynOR1HWfCaID9t/QW6iEnFrTvSUDHxQXDZo4rxWeBk=
-----END RSA PRIVATE KEY-----

^C
ubuntu@ip-172-16-1-44:~$ chmod 400 admin@123.pem
ubuntu@ip-172-16-1-44:~$ ssh -i admin@123.pem ubuntu@172.17.2.239
Welcome to Ubuntu 26.04 LTS (GNU/Linux 7.0.0-1006-aws x86_64)

 * Documentation:  https://docs.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro

System information as of Mon Aug  3 18:48:39 UTC 2026

System load:  0.0           Temperature:   -273.1 C
Usage of /:   30.6% of 6.61GB Processes:    115
Memory usage: 27%          Users logged in: 0
Swap usage:   0%           IPv4 address for ens5: 172.17.2.239

```

```
ubuntu@ip-172-17-2-239: ~  
-----END RSA PRIVATE KEY-----  
  
^C  
ubuntu@ip-172-16-1-44:~$ chmod 400 admin@123.pem  
ubuntu@ip-172-16-1-44:~$ ssh -i admin@123.pem ubuntu@172.17.2.239  
Welcome to Ubuntu 26.04 LTS (GNU/Linux 7.0.0-1006-aws x86_64)  
  
* Documentation:  https://docs.ubuntu.com  
* Management:    https://landscape.canonical.com  
* Support:        https://ubuntu.com/pro  
  
System information as of Mon Aug  3 18:48:39 UTC 2026  
  
System load:  0.0           Temperature:    -273.1 C  
Usage of /:   30.6% of 6.61GB Processes:       115  
Memory usage: 27%          Users logged in: 0  
Swap usage:   0%           IPv4 address for ens5: 172.17.2.239  
  
Expanded Security Maintenance for Applications is not enabled.  
  
0 updates can be applied immediately.  
  
Enable ESM Apps to receive additional future security updates.  
See https://ubuntu.com/esm or run: sudo pro status  
  
The list of available updates is more than a week old.  
To check for new updates run: sudo apt update  
  
The programs included with the Ubuntu system are free software;  
the exact distribution terms for each program are described in the  
individual files in /usr/share/doc/*/copyright.  
  
Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by  
applicable law.  
  
ubuntu@ip-172-17-2-239:~$ |
```