



Quiz review

Started on	Sunday, 14 April 2024, 7:16 PM
State	Finished
Completed on	Sunday, 14 April 2024, 7:17 PM
Time taken	1 min 13 secs
Marks	4.00/5.00
Grade	80.00 out of 100.00
Feedback	Congratulations!!! You have passed by securing more than 70%

Question 1

Incorrect

Mark 0.00 out of 1.00

A book is implemented as a web page which has many topics in it. To make navigation to each topic easy, hyperlinks need to be provided in the page. Which of the following options will do that?

Select one:

- ☐ `Topic 1
`
`Topic.2
`
- ☐ `Topic 1
`
`Topic.2
`
`Introduction of topic.1`
`Introduction of topic.2`
- ☒ `Topic 1
 ✖`
`Topic.2
`
`<div>Introduction of topic.1</div>`
`<div>Introduction of topic.2</div>`
- ☐ `Topic 1
`
`Topic.2
`
`Introduction of topic.1`
`Introduction of topic.2`

Your answer is incorrect.


The correct answer is: `Topic 1
`
`Topic.2
`



Question 2

Correct

Mark 1.00 out of 1.00

Mark Range(1to100)  44

Which of the following option is used to display the range value in the image as shown above.

Select one:

- ☐ Mark Range(1to100)<input type="range" name="mark" id="markInputId" min="1" max="100" oninput="markOutputId.value = markInputId.value" outputname="markOutputName" id="markOutputId">
- ☒ Mark Range(1to100)<input type="range" name="mark" id="markInputId" min="1" max="100" ✓
oninput="markOutputId.value = markInputId.value">
<output name="markOutputName" id="markOutputId"></output>
- ☐ Mark Range(1to100)<input type="range" name="mark" id="markInputId" min="1" max="100" oninput="markOutputId.value = markInputId.value">
- ☐ Mark Range(1to100)<input type="range" name="mark" id="markInputId" min="1" max="100">

Your answer is correct.

The correct answer is: Mark Range(1to100)<input type="range" name="mark" id="markInputId" min="1" max="100" oninput="markOutputId.value = markInputId.value">
<output name="markOutputName" id="markOutputId"></output>

Question 3

Correct

Mark 1.00 out of 1.00

Consider the below code snippet:

```
<form action="success.html" novalidate="novalidate">  
<input type="checkbox" name="Qualification" value="UG">UG<br>  
<input type="checkbox" name="Qualification" value="PG">PG<br>  
<input type="checkbox" name="Qualification" value="12th" required="required"> 12th<br>  
</form>
```

The validation code has been written to check atleast one checkbox. If the code is not working, what could be the reason ?

Select one:

- ☐
 cannot be used in between the input tag.
- ☐ The required attribute will not work for checkbox.
- ☐ The value for novalidate should be "validate".
- ☒ In the form attribute, we have given novalidate. ✓

Your answer is correct.

The correct answer is: In the form attribute, we have given novalidate.

Question 4

Correct

Mark 1.00 out of 1.00

Which of the following are non-semantic tag(s) of HTML5?

Select one or more:

- ☐ <header>
- ☒ <div> ✓
- ☐ <nav>
- ☒ ✓

Your answer is correct.

The correct answers are: <div>,

Question 5

Correct

Mark 1.00 out of 1.00

Which of the following tag provides a hint to the user of what can be entered in the input field?

Select one:

- ☐ pattern
- ☐ title
- ☒ placeholder ✓
- ☐ required

Your answer is correct.

The correct answer is: placeholder

◀ **Why CSS3 with Bootstrap - Video (01:12)**

Jump to...

CSS Mod 1 (12:52) ▶

