

LAB ASSIGNMENT NO – 03

Aim: Develop a web page using the Bootstrap framework. Grid system, Forms, Buttons, Navbar, Breadcrumb, Jumbotron should be used.

Theory:

Bootstrap is a widely-used open-source front-end framework for web development, providing a collection of HTML, CSS, and JavaScript components and tools that enable developers to build responsive, mobile-first websites with ease.

- **Grid System** : Bootstrap Grid System allows up to 12 columns across the page. You can use each of them individually or merge them together for wider columns. You can use all combinations of values summing up to 12. You can use 12 columns each of width 1, or use 4 columns each of width 3 or any other combination.

There are 5 classes in Bootstrap 4 grid system.

1. .col- (extra small devices - screen width less than 576px)
2. .col-sm- (small devices - screen width equal to or greater than 576px)
3. .col-md- (medium devices - screen width equal to or greater than 768px)
4. .col-lg- (large devices - screen width equal to or greater than 992px)
5. .col-xl- (xlarge devices - screen width equal to or greater than 1200px)

- **Forms** : The form element is used to collect input from user by using fields such as checkboxes, radio buttons, or text fields etc. Bootstrap provides three types of form layouts:
 1. Vertical form (this is default)
 2. Horizontal form
 3. Inline form

Standard rules for all three form layouts:

1. Wrap labels and form controls in `<div class="form-group">` (needed for optimum spacing)
2. Add class .form-control to all textual `<input>`, `<textarea>`, and `<select>` elements

- **Buttons** : Bootstrap includes several predefined button styles, each serving its own semantic purpose, with a few extras thrown in for more control.
 1. `<button type="button" class="btn btn-primary">Primary</button>`
 2. `<button type="button" class="btn btn-secondary">Secondary</button>`
 3. `<button type="button" class="btn btn-success">Success</button>`
 4. `<button type="button" class="btn btn-danger">Danger</button>`
 5. `<button type="button" class="btn btn-warning">Warning</button>`
 6. `<button type="button" class="btn btn-info">Info</button>`
 7. `<button type="button" class="btn btn-light">Light</button>`
 8. `<button type="button" class="btn btn-dark">Dark</button>`
 9. `<button type="button" class="btn btn-link">Link</button>`
- **Navbar** : A navigation bar is a navigation header that is placed at the top of the page: With Bootstrap, a navigation bar can extend or collapse, depending on the screen size.


A standard navigation bar is created with `<nav class="navbar navbar-default">`.

1. Basic Navbar
2. Inverted Navbar
3. Coloured Navigation Bar
4. Right-Aligned Navbar
5. Fixed Navigation Bar


- **Breadcrumb** : A breadcrumb is a navigational method that shows the user where they are relative to the current page on a website or application. An accessible website with many pages or a complicated hierarchy can benefit greatly from breadcrumb navigation. Bootstrap allows users to easily create static breadcrumbs layouts by adding the class `.breadcrumb` to ordered or unordered lists, as demonstrated in the following example. Utility classes can be used to decorate the breadcrumbs.
- **Jumbotron** : A Bootstrap jumbotron specifies a big box for getting extra attention to some special content or information. It is displayed as a grey box with rounded corners. It can also enlarge the font sizes of the text inside it.
You can put any valid HTML or other Bootstrap elements/ classes inside a jumbotron. The class `.jumbotron` within the `<div>` element is used to create a jumbotron. The Inside container is used in jumbotron, if you want the jumbotron to not extend to the edge of the screen. Put the jumbotron inside the `<div class="container">`.

Conclusion: We learnt that the grid system provided by bootstrap enabled us to create a flexible and organized layout, simplifying the structuring of content and improving the overall visual appeal. Additionally, bootstrap's extensive library of CSS classes allowed for easy customization, speeding up the development process and reducing the need for writing repetitive code.


Code: index.html-




```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device width, initial scale=1.0">
6   <title>WebDev Made Easy Web Development Bootcamp</title>
7   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-4bwr/...>
8 </head>
9 <body>
10
11   <nav class="navbar navbar-expand-lg bg-body-tertiary">
12     <div class="container-fluid">
13       <a class="navbar-brand" href="page1.html">WebDevMadeEasy</a>
14       <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" ar
15         <span class="navbar-toggler-icon"></span>
16     </button>
17     <div class="collapse navbar-collapse" id="navbarSupportedContent">
18       <ul class="navbar-nav">
19         <li class="nav-item">
20           <a class="nav-link active" aria-current="page" href="#">Home</a>
21         </li>
22         <li class="nav-item">
23           <a class="nav-link" href="pricing.html">Explore</a>
24         </li>
25         <li class="nav-item">
26           <a class="nav-link" href="#courses">Courses</a>
27         </li>
28       </ul>
29     </div>
30   </div>
31
32   <div class="container col-xxl-8 px-4 py-5">
33     <div class="row flex-lg-row-reverse align-items-center g-5 py-5">
34       <div class="col-10 col-sm-8 col-lg-6">
35         
37       <div class="col-lg-6">
```



```
31 </nav>
32 <div class="container col-xxl-8 px-4 py-5">
33   <div class="row flex-lg-row-reverse align-items-center g-5 py-5">
34     <div class="col-10 col-sm-8 col-lg-6">
35       
36     </div>
37     <div class="col-lg-6">
38       <h1 class="display-5 fw-bold text-body-emphasis lh-1 mb-3">Web Development Bootcamp</h1>
39       <p class="lead">Web development refers to the creating, building, and maintaining of websites. It includes aspects such as we</p>
40       <div class="d-grid gap-2 d-md-flex justify-content-end">
41         <a href="form.html"><button type="button" class="btn btn-primary btn-lg px-4 me-md-2">Get Started</button></a>
42         <a href="pricing.html"><button type="button" class="btn btn-outline-secondary btn-lg px-4">Explore Courses</button></a>
43       </div>
44     </div>
45   </div>
46 </div>
47
48 <div class="p-5 text-center bg-body-tertiary">
49   <div class="container py-5">
50     <h2 class="text-body-emphasis">What is Web development ?</h2>
51     <br>
52     <p class="col-lg-8 mx-auto lead">
53       <iframe width="800" height="416" src="https://www.youtube.com/embed/dNmrk_Gj77M" title="Full Stack Web Developer Roadmap to I</p>
54     </div>
55   </div>
56 </div>
57
58 <section id="courses">
59   <div class="container px-4 py-5" id="featured-3">
60     <h2 class="pb-2 border-bottom">Our Courses</h2>
61     <div class="row g-4 py-5 row-cols-1 row-cols-lg-3">
62       <div class="feature col">
63         <div class="feature-icon d-inline-flex align-items-center justify-content-center text-bg-primary bg-gradient fs-2 mb-3">
64           <svg xmlns="http://www.w3.org/2000/svg" width="35" height="35" fill="currentColor" class="bi bi-filetype-html" viewBox="0 0 32 32">
65             <path fill-rule="evenodd" d="M14 4.5V11h-1V4.5h-2A1.5 1.5 0 0 1 9.5 3V14A1 1 0 0 1 1 14V22a2 2 0 0 1 2 2H5.5L14 4.5Z" />
66           </svg>
67         </div>
68         <h3 class="fs-2 text-body-emphasis">HTML</h3>
69         <p>HTML stands for HyperText Markup Language. It is used to design the front end portion of web pages using markup language.</p>
70         <a href="#" class="icon-link">
71           More
72         </a>
73         <svg class="bi" use="xlink:href="#chevron-right"></use></svg>
74       </div>
75       <div class="feature col">
76         <div class="feature-icon d-inline-flex align-items-center justify-content-center text-bg-primary bg-gradient fs-2 mb-3">
77           <svg xmlns="http://www.w3.org/2000/svg" width="35" height="35" fill="currentColor" class="bi bi-filetype-css" viewBox="0 0 32 32">
78             <path fill-rule="evenodd" d="M14 4.5V14a2 2 0 0 1 2 2h1v-1h1a1 1 0 0 1 1 1v4.5h-2A1.5 1.5 0 0 1 9.5 3V14A1 1 0 0 1 1 14V22a2 2 0 0 1 2 2H5.5L14 4.5Z" />
79           </svg>
80         </div>
81         <h3 class="fs-2 text-body-emphasis">CSS</h3>
82         <p>Cascading Style Sheets fondly referred to as CSS is a simply designed language intended to simplify the process of making</p>
83         <a href="#" class="icon-link">
84           More
85         </a>
86         <svg class="bi" use="xlink:href="#chevron-right"></use></svg>
87       </div>
88       <div class="feature col">
89         <div class="feature-icon d-inline-flex align-items-center justify-content-center text-bg-primary bg-gradient fs-2 mb-3">
90           <svg xmlns="http://www.w3.org/2000/svg" width="35" height="35" fill="currentColor" class="bi bi-filetype-js" viewBox="0 0 32 32">
91             <path fill-rule="evenodd" d="M14 4.5V14a2 2 0 0 1 2 2h8v-1h4a1 1 0 0 1 1 1v4.5h-2A1.5 1.5 0 0 1 9.5 3V14A1 1 0 0 1 1 14V22a2 2 0 0 1 2 2H5.5L14 4.5Z" />
92           </svg>
93         </div>
94         <h3 class="fs-2 text-body-emphasis">JavaScript</h3>
95         <p>JavaScript is a scripting language used to provide a dynamic behavior to our website.</p>
96         <a href="pricing.html" class="icon-link">
97           More
```




```
61 <div class="row g-4 py-5 row-cols-1 row-cols-lg-3">
62   <div class="feature col">
63     <div class="feature-icon d-inline-flex align-items-center justify-content-center text-bg-primary bg-gradient fs-2 mb-3">
64       <svg xmlns="http://www.w3.org/2000/svg" width="35" height="35" fill="currentColor" class="bi bi-filetype-css" viewBox="0 0 32 32">
65         <path fill-rule="evenodd" d="M14 4.5V11h-1V4.5h-2A1.5 1.5 0 0 1 9.5 3V14A1 1 0 0 1 1 14V22a2 2 0 0 1 2 2H5.5L14 4.5Z" />
66       </svg>
67     </div>
68     <h3 class="fs-2 text-body-emphasis">HTML</h3>
69     <p>HTML stands for HyperText Markup Language. It is used to design the front end portion of web pages using markup language.</p>
70     <a href="#" class="icon-link">
71       More
72     </a>
73     <svg class="bi" use="xlink:href="#chevron-right"></use></svg>
74   </div>
75   <div class="feature col">
76     <div class="feature-icon d-inline-flex align-items-center justify-content-center text-bg-primary bg-gradient fs-2 mb-3">
77       <svg xmlns="http://www.w3.org/2000/svg" width="35" height="35" fill="currentColor" class="bi bi-filetype-css" viewBox="0 0 32 32">
78         <path fill-rule="evenodd" d="M14 4.5V14a2 2 0 0 1 2 2h1v-1h1a1 1 0 0 1 1 1v4.5h-2A1.5 1.5 0 0 1 9.5 3V14A1 1 0 0 1 1 14V22a2 2 0 0 1 2 2H5.5L14 4.5Z" />
79       </svg>
80     </div>
81     <h3 class="fs-2 text-body-emphasis">CSS</h3>
82     <p>Cascading Style Sheets fondly referred to as CSS is a simply designed language intended to simplify the process of making</p>
83     <a href="#" class="icon-link">
84       More
85     </a>
86     <svg class="bi" use="xlink:href="#chevron-right"></use></svg>
87   </div>
88   <div class="feature col">
89     <div class="feature-icon d-inline-flex align-items-center justify-content-center text-bg-primary bg-gradient fs-2 mb-3">
90       <svg xmlns="http://www.w3.org/2000/svg" width="35" height="35" fill="currentColor" class="bi bi-filetype-js" viewBox="0 0 32 32">
91         <path fill-rule="evenodd" d="M14 4.5V14a2 2 0 0 1 2 2h8v-1h4a1 1 0 0 1 1 1v4.5h-2A1.5 1.5 0 0 1 9.5 3V14A1 1 0 0 1 1 14V22a2 2 0 0 1 2 2H5.5L14 4.5Z" />
92       </svg>
93     </div>
94     <h3 class="fs-2 text-body-emphasis">JavaScript</h3>
95     <p>JavaScript is a scripting language used to provide a dynamic behavior to our website.</p>
96     <a href="pricing.html" class="icon-link">
97       More
```




```
74 </div>
75 <div class="feature col">
76 <div class="feature-icon d-inline-flex align-items-center justify-content-center text-bg-primary bg-gradient fs-2 mb-3">
77 <svg xmlns="http://www.w3.org/2000/svg" width="35" height="35" fill="currentColor" class="bi bi-filetype-css" viewBox="0 0
78 <path fill-rule="evenodd" d="M14 4.5V14a2 2 0 0 1 2 2h1v1h1a1 1 0 0 1 1 1v4.5h-2A1.5 1.5 0 0 1 9.5 3V14a1 1 0 0 1
79 </svg>
80 </div>
81 <h3 class="fs-2 text-body-emphasis">CSS</h3>
82 <p>Cascading Style Sheets fondly referred to as CSS is a simply designed language intended to simplify the process of making
83 <a href="#" class="icon-link">
84 More
85 <svg class="bi"><use xlink:href="#chevron-right"></use></svg>
86 </a>
87 </div>
88 <div class="feature col">
89 <div class="feature-icon d-inline-flex align-items-center justify-content-center text-bg-primary bg-gradient fs-2 mb-3">
90 <svg xmlns="http://www.w3.org/2000/svg" width="35" height="35" fill="currentColor" class="bi bi-filetype-js" viewBox="0 0
91 <path fill-rule="evenodd" d="M14 4.5V14a2 2 0 0 1 2 2h1v1h1a1 1 0 0 1 1 1v4.5h-2A1.5 1.5 0 0 1 9.5 3V14a1 1 0 0 1
92 </svg>
93 </div>
94 <h3 class="fs-2 text-body-emphasis">JavaScript</h3>
95 <p>JavaScript is a scripting language used to provide a dynamic behavior to our website.</p>
96 <a href="pricing.html" class="icon-link">
97 More
98 <svg class="bi"><use xlink:href="#chevron-right"></use></svg>
99 </a>
100 </div>
101 </div>
102 </section>
103 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.1/dist/js/bootstrap.bundle.min.js" integrity="sha384-1hawvtg803b233LY80VXj"
104 </body>
105 </html>
```

form.html –




```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4 <meta charset="UTF-8">
5 <meta name="viewport" content="width=device-width, initial-scale=1.0">
6 <title>Sign Up</title>
7 <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-4bwa/aepP/YC9
8 </head>
9 <body>
10 <nav class="navbar navbar-expand-lg bg-body-tertiary">
11 <div class="container-fluid">
12 <a class="navbar-brand" href="page1.html">WebDevTadeEasy</a>
13 <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNav" aria-controls="navbarNav" aria-e
14 <span class="navbar-toggler-icon"></span>
15 </button>
16 <div class="collapse navbar-collapse" id="navbarNav">
17 <ul class="navbar-nav">
18 <li class="nav-item">
19 <a class="nav-link active" aria-current="page" href="#">Home</a>
20 </li>
21 <li class="nav-item">
22 <a class="nav-link" href="pricing.html">Explore</a>
23 </li>
24 <li class="nav-item">
25 <a class="nav-link" href="#courses">Courses</a>
26 </li>
27 </ul>
28 </div>
29 </div>
30 </nav>
31 <br>
32 <form class="row g-3">
33 <div class="col-md-6">
34 <label for="inputEmail4" class="form-label">Email</label>
35 <input type="email" class="form-control" id="inputEmail4">
36 </div>
37 <div class="col-md-6">
```



```
44 </div>
45 <div class="col-12">
46   <label for="inputAddress2" class="form-label">Address 2</label>
47   <input type="text" class="form-control" id="inputAddress2" placeholder="Apartment, studio, or floor">
48 </div>
49 <div class="col-md-6">
50   <label for="inputCity" class="form-label">City</label>
51   <input type="text" class="form-control" id="inputCity">
52 </div>
53 <div class="col-md-4">
54   <label for="inputState" class="form-label">State</label>
55   <select id="inputState" class="form-select">
56     <option selected>Choose...</option>
57     <option>...</option>
58   </select>
59 </div>
60 <div class="col-md-2">
61   <label for="inputZip" class="form-label">Zip</label>
62   <input type="text" class="form-control" id="inputZip">
63 </div>
64 <div class="col-12">
65   <div class="form-check">
66     <input class="form-check-input" type="checkbox" id="gridCheck">
67     <label class="form-check-label" for="gridCheck">
68       Check me out
69     </label>
70   </div>
71 </div>
72 <div class="col-12">
73   <button type="submit" class="btn btn-primary">Sign in</button>
74 </div>
75 </form>
76 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.1/dist/js/bootstrap.bundle.min.js" integrity="sha384-hwvgtB03bZ1LYd80XK"
77 </body>
78 </html>
```


pricing.html –



```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>WebDev Made Easy-Web Development Bootcamp</title>
7   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-4bwr/aepP/YC9
8 </head>
9 <body>
10   <nav aria-label="breadcrumb">
11     <ol class="breadcrumb breadcrumb-chevron p-3 bg-body-tertiary rounded-3">
12       <li class="breadcrumb-item">
13         <a class="link-body-emphasis" href="page1.html">
14           <svg xmlns="http://www.w3.org/2000/svg" width="20" height="20" fill="currentColor" class="bi bi-house-door-fill" viewBox="0
15           <path d="M6.5 14.5v-3.505c0-.245.25-.495.5-.495h2c.25 0 .5.25.5.5v3.5a.5.5 0 0 0 .5.5h4a.5.5 0 0 0 .5-.5v-7a.5.5 0 0 0 -.5
16           </svg>
17         <span class="visually-hidden">Home</span>
18       </li>
19     </ol>
20   </nav>
21   <li class="breadcrumb-item">
22     <a class="link-body-emphasis fw-semibold text-decoration-none" href="#">Explore</a>
23   </li>
24   <li class="breadcrumb-item active" aria-current="page">
25     Pricing
26   </li>
27 </ol>
28 </nav>
29 <svg xmlns="http://www.w3.org/2000/svg" class="d-none">
30   <symbol id="check2" viewBox="0 0 16 16">
31     <path d="M13.854 3.646a.5.5 0 0 1 0 .708l-7 7a.5.5 0 1-.708 0l-3.5-3.5a.5.5 0 1 1-.708-.708l6.5-6.5a.5.5 0 0 1 .708-.5.5 0 0 1
32   </symbol>
33   <symbol id="circle-half" viewBox="0 0 16 16">
34     <path d="M8 15A7 7 0 1 0 8 1v14zm0 0A8 8 0 1 1 8 0a8 8 0 1 0 0 16z"></path>
35   </symbol>
36   <symbol id="moon-stars-fill" viewBox="0 0 16 16">
37     <path d="M6.5 14.5v-3.505c0-.245.25-.495.5-.495h2c.25 0 .5.25.5.5v3.5a.5.5 0 0 0 .5.5h4a.5.5 0 0 0 .5-.5v-7a.5.5 0 0 0 -.5
38     </path>
```



The screenshot shows a VS Code editor with the following details:

- Explorer Sidebar:** Lists files including `centering.webp`, `checkout.html`, `form.html`, `index.html`, `page1.html`, and `pricing.html` (which is selected).
- Main Editor:** Displays the content of `pricing.html`. The code includes:
 - A `<div>` container for the main content area with Bootstrap classes `row`, `col`, and `text-center`.
 - A `<div>` for a sign-up button with the text "Sign up and Get Started".
 - A `<nav>` section with links to `Home`, `Features`, and `Support`.
 - A `<h2>` heading: "Select Course Package According to your Need".
 - A `<div>` for a list of course packages, each in a `card` with a `card-body` containing the package name, price, and a description.
- Bottom Panel:** Shows the status bar with the file path `in 122, Col 133`, and the language mode set to `HTML`.




The screenshot shows the VS Code editor with the 'pricing.html' file open. The Explorer sidebar on the left shows the project structure with files like 'index.html', 'form.html', 'pricing.html', 'checkout.html', 'centering.webp', 'index.html', 'page1.html', and 'pricing.html'. The main editor area displays the HTML code for 'pricing.html', which includes a Bootstrap 5.3.1 layout. The code features a header with a logo, a main content area with two columns of links under 'Features' and 'Resources' sections, and a footer with a script tag for Bootstrap 5.3.1. The status bar at the bottom indicates the file is at line 258, column 178, in UTF-8 encoding.

checkout.html –




The screenshot shows the VS Code editor with the 'checkout.html' file open. The Explorer sidebar on the left shows the project structure with files like 'index.html', 'form.html', 'pricing.html', 'checkout.html', 'centering.webp', 'index.html', 'page1.html', and 'pricing.html'. The main editor area displays the HTML code for 'checkout.html', which includes a Bootstrap 5.3.1 layout. The code features a header with a logo, a main content area with a breadcrumb trail and a list of items, and a footer with a script tag for Bootstrap 5.3.1. The status bar at the bottom indicates the file is at line 6, column 20, in UTF-8 encoding.




This screenshot shows the VS Code editor with the Bootstrap checkout.html file open. The Explorer panel on the left shows the project structure with files like centering.webp, checkout.html, form.html, index.html, page1.html, and pricing.html. The main editor area displays the HTML code for the checkout form, including a toggle for theme selection (Light/Dark/Auto) and a container for the main content.

```
41 </div>
42
43 <div class="dropdown position-fixed bottom-0 end-0 mb-3 me-3 bd-mode-toggle">
44   <button class="btn btn-bd-primary py-2 dropdown-toggle d-flex align-items-center" id="bd-theme" type="button" aria-expanded="false">
45     <svg class="bi my-1 theme-icon-active" width="1em" height="1em" use href="#sun-fill"/></use></svg>
46     <span class="visually-hidden" id="bd-theme-text">Toggle theme</span>
47   </button>
48   <ul class="dropdown-menu dropdown-menu-end shadow" aria-labelledby="bd-theme-text">
49     <li>
50       <button type="button" class="dropdown-item d-flex align-items-center active" data-bs-theme-value="light" aria-pressed="true">
51         <svg class="bi me-2 opacity-50 theme-icon" width="1em" height="1em" use href="#sun-fill"/></use></svg>
52         Light
53       </button>
54       <button type="button" class="dropdown-item d-flex align-items-center" data-bs-theme-value="dark" aria-pressed="false">
55         <svg class="bi me-2 opacity-50 theme-icon" width="1em" height="1em" use href="#moon-stars-fill"/></use></svg>
56         Dark
57       </button>
58       <button type="button" class="dropdown-item d-flex align-items-center" data-bs-theme-value="auto" aria-pressed="false">
59         <svg class="bi me-2 opacity-50 theme-icon" width="1em" height="1em" use href="#circle-half"/></use></svg>
60         Auto
61       </button>
62     </li>
63   </ul>
64 </div>
65
66 <div class="container">
67   <main>
68     <div class="py-5 text-center">
```




This screenshot shows the VS Code editor with the Bootstrap checkout.html file open, displaying the list group and form sections of the code. The Explorer panel on the left shows the project structure with files like centering.webp, checkout.html, form.html, index.html, page1.html, and pricing.html. The main editor area displays the HTML code for the list group and form sections, including product listings and a promo code field.



```
87 </div>
88 <ul class="list-group mb-3">
89   <li class="list-group-item d-flex justify-content-between lh-sm">
90     <div>
91       <h6 class="my-0">Product name</h6>
92       <small class="text-body-secondary">Brief description</small>
93     </div>
94     <span class="text-body-secondary">$12</span>
95   </li>
96   <li class="list-group-item d-flex justify-content-between lh-sm">
97     <div>
98       <h6 class="my-0">Second product</h6>
99       <small class="text-body-secondary">Brief description</small>
100     </div>
101     <span class="text-body-secondary">$8</span>
102   </li>
103   <li class="list-group-item d-flex justify-content-between lh-sm">
104     <div>
105       <h6 class="my-0">Third item</h6>
106       <small class="text-body-secondary">Brief description</small>
107     </div>
108     <span class="text-body-secondary">$5</span>
109   </li>
110   <li class="list-group-item d-flex justify-content-between bg-body-tertiary">
111     <div class="text-success">
112       <h6 class="my-0">Promo code</h6>
113       <small>EXAMPLECODE</small>
114     </div>
115     <span class="text-success">$5</span>
116   </li>
117   <li class="list-group-item d-flex justify-content-between">
118     <span>Total (USD)</span>
119     <strong>$20</strong>
120   </li>
121 </ul>
122
123 <form class="card p-2">
124   <div class="input-group">
```

```
266 </div>
267 </div>
268 </div>
269
270 <div class="col-md-3">
271   <label for="cc-cvv" class="form-label">CVV</label>
272   <input type="text" class="form-control" id="cc-cvv" placeholder="" required="" fdprocessedid="z/q7b">
273   <div class="invalid-feedback">
274     Security code required
275   </div>
276 </div>
277 </div>
278
279 <hr class="my-4">
280
281 <button class="w-100 btn btn-primary btn-lg" type="submit" fdprocessedid="nlp5k6">Continue to checkout</button>
282 </form>
283 </div>
284 </div>
285 </main>
286
287 <footer class="my-5 pt-5 text-body-secondary text-center text-small">
288   <p class="mb-1">© 2017-2023 WebDevMadeEasy</p>
289   <ul class="list-inline">
290     <li class="list-inline-item"><a href="#">Privacy</a></li>
291     <li class="list-inline-item"><a href="#">Terms</a></li>
292     <li class="list-inline-item"><a href="#">Support</a></li>
293   </ul>
294 </footer>
295 </div>
296 <script src="docs/5.3/dist/js/bootstrap.bundle.min.js" integrity="sha384-HewvtgBNo3b23JlYd8oVXjrBZ18qS6e6fS56pe0B5N7CBIV1nixGA0xm1Puf8h"
297 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.1/dist/js/bootstrap.bundle.min.js" integrity="sha384-HewvtgBNo3b23JlYd8oVXjrB
298 <script src="checkout.js"></script>
299
300 </body>
301 </body>
302 </html>
```

Output :





WebDevMadeEasy Home Explore Courses

Email

Password

Address

Address 2

City

State

Zip

☐ Check me out

[Sign in](#)

WebDev Made Easy-Web Develo... x +

File | C:/Users/Shreya%20D%20Bagade/Downloads/shreya_09/bootstrap/pricing.html

Home Features Support

Sign Up and Get Started

Select Course Package According to your Need

Quickly build an effective website for your potential customers with the help of our Course. It is built with an aim to make Web Development easy for everyone.

| Free | Paid | Pro |
|---|--|--|
| Rs.0/- | Rs.399/- | Rs.799/- |
| <ul style="list-style-type: none">Pre-Recorded LecturesTest after each sectionNo E-certificateHelp center access | <ul style="list-style-type: none">Live Lectures with Doubt SesssionTest after each SectionE-certificate will be availableHelp center access | <ul style="list-style-type: none">Live Lectures with Doubt SesssionTest after each SectionE-certificate will be availableOne to One Mentor SupportHelp center access |
| Sign up for free | Get started | Contact us |

Compare plans

| | Free | Paid | Pro |
|----------------------------------|------|------|-----|
| Pre-Recorded Lectures | ✓ | ✓ | ✓ |
| Test after each section | | ✓ | ✓ |
| Help center access | ✓ | ✓ | ✓ |
| E-certificate will be available | | ✓ | ✓ |
| Live Lectures with Doubt Session | | ✓ | ✓ |
| One to One Mentor Support | | | ✓ |

© 2017-2023

Features
Cool stuff
Random feature
Team feature
Stuff for developers
Another one
Last time

Resources
Resource
Resource name
Another resource
Final resource

About
Team
Locations
Privacy
Terms

Checkout form

Fill the Checkout Form to avail the Course

Billing address

First name
Last name

Username
@ Username

Email (Optional)
you@example.com

Address
1234 Main St

Address 2 (Optional)
Apartment or suite

Country
Choose...

State
Choose...

Zip

Your cart

Product name \$12
Brief description

Second product \$8
Brief description

Third item \$5
Brief description

Promo code -\$5
EXAMPLECODE

Total (USD) \$20

Promo code Redeem

Lab Outcome : LO3- Construct responsive websites using Bootstrap.