

```
DROP TABLE IF EXISTS STUDENT;
```

```
CREATE TABLE STUDENT (  
    Student_ID INT PRIMARY KEY,  
    Student_Name VARCHAR(50),  
    Date_of_Birth DATE  
);
```

```
INSERT INTO STUDENT VALUES  
(1, 'shreyaaaya', '2005-05-15'),  
(2, 'Tanish', '2004-08-20'),  
(3, 'Varshitha', '2005-01-10'),  
(4, 'Neha', '2004-11-25'),  
(5, 'Spoorthi', '2005-03-18'),  
(6, 'Navya', '2004-07-12');
```

```
SELECT  
    Student_Name,  
    Date_of_Birth,  
    YEAR(Date_of_Birth) AS Birth_Year  
FROM STUDENT;
```

```
DROP TABLE IF EXISTS STUDENT;
```

```
CREATE TABLE STUDENT (  
    Student_ID INT PRIMARY KEY,  
    Student_Name VARCHAR(50),  
    Date_of_Birth DATE  
);
```

```
INSERT INTO STUDENT VALUES  
(1, 'shreyaa', '2005-05-15'),  
(2, 'Tanish', '2004-08-20'),  
(3, 'Varshitha', '2005-01-10'),  
(4, 'Neha', '2004-11-25'),  
(5, 'Spoorthi', '2005-03-18'),  
(6, 'Navya', '2004-07-12');
```

```
SELECT  
    Student_Name,  
    Date_of_Birth,  
    MONTH(Date_of_Birth) AS Birth_Month  
FROM STUDENT;
```

Output:

Student_Name	Date_of_Birth	Birth_Year
shreyaaaya	2005-05-15	2005
Tanish	2004-08-20	2004
Varshitha	2005-01-10	2005
Neha	2004-11-25	2004
Spoorthi	2005-03-18	2005
Navya	2004-07-12	2004

Output:

student_Name	Date_of_Birth	Birth_Month
shreyaa	2005-05-15	5
Tanish	2004-08-20	8
Varshitha	2005-01-10	1
Neha	2004-11-25	11
Spoorthi	2005-03-18	3
Navya	2004-07-12	7

Output:

Student_Name	Date_of_Birth	Birth_Day
shreyaya	2005-05-15	15
Tanish	2004-08-20	20
Varshitha	2005-01-10	10
Neha	2004-11-25	25
Spoorthi	2005-03-18	18
Navya	2004-07-12	12

```
DROP TABLE IF EXISTS STUDENT;
```

```
CREATE TABLE STUDENT (  
    Student_ID INT PRIMARY KEY,  
    Student_Name VARCHAR(50),  
    Date_of_Birth DATE  
);
```

```
INSERT INTO STUDENT VALUES  
(1, 'shreyaya', '2005-05-15'),  
(2, 'Tanish', '2004-08-20'),  
(3, 'Varshitha', '2005-01-10'),  
(4, 'Neha', '2004-11-25'),  
(5, 'Spoorthi', '2005-03-18'),  
(6, 'Navya', '2004-07-12');
```

```
SELECT  
    Student_Name,  
    Date_of_Birth,  
    DAY(Date_of_Birth) AS Birth_Day  
FROM STUDENT;
```

Output:

student_Name	Date_of_Birth	Age
shreyaaya	2005-05-15	21
Tanish	2004-08-20	22
Varshitha	2005-01-10	21
Neha	2004-11-25	21
Spoorthi	2005-03-18	21
Navya	2004-07-12	22

```
DROP TABLE IF EXISTS STUDENT;
```

```
CREATE TABLE STUDENT (  
    Student_ID INT PRIMARY KEY,  
    Student_Name VARCHAR(50),  
    Date_of_Birth DATE  
);
```

```
INSERT INTO STUDENT VALUES  
(1, 'shreyaaya', '2005-05-15'),  
(2, 'Tanish', '2004-08-20'),  
(3, 'Varshitha', '2005-01-10'),  
(4, 'Neha', '2004-11-25'),  
(5, 'Spoorthi', '2005-03-18'),  
(6, 'Navya', '2004-07-12');
```

```
SELECT  
    Student_Name,  
    Date_of_Birth,  
    TIMESTAMPDIFF(YEAR, Date_of_Birth, CURDATE()) AS Age  
FROM STUDENT;
```

```
DROP TABLE IF EXISTS STUDENT;
```

```
CREATE TABLE STUDENT (  
    Student_ID INT PRIMARY KEY,  
    Student_Name VARCHAR(50),  
    Date_of_Birth DATE  
);
```

```
INSERT INTO STUDENT VALUES
```

```
(1, 'shreyaaa', '2005-05-15'),  
(2, 'Tanish', '2004-08-20'),  
(3, 'Varshitha', '2005-01-10'),  
(4, 'Neha', '2004-11-25'),  
(5, 'Spoorthi', '2005-03-18'),  
(6, 'Navya', '2004-07-12');
```

```
SELECT COUNT(*) AS Total_Students  
FROM STUDENT;
```

Output:

```
+-----+
| Total_Students |
+-----+
|                6 |
+-----+
```

```
DROP TABLE IF EXISTS STUDENT;
```

```
CREATE TABLE STUDENT (  
    Student_ID INT PRIMARY KEY,  
    Student_Name VARCHAR(50),  
    Date_of_Birth DATE,  
    Marks INT  
);
```

```
INSERT INTO STUDENT VALUES  
(1, 'shreyaya', '2005-05-15', 85),  
(2, 'Tanish', '2004-08-20', 78),  
(3, 'Varshitha', '2005-01-10', 92),  
(4, 'Neha', '2004-11-25', 74),  
(5, 'Spoorthi', '2005-03-18', 88),  
(6, 'Navya', '2004-07-12', 81);
```

```
SELECT SUM(Marks) AS Total_Marks  
FROM STUDENT;
```

Page:

-----+

Total_Marks |

-----+

498 |

.

Output:

```
+-----+  
| Average_Marks |  
+-----+  
|      83.0000  |  
+-----+
```

```
DROP TABLE IF EXISTS STUDENT;
```

```
CREATE TABLE STUDENT (  
    Student_ID INT PRIMARY KEY,  
    Student_Name VARCHAR(50),  
    Date_of_Birth DATE,  
    Marks INT  
);
```

```
INSERT INTO STUDENT VALUES  
(1, 'shreyaaaa', '2005-05-15', 85),  
(2, 'Tanish', '2004-08-20', 78),  
(3, 'Varshitha', '2005-01-10', 92),  
(4, 'Neha', '2004-11-25', 74),  
(5, 'Spoorthi', '2005-03-18', 88),  
(6, 'Navya', '2004-07-12', 81);
```

```
SELECT AVG(Marks) AS Average_Marks  
FROM STUDENT;
```

```
DROP TABLE IF EXISTS STUDENT;
```

```
CREATE TABLE STUDENT (  
    Student_ID INT PRIMARY KEY,  
    Student_Name VARCHAR(50),  
    Date_of_Birth DATE,  
    Marks INT  
);
```

```
INSERT INTO STUDENT VALUES  
(1, 'shreyaaaya', '2005-05-15', 85),  
(2, 'Tanish', '2004-08-20', 78),  
(3, 'Varshitha', '2005-01-10', 92),  
(4, 'Neha', '2004-11-25', 74),  
(5, 'Spoorthi', '2005-03-18', 88),  
(6, 'Navya', '2004-07-12', 81);
```

```
SELECT MAX(Marks) AS Highest_Marks  
FROM STUDENT;
```

Output:

```
+-----+
| Highest_Marks |
+-----+
|                92 |
+-----+
```

```
DROP TABLE IF EXISTS STUDENT;
```

```
CREATE TABLE STUDENT (  
    Student_ID INT PRIMARY KEY,  
    Student_Name VARCHAR(50),  
    Date_of_Birth DATE,  
    Marks INT  
);
```

```
INSERT INTO STUDENT VALUES  
(1, 'shreyaaya', '2005-05-15', 85),  
(2, 'Tanish', '2004-08-20', 78),  
(3, 'Varshitha', '2005-01-10', 92),  
(4, 'Neha', '2004-11-25', 74),  
(5, 'Spoorthi', '2005-03-18', 88),  
(6, 'Navya', '2004-07-12', 81);
```

```
SELECT MIN(Marks) AS Lowest_Marks  
FROM STUDENT;
```

Output:

```
+-----+
| Lowest_Marks |
+-----+
|                74 |
+-----+
```

```
DROP TABLE IF EXISTS STUDENTS;
```

```
CREATE TABLE STUDENTS (  
    student_usn VARCHAR(20) PRIMARY KEY,  
    student_name VARCHAR(50),  
    student_age INT,  
    student_email VARCHAR(60),  
    student_marks INT,  
    student_class VARCHAR(20)
```

```
);
```

```
INSERT INTO STUDENTS VALUES
```

```
('USN001', 'shreyaaya', 21, 'manya@gmail.com', 85, '10A'),  
'USN002', 'Tanisha', 22, 'tanisha@gmail.com', 78, '10A'),  
'USN003', 'Varshitha', 21, 'varshitha@gmail.com', 92, '10B'),  
'USN004', 'Neha', 22, 'neha@gmail.com', 74, '10B'),  
'USN005', 'Spoorthi', 21, 'spoorthi@gmail.com', 88, '10A'),  
'USN006', 'Navya', 22, 'navya@gmail.com', 81, '10B');
```

```
SELECT
```

```
    student_class AS Class,  
    COUNT(*) AS Total_Students,  
    AVG(student_marks) AS Average_Marks
```

```
FROM STUDENTS
```

```
GROUP BY student_class;
```

+-----+-----+-----+			
Class	Total_Students	Average_Marks	
+-----+-----+-----+			
10A	3	83.6667	
10B	3	82.3333	
+-----+-----+-----+			

```
DROP TABLE IF EXISTS STUDENTS;
```

```
CREATE TABLE STUDENTS (  
    student_usn VARCHAR(20) PRIMARY KEY,  
    student_name VARCHAR(50),  
    student_age INT,  
    student_email VARCHAR(60),  
    student_marks INT,  
    student_class VARCHAR(20)  
);
```

```
INSERT INTO STUDENTS VALUES  
( 'USN001', 'shreyaa', 21, 'manyaa@gmail.com', 85, '10A'),  
( 'USN002', 'Tanisha', 22, 'tanisha@gmail.com', 78, '10A'),  
( 'USN003', 'Varshitha', 21, 'varshitha@gmail.com', 92, '10B'),  
( 'USN004', 'Neha', 22, 'neha@gmail.com', 74, '10B'),  
( 'USN005', 'Spoorthi', 21, 'spoorthi@gmail.com', 88, '10A'),  
( 'USN006', 'Navya', 22, 'navya@gmail.com', 81, '10B');
```

```
SELECT *  
FROM STUDENTS  
ORDER BY student_marks DESC;
```

Output:

```
+-----+
| Total_Marks |
+-----+
|           498 |
+-----+
```

```
CREATE TABLE STUDENT (  
    Student_ID INT PRIMARY KEY,  
    Student_Name VARCHAR(50),  
    Date_of_Birth DATE,  
    Marks INT  
);
```

```
INSERT INTO STUDENT VALUES  
(1, 'shreyaaya', '2005-05-15', 85),  
(2, 'Tanisha', '2008-08-20', 78),  
(3, 'Varshitha', '2005-01-18', 92),  
(4, 'Neha', '2004-11-25', 74),  
(5, 'Spoorthi', '2005-03-18', 88),  
(6, 'Navya', '2004-07-12', 81);
```

```
SELECT AVG(Marks) AS Average_Marks  
FROM STUDENT;
```

```
✓ CREATE TABLE STUDENT (  
    Student_ID INT PRIMARY KEY,  
    Student_Name VARCHAR(50),  
    Date_of_Birth DATE,  
    Marks INT  
);
```

```
INSERT INTO STUDENT VALUES  
(1, 'shreynya', '2005-05-15', 85),  
(2, 'Tanisha', '2008-08-20', 78),  
(3, 'Varshitha', '2005-01-18', 92),  
(4, 'Neha', '2004-11-25', 74),  
(5, 'Spoorthi', '2005-03-18', 88),  
(6, 'Navya', '2004-07-12', 81);
```

```
SELECT MAX(Marks) AS Highest_Marks  
FROM STUDENT;
```

```
CREATE TABLE STUDENT (  
    Student_ID INT PRIMARY KEY,  
    Student_Name VARCHAR(50),  
    Date_of_Birth DATE,  
    Marks INT  
);
```

```
INSERT INTO STUDENT VALUES  
(1, 'shreyaaa', '2005-05-15', 85),  
(2, 'Tanisha', '2008-08-20', 78),  
(3, 'Varshitha', '2005-01-18', 92),  
(4, 'Neha', '2004-11-25', 74),  
(5, 'Spoorthi', '2005-03-18', 88),  
(6, 'Navya', '2004-07-12', 81);
```

```
SELECT MIN(Marks) AS Lowest_Marks  
FROM STUDENT;
```

Output:

```
+-----+
| Highest_Marks |
+-----+
|                92 |
+-----+
```