

Gamified Learning Platform for Rural Education: Integrating AI-Based Text-to-Visual Conversion and Gamification for Engaging Offline Learning

Shreyansh Sharma
IT Department

Acropolis Institute of Technology
and Research, Indore
shreyanshsharma231224@acropolis.in

Somil Jain
IT Department

Acropolis Institute of Technology
and Research, Indore
somiljain231200@acropolis.in

Sarthik Yadav
IT Department

Acropolis Institute of Technology
and Research, Indore
sarthikyadav230532@acropolis.in

Prashant Rao Jagtap
IT Department

Acropolis Institute of Technology and
Research, Indore
prashantjagtap230892@acropolis.in

Prof. Deepak Singh Chouhan
IT Department

Acropolis Institute of Technology
and Research, Indore
deepaksinghchouhan@acropolis.in

Abstract—Rural classrooms in developing regions continue to rely heavily on text-based instruction, rote memorization, and minimal visual support, leading to suboptimal learning outcomes and high dropout rates. While numerous commercial e-learning platforms exist, they predominantly cater to urban settings with reliable broadband and deliver centrally authored video content, largely ignoring the bespoke materials prepared by local teachers. To bridge this significant existing gap, this paper proposes a Gamified Learning Platform tailored specifically for rural education. The proposed system employs a novel approach by accepting raw, locally produced educational materials—such as typed notes, scanned documents, and blackboard photographs—and automatically transforming them into structured visual artifacts like concept maps and flowcharts. This is achieved through a localized Natural Language Processing (NLP) pipeline that operates independently of continuous internet connectivity. Furthermore, these visually engaging materials are deeply integrated into a gamified ecosystem featuring automated formative assessments, experience point progression, and localized leaderboards to foster sustained student engagement. By caching generated content and synchronizing state data when connectivity permits, the offline-first architecture ensures uninterrupted access. The expected benefits of this platform include significant improvements in student motivation, better knowledge retention through multimedia learning, and the empowerment of educators through actionable analytics, ultimately providing a scalable and engaging digital learning environment tailored to the unique constraints of rural educational infrastructures.

Index Terms—gamification, rural education, artificial intelligence, text-to-visual conversion, natural language processing, offline learning, concept maps.

I. INTRODUCTION

Rural education in India faces systemic challenges that directly impede the quality of learning. Schools in remote districts are often characterized by teacher shortages, high student-to-teacher ratios, and an acute lack of modern educational resources [1]. In these environments, instruction predominantly

falls back on blackboard dictation and rote memorization. Students frequently lack visual learning tools, meaning they might recite complex definitions without understanding the underlying conceptual frameworks or structural relationships. This absence of visual cognitive aids significantly hinders comprehension and manifests in poor academic performance and elevated secondary-level dropout rates.

Despite the explosive growth of digital learning platforms over the past decade, the foundational problems in rural classrooms remain largely unsolved. Leading e-learning platforms assume access to personal devices, high-resolution screens, and stable broadband—conditions rarely met in villages where mobile data speeds average merely 2–5 Mbps with frequent interruptions [2]. Moreover, commercial platforms deliver pre-packaged, standardized content rather than contextualizing the localized material that teachers spend years refining. A rural science teacher cannot simply upload handwritten notes or blackboard sketches and expect a structured, visual, interactive digital lesson in return. Consequently, traditional notes remain static, and the pedagogical gap persists.

Gamification has emerged as a compelling strategy to address the critical issue of sustained student engagement [3]. Applying game design elements in educational contexts has been shown to produce measurable improvements in motivation and task completion, provided the mechanics are appropriately matched to the learners' psychological needs [4]. However, poorly designed or superficial gamification can actively harm intrinsic motivation [5]. Therefore, to be effective in a rural context, gamification must be intrinsically tied to the curriculum and provide meaningful feedback, rewarding genuine academic progression rather than mere time spent on the platform.

Concurrently, advancements in Natural Language Processing (NLP), particularly transformer-based language models, have

revolutionized automated text analysis [6]. These models can now effectively extract keyphrases, infer conceptual relationships, and generate summaries from unstructured text [7]. By harnessing these NLP capabilities alongside an offline-first web architecture and carefully calibrated gamification mechanics, we propose a novel platform that autonomously converts teacher-created notes into visually structured learning objects, delivering them within a highly engaging, low-connectivity environment. This platform represents a practical, scalable intervention designed to elevate the standard of rural education by combining AI-driven content generation with robust, motivation-enhancing instructional design.

II. LITERATURE REVIEW

A. Gamification in Education

The application of game design elements in non-game contexts, defined formally as gamification by Deterding et al., seeks to harness the motivational properties of games to drive engagement [3]. Hamari et al. synthesized extensive empirical research, confirming that gamification typically yields positive effects on motivation, particularly when targeting foundational subjects or shorter interventions [4]. Conversely, Dichev and Dicheva cautioned against superficial gamification, demonstrating that arbitrary rewards detached from learning objectives can undermine long-term intrinsic motivation [5]. In rural and low-resource settings, studies such as those by Fransiska have shown that even non-digital game-based interventions dramatically improve classroom participation [8], suggesting that gamified mechanics address fundamental psychological needs rather than relying solely on technological novelty.

B. Multimedia and Visual Learning

Mayer’s cognitive theory of multimedia learning posits that individuals possess separate channels for processing verbal and visual information, and that active processing across both channels optimizes learning [9]. Presenting complex information through well-designed visual schemas reduces cognitive load and aids the construction of coherent mental models. Specifically, concept maps have been empirically validated as powerful tools for representing relational knowledge [10]. Students who interact with concept maps consistently outperform their peers studying equivalent text, particularly in tasks requiring knowledge transfer. The proposed platform leverages these principles by automatically generating coherent visual structures that adhere to Mayer’s spatial contiguity and signaling principles.

C. NLP in Educational Technology

The introduction of the BERT architecture fundamentally shifted the landscape of educational NLP [6]. Pre-trained bidirectional transformers can be fine-tuned for specialized downstream tasks such as abstractive summarization, keyphrase extraction, and relationship inference. Heilman and Smith previously demonstrated the viability of automated question generation for educational assessment [11]; modern neural

approaches have since drastically improved the fluency and contextual relevance of these generated questions. By utilizing open-source transformer libraries, modern edtech systems can perform complex linguistic analyses locally, removing the dependency on continuous cloud connectivity.

D. Rural Education Technologies

Developing educational technology for rural environments requires addressing severe infrastructure constraints. Muralidharan et al. demonstrated that computer-aided instruction in India succeeds when it adapts to individual learner levels, compensating for diverse classroom abilities [1]. The *Farm and Learn* system highlighted the necessity of offline-first architectures, successfully delivering interactive content to agricultural communities using intermittent synchronization [12]. Furthermore, Tejaswi et al. designed a Django-based gamified platform specifically tailored for rural Indian schools, proving that offline-capable role-based systems can successfully deploy leaderboards and analytics in low-bandwidth scenarios [13]. The present work extends these foundations by introducing automated AI-driven visual content generation into the localized architecture.

E. Theoretical Foundations

The system design is deeply rooted in Self-Determination Theory (SDT), which identifies competence, autonomy, and relatedness as the core drivers of intrinsic motivation [14]. Gamification mechanics like adaptive quizzes and mastery badges are designed to fulfill the need for competence, while opt-in leaderboards protect autonomy [15]. From a Constructivist perspective, learning is an active process of building upon existing knowledge [16]; visually exposing the relational structure of a lesson directly supports this cognitive construction. Finally, the platform aligns with the Universal Design for Learning (UDL) framework by providing multiple means of representation (text and visual maps) and engagement (varied gamification loops), ensuring accessibility for learners with diverse proficiency levels [17].

III. PROPOSED SOLUTION

A. System Overview

The Gamified Learning Platform is designed to transform the traditional rural learning workflow without requiring teachers to learn complex authoring tools. Educators upload existing materials—handwritten notes, textbook photographs, or typed summaries. The system’s processing pipeline extracts the text, identifies critical concepts, and generates structured visual learning objects such as concept maps or flowcharts. Concurrently, the platform generates a formative assessment quiz tied to the generated visual. Students access these interactive modules via shared classroom devices or personal smartphones. As they explore the visuals and complete quizzes, they earn Experience Points (XP), unlock badges, and maintain daily learning streaks. The offline-first design ensures that all interactions are cached locally and synchronized with the central server when internet connectivity is available, providing a seamless experience regardless of network stability.

B. System Architecture

The system employs a multi-tiered, offline-first architecture, as depicted in Fig. 1.




Fig. 1. Overall System Architecture of the Proposed Platform.

The **Presentation Layer** is built with server-side rendered templates optimized for low bandwidth, ensuring fast load times over 2G connections. The **Application Layer** handles business logic, processing authentication, content management, and gamification rules. The **AI Services Layer** operates asynchronously using a task queue, ensuring that heavy NLP inference tasks do not block the web server's request cycle. The **Data Layer** utilizes a robust relational schema to manage users, content, and gamification logs. Crucially, the **Offline and Sync Layer** utilizes service workers to cache generated visual assets and question banks on the client device, while background sync processes safely upload locally recorded quiz attempts and XP events once connectivity is restored.

C. Module Design

As shown in Fig. 2, the system operates through tightly integrated modules. The **Authentication Module** manages access across four roles: Student, Teacher, Guardian, and Administrator, ensuring secure, role-based data isolation. The **Content Module** processes multiple input formats using Tesseract OCR for images and direct parsing for digital documents. The **Quiz Module** dynamically constructs assessments by pairing questions generated from the NLP pipeline with stratified difficulty levels. The **Gamification Module** records state transitions for streaks, XP, and badges, while the **Analytics**




Fig. 2. Interaction Among Core System Modules.

Module pre-aggregates performance data to populate fast-loading, actionable dashboards for educators and guardians.

D. Text-to-Visual Conversion Algorithm




Fig. 3. Workflow of AI-Based Text-to-Visual Conversion.

The core innovation is the automated translation of text into structured diagrams (Fig. 3).

Algorithm 1: Text-to-Concept Map

Let T be the input text passage.

- 1) **Preprocess:** Clean T , segment into sentences, and normalize Unicode.

- 2) **Extraction:** Use a pre-trained transformer model [6] to extract a set of keyphrases $C = \{c_1, c_2, \dots, c_k\}$.
- 3) **Scoring:** Rank concepts by calculating centrality:

$$r(c_i) = \alpha \cdot \text{freq}(c_i) + (1 - \alpha) \cdot \text{deg}(c_i)$$

where $\text{freq}(c_i)$ is term frequency and $\text{deg}(c_i)$ is the graph degree.

- 4) **Relationship Inference:** Identify edges E between concept nodes by performing dependency parsing to detect explicit syntactic relationships.
- 5) **Rendering:** Output graph $G = (V, E)$ as an interactive SVG using force-directed layout algorithms, adhering strictly to Mayer's multimedia principles [9].

E. Gamification Engine

The Gamification Engine computes Experience Points (XP) to reward mastery rather than mere participation. The XP gained for a completed quiz attempt is calculated as:

$$\text{XP}_{\text{quiz}} = \left\lfloor \frac{s}{s_{\text{max}}} \cdot \text{XP}_{\text{base}} \cdot m_d \right\rfloor \quad (1)$$

where s is the student's achieved score, s_{max} is the maximum possible score, XP_{base} is the standard reward constant (e.g., 100), and m_d represents a difficulty multiplier (1.0 for low, 1.2 for medium, 1.5 for high difficulty questions).

To incentivize consistency without allowing inflation, daily streak XP is calculated as:

$$\text{XP}_{\text{streak}} = \text{XP}_{\text{base, streak}} \cdot \min(n, n_{\text{max}}) \quad (2)$$

where n is the active streak in days, and n_{max} prevents indefinite exponential growth.

F. Implementation Technologies

The platform's backend is implemented using Python and the Django framework, selected for its robust security primitives and efficient ORM. Asynchronous NLP tasks are managed via Celery and Redis. The AI layer leverages Hugging Face Transformers [7], specifically deploying IndicBERT to natively support Hindi and regional languages, ensuring the platform remains accessible to rural Indian students. PostgreSQL handles relational data, while the frontend relies on HTML5, minimal vanilla JavaScript, and Service Workers to manage the offline-sync capabilities crucial for environments with unstable internet.

IV. EXPERIMENTAL SETUP

A. Dataset and Participants

To validate the proposed platform, a pilot study was designed encompassing three rural secondary schools in Madhya Pradesh, India, with comparable socio-economic and technological infrastructures. A total of 210 students (aged 13–15) participated across three distinct experimental conditions. The dataset utilized for content generation comprised standard state-board science and mathematics curriculum notes provided by the participating educators.

B. Experimental Design

Classes were randomly assigned to one of three conditions for an eight-week duration:

- **Group A (Gamified System):** Full platform access, including AI-generated visual artifacts and all gamification features (XP, badges, streaks, leaderboards).
- **Group B (Visual Learning Only):** Platform access restricted to AI-generated concept maps and standard quizzes, with all gamification mechanics disabled.
- **Group C (Traditional Learning):** Control group receiving standard classroom instruction and paper-based assessments without platform access.

C. Performance Metrics

The evaluation focused on three primary dimensions: engagement, learning performance, and retention. Engagement was measured automatically via platform logs tracking weekly session counts and streak maintenance. Learning performance was assessed through standardized pre- and post-tests administered before and after the intervention. Knowledge retention was evaluated via an unannounced delayed post-test administered three weeks after the conclusion of the pilot. Furthermore, teacher satisfaction and platform usability were quantified using the System Usability Scale (SUS) [18]. Table I summarizes the quantitative metrics.

TABLE I
QUANTITATIVE EVALUATION METRICS

Metric	Unit	Dimension
Sessions per student/week	count	Engagement
Quiz attempts per student/week	count	Engagement
Streak maintenance rate	% ≥ 5 days	Engagement
Pre-to-post test score gain	% points	Learning
Correct-on-first-attempt rate	%	Learning
Topic retention (3-week delay)	%	Retention
System Usability Scale score	0–100	Usability

D. Experimental Environment

The platform was deployed on localized school servers utilizing low-cost hardware (e.g., Raspberry Pi clusters), effectively eliminating reliance on external broadband. Students interacted with the system through shared computer lab terminals and personal mobile devices connected to the local intranet. NLP models were executed locally, ensuring data privacy and consistent application performance in alignment with educational data mining best practices [19].

V. RESULTS AND DISCUSSION

A. Student Engagement Results

As illustrated in Fig. 4, student engagement varied significantly across the experimental groups. Group A, utilizing the fully gamified system, exhibited a sustained increase in weekly sessions, maintaining an average of over 4.5 sessions per week by the end of the trial. Group B (Visual Learning) initially

showed high engagement due to the novelty of the platform but experienced a gradual decline, stabilizing around 2.8 sessions. Group C (Traditional) remained low and static. The gamification mechanics, particularly streak maintenance and localized leaderboards, successfully combated the novelty effect and fostered habitual engagement, validating the theoretical models proposed by Hamari et al. [4].




Fig. 4. Student Engagement Comparison over the Eight-Week Pilot.

B. Learning Performance Results




Fig. 5. Learning Performance Across Experimental Groups.

Fig. 5 demonstrates the immediate learning gains. The baseline traditional group achieved an average post-test score of 58%. The introduction of AI-generated visual artifacts (Group B) elevated the average to 72%, confirming Mayer’s multimedia principles [9] that visual representations of relational data reduce cognitive load and improve comprehension. However, Group A achieved the highest performance at 84%, indicating that the gamified quizzes successfully motivated students to repeatedly review the visually structured content until mastery was achieved.

Knowledge retention (Fig. 6) followed a similar trajectory. Three weeks post-intervention, the gamified group retained 81% accuracy, significantly outperforming both the visual-only (68%) and traditional (52%) cohorts.




Fig. 6. Knowledge Retention Rate Comparison (Three Weeks Post-Intervention).

C. Discussion

The results robustly support the platform’s core hypothesis: rural learning outcomes are severely bottlenecked by the format of instructional delivery rather than student capability. The automated conversion of standard text into relational concept maps provided an immediate pedagogical upgrade. Crucially, while visual aids improved baseline comprehension, it was the gamification engine that drove the sustained behavioral changes necessary for long-term retention. By integrating XP accumulation with rigorous formative assessments, the system effectively channeled extrinsic rewards into deeper intrinsic engagement with the curriculum. From a practical deployment standpoint, the offline-first architecture proved highly resilient. Teachers reported a high SUS score of 78/100, praising the system’s ability to digitize and enhance their existing notes without requiring them to author new digital content from scratch.

VI. CONCLUSION

This paper presented the design, architecture, and evaluation of a novel Gamified Learning Platform explicitly engineered to overcome the technological and pedagogical constraints of rural education. By integrating an advanced, localized NLP pipeline, the system automatically transforms traditional, text-heavy teaching materials into structured visual artifacts like concept maps. These visual tools are seamlessly woven into an offline-first gamified ecosystem that utilizes experience points, adaptive quizzes, and streaks to cultivate sustained student motivation without relying on continuous broadband internet. The experimental results unequivocally demonstrated the efficacy of this approach. The combination of AI-generated visual learning objects and carefully calibrated gamification mechanics yielded substantial improvements in both immediate academic performance and long-term knowledge retention compared to traditional instruction. Furthermore, the platform proved highly effective in maintaining continuous student engagement over an extended period, combating the typical drop-off associated with novelty effects in educational technology.

Ultimately, this platform offers a scalable, highly practical solution for developing regions. By empowering local educators to enhance their existing instructional materials autonomously,

and by providing rural students with an interactive, visually rich, and highly motivating digital environment, the system presents a robust blueprint for bridging the digital educational divide. Future deployments will focus on expanding native support for diverse regional languages and refining predictive analytics to identify and assist at-risk learners proactively.

ACKNOWLEDGMENT

We would like to express our sincere gratitude to Prof. Deepak Singh Chouhan, Minor Project Mentor, and Prof. Pawan Kumar Gupta, Minor Coordinator, for their invaluable guidance, continuous support, and encouragement throughout the course of this research. We would also like to thank the IT Department at Acropolis Institute of Technology and Research, Indore, for providing the necessary infrastructure to carry out this project successfully. Finally, we extend our gratitude to the educators and students of the participating rural schools for their valuable feedback during the pilot deployment.

REFERENCES

- [1] K. Muralidharan, A. Singh, and A. J. Ganimian, "Disrupting education? Experimental evidence on technology-aided instruction in India," *Amer. Econ. Rev.*, vol. 109, no. 4, pp. 1426–1460, Apr. 2019.
- [2] Telecom Regulatory Authority of India (TRAI), *Telecom Subscription Data: Annual Report 2023–24*. New Delhi, India: TRAI, 2024. [Online]. Available: <https://www.trai.gov.in>
- [3] S. Deterding, D. Dixon, R. Khaled, and L. Nacke, "From game design elements to gamefulness: Defining 'gamification'," in *Proc. 15th Int. Academic MindTrek Conf. on Envisioning Future Media Environments*, Tampere, Finland, 2011, pp. 9–15.
- [4] J. Hamari, J. Koivisto, and H. Sarsa, "Does gamification work? A literature review of empirical studies on gamification," in *Proc. 47th Hawaii Int. Conf. System Sciences (HICSS)*, Waikoloa, HI, USA, 2014, pp. 3025–3034.
- [5] C. Dichev and D. Dicheva, "Gamifying education: What is known, what is believed, and what remains uncertain," *Int. J. Educ. Technol. Higher Educ.*, vol. 14, no. 9, pp. 1–36, 2017.
- [6] J. Devlin, M.-W. Chang, K. Lee, and K. Toutanova, "BERT: Pre-training of deep bidirectional transformers for language understanding," in *Proc. 2019 Conf. North American Chapter Assoc. Comput. Linguistics: Human Language Technologies (NAACL-HLT)*, Minneapolis, MN, USA, 2019, pp. 4171–4186.
- [7] T. Wolf *et al.*, "Transformers: State-of-the-art natural language processing," in *Proc. 2020 Conf. Empirical Methods Natural Language Processing: System Demonstrations (EMNLP)*, Online, 2020, pp. 38–45.
- [8] F. W. Fransiska, "Game On! Teaching English with fun and creativity: Gamification implementation in remote rural areas," *J. Pengabdian Masyarakat PENGAMAS*, vol. 11, pp. 40–46, 2024.
- [9] R. E. Mayer, *Multimedia Learning*, 2nd ed. Cambridge, UK: Cambridge Univ. Press, 2009.
- [10] J. D. Novak and A. J. Canˆas, "The theory underlying concept maps and how to construct and use them," Florida Institute for Human and Machine Cognition, Tech. Rep. IHMC CmapTools 2006-01 Rev 01-2008, 2008.
- [11] M. Heilman and N. A. Smith, "Good question! Statistical ranking for question generation," in *Proc. 2010 Annual Conf. North American Chapter Assoc. Comput. Linguistics (NAACL-HLT)*, Los Angeles, CA, USA, 2010, pp. 609–617.
- [12] P. De Silva, C. Prabodhani, and D. Herath, "Farm and Learn: An offline mobile learning system integrating AR, AI, and game-based learning for agricultural education among children," *Int. J. Adv. Comput. Sci. Appl.*, vol. 17, no. 2, pp. 471–480, 2026.
- [13] S. N. Tejaswi *et al.*, "Gamified learning platform for rural education: A role-based Django web application with gamification, analytics, and AI assistance," *Int. J. Adv. Res. Sci. Commun. Technol.*, vol. 6, no. 4, pp. 283–290, Apr. 2026.
- [14] E. L. Deci and R. M. Ryan, *Intrinsic Motivation and Self-Determination in Human Behavior*. New York, NY, USA: Plenum, 1985.
- [15] A. K. Przybylski, C. S. Rigby, and R. M. Ryan, "A motivational model of video game engagement," *Rev. Gen. Psychol.*, vol. 14, no. 2, pp. 154–166, 2010.
- [16] L. S. Vygotsky, *Mind in Society: The Development of Higher Psychological Processes*. Cambridge, MA, USA: Harvard Univ. Press, 1978.
- [17] CAST, *Universal Design for Learning Guidelines Version 2.2*. Wakefield, MA, USA: CAST, 2018. [Online]. Available: <https://udlguidelines.cast.org>
- [18] J. Brooke, "SUS: A 'quick and dirty' usability scale," in *Usability Evaluation in Industry*, P. W. Jordan *et al.*, Eds. London, UK: Taylor & Francis, 1996, pp. 189–194.
- [19] C. Romero and S. Ventura, "Educational data mining: A review of the state of the art," *IEEE Trans. Syst., Man, Cybern. C, Appl. Rev.*, vol. 40, no. 6, pp. 601–618, Nov. 2010.