

A project report
on
Blood Bridge – Donate Blood, Save Lives

By:

Shreya Dhakal

PU Registration Number: 2025-2-08-0050

Gambhir Shrestha

PU Registration Number: 2025-2-08-0023

Reegzen Sangmo Thing

PU Registration Number: 2025-2-08-0041

Malpi International College

A project report submitted to
Faculty of Management, Pokhara University
in partial fulfillment of the requirements for the degree
of
Bachelor of Computer System and Information Technology

Chakrapath, Kathmandu

6 August 2026

CERTIFICATE FROM THE SUPERVISOR

This is to certify that the project entitled “Blood Bridge” is an academic work carried out by **Shreya Dhakal, Gambhir Shrestha, and Reegzen Sangmo Thing**, submitted in fulfillment of the requirements for the degree of **Bachelor in Computer System and Information Technology**, under the **Faculty of Management, Pokhara University**, under my supervision and guidance.

To the best of my knowledge, the information presented by them in this project report has not been submitted elsewhere for any academic purpose.

.....

Roshan Nyaupane

Mentor/Supervisor

ABSTRACT

Blood Bridge is a web-based platform designed to connect willing blood donors with people who urgently need blood in Nepal. Built using HTML, CSS, JavaScript, and jQuery, it provides a responsive, easy-to-use interface where visitors can register as donors, search for available donors by blood group and district, submit urgent blood requests, and browse a directory of hospitals. The platform also includes a photo gallery of donation drives, a contact page, and a dark mode toggle for accessibility. Donor, user, and request data is stored using the browser's localStorage, and an admin-gated donor list allows management of registered donor records. The system addresses the difficulty many Nepalese donors and patients face in finding each other quickly during emergencies, replacing scattered social media posts with a single organized, searchable platform. Although the project is a frontend prototype without a live backend or database, it demonstrates a complete, realistic donor-matching workflow and is designed with future backend integration in mind.

Keywords: Blood Bridge, Blood Donation, Donor Registration, Blood Request, Nepal, HTML, CSS, JavaScript, jQuery, Responsive Design

ACKNOWLEDGEMENT

We would like to express our sincere gratitude to Malpi International College and Pokhara University for providing us the opportunity and resources to carry out this project as part of our academic curriculum. Working on Blood Bridge has been a valuable part of our first-year learning journey, and we are thankful for the experience.

We are especially grateful to our project coordinator, **Mr. Ananda Adhikari** for his consistent support, timely feedback, and encouragement throughout the different stages of this project. We would also like to extend our heartfelt thanks to our mentor and supervisor, **Mr. Roshan Nyaupane**, for his patient guidance and the valuable suggestions he shared with us, which helped shape both the platform and this report.

Our sincere thanks go to all the teaching staff of our department for their continued support both inside and outside the classroom. We are also thankful to our friends, classmates, and the entire Malpi family for their encouragement during the course of this project.

Finally, we appreciate the dedication and teamwork of every member of our group. Building Blood Bridge taught us not only technical skills, but also the importance of planning, communication, and persistence when solving a real-world problem.

Shreya Dhakal (2025-2-08-0050)

Reegzen Syango Thing(2025-2-08-0041)

Gambhir Shresthac(2025-2-08-0023)

Thank You!

Table of Contents

CERTIFICATE FROM THE SUPERVISOR	I
ABSTRACT.....	II
ACKNOWLEDGEMENT	III
Table of Contents.....	IV
LIST OF FIGURES	VI
LIST OF TABLES.....	VII
LIST OF ABBREVIATIONS.....	VIII
CHAPTER 1: INTRODUCTION	1
1.1 Background of the Study	1
1.2 Statement of the Problem.....	1
1.3 Objectives of the Study	1
1.4 Scope of the Study	2
1.5 Limitations of the Study.....	2
CHAPTER 2: LITERATURE REVIEW	3
2.1 Description of Fundamental Concepts.....	3
2.2 Review of Similar Projects	3
CHAPTER 3: SYSTEM ANALYSIS AND DESIGN	4
3.1 System Analysis.....	4
3.1.1 Requirement Analysis.....	4
Functional Requirements	4
Non-Functional Requirements	5
3.1.2 Feasibility Analysis.....	6
3.1.3 Data Modeling	7
3.1.4 Process Modeling.....	8
3.2 System Design	9
3.2.1 Interface Design.....	9

CHAPTER 4: IMPLEMENTATION AND TESTING	13
4.1 Implementation	13
4.1.1 Tools Used	13
4.1.2 Implementation Details of Modules.....	13
4.2 Testing.....	17
4.2.1 Test Cases for Unit Testing.....	17
CHAPTER 5: CONCLUSION AND RECOMMENDATION	19
5.1 Lesson Learnt.....	19
5.2 Conclusion	19
5.3 Recommendation	20
REFERENCES	21
APPENDICES	22

LIST OF FIGURES

Figure 3.1: Use Case Diagram	5
Figure 3.2: Gannt Chart.....	7
Figure 3.3: Zero level DFD.....	8
Figure 3.4: First Level DFD	8
Figure 3.5: Home Page	9
Figure 3.6: Sign up Page.....	10
Figure 3.7: Login page.....	10
Figure 3.8 Doner Registration Page	11
Figure 3.9: Search Donor Page	11
Figure 3.10: Blood Request Page.....	12
Figure 4.1: Gallery Page.....	15
Figure 4.2: Our Services Page.....	16
Figure 4.3: Contact Page	16
Figure 7.1: Home.....	22
Figure 7.2: Create Account	22
Figure 7.3: Terms and Condition	23
Figure 7.4: Search Donor	23
Figure 7.5: Request Blood	24
Figure 7.6: Gallery	24
Figure 7.7: Contact us.....	25
Figure 7.8: About	25
Figure 7.9: Login page.....	26
Figure 7.10: Register Page	26

LIST OF TABLES

Table 3.1: Schedule Table	6
Table 4.1 Unit Testing.....	17
Table 4.2 Responsive Design Test Description	18
Table 4.3 Test Cases for System Testing.....	18

LIST OF ABBREVIATIONS

API	Application Programming Interface
CSS	Cascading Style Sheets
DFD	Data Flow Diagram
HTML	HyperText Markup Language
JS	JavaScript
JSON	JavaScript Object Notation
PU	Pokhara University
UI	User Interface
URL	Uniform Resource Locator
VS Code	Visual Studio Code

CHAPTER 1: INTRODUCTION

1.1 Background of the Study

Blood Bridge is a front-end web platform built using HTML, CSS, JavaScript, and jQuery. It is designed to close the gap between people who are willing to donate blood and people who urgently need it. In Nepal, finding a blood donor in an emergency is still difficult; people commonly rely on scattered social media posts and personal networks, hoping that someone responds in time. Blood Bridge was built to make this process faster, more organized, and more reliable by giving donors a place to register and giving patients and hospitals a simple way to search for a matching donor or raise a request that reaches the right people quickly.

The platform lets a donor register their details in minutes, allows anyone to search for available donors by blood group and district, and gives users a way to submit an urgent blood request. Every registered donor becomes part of a searchable list, so help is never more than a few clicks away. The system also includes a hospital directory, a photo gallery from past donation drives, and a contact page, all wrapped in a responsive, mobile-friendly interface.

1.2 Statement of the Problem

People in need of blood, and hospitals coordinating on their behalf, often struggle to locate compatible donors quickly. Existing solutions are informal: Facebook groups, WhatsApp broadcasts, and word of mouth. These channels are unorganized, hard to search, and unreliable during time-sensitive emergencies. There is no simple, dedicated platform where a donor can register once and remain discoverable, or where a patient's family can search by blood group and location and immediately see relevant contacts. Blood Bridge addresses this gap with a lightweight, purpose-built web platform.

1.3 Objectives of the Study

- To design and develop a responsive web platform for connecting blood donors with people in need, using HTML, CSS, and JavaScript.
- To allow users to register as blood donors with their personal, contact, and health-related details.
- To implement a donor search feature filtered by blood group and district.

1.4 Scope of the Study

- Developed a responsive frontend prototype of Blood Bridge.
- Includes donor registration, donor search, blood requests, a hospital directory, gallery, and user authentication.
- Uses localStorage to store donor, account, and blood request data without a backend.
- Created for academic purposes to demonstrate frontend development and client-side data handling.

1.5 Limitations of the Study

- Blood Bridge is a frontend-only prototype; there is no real backend server or database.
- Donor, user, and request data is stored in the browser's localStorage, so it is not shared across devices or browsers and can be lost if browser data is cleared.

CHAPTER 2: LITERATURE REVIEW

2.1 Description of Fundamental Concepts

Blood Bridge is built entirely with core front-end web technologies. HTML5 is used to structure each page's content, CSS3 handles styling, layout, and responsive behavior, and JavaScript adds interactivity such as form validation, dynamic search results, and dark mode. jQuery and jQuery UI are used for smaller interactive widgets: jQuery powers the image slider on the homepage and the gallery lightbox, while jQuery UI supplies the date-picker used for date-of-birth and last-donation-date fields on the registration form.

The system also relies on two browser-native features instead of a real backend. The localStorage API is used to persist donor records, user accounts, and blood requests directly in the browser, so the application can simulate registration, login, and record-keeping without a server. The Fetch API is used to load a static JSON file of hospital data and render it dynamically on the page. Together, these tools let the platform behave like a small data-driven system while remaining a purely client-side project, which matches the scope of a first-year web development course.

2.2 Review of Similar Projects

Several existing platforms informed the design of Blood Bridge. The Nepal Red Cross Society and similar national blood-bank services provide organized donor and blood-bank information, but access is often limited to institutional channels rather than an open, searchable donor directory. Community-driven alternatives, such as Facebook groups dedicated to blood donation in Nepal, are widely used but are unstructured: posts get buried quickly, there is no filtering by blood group or location, and there is no way to browse a standing list of willing donors.

International donor-matching platforms typically combine donor registration, search filters, and request/alert systems, which shaped the core feature set chosen for Blood Bridge: registration, search by blood group and district, and a dedicated request form. Blood Bridge simplifies this model to a scope appropriate for a frontend prototype, focusing on making donor information organized and searchable rather than replicating a full-scale production system with real-time alerts or payment integration.

CHAPTER 3: SYSTEM ANALYSIS AND DESIGN

3.1 System Analysis

System analysis involved identifying the core needs of donors, patients, and administrators using the platform. Requirements were shaped by common real-world pain points: donors want a simple one-time registration, patients and families need to search quickly under pressure, and an administrator needs a way to review and manage the donor list. The analysis below outlines the functional and non-functional requirements gathered for Blood Bridge, along with the feasibility, data, and process models that guided its design.

3.1.1 Requirement Analysis

Functional Requirements

- Sign Up and Login: users can create an account and log in; a fixed admin account (username “admin”) has elevated access.
- Terms & Conditions Gate: users must accept the Terms & Conditions before they are allowed to sign up.
- Donor Registration: logged-in users can register as a blood donor with personal, contact, and health details.
- Donor Search: any visitor can search registered donors by blood group and district.
- Blood Request: any visitor can submit an urgent blood request with contact details.
- Donor List Management: an admin-only page lists all registered donors and allows records to be deleted.
- Hospital Directory: a directory of hospitals is loaded from a JSON file and displayed to help users find nearby facilities.
- Gallery: a photo gallery of donation drives, with a lightbox to view enlarged images.
- Contact Form: a simple form for visitors to send a message.




Figure 3.1: Use Case Diagram

Non-Functional Requirements

- Performance: pages should load quickly and respond smoothly, since the platform may be used during emergencies.
- Usability: forms give immediate, field-level feedback so users know exactly what needs to be corrected.
- Accessibility: a dark mode toggle is available, and the layout adapts to different screen sizes.
- Responsiveness: the interface, including a collapsible hamburger menu, is designed to work across desktop, tablet, and mobile devices.
- Maintainability: each page has its own dedicated CSS and JavaScript file, keeping styling and logic modular and easy to update.
- Portability: the platform runs in any modern browser without installation.

3.1.2 Feasibility Analysis

- Technical Feasibility: built using HTML, CSS, JavaScript, and jQuery, the platform requires no server infrastructure and runs directly in a browser.
- Operational Feasibility: the interface uses familiar form-based interactions and clear navigation, so it requires no special training to use.
- Financial Feasibility: development relied entirely on free, open-source tools (VS Code, GitHub, browser dev tools), keeping cost at zero.
- Schedule Feasibility: the project was planned and completed within the semester's project timeline, as shown in the schedule below.

Table 3.1: Schedule Table

Task	Start Date	Days to Complete
Project Planning	13 May	3
Requirement Analysis	16 May	5
Feasibility Study	21 May	4
System Design	25 May	9
Development / Coding	3 June	32
Testing	5 July	6
Documentation	13 May	62

Topic	Week 1	Week 2	Week 3	Week 4	Week 5	Week 6	Week 7	Week 8	Week 9	Week 10-11
Planning										
Requirement Analysis										
Feasibility Study										
System Design										
Development										
Documentation										
Presentation										

Figure 3.2: Gantt Chart

3.1.3 Data Modeling

Since Blood Bridge has no backend database, its data model is implemented as structured JSON objects saved to the browser's localStorage under three keys, plus one static JSON file for hospital data.

- users - { username, email, password } - created at sign-up and checked at login.
- donors - { fullName, email, dob, bloodGroup, district, address, contact, lastDonation, healthConditions } - one entry per registered donor, added through the registration form and read by both the search page and the admin donor list.
- requests - { fullName, bloodGroup, location, contact } - one entry per submitted blood request.
- hospitals.json - { name, address, contact, type } - a static file fetched and rendered on the search page's hospital directory section.

This structure keeps each concern separate: donor records, account credentials, and requests never overlap, which makes the search and admin features straightforward to implement using array methods such as filter() and find().

3.1.4 Process Modeling




Figure 3.3: Zero level DFD

The Level 0 DFD shows the two external entities that interact with the Blood Bridge system: the general user (donor or visitor) and the admin. A user can register as a donor, search for donors, or submit a blood request, and receives back a donor list or a confirmation message. The admin manages donor records and receives donor data from the system in return.




Figure 3.4: First Level DFD

The Level 1 DFD breaks the system down into six processes: signing up, logging in, registering as a donor, searching for a donor and viewing hospitals, submitting a blood –request, and managing the donor list. Each process reads from or writes to its corresponding data store: the users, donors, and requests stores in localStorage, plus the static hospitals.json file used for the hospital directory.

3.2 System Design

3.2.1 Interface Design

Blood Bridge follows a responsive design approach with a shared navigation bar, footer, and dark-mode toggle across all pages, ensuring a consistent experience across desktop, tablet, and mobile devices.




Figure 3.5: Home Page

Blood Bridge[Home](#)[Register Donor](#)[Search Donor ▼](#)[Gallery](#)[Contact](#)[About](#)[Sign Up](#)[Emergency](#)

Create Account

Sign up for a new Blood Bridge account.

Username

Choose a username

Email

Enter your email address

Password

Choose a password

Confirm Password

Re-enter your password

Terms & Conditions not yet accepted.

[Read & Accept Terms](#)

Sign Up

Already have an account? [Login](#)

Figure 3.6: Sign up Page

Blood Bridge[Home](#)[Register Donor](#)[Search Donor ▼](#)[Gallery](#)[Contact](#)[About](#)[Sign Up](#)[Emergency](#)

Account Login

Login to your Blood Bridge account.

Username

Enter your username

Email

Enter your email

Password

Enter your password

Login

Don't have an account? [Sign Up](#)

Figure 3.7: Login page

Blood Bridge Home Register Donor Search Donor Gallery Contact About Sign Up Emergency

Register as a Donor

Create your account in under a minute.

Username
Choose a username

Email
Enter your email address

Password
Choose a password

Confirm Password
Re-enter your password

Terms & Conditions not yet accepted.
Read & Accept Terms

Sign Up

Already have an account? [Login](#)

Figure 3.8 Doner Registration Page

Blood Bridge Home Register Donor Search Donor Gallery Contact About Sign Up Emergency

Search for a Donor

Select a blood group and district to find matching registered donors.

Blood Group
All Blood Groups

District
e.g. Kathmandu

Search

Use the filters above and click Search to find donors.

Figure 3.9: Search Donor Page

Blood Bridge

[Home](#)[Register Donor](#)[Search Donor](#)[Gallery](#)[Contact](#)[About](#)[Sign Up](#)

Emergency

Request Blood

Fill in this form if you or someone you know urgently needs blood.

Full Name

Blood Group Needed

Select required blood group

Location / Hospital

Contact Number

Submit Request

Blood Bridge

[About](#)[Contact](#)[Our Services](#)[Terms & Conditions](#)[Testimonials](#)

Figure 3.10: Blood Request Page

CHAPTER 4: IMPLEMENTATION AND TESTING

4.1 Implementation

4.1.1 Tools Used

- **HTML5** - structuring the content and layout of all twelve pages.
- **CSS3** - styling, responsive layout, and the dark mode theme (one dedicated stylesheet per page, plus a shared common.css).
- **JavaScript (ES6)** - form validation, localStorage-based data handling, and dynamic rendering of search results and the donor table.
- **jQuery & jQuery UI** - the homepage image slider, the gallery lightbox, and the date-picker fields on the registration form.
- **Fetch API** - loading hospital data from a local JSON file.
- **Visual Studio Code** - the main code editor used throughout development.
- **Git & GitHub** - version control and collaboration between the three team members.
- **Lucidchart** - used to design the Use Case Diagram and Data Flow Diagrams for this report.
- **Visual Paradigm** - used to design the Use Case Diagram and Data Flow Diagrams for this report.

4.1.2 Implementation Details of Modules

Donor Registration Module

This module validates every field - full name, email format, date of birth, blood group, district, address, and a 10-digit contact number starting with 9 - before saving a new donor object into the donors array in localStorage.

```
const    donors    =    JSON.parse(localStorage.getItem("donors"))    ||    [];  
donors.push(newDonor);  
localStorage.setItem("donors", JSON.stringify(donors));
```

Donor Search Module

The search page reads all saved donors and filters them using the selected blood group and entered district, then builds a card for each match.

```
const    matchingDonors    =    donors.filter(function    (donor)    {
  let    groupMatches    =    selectedGroup === "" || donor.bloodGroup === selectedGroup;
  let    districtMatches    =    enteredDistrict === "" ||
    donor.district.toLowerCase().includes(enteredDistrict);
  return    groupMatches    &&    districtMatches;
});
```

Login & Access Control Module

Login checks entered credentials against accounts stored in localStorage. A fixed admin account grants access to the donor list. Two pages guard themselves with a small inline script that redirects unauthorized visitors before the page content loads: register.html requires any logged-in user, and donors.html requires the admin account specifically.

```
if    (localStorage.getItem("isAdmin")    !==    "true")    {
  window.location.href    =    "login.html";
}
```

Blood Request Module

Visitors can submit an urgent blood request with their name, required blood group, location, and contact number. After validation, the request is appended to the requests array in localStorage and a confirmation message is shown.

Donor List (Admin) Module

This admin-only page renders every saved donor as a table row, including a delete button. Deleting a row removes that donor from the array using splice() and re-saves it to localStorage, then reloads the table.

```
const    donors    =    JSON.parse(localStorage.getItem("donors"))    ||    [];
donors.splice(indexToDelete,    1);
localStorage.setItem("donors", JSON.stringify(donors));
```

Hospital Directory Module

The search page also fetches a static hospitals.json file and renders each hospital's name, address, contact number, and type as a card, giving users a quick reference of nearby facilities alongside donor search results.

Gallery & Dark Mode Modules

The gallery page uses jQuery to open a lightbox showing an enlarged image and caption when a thumbnail is clicked. A shared dark mode toggle, present on every page through common.js, switches a CSS class on the page body and remembers the user's preference in localStorage.




Figure 4.1: Gallery Page




Figure 4.2: Our Services Page




Figure 4.3: Contact Page

4.2 Testing

System testing was carried out to confirm that Blood Bridge meets its functional and non-functional requirements, covering form validation, search accuracy, access control, and responsive layout behaviour.

4.2.1 Test Cases for Unit Testing

Table 4.1 Unit Testing

Steps	Case	Test Data	Expected Result	Status
1	Donor registration – empty form	No input, click Register	Field-level error messages shown	Pass
2	Contact number validation	“12345”	“Enter a valid 10 digit number starting with 9”	Pass
3	Email format validation	“shreya@@mail”	“Enter a valid email address”	Pass
4	Search donor – valid match	Blood group + district with a saved donor	Matching donor card displayed	Pass
5	Search donor – no match	Blood group with no saved donor	“No matching donors found” shown	Pass
6	Signup without accepting terms	Submit signup before visiting Terms page	“Please read and accept the Terms & Conditions first”	Pass
7	Login – unregistered username	Username not in localStorage	Redirected to Sign Up page	Pass
8	Login – admin credentials	“admin” / “admin123”	Logged in, redirected to Home	Pass
9	Donor list – non-admin access	Visit donors.html without admin login	Redirected to Login page	Pass
10	Donor delete	Click Delete on a donor row	Row removed from table and localStorage	Pass

Table 4.2 Responsive Design Test Description

Steps	Case	Test Data	Expected Result	Status
1	Open website on desktop	Desktop browser	Layout displays correctly	Pass
2	Open website on mobile device	Narrow view-port	Nav collapses into hamburger menu	Pass
3	Resize browser window	Resize window size	Content rearranges smoothly	Pass

Table 4.3 Test Cases for System Testing

Test Case	Feature	What it Tests	What to Do	Expected Result
TC_01	Donor Registration	Registration with valid details	Fill form correctly and submit	Donor saved, success message shown
TC_02	Donor Registration	Registration with missing field	Leave a required field blank	Inline error shown, form not submitted
TC_03	Search Donor	Search with valid filters	Select blood group, enter district, search	Matching donor cards shown
TC_04	Blood Request	Submit a valid request	Fill all fields correctly and submit	Confirmation message shown
TC_05	Access Control	Open donor list without admin login	Navigate directly to donors.html	Redirected to Login page
TC_06	Responsive Layout	Layout on small screens	Resize browser to mobile width	Hamburger menu appears, layout adjusts

CHAPTER 5: CONCLUSION AND RECOMMENDATION

5.1 Lesson Learnt

Building Blood Bridge taught us how to translate a real social problem - the difficulty of finding blood donors quickly in Nepal - into a working web application. We gained hands-on experience structuring a multi-page site with HTML and CSS, and learned to use JavaScript for meaningful client-side logic: validating forms, filtering and rendering data, and controlling access to specific pages.

Working with localStorage as a stand-in for a real database helped us understand how data persistence and state management work conceptually, even without a backend. Integrating jQuery and jQuery UI widgets, along with the Fetch API for the hospital directory, gave us practical exposure to combining several front-end tools within a single project.

On the collaborative side, dividing work across three team members and coordinating through Git and GitHub reinforced the importance of clear communication and version control. Iterative testing, especially around form validation and page access control, showed us how much small edge cases matter in a platform meant to be used during real emergencies.

5.2 Conclusion

Blood Bridge successfully meets its core objective: providing a simple, organized, and responsive platform for connecting blood donors with people who need blood. Built entirely with HTML, CSS, JavaScript, and jQuery, the platform replaces scattered, informal donor-finding methods with a structured donor registry, a searchable donor list, an urgent blood request form, and a hospital directory.

While the current version is a frontend prototype relying on localStorage rather than a real database, it demonstrates a complete and realistic user workflow, from signing up and registering as a donor to searching for one and reaching out during an emergency. The project strengthened our understanding of responsive web design, client-side data handling, and collaborative development, while producing a platform with genuine potential for future growth.

5.3 Recommendation

- Integrate a real backend and database so donor, user, and request data persists reliably across devices and sessions.
- Add secure authentication (hashed passwords, verified sessions) in place of the current localStorage-based login.
- Add a proper admin role system instead of a single hardcoded admin account.
- Deploy the platform online (e.g. GitHub Pages or a hosting provider) so it can be used and tested by real donors and hospitals.

REFERENCES

- [1] Mozilla, “MDN Web Docs: HTML, CSS, and JavaScript Documentation,” *MDN Web Docs*. [Online]. Available: <https://developer.mozilla.org>
- [2] jQuery Foundation, “jQuery and jQuery UI Documentation,” *jQuery*. [Online]. Available: <https://jquery.com> and <https://jqueryui.com>
- [3] W3Schools, “HTML, CSS, and JavaScript Tutorials,” *W3Schools*. [Online]. Available: <https://www.w3schools.com>
- [4] Nepal Red Cross Society, “Blood Donation and Blood Bank Services in Nepal,” *Nepal Red Cross Society*. [Online]. Available: <https://www.nrcs.org>
- [5] GitHub, “Git and GitHub Documentation,” *GitHub Docs*. [Online]. Available: <https://docs.github.com>

APPENDICES




Figure 7.1: Home




Figure 7.2: Create Account




Figure 7.3: Terms and Condition




Figure 7.4: Search Donor


[Home](#)
[Register Donor](#)
[Search Donor](#)
[Gallery](#)
[Contact](#)
[About](#)
[Sign Up](#)
[Emergency](#)

Request Blood

In an emergency, every minute counts. Tell us what you need and we'll spread the word.

Full Name

Blood Group Needed

Location / Hospital

Contact Number



Figure 7.5: Request Blood




Figure 7.6: Gallery

Figure 7.7: Contact us

Figure 7.8: About

The screenshot shows the 'Account Login' page of the Blood Bridge website. The header includes the Blood Bridge logo and navigation links: Home, Register Donor, Search Donor, Gallery, Contact, About, Sign Up, and an Emergency button. The main content area is titled 'Account Login' with the subtitle 'Login to your Blood Bridge account.' Below this is a form with three input fields: 'Username' (placeholder: 'Enter your username'), 'Email' (placeholder: 'Enter your email'), and 'Password' (placeholder: 'Enter your password'). A red 'Login' button is positioned below the password field. At the bottom of the form, there is a link: 'Don't have an account? [Sign Up](#)'. A small circular icon with a crescent moon is visible in the bottom right corner of the page.

Figure 7.9: Login page

The screenshot shows the 'Register as a Donor' page of the Blood Bridge website. The header is identical to the login page. The main content area is titled 'Register as a Donor' with the subtitle 'Create your account in under a minute.' Below this is a form with four input fields: 'Username' (placeholder: 'Choose a username'), 'Email' (placeholder: 'Enter your email address'), 'Password' (placeholder: 'Choose a password'), and 'Confirm Password' (placeholder: 'Re-enter your password'). Below the password fields is a red box with the text 'Terms & Conditions not yet accepted' and a red button labeled 'Read & Accept Terms'. A red 'Sign Up' button is positioned below the terms box. At the bottom of the form, there is a link: 'Already have an account? [Login](#)'. A small circular icon with a crescent moon is visible in the bottom right corner of the page.

Figure 7.10: Register Page