CONFIDENTIAL

EXPLORER ELECTRONICS

Crafting Your Dream

DC Drop Analysis

For

DSL/IDAQ/10-25/01

SUBMITTED TO

DIGILOGIC SYSTEMS PVT. LTD.

By

Explorer Electronics

Flat No- 104, Satya Heights, Sri Satya Sai Nagar, Meerpet, Hyderabad, Telangana, 500097.India

Contact No: +91-9903255004, Phone/Fax: 040 2374 8730,

E-mail : info@explorerelectronics.in,

Website: www.explorerelectronics.in

All Rights Reserved. Copying of this document or parts of it is prohibited.

Copyright ©Explorer Electronics; All Rights reserved

This document contains proprietary information of Explorer Electronics. No part of the work described herein may be reproduced. Reverse engineering of the hardware or software is prohibited and is protected by patent law.

This material or any portion of it may not be copied in any form or by any means, stored in a retrieval system, adopted or transmitted in any form or by any means (electronic, mechanical, photographic, graphic, optic or otherwise), or translated in any language or computer language without the prior written permission of Explorer Electronics.

The information in this document is subject to change without notice. Explorer Electronics makes no representation or warranties with respect to the contents herein and shall not be responsible for any loss or damage caused to the user by the direct or indirect use of this information. This document may contain information about third party products or processes. This third party information is out of influence of Explorer Electronics therefore Explorer Electronics shall not be responsible for the correctness or legitimacy of this information.

While due care has been taken to deliver accurate documentation, Explorer Electronics does not warrant that this document is error-free.

All other products or company names mentioned herein are used for identification purposes only, and may be trademarks or registered trademarks of their respective owners.

The following description of software, hardware or process of Explorer Electronics or other third party provider may be included with your product and will be subject to the software, hardware or other license agreement.

For more information about Explorer Electronics, visit the Explorer Electronics web site at:
www.explorerelectronics.in

Contents

1.1 General 4
1.2 List of Signals for Power Integrity Analysis 4
Power Integrity Analysis 6
1.3 Analysis: - 6
1.3.1 +12V_F Voltage Drop 3D 6
1.3.2 +12V_F Voltage Drop 2D 7
1.3.3 -12V_F Voltage Drop 3D 8
1.3.4 -12V_F Voltage Drop 2D 8
1.3.5 1V Voltage Drop 3D 9
1.3.6 1V Voltage Drop 2D 9
1.3.7 DDR_1V5 Voltage Drop 3D 10
1.3.8 DDR_1V5 Voltage Drop 2D 10
1.3.9 1V8 Voltage Drop 3D 11
1.3.10 1V8 Voltage Drop 2D 11
1.3.11 3V3 Voltage Drop 3D 12
1.3.12 3V3 Voltage Drop 2D 12
1.3.13 5V_M Voltage Drop 3D 13
1.3.14 5V_M Voltage Drop 2D 13
1.3.15 +5V_VCC Voltage Drop 3D 14
1.3.16 +5V_VCC Voltage Drop 2D 14
1.3.17 +5V_VDD Voltage Drop 3D 15
1.3.18 +5V_VDD Voltage Drop 2D 15
1.3.19 -5V_VSS Voltage Drop 3D 16
1.3.20 -5V_VSS Voltage Drop 2D 16
1.3.21 5V_ADC_Voltage Drop 3D 17
1.3.22 5V_ADC Voltage Drop 2D 17
1.3.23 5V_AVDD Voltage Drop 3D 18
1.3.24 5V_AVDD Voltage Drop 2D 18
1.3.25 5V_DAC Voltage Drop 3D 19
1.3.26 5V_DAC Voltage Drop 2D 19
1.3.27 10V_DAC Voltage Drop 3D 20
1.3.28 10V_DAC Voltage Drop 2D 20
1.4 Voltage Drop Reports 21
1.4.1 +12V_F Voltage Drop Report 21
1.4.2 -12V_F Voltage Drop Report 27
1.4.3 1V Voltage Drop Report 30
1.4.4 DDR_1V5 Voltage Drop Report 31
1.4.5 1V8 Voltage Drop Report 40
1.4.6 1V2_FPGA Voltage Drop Report 49
1.4.7 5V_M Voltage Drop Report 64
1.4.8 +5V_VCC Voltage Drop Report 67
1.4.9 +5V_VDD Voltage Drop Report 68
1.4.10 -5V_VSS Voltage Drop Report 74
1.4.11 5V_ADC Voltage Drop Report 79
1.4.12 5V_AVDD Voltage Drop Report 84
1.4.13 5V_DAC Voltage Drop Report 85
1.4.14 10V_DAC Voltage Drop Report 87

Figures: -

Figure 1:- +12V_F Voltage Drop 3D View 6
Figure 2:- +12V_F Voltage Drop 2D View 7
Figure 3:- -12V_F Voltage Drop 3D View 8
Figure 4:- -12V_F Voltage Drop 2D View 8
Figure 5**:-** 1V Voltage Drop 3D View 9
Figure 6:-1V Voltage Drop 2D View 9
Figure 7:- DDR_1V5 Voltage Drop 3D View 10
Figure 8:- DDR_1V5 Voltage Drop 2D View 10
Figure 9:- 1V8 Voltage Drop 3D View 11
Figure 10:- 1V8 Voltage Drop 2D View 11
Figure 11:- 3V3 Voltage Drop 3D View 12

Figure 12:- 3V3 Voltage Drop 2D View 12
Figure 13:- 5M_M Voltage Drop 3D View 13
Figure 14:- 5V_M Voltage Drop 2D View 13
Figure 15:- +5V_VCC Voltage Drop 3D View 14
Figure 16:- +5V_VCC Voltage Drop 2D View 14
Figure 17:- +5V_VDD Voltage Drop 3D View 15
Figure 18:- +5V_VDD Voltage Drop 2D View 15
Figure 19:- -5V_VSS Voltage Drop 3D View 16
Figure 20:- -5V_VSS Voltage Drop 2D View 16
Figure 21:- 5V_ADC_Voltage Drop 3D View 17
Figure 22: 5V_ADC Voltage Drop 2D View 17
Figure 23:- 5V_AVDD Voltage Drop 3D View 18
Figure 24:- 5V_AVDD Voltage Drop 2D View 18
Figure 25:- 5V_DAC Voltage Drop 3D View 19
Figure 26:- 5V_DAC Voltage Drop 2D View 19
Figure 27:- 10V_DAC Voltage Drop 3D View 20
Figure 28:- 10V_DAC Voltage Drop 2D View 20

Introduction

1.1 General

This document shows Power Integrity Analysis done for the DSL/IDAQ/10-25/01.

- Tool Used for Simulation : Hyper lynx VX.2.6
- Inputs are given below

1.2 List of Signals for Power Integrity Analysis

Sr. No	Power Net	Voltage Level (V)	Source pin	% of Max Voltage Drop Expecting	Devices (Loads) connecting the Supply Net
					Maximum Current consumption in Amps
1	12V_F	12	U6.2	1%	C1.1 C2.1 C3.1 C4.1 C31.1 C33.1 C34.1 C36.1 C245.1 C249.1 C250.1 C512.1 C527.1 C528.1 R4.2 R5.1 R33.1 R34.1 R35.1 R36.1 TP1.1 U2.D7 U2.D8 U2.D9 U2.D10 U2.D11 U2.E8 U2.E9 U2.H6 U2.J5 U2.J6 U2.L5 U2.L6 U2.M6 U2.R9 U2.R10 U2.T7 U2.T8 U2.T9 U2.T10 U2.T11 U5.1 U31.1 U31.3 U33.1 U33.4 U76.1 U79.1 U79.4
					2A
2	12V_F	12	U107.2	1%	C247.1 C253.1 C533.1 C721.1 C722.1 C723.1 U32.2 U34.2 U80.2
					2A
3	1V	1	U2.A1 U2.A2 U2.A3 U2.B1 U2.B2 U2.B3 U2.C1 U2.C2 U2.C3 U2.D1 U2.D2 U2.D3 U2.E1 U2.E2		C8.1 C9.1 C10.1 C11.1 C12.1 F1.2
					1A
4	DDR_1V5	1.5	L10.2 L11.2	1%	U15 U16
					1A
5	1V8	1.8	F2.2	1%	C101.1 C102.1 C225.2 C659.1 C660.1 C661.1 C662.1 C663.1 C664.1 C665.1 C666.1 C667.1 C702.1 C703.1 C704.1 C705.1 C706.1 C707.1 C708.1 C709.1 C710.1 C711.1 C712.1 C713.1 C714.1 C715.1 C716.1 C717.1 C718.1 C719.1 L3.2 L4.2 L5.2 L6.2 L12.1 L13.1 L17.1 L18.1 L20.1 L21.1 L49.1 R38.2 R39.2 R44.2 R62.1 R105.2 R119.1 R120.2 R484.2 SW5.9 SW5.10 SW5.11 SW5.12 SW5.13 SW5.14 SW5.15 SW5.16 U26.5 U28.8 U85.8 U86.8 U87.8 U88.8 U106.A6 U106.A16 U106.B3 U106.B13 U106.C10 U106.D7 U106.E4 U106.E14 U106.F1 U106.F11 U106.G8 U106.H5 U106.H15 U106.J2 U106.J12 U106.K9 U106.L6 U106.M3 U106.M14
					1A

6	3V3	3.3	F3.1	1%	C94.1 C95.1 C99.2 C100.1 C103.1 C104.1 C105.2 C107.1 C108.1 C109.1 C110.1 C153.2 C210.2 C214.1 C215.2 C235.2 C236.1 C237.1 C577.2 C579.2 C625.2 C627.2 C629.2 C631.2 C633.2 C635.2 C637.2 C639.2 C642.2 C644.2 C645.2 C647.2 C649.2 C651.2 C653.2 C655.2 C657.1 C658.1 C668.1 C669.1 C670.1 C671.1 C672.1 C673.1 C674.1 C675.1 C676.1 C677.1 C678.1 C679.1 C680.1 C681.1 C682.1 C683.1 C684.1 C685.1 C686.1 C687.1 C688.1 C689.1 C690.1 C691.1 C692.1 C693.1 C694.1 C695.1 C696.1 C697.1 C698.1 C699.1 C700.1 C701.1 D1.2 J1.2 J10.1 J11.1 J54.11 J54.12 J55.11 J55.12 L14.1 L16.1 L22.1 L25.1 R42.2 R43.2 R45.2 R46.2 R47.2 R54.2 R55.2 R56.1 R57.2 R58.2 R59.2 R61.1 R63.1 R66.1 R68.1 R70.1 R84.2 R85.2 R122.2 R124.2 R128.2 R143.2 R155.1 R156.1 R157.1 R158.1 R159.2 R163.2 R169.1 R180.2 R181.2 R461.1 R463.1 R465.1 R467.1 R469.1 R471.1 R473.1 R475.1 R486.2 R488.2 U8.4 U9.1 U10.2 U11.5 U12.1 U17.10 U23.5 U24.21 U29.16 U30.2 U84.1 U89.1 U90.1 U91.1 U92.1 U93.1 U94.1 U95.1 U96.1 U105.2 U105.6 U106.AA16 U106.AA26 U106.AB13 U106.AB23 U106.AC10 U106.AC20 U106.AD17 U106.AE14 U106.AE24 U106.AF11 U106.AF21 U106.U8 U106.V8 U106.V12 U106.V14 U106.W8 U106.Y19
					1A
7	5V_M	5	U5.3	1%	C5.2 C17.2 C20.2 C32.1 C217.2 C232.2 C233.2 C234.2 C329.2 C330.2 C581.2 C584.2 C587.2 C588.2 C589.2 C590.2 C605.2 C606.2 C607.2 C608.2 C610.2 C612.2 J70.1 J70.2 R1.2 R2.2 R3.2 R6.2 R8.2 U1.1 U3.1 U4.1 U4.5 U25.5 U28.9 U48.1 U48.3 U85.9 U86.9 U87.9 U88.9
					1A
8	5V_VCC	5	L28.2	1%	C335.1 C336.1 C394.1 C395.1 C453.1 C454.1 U51.16 U59.16 U69.16
					1A
9	5V_VDD	5	L26.2	1%	C340.1 C341.1 C342.1 C343.1 C354.1 C355.1 C356.1 C357.1 C364.1 C365.1 C366.1 C367.1 C378.1 C379.1 C380.1 C381.1 C399.1 C400.1 C401.1 C402.1 C413.1 C414.1 C415.1 C416.1 C423.1 C424.1 C425.1 C426.1 C437.1 C438.1 C439.1 C440.1 C458.1 C459.1 C460.1 C461.1 C472.1 C473.1 C474.1 C475.1 C482.1 C483.1 C484.1 C485.1 C496.1 C497.1 C498.1 C499.1 J20.3 J26.3 J32.3 U49.7 U50.7 U52.7 U53.7 U54.7 U55.7 U56.7 U57.7 U58.7 U60.7 U61.7 U62.7 U63.7 U64.7 U65.7 U66.7 U67.7 U68.7 U70.7 U71.7 U72.7 U73.7 U74.7 U75.7
					1A
10	5V_VSS-	5	L27.2	1%	C345.1 C346.1 C347.1 C350.1 C358.1 C359.1 C361.1 C362.1 C369.1 C370.1 C372.1 C373.1 C382.1 C383.1 C385.1 C386.1 C403.1 C404.1 C406.1 C408.1 C418.1 C419.1 C420.1 C421.1 C428.1 C430.1 C431.1 C432.1 C441.1 C442.1 C444.1 C445.1 C463.1 C465.1 C466.1 C467.1 C476.1 C478.1 C479.1 C480.1 C488.1 C489.1 C490.1 C491.1 C501.1 C502.1 C503.1 C504.1 J25.4 J31.4 J37.4 U49.4 U50.4 U52.4 U53.4 U54.4 U55.4 U56.4 U57.4 U58.4 U60.4 U61.4 U62.4 U63.4 U64.4 U65.4 U66.4 U67.4 U68.4 U70.4 U71.4 U72.4 U73.4 U74.4 U75.4
					1A
11	5V_ADC	5	U31.5	1%	C246.1 C255.2 C256.2 C257.2 C258.2 C264.1 C265.1 C271.1 C272.1 C278.1 C279.1 C285.1 C286.1 C294.2 C295.2 C299.1 C300.1 C305.1 C306.1 C313.1 C314.1 C320.1 C321.1 L26.1 L28.1 U31.4 U35.1 U35.3 U36.5 U36.6 U37.5 U37.6 U38.5 U38.6 U40.5 U40.6 U41.5 U41.6 U42.5 U42.6 U43.5 U43.6 U44.5 U44.6 U46.5 U46.6 U47.5 U47.6
					1A
12	5V_AVDD	5	L36.2	1%	C510.1 C511.1 C535.1 C536.1 C537.1 C540.1 C563.1 C564.1 L40.2 L41.2 L46.2 U78.17 U81.17 U82.17 U83.17
					1A
13	5V_DAC	5	U76.3	1%	C534.1 J41.1 J48.1 J49.1 J53.1
					1A
14	10V_DAC	10	U79.5	1%	C529.1 C530.1 L35.1
					1A

Power Integrity Analysis

1.3 Analysis: -

1.3.1 +12V_F Voltage Drop 3D



Figure 1:- +12V_F Voltage Drop 3D View

Results: - as shown in the above figure, Max Voltage Drop on +**12V_F** is 17.9 mV.

1.3.2 +12V_F Voltage Drop 2D



Figure 2:- +12V_F Voltage Drop 2D View

Results: +**12V_F** Voltage Drop Report As Shown In Below Table.

1.3.3 -12V_F Voltage Drop 3D



Figure 3:- -12V_F Voltage Drop 3D View

Results: - as shown in the above figure, Maximum Voltage **-12V_F** Voltage rail is 6.7mV.

1.3.4 -12V_F Voltage Drop 2D



Figure 4:- -12V_F Voltage Drop 2D View

Results: - **-12V_F**Voltage Drop Report As Shown In Below Table.

1.3.5 1V Voltage Drop 3D



Figure 5**:-** 1V Voltage Drop 3D View

Results: - as shown in the above figure, Maximum Voltage Drop on **1V** rail is 27.7 mV.

1.3.6 1V Voltage Drop 2D



Figure 6:-1V Voltage Drop 2D View

Results: - **1V** Voltage Drop Report As Shown In Below Table.

1.3.7 DDR_1V5 Voltage Drop 3D



Figure 7:- DDR_1V5 Voltage Drop 3D View

Results: - as shown in the above figure, Maximum Voltage Drop on **DDR_1V5** rail is1.3 mV.

1.3.8 DDR_1V5 Voltage Drop 2D



Figure 8:- DDR_1V5 Voltage Drop 2D View

Results: - **DDR_1V5** Voltage Drop Report As Shown In Below Table.

1.3.9 1V8 Voltage Drop 3D



Figure 9:- 1V8 Voltage Drop 3D View

Results: - as shown in the above figure, Maximum Voltage Drop on **1V8 rail** is 8.6 mV.

1.3.10 1V8 Voltage Drop 2D



Figure 10:- 1V8 Voltage Drop 2D View

Results: - **1V8** Voltage Drop Report As Shown In Below Table.

1.3.11 3V3 Voltage Drop 3D



Figure 11:- 3V3 Voltage Drop 3D View

Results: - as shown in the above figure, Maximum Voltage Drop on **3V3** rail is 7.0 mV.

1.3.12 3V3 Voltage Drop 2D



Figure 12:- 3V3 Voltage Drop 2D View

Results: **-3V3** As Shown In Below Table.

1.3.13 5V_M Voltage Drop 3D



Figure 13:- 5M_M Voltage Drop 3D View

Results: - as shown in the above figure, Maximum Voltage Drop on **5V_M** rail is 18.4 mV.

1.3.14 5V_M Voltage Drop 2D



Figure 14:- 5V_M Voltage Drop 2D View

Results: - **5V_M** Voltage Drop Report As Shown In Below Table.

1.3.15 +5V_VCC Voltage Drop 3D



Figure 15:- +5V_VCC Voltage Drop 3D View

Results: - as shown in the above figure, Maximum Voltage Drop on **+5V_VCC** rail is 13.1 mV.

1.3.16 +5V_VCC Voltage Drop 2D



Figure 16:- +5V_VCC Voltage Drop 2D View

Results: - **+5V_VCC** Voltage Drop Report As Shown In Below Table.

1.3.17 +5V_VDD Voltage Drop 3D



Figure 17:- +5V_VDD Voltage Drop 3D View

Results: - as shown in the above figure, Maximum Voltage Drop on +5V_VDD rail is 6.9 mV.

1.3.18 +5V_VDD Voltage Drop 2D



Figure 18:- +5V_VDD Voltage Drop 2D View

Results: - +5V_VDD Voltage Drop Report As Shown In Below Table

1.3.19 -5V_VSS Voltage Drop 3D



Figure 19:- -5V_VSS Voltage Drop 3D View

Results: - as shown in the above figure, Maximum Voltage Drop on -5V_VSS rail is 15.2 mV.

1.3.20 -5V_VSS Voltage Drop 2D



Figure 20:- -5V_VSS Voltage Drop 2D View

Results: - -5V_VSS Voltage Drop Report As Shown In Below Table

1.3.21 5V_ADC_Voltage Drop 3D



Figure 21:- 5V_ADC_Voltage Drop 3D View

Results: - as shown in the above figure, Maximum Voltage Drop on 5V_ADC rail is 13.4 mV.

1.3.22 5V_ADC Voltage Drop 2D



Figure 22: 5V_ADC Voltage Drop 2D View

Results: - **5V_ADC** Voltage Drop Report As Shown In Below Table.

1.3.23 5V_AVDD Voltage Drop 3D



Figure 23:- 5V_AVDD Voltage Drop 3D View

Results: - as shown in the above figure, Maximum Voltage Drop on **5V_AVDD rail** is 22.1 mV.

1.3.24 5V_AVDD Voltage Drop 2D



Figure 24:- 5V_AVDD Voltage Drop 2D View

Results: - **5V_AVDD** Voltage Drop Report As Shown In Below Table.

1.3.25 5V_DAC Voltage Drop 3D



Figure 25:- 5V_DAC Voltage Drop 3D View

Results: - as shown in the above figure, Maximum Voltage Drop on **5V_DAC** rail is 17.3 mV.

1.3.26 5V_DAC Voltage Drop 2D



Figure 26:- 5V_DAC Voltage Drop 2D View

Results: - **5V_DAC** Voltage Drop Report As Shown In Below Table.

1.3.27 10V_DAC Voltage Drop 3D



Figure 27:- 10V_DAC Voltage Drop 3D View

Results: - as shown in the above figure, Maximum Voltage Drop on 10V_DAC rail is 1.7 mV.

1.3.28 10V_DAC Voltage Drop 2D

Figure 28:- 10V_DAC Voltage Drop 2D View

Results: - 10V_DAC Voltage Drop Report As Shown In Below Table.

Conclusion: -

With reference to the simulation reports all the Nets are meeting the maximum power requirements and all the tests are passed.

A detailed Voltage drop report for all the nets are mentioned below.

1.4 Voltage Drop Reports

1.4.1 +12V_F Voltage Drop Report

Item	Location(s), in	Diameter, in	Layer(s)	Current, [A]	Voltage, [V]	Voltage drop, [mV]
Pin C1.1	(7.95, 5.9)			0.0408	11.984	
Pin C2.1	(7.95, 5.26)			0.0408	11.9835	
Pin C245.1	(7.91, 4.14)			0.0408	11.9824	
Pin C249.1	(7.94, 3.69)			0.0408	11.9821	
Pin C250.1	(7.94, 3.69)			0.0408	11.9821	
Pin C3.1	(7.95, 5.91)			0.0408	11.9841	
Pin C31.1	(7.59, 4.96)			0.0408	11.9829	
Pin C33.1	(8.23, 7.04)			0.0408	11.9964	
Pin C34.1	(8.23, 7.04)			0.0408	11.9967	
Pin C36.1	(8.33, 7.12)			0.0408	11.9968	
Pin C4.1	(7.95, 5.25)			0.0408	11.9835	
Pin C512.1	(8.57, 4.76)			0.0408	11.9829	
Pin C527.1	(8.21, 4.3)			0.0408	11.9824	
Pin C528.1	(8.2, 4.29)			0.0408	11.9824	
Pin R33.1	(7.96, 5.42)			0.0408	11.9834	
Pin R34.1	(7.96, 5.57)			0.0408	11.9835	
Pin R35.1	(7.96, 5.73)			0.0408	11.9836	
Pin R36.1	(7.96, 5.81)			0.0408	11.9837	
Pin R4.2	(8.25, 5.04)			0.0408	11.9831	
Pin R5.1	(8.26, 6.11)			0.0408	11.9881	
Pin TP1.1	(8.22, 7.16)			0.0408	11.9966	
Pin U2.D10	(8.24, 5.38)			0.0714	11.9832	
Pin U2.D11	(8.21, 5.38)			0.0714	11.9832	
Pin U2.D7	(8.34, 5.38)			0.0714	11.9832	
Pin U2.D8	(8.31, 5.38)			0.0714	11.9832	
Pin U2.D9	(8.28, 5.38)			0.0714	11.9832	

Pin U2.E8	(8.31, 5.41)			0.0714	11.9832	
Pin U2.E9	(8.28, 5.41)			0.0714	11.9832	
Pin U2.H6	(8.37, 5.51)			0.0714	11.9836	
Pin U2.J5	(8.4, 5.54)			0.0714	11.9837	
Pin U2.J6	(8.37, 5.54)			0.0714	11.9836	
Pin U2.L5	(8.4, 5.6)			0.0714	11.9839	
Pin U2.L6	(8.37, 5.6)			0.0714	11.9839	
Pin U2.M6	(8.37, 5.63)			0.0714	11.984	
Pin U2.R10	(8.24, 5.73)			0.0714	11.9841	
Pin U2.R9	(8.28, 5.73)			0.0714	11.9842	
Pin U2.T10	(8.24, 5.76)			0.0714	11.9842	
Pin U2.T11	(8.21, 5.76)			0.0714	11.9841	
Pin U2.T7	(8.34, 5.76)			0.0714	11.9845	
Pin U2.T8	(8.31, 5.76)			0.0714	11.9844	
Pin U2.T9	(8.28, 5.76)			0.0714	11.9842	
Pin U31.1	(8.02, 4.14)			0.0714	11.9823	
Pin U31.3	(8.02, 4.07)			0.0714	11.9823	
Pin U33.1	(7.76, 3.77)			0.0714	11.9821	
Pin U33.4	(7.85, 3.7)			0.0714	11.9821	
Pin U5.1	(7.46, 4.96)			0.0714	11.9828	
Pin U6.2	(8.35, 7)			-2.8577	11.9971	
Pin U76.1	(8.57, 4.76)			0.0714	11.9829	
Pin U79.1	(8.02, 4.37)			0.0714	11.9824	
Pin U79.4	(8.11, 4.29)			0.0714	11.9824	
Voltage source via or pad	(8.35, 7)	0.106	1	-2.8577	11.9971	
Current sink via or pad	(8.57, 4.76)	0.036	1	0.0714	11.9829	
Current sink via or pad	(8.02, 4.37)	0.021	1	0.0714	11.9824	
Current sink via or pad	(8.11, 4.29)	0.021	1	0.0714	11.9824	
Current sink via or pad	(8.37, 5.54)	0.018	1	0.0714	11.9836	
Current sink via or pad	(8.4, 5.54)	0.018	1	0.0714	11.9837	
Current sink via or pad	(8.37, 5.51)	0.018	1	0.0714	11.9836	
Current sink via or pad	(8.31, 5.41)	0.018	1	0.0714	11.9832	
Current sink via or pad	(8.21, 5.38)	0.018	1	0.0714	11.9832	
Current sink via or pad	(8.24, 5.38)	0.018	1	0.0714	11.9832	
Current sink via or pad	(8.28, 5.38)	0.018	1	0.0714	11.9832	
Current sink via or pad	(8.31, 5.38)	0.018	1	0.0714	11.9832	

Current sink via or pad	(8.21, 5.76)	0.018	1	0.0714	11.9841	
Current sink via or pad	(8.24, 5.76)	0.018	1	0.0714	11.9842	
Current sink via or pad	(8.28, 5.76)	0.018	1	0.0714	11.9842	
Current sink via or pad	(8.31, 5.76)	0.018	1	0.0714	11.9844	
Current sink via or pad	(8.34, 5.76)	0.018	1	0.0714	11.9845	
Current sink via or pad	(8.24, 5.73)	0.018	1	0.0714	11.9841	
Current sink via or pad	(8.37, 5.63)	0.018	1	0.0714	11.984	
Current sink via or pad	(8.37, 5.6)	0.018	1	0.0714	11.9839	
Current sink via or pad	(8.4, 5.6)	0.018	1	0.0714	11.9839	
Current sink via or pad	(8.34, 5.38)	0.018	1	0.0714	11.9832	
Current sink via or pad	(8.28, 5.73)	0.018	1	0.0714	11.9842	
Current sink via or pad	(8.28, 5.41)	0.018	1	0.0714	11.9832	
Current sink via or pad	(7.96, 5.81)	0.026	16	0.0408	11.9837	
Current sink via or pad	(7.96, 5.42)	0.026	16	0.0408	11.9834	
Current sink via or pad	(7.96, 5.73)	0.026	16	0.0408	11.9836	
Current sink via or pad	(7.96, 5.57)	0.026	16	0.0408	11.9835	
Current sink via or pad	(8.26, 6.11)	0.026	1	0.0408	11.9881	
Current sink via or pad	(8.25, 5.04)	0.026	1	0.0408	11.9831	
Current sink via or pad	(8.2, 4.29)	0.035	1	0.0408	11.9824	
Current sink via or pad	(7.94, 3.69)	0.035	1	0.0408	11.9821	
Current sink via or pad	(8.57, 4.76)	0.026	16	0.0408	11.9829	
Current sink via or pad	(7.59, 4.96)	0.026	1	0.0408	11.9829	
Current sink via or pad	(8.21, 4.3)	0.026	16	0.0408	11.9824	
Current sink via or pad	(7.94, 3.69)	0.026	16	0.0408	11.9821	
Current sink via or pad	(7.46, 4.96)	0.036	1	0.0714	11.9828	
Current sink via or pad	(7.76, 3.77)	0.021	1	0.0714	11.9821	
Current sink	(7.85, 3.7)	0.021	1	0.0714	11.9821	

via or pad						
Current sink via or pad	(8.33, 7.12)	0.035	1	0.0408	11.9968	
Current sink via or pad	(8.23, 7.04)	0.035	1	0.0408	11.9967	
Current sink via or pad	(8.23, 7.04)	0.035	16	0.0408	11.9964	
Current sink via or pad	(7.91, 4.14)	0.052	1	0.0408	11.9824	
Current sink via or pad	(8.02, 4.14)	0.023	1	0.0714	11.9823	
Current sink via or pad	(8.02, 4.07)	0.023	1	0.0714	11.9823	
Current sink via or pad	(8.22, 7.16)	0.06	1	0.0408	11.9966	
Current sink via or pad	(7.95, 5.25)	0.072	16	0.0408	11.9835	
Current sink via or pad	(7.95, 5.91)	0.072	16	0.0408	11.9841	
Current sink via or pad	(7.95, 5.26)	0.083	1	0.0408	11.9835	
Current sink via or pad	(7.95, 5.9)	0.083	1	0.0408	11.984	
Via	(8.39, 4.81)	0.015	1 - 12	-0.0145		-0.01
Via	(8.39, 4.81)	0.015	12 - 16	0.0176		0
Via	(8.45, 4.81)	0.015	1 - 12	-0.015		-0.01
Via	(8.45, 4.81)	0.015	12 - 16	0.015		0
Via	(8.45, 4.75)	0.015	1 - 12	-0.0042		0
Via	(8.45, 4.75)	0.015	12 - 16	-0.0082		0
Via	(8.51, 4.81)	0.015	1 - 12	-0.0232		-0.02
Via	(8.51, 4.81)	0.015	12 - 16	0.0247		0.01
Via	(8.51, 4.75)	0.015	1 - 12	-0.011		-0.01
Via	(8.51, 4.75)	0.015	12 - 16	-0.0032		0
Via	(8.39, 4.75)	0.015	1 - 12	-0.0035		0
Via	(8.39, 4.75)	0.015	12 - 16	-0.0051		0
Via	(7.77, 5.87)	0.015	1 - 12	0.0102		0.01
Via	(7.77, 5.87)	0.015	12 - 16	-0.0194		0
Via	(7.71, 5.87)	0.015	1 - 12	0.0145		0.01
Via	(7.71, 5.87)	0.015	12 - 16	-0.026		-0.01
Via	(7.71, 5.27)	0.015	1 - 12	0.0273		0.02
Via	(7.71, 5.27)	0.015	12 - 16	-0.0399		-0.01
Via	(7.77, 5.27)	0.015	1 - 12	0.0268		0.02
Via	(7.77, 5.27)	0.015	12 - 16	-0.0406		-0.01
Via	(7.71, 5.33)	0.015	1 - 12	0.0122		0.01
Via	(7.71, 5.33)	0.015	12 - 16	-0.0079		0
Via	(7.77, 5.33)	0.015	1 - 12	0.0115		0.01
Via	(7.77, 5.33)	0.015	12 - 16	-0.0065		0
Via	(7.77, 5.39)	0.015	1 - 12	0.0085		0.01
Via	(7.77, 5.39)	0.015	12 - 16	-0.0006		0

Via	(7.71, 5.39)	0.015	1 - 12	0.0076		0.01
Via	(7.71, 5.39)	0.015	12 - 16	-0.0011		0
Via	(7.77, 5.45)	0.015	1 - 12	0.0084		0.01
Via	(7.77, 5.45)	0.015	12 - 16	0.0052		0
Via	(7.71, 5.45)	0.015	1 - 12	0.0057		0
Via	(7.71, 5.45)	0.015	12 - 16	0.0022		0
Via	(7.77, 5.51)	0.015	1 - 12	0.0064		0.01
Via	(7.77, 5.51)	0.015	12 - 16	0.0053		0
Via	(7.71, 5.51)	0.015	1 - 12	0.005		0
Via	(7.71, 5.51)	0.015	12 - 16	0.0022		0
Via	(7.77, 5.57)	0.015	1 - 12	0.0056		0
Via	(7.77, 5.57)	0.015	12 - 16	0.0091		0
Via	(7.71, 5.57)	0.015	1 - 12	0.0044		0
Via	(7.71, 5.57)	0.015	12 - 16	0.0024		0
Via	(7.77, 5.63)	0.015	1 - 12	0.0023		0
Via	(7.77, 5.63)	0.015	12 - 16	0.0106		0
Via	(7.71, 5.63)	0.015	1 - 12	0.0041		0
Via	(7.71, 5.63)	0.015	12 - 16	0.0016		0
Via	(7.77, 5.69)	0.015	1 - 12	-0.0002		0
Via	(7.77, 5.69)	0.015	12 - 16	0.02		0.01
Via	(7.71, 5.69)	0.015	1 - 12	0.0046		0
Via	(7.71, 5.69)	0.015	12 - 16	-0.0003		0
Via	(7.77, 5.75)	0.015	1 - 12	0.0009		0
Via	(7.77, 5.75)	0.015	12 - 16	0.0114		0
Via	(7.71, 5.75)	0.015	1 - 12	0.006		0
Via	(7.71, 5.75)	0.015	12 - 16	-0.0038		0
Via	(7.77, 5.81)	0.015	1 - 12	0.0022		0
Via	(7.77, 5.81)	0.015	12 - 16	0.0094		0
Via	(7.71, 5.81)	0.015	1 - 12	0.0089		0.01
Via	(7.71, 5.81)	0.015	12 - 16	-0.0105		0
Via	(8.16, 5.33)	0.012	1 - 12	0.0182		0.02
Via	(8.16, 5.33)	0.012	12 - 16	-0.0125		0
Via	(8.16, 5.27)	0.012	1 - 12	0.0265		0.02
Via	(8.16, 5.27)	0.012	12 - 16	-0.0294		-0.01
Via	(8.16, 5.3)	0.012	1 - 12	0.0184		0.02
Via	(8.16, 5.3)	0.012	12 - 16	-0.0115		0
Via	(8.16, 5.84)	0.012	1 - 12	-0.0397		-0.04
Via	(8.16, 5.84)	0.012	12 - 16	-0.025		-0.01
Via	(8.16, 5.87)	0.012	1 - 12	-0.0904		-0.08
Via	(8.16, 5.87)	0.012	12 - 16	0.0743		0.02
Via	(8.16, 5.9)	0.012	1 - 12	-0.1975		-0.18
Via	(8.16, 5.9)	0.012	12 - 16	0.3262		0.1
Via	(8.32, 5.36)	0.012	1 - 12	-0.0714		-0.07
Via	(8.2, 5.77)	0.012	1 - 12	-0.0714		-0.07
Via	(8.23, 5.77)	0.012	1 - 12	-0.0714		-0.07
Via	(8.26, 5.77)	0.012	1 - 12	-0.0714		-0.07

Via	(8.29, 5.77)	0.012	1 - 12	-0.0714		-0.07
Via	(8.23, 5.74)	0.012	1 - 12	-0.0714		-0.07
Via	(8.26, 5.74)	0.012	1 - 12	-0.0714		-0.07
Via	(8.29, 5.39)	0.012	1 - 12	-0.0714		-0.07
Via	(8.26, 5.39)	0.012	1 - 12	-0.0714		-0.07
Via	(8.2, 5.36)	0.012	1 - 12	-0.0714		-0.07
Via	(8.23, 5.36)	0.012	1 - 12	-0.0714		-0.07
Via	(8.26, 5.36)	0.012	1 - 12	-0.0714		-0.07
Via	(8.29, 5.36)	0.012	1 - 12	-0.0714		-0.07
Via	(8.32, 5.77)	0.012	1 - 12	-0.0714		-0.07
Via	(8.39, 5.65)	0.012	1 - 12	-0.0714		-0.07
Via	(8.39, 5.62)	0.012	1 - 12	-0.0714		-0.07
Via	(8.42, 5.62)	0.012	1 - 12	-0.0714		-0.07
Via	(8.39, 5.52)	0.012	1 - 12	-0.0714		-0.07
Via	(8.42, 5.52)	0.012	1 - 12	-0.0714		-0.07
Via	(8.39, 5.49)	0.012	1 - 12	-0.0714		-0.07
Via	(8.27, 5)	0.015	1 - 12	-0.0194		-0.02
Via	(8.23, 5)	0.015	1 - 12	-0.0214		-0.02
Via	(8.24, 6.15)	0.015	1 - 12	-0.0408		-0.03
Via	(7.64, 4.96)	0.015	1 - 12	-0.1123		-0.09
Via	(8.34, 7.26)	0.015	1 - 12	0.1303		0.1
Via	(8.34, 7.26)	0.015	12 - 16	-0.0621		-0.02
Via	(8.34, 7.2)	0.015	1 - 12	0.2075		0.16
Via	(8.34, 7.2)	0.015	12 - 16	-0.105		-0.03
Via	(8.22, 7.26)	0.015	1 - 12	0.0573		0.05
Via	(8.22, 7.26)	0.015	12 - 16	0.0367		0.01
Via	(8.16, 7.26)	0.015	1 - 12	0.0444		0.04
Via	(8.16, 7.26)	0.015	12 - 16	0.0314		0.01
Via	(8.28, 7.26)	0.015	1 - 12	0.0817		0.06
Via	(8.28, 7.26)	0.015	12 - 16	0.0282		0.01
Via	(8.22, 7.2)	0.015	1 - 12	0.0859		0.07
Via	(8.22, 7.2)	0.015	12 - 16	0.0536		0.01
Via	(8.16, 7.2)	0.015	1 - 12	0.063		0.05
Via	(8.16, 7.2)	0.015	12 - 16	0.0447		0.01
Via	(8.28, 7.2)	0.015	1 - 12	0.1259		0.1
Via	(8.28, 7.2)	0.015	12 - 16	0.0274		0.01
Via	(8.16, 7.02)	0.015	1 - 12	0.2577		0.2
Via	(8.16, 7.02)	0.015	12 - 16	-0.0739		-0.02
Via	(8.16, 7.14)	0.015	1 - 12	0.0962		0.08
Via	(8.16, 7.14)	0.015	12 - 16	0.0557		0.01
Via	(8.16, 7.08)	0.015	1 - 12	0.1709		0.13
Via	(8.16, 7.08)	0.015	12 - 16	0.0351		0.01
Via	(8.28, 7.14)	0.015	1 - 12	0.2474		0.2
Via	(8.28, 7.14)	0.015	12 - 16	-0.0086		0
Via	(8.22, 7.08)	0.015	1 - 12	0.2877		0.23
Via	(8.22, 7.08)	0.015	12 - 16	-0.0266		-0.01

Via	(8.28, 7.08)	0.015	1 - 12	0.5278		0.42
Via	(8.28, 7.08)	0.015	12 - 16	-0.1779		-0.05
Via	(8.13, 4.25)	0.015	1 - 12	-0.0334		-0.03
Via	(8.13, 4.25)	0.015	12 - 16	0.008		0
Via	(8.19, 4.25)	0.015	1 - 12	-0.0209		-0.02
Via	(8.19, 4.25)	0.015	12 - 16	0.0044		0
Via	(8.31, 4.25)	0.015	1 - 12	-0.0098		-0.01
Via	(8.31, 4.25)	0.015	12 - 16	0.0009		0
Via	(8.25, 4.25)	0.015	1 - 12	-0.012		-0.01
Via	(8.25, 4.25)	0.015	12 - 16	-0.002		0
Via	(8.25, 4.31)	0.015	1 - 12	-0.0208		-0.02
Via	(8.25, 4.31)	0.015	12 - 16	0.0172		0
Via	(8.31, 4.31)	0.015	1 - 12	-0.0153		-0.01
Via	(8.31, 4.31)	0.015	12 - 16	0.0122		0
Via	(7.97, 4.37)	0.015	1 - 12	-0.0714		-0.06
Via	(7.83, 3.58)	0.015	1 - 12	-0.0156		-0.01
Via	(7.83, 3.58)	0.015	12 - 16	0.0048		0
Via	(7.89, 3.58)	0.015	1 - 12	-0.0139		-0.01
Via	(7.89, 3.58)	0.015	12 - 16	0.0008		0
Via	(7.95, 3.58)	0.015	1 - 12	-0.0163		-0.01
Via	(7.95, 3.58)	0.015	12 - 16	0.0082		0
Via	(7.83, 3.64)	0.015	1 - 12	-0.0234		-0.02
Via	(7.83, 3.64)	0.015	12 - 16	0.0079		0
Via	(7.89, 3.64)	0.015	1 - 12	-0.0209		-0.02
Via	(7.89, 3.64)	0.015	12 - 16	0.0054		0
Via	(7.95, 3.64)	0.015	1 - 12	-0.0222		-0.02
Via	(7.95, 3.64)	0.015	12 - 16	0.0138		0
Via	(8.06, 4.07)	0.015	1 - 12	-0.0714		-0.06
Via	(7.87, 4.2)	0.015	1 - 12	-0.0589		-0.05
Via	(7.95, 4.2)	0.015	1 - 12	-0.0534		-0.04
Via	(7.71, 3.77)	0.015	1 - 12	-0.0714		-0.06
Via	(8.22, 7.16)	0.042	1 - 12	0.3514		0.09
Via	(8.22, 7.16)	0.042	12 - 16	0.182		0.01

1.4.2 -12V_F Voltage Drop Report

Item	Location(s), in	Diameter, in	Layer(s)	Current, [A]	Voltage, [V]	Voltage drop, [mV]
Pin C247.1	(7.88, 6.77)			0.2234	-12.0058	
Pin C253.1	(7.6, 6.42)			0.2234	-12.0067	
Pin C533.1	(8.03, 7.4)			0.2234	-12.0041	
Pin C721.1	(8.34, 7.77)			0.2234	-12.0022	
Pin C722.1	(8.23, 7.68)			0.2234	-12.0026	
Pin C723.1	(8.23, 7.68)			0.2234	-12.0024	
Pin U107.2	(8.36, 7.65)			-1.9892	-12.002	

Pin U32.2	(7.68, 6.96)			0.2234	-12.0053	
Pin U34.2	(7.59, 6.58)			0.2234	-12.0062	
Pin U80.2	(7.68, 7.55)			0.2234	-12.0046	
Current sink via or pad	(7.73, 7.55)	0.157	1	0.221	-12.0046	
Current sink via or pad	(7.68, 7.01)	0.157	1	0.221	-12.0053	
Voltage source via or pad	(8.36, 7.65)	0.106	1	-1.9892	-12.002	
Current sink via or pad	(7.6, 6.42)	0.026	1	0.221	-12.0067	
Current sink via or pad	(8.03, 7.4)	0.026	16	0.221	-12.0041	
Current sink via or pad	(7.88, 6.77)	0.026	16	0.221	-12.0058	
Current sink via or pad	(7.59, 6.58)	0.063	1	0.221	-12.0062	
Current sink via or pad	(8.34, 7.77)	0.035	1	0.221	-12.0022	
Current sink via or pad	(8.23, 7.68)	0.035	1	0.221	-12.0024	
Current sink via or pad	(8.23, 7.68)	0.035	16	0.221	-12.0026	
Via	(7.73, 7.55)	0.015	1 - 12	-0.031		-0.02
Via	(7.79, 7.55)	0.015	1 - 12	-0.0714		-0.06
Via	(7.62, 7.55)	0.015	1 - 12	0.0105		0.01
Via	(7.57, 7.55)	0.015	1 - 12	0.0211		0.02
Via	(7.57, 7.5)	0.015	1 - 12	0.0333		0.03
Via	(7.62, 7.5)	0.015	1 - 12	0.0263		0.02
Via	(7.79, 7.5)	0.015	1 - 12	-0.0585		-0.05
Via	(7.73, 7.5)	0.015	1 - 12	-0.019		-0.02
Via	(7.68, 7.5)	0.015	1 - 12	0.0082		0.01
Via	(7.57, 7.45)	0.015	1 - 12	0.0581		0.05
Via	(7.62, 7.45)	0.015	1 - 12	0.0443		0.03
Via	(7.79, 7.45)	0.015	1 - 12	-0.0356		-0.03
Via	(7.73, 7.45)	0.015	1 - 12	0.0085		0.01
Via	(7.68, 7.45)	0.015	1 - 12	0.0313		0.02
Via	(7.57, 7.6)	0.015	1 - 12	0.0117		0.01
Via	(7.62, 7.6)	0.015	1 - 12	0.0011		0
Via	(7.79, 7.6)	0.015	1 - 12	-0.0722		-0.06
Via	(7.73, 7.6)	0.015	1 - 12	-0.0399		-0.03
Via	(7.68, 7.6)	0.015	1 - 12	-0.0137		-0.01
Via	(7.57, 7.65)	0.015	1 - 12	0.0042		0
Via	(7.62, 7.65)	0.015	1 - 12	-0.0068		-0.01
Via	(7.79, 7.65)	0.015	1 - 12	-0.0707		-0.06
Via	(7.73, 7.65)	0.015	1 - 12	-0.036		-0.03
Via	(7.68, 7.65)	0.015	1 - 12	-0.0199		-0.02
Via	(7.68, 7.06)	0.015	1 - 12	-0.0658		-0.05

Via	(7.74, 7.06)	0.015	1 - 12	-0.0627		-0.05
Via	(7.79, 7.06)	0.015	1 - 12	-0.0635		-0.05
Via	(7.63, 7.06)	0.015	1 - 12	-0.0626		-0.05
Via	(7.57, 7.06)	0.015	1 - 12	-0.0659		-0.05
Via	(7.68, 7.01)	0.015	1 - 12	-0.0314		-0.02
Via	(7.74, 7.01)	0.015	1 - 12	-0.0326		-0.03
Via	(7.79, 7.01)	0.015	1 - 12	-0.0257		-0.02
Via	(7.63, 7.01)	0.015	1 - 12	-0.0352		-0.03
Via	(7.57, 7.01)	0.015	1 - 12	-0.0318		-0.03
Via	(7.68, 6.86)	0.015	1 - 12	0.0426		0.03
Via	(7.74, 6.86)	0.015	1 - 12	0.0455		0.04
Via	(7.79, 6.86)	0.015	1 - 12	0.053		0.04
Via	(7.63, 6.86)	0.015	1 - 12	0.0367		0.03
Via	(7.57, 6.86)	0.015	1 - 12	0.0337		0.03
Via	(7.68, 6.91)	0.015	1 - 12	0.0165		0.01
Via	(7.74, 6.91)	0.015	1 - 12	0.0207		0.02
Via	(7.79, 6.91)	0.015	1 - 12	0.0185		0.01
Via	(7.63, 6.91)	0.015	1 - 12	0.0141		0.01
Via	(7.57, 6.91)	0.015	1 - 12	0.0077		0.01
Via	(7.57, 6.96)	0.015	1 - 12	-0.0114		-0.01
Via	(7.63, 6.96)	0.015	1 - 12	-0.0085		-0.01
Via	(7.79, 6.96)	0.015	1 - 12	-0.0031		0
Via	(7.74, 6.96)	0.015	1 - 12	-0.0044		0
Via	(8.18, 7.67)	0.015	1 - 12	0.2894		0.23
Via	(8.18, 7.67)	0.015	12 - 16	-0.1706		-0.04
Via	(8.24, 7.73)	0.015	1 - 12	0.2236		0.18
Via	(8.24, 7.73)	0.015	12 - 16	0.0706		0.02
Via	(8.24, 7.8)	0.015	1 - 12	0.1519		0.12
Via	(8.24, 7.8)	0.015	12 - 16	0.078		0.02
Via	(8.3, 7.8)	0.015	1 - 12	0.2241		0.18
Via	(8.3, 7.8)	0.015	12 - 16	0.0876		0.02
Via	(8.3, 7.73)	0.015	1 - 12	0.3616		0.29
Via	(8.3, 7.73)	0.015	12 - 16	0.0741		0.02
Via	(8.18, 7.73)	0.015	1 - 12	0.1725		0.14
Via	(8.18, 7.73)	0.015	12 - 16	0.0376		0.01
Via	(8.18, 7.8)	0.015	1 - 12	0.1241		0.1
Via	(8.18, 7.8)	0.015	12 - 16	0.0438		0.01
Via	(7.82, 6.77)	0.015	12 - 16	0.221		0.06
Via	(8.08, 7.4)	0.015	12 - 16	0.221		0.06
Via	(7.68, 7.55)	0.015	1 - 12	-0.005		0
Via	(7.68, 6.96)	0.015	1 - 12	-0.0055		0
Via	(7.59, 6.58)	0.015	1 - 12	-0.442		-0.35

1.4.3 1V Voltage Drop Report

Item	Location(s), in	Diameter, in	Layer(s)	Current, [A]	Voltage, [V]	Voltage drop, [mV]
Pin F1.1	(8.68, 5.03)			-1	0.999	
Pin L15.1	(3.21, 6.43)			0.25	0.9785	
Pin L2.1	(3.37, 4.1)			0.25	0.973	
Pin L7.1	(4.29, 4.1)			0.25	0.9723	
Pin L8.2	(3.86, 4.1)			0.25	0.9725	
Current sink via or pad	(3.86, 4.1)	0.026	1	0.25	0.9725	
Current sink via or pad	(4.29, 4.1)	0.026	1	0.25	0.9723	
Current sink via or pad	(3.37, 4.1)	0.026	1	0.25	0.973	
Current sink via or pad	(3.21, 6.43)	0.026	1	0.25	0.9785	
Voltage source via or pad	(8.68, 5.03)	0.035	1	-1	0.999	
Via	(8.95, 4.94)	0.015	1 - 9	0.0181		0.01
Via	(8.95, 4.94)	0.015	9 - 16	-0.0087		0
Via	(8.95, 4.88)	0.015	1 - 9	0.011		0.01
Via	(8.95, 4.88)	0.015	9 - 16	-0.0003		0
Via	(8.95, 4.82)	0.015	1 - 9	0.0118		0.01
Via	(8.95, 4.82)	0.015	9 - 16	-0.0025		0
Via	(8.89, 4.82)	0.015	1 - 9	0.0165		0.01
Via	(8.89, 4.82)	0.015	9 - 16	-0.0007		0
Via	(8.89, 4.88)	0.015	1 - 9	0.0142		0.01
Via	(8.89, 4.88)	0.015	9 - 16	0.004		0
Via	(8.89, 4.94)	0.015	1 - 9	0.0214		0.01
Via	(8.89, 4.94)	0.015	9 - 16	-0.0043		0
Via	(8.83, 4.82)	0.015	1 - 9	0.0312		0.02
Via	(8.83, 4.82)	0.015	9 - 16	-0.0008		0
Via	(8.83, 4.88)	0.015	1 - 9	0.028		0.02
Via	(8.83, 4.88)	0.015	9 - 16	0.01		0
Via	(8.83, 4.94)	0.015	1 - 9	0.0377		0.02
Via	(8.83, 4.94)	0.015	9 - 16	0.0006		0
Via	(8.77, 4.82)	0.015	1 - 9	0.0636		0.04
Via	(8.77, 4.82)	0.015	9 - 16	-0.0026		0
Via	(8.77, 4.88)	0.015	1 - 9	0.0658		0.04
Via	(8.77, 4.88)	0.015	9 - 16	0.0179		0.01
Via	(8.77, 4.94)	0.015	1 - 9	0.0877		0.05
Via	(8.77, 4.94)	0.015	9 - 16	0.016		0.01
Via	(8.71, 4.82)	0.015	1 - 9	0.1339		0.07
Via	(8.71, 4.82)	0.015	9 - 16	-0.0309		-0.02
Via	(8.71, 4.88)	0.015	1 - 9	0.1609		0.09

Via	(8.71, 4.88)	0.015	9 - 16	-0.001		0
Via	(8.71, 4.94)	0.015	1 - 9	0.2982		0.17
Via	(8.71, 4.94)	0.015	9 - 16	0.0033		0
Via	(3.17, 6.43)	0.015	1 - 9	-0.0913		-0.05
Via	(3.21, 6.47)	0.015	1 - 9	-0.1587		-0.09
Via	(4.3, 4.05)	0.015	1 - 16	-0.0596		-0.06
Via	(4.3, 3.99)	0.015	1 - 16	-0.0274		-0.03
Via	(4.3, 3.93)	0.015	1 - 16	-0.0202		-0.02
Via	(4.3, 3.87)	0.015	1 - 16	-0.0147		-0.02
Via	(3.86, 3.88)	0.015	1 - 16	-0.0123		-0.01
Via	(3.86, 3.94)	0.015	1 - 16	-0.0159		-0.02
Via	(3.86, 4)	0.015	1 - 16	-0.0314		-0.03
Via	(3.86, 4.06)	0.015	1 - 16	-0.0696		-0.07
Via	(3.37, 3.95)	0.015	1 - 9	-0.0897		-0.05
Via	(3.37, 3.95)	0.015	9 - 16	0.0592		0.03
Via	(3.37, 4.01)	0.015	1 - 9	-0.1085		-0.06
Via	(3.37, 4.01)	0.015	9 - 16	0.0447		0.02
Via	(3.37, 4.07)	0.015	1 - 9	-0.2007		-0.11
Via	(3.37, 4.07)	0.015	9 - 16	0.0662		0.03
Via	(3.37, 3.89)	0.015	1 - 9	-0.0999		-0.06
Via	(3.37, 3.89)	0.015	9 - 16	0.0811		0.04

1.4.4 DDR_1V5 Voltage Drop Report

Item	Location(s), in	Diameter, in	Layer(s)	Current, [A]	Voltage, [V]	Voltage drop, [mV]
Pin C111.1	(5.3, 5.63)			0.0099	1.4988	
Pin C112.1	(5.16, 5.34)			0.0099	1.4991	
Pin C113.1	(5.08, 5.34)			0.0099	1.499	
Pin C114.1	(5.01, 5.34)			0.0099	1.4989	
Pin C115.1	(4.86, 5.34)			0.0099	1.4988	
Pin C116.1	(4.79, 5.34)			0.0099	1.4987	
Pin C117.1	(4.83, 5.63)			0.0099	1.4988	
Pin C118.1	(5.11, 5.63)			0.0099	1.4988	
Pin C119.1	(4.92, 5.63)			0.0099	1.4988	
Pin C120.1	(4.73, 5.63)			0.0099	1.4987	
Pin C121.1	(4.92, 5.63)			0.0099	1.4988	
Pin C122.1	(5.02, 5.63)			0.0099	1.4988	
Pin C123.1	(4.55, 4.38)			0.0099	1.4988	
Pin C124.1	(5.12, 4.38)			0.0099	1.499	
Pin C125.1	(4.65, 4.38)			0.0099	1.4988	
Pin C126.1	(5.02, 4.38)			0.0099	1.4989	
Pin C127.1	(4.74, 4.38)			0.0099	1.4988	
Pin C128.1	(5.21, 4.38)			0.0099	1.4993	
Pin C129.1	(4.83, 4.38)			0.0099	1.4988	

Pin C130.1	(5.2, 5.63)			0.0099	1.4988	
Pin C131.1	(5.16, 5.34)			0.0099	1.4994	
Pin C132.1	(5.08, 5.34)			0.0099	1.4989	
Pin C133.1	(5.01, 5.34)			0.0099	1.4989	
Pin C134.1	(4.86, 5.34)			0.0099	1.4988	
Pin C135.1	(4.79, 5.34)			0.0099	1.4987	
Pin C136.1	(4.93, 4.38)			0.0099	1.4989	
Pin C137.1	(4.83, 4.38)			0.0099	1.4988	
Pin C138.1	(4.74, 4.38)			0.0099	1.4988	
Pin C139.1	(4.65, 4.38)			0.0099	1.4988	
Pin C140.1	(4.55, 4.38)			0.0099	1.4987	
Pin C141.1	(4.93, 4.38)			0.0099	1.4989	
Pin C142.1	(5.02, 4.38)			0.0099	1.4989	
Pin C143.1	(5.12, 4.38)			0.0099	1.499	
Pin C144.1	(5.21, 4.38)			0.0099	1.499	
Pin C145.1	(4.83, 5.63)			0.0099	1.4988	
Pin C146.1	(4.73, 5.63)			0.0099	1.4987	
Pin C147.1	(5.11, 5.63)			0.0099	1.4988	
Pin C148.1	(5.02, 5.63)			0.0099	1.4988	
Pin C156.1	(5.42, 3.95)			0.0099	1.499	
Pin C162.1	(5.42, 4.03)			0.0099	1.499	
Pin C169.1	(5.41, 5.61)			0.0099	1.4988	
Pin C170.1	(5.41, 5.61)			0.0099	1.4988	
Pin C171.1	(5.3, 5.63)			0.0099	1.4988	
Pin C172.1	(4.54, 5.34)			0.0099	1.4987	
Pin C173.1	(4.54, 5.34)			0.0099	1.4987	
Pin C174.1	(4.5, 5.62)			0.0099	1.4987	
Pin C175.1	(4.58, 5.62)			0.0099	1.4987	
Pin C176.1	(4.65, 5.62)			0.0099	1.4987	
Pin C177.1	(4.58, 5.62)			0.0099	1.4987	
Pin C178.1	(4.65, 5.62)			0.0099	1.4987	
Pin C179.1	(4.5, 5.62)			0.0099	1.4987	
Pin C180.1	(5.2, 5.63)			0.0099	1.4988	
Pin L10.2	(5.3, 4.34)			-0.5195	1.4995	
Pin L11.2	(5.23, 5.34)			-0.4806	1.4995	
Pin R106.2	(4.36, 4.1)			0.0099	1.4988	
Pin R109.2	(5.19, 4.87)			0.0099	1.4989	
Pin R80.1	(5.35, 3.9)			0.0099	1.499	
Pin U106.H25	(4.3, 5.09)			0.0099	1.4987	
Pin U106.J22	(4.18, 5.05)			0.0099	1.4987	
Pin U106.L26	(4.34, 4.97)			0.0099	1.4987	
Pin U106.M23	(4.22, 4.93)			0.0099	1.4987	
Pin U106.N20	(4.1, 4.89)			0.0099	1.4987	
Pin U106.R24	(4.26, 4.81)			0.0099	1.4987	
Pin U106.T21	(4.14, 4.77)			0.0099	1.4987	
Pin U106.V25	(4.3, 4.7)			0.0099	1.4987	

Pin U106.W22	(4.18, 4.66)			0.0099	1.4987	
Pin U15.A1	(4.66, 4.94)			0.0099	1.4987	
Pin U15.A8	(4.66, 5.17)			0.0099	1.4987	
Pin U15.B2	(4.69, 4.98)			0.0099	1.4987	
Pin U15.C1	(4.72, 4.94)			0.0099	1.4987	
Pin U15.C9	(4.72, 5.2)			0.0099	1.4987	
Pin U15.D2	(4.75, 4.98)			0.0099	1.4987	
Pin U15.D9	(4.75, 5.2)			0.0099	1.4987	
Pin U15.E9	(4.78, 5.2)			0.0099	1.4987	
Pin U15.F1	(4.81, 4.94)			0.0099	1.4988	
Pin U15.G7	(4.84, 5.13)			0.0099	1.4988	
Pin U15.H2	(4.88, 4.98)			0.0099	1.4988	
Pin U15.H9	(4.88, 5.2)			0.0099	1.4988	
Pin U15.K2	(4.94, 4.98)			0.0099	1.4988	
Pin U15.K8	(4.94, 5.17)			0.0099	1.4988	
Pin U15.N1	(5.03, 4.94)			0.0099	1.4989	
Pin U15.N9	(5.03, 5.2)			0.0099	1.4989	
Pin U15.R1	(5.1, 4.94)			0.0099	1.4989	
Pin U15.R9	(5.1, 5.2)			0.0099	1.499	
Pin U16.A1	(4.66, 4.55)			0.0099	1.4988	
Pin U16.A8	(4.66, 4.77)			0.0099	1.4987	
Pin U16.B2	(4.69, 4.58)			0.0099	1.4988	
Pin U16.C1	(4.72, 4.55)			0.0099	1.4988	
Pin U16.C9	(4.72, 4.8)			0.0099	1.4987	
Pin U16.D2	(4.75, 4.58)			0.0099	1.4988	
Pin U16.D9	(4.75, 4.8)			0.0099	1.4988	
Pin U16.E9	(4.78, 4.8)			0.0099	1.4988	
Pin U16.F1	(4.81, 4.55)			0.0099	1.4988	
Pin U16.G7	(4.84, 4.74)			0.0099	1.4988	
Pin U16.H2	(4.88, 4.58)			0.0099	1.4988	
Pin U16.H9	(4.88, 4.8)			0.0099	1.4988	
Pin U16.K2	(4.94, 4.58)			0.0099	1.4989	
Pin U16.K8	(4.94, 4.77)			0.0099	1.4988	
Pin U16.N1	(5.03, 4.55)			0.0099	1.4989	
Pin U16.N9	(5.03, 4.8)			0.0099	1.4989	
Pin U16.R1	(5.1, 4.55)			0.0099	1.499	
Pin U16.R9	(5.1, 4.8)			0.0099	1.4989	
Pin U17.2	(5.3, 4.03)			0.0099	1.499	
Current sink via or pad	(5.3, 4.03)	0.055	1	0.0099	1.499	
Current sink via or pad	(4.88, 4.8)	0.014	1	0.0099	1.4988	
Current sink via or pad	(4.88, 4.58)	0.014	1	0.0099	1.4988	
Current sink via or pad	(4.81, 4.55)	0.014	1	0.0099	1.4988	
Current sink	(4.78, 4.8)	0.014	1	0.0099	1.4988	

via or pad						
Current sink via or pad	(4.75, 4.58)	0.014	1	0.0099	1.4988	
Current sink via or pad	(4.72, 4.8)	0.014	1	0.0099	1.4987	
Current sink via or pad	(4.72, 4.55)	0.014	1	0.0099	1.4988	
Current sink via or pad	(4.66, 4.77)	0.014	1	0.0099	1.4987	
Current sink via or pad	(4.66, 4.55)	0.014	1	0.0099	1.4988	
Current sink via or pad	(5.1, 4.8)	0.014	1	0.0099	1.4989	
Current sink via or pad	(5.1, 4.55)	0.014	1	0.0099	1.499	
Current sink via or pad	(5.03, 4.8)	0.014	1	0.0099	1.4989	
Current sink via or pad	(5.03, 4.55)	0.014	1	0.0099	1.4989	
Current sink via or pad	(4.94, 4.77)	0.014	1	0.0099	1.4988	
Current sink via or pad	(4.94, 4.58)	0.014	1	0.0099	1.4989	
Current sink via or pad	(4.84, 4.74)	0.014	1	0.0099	1.4988	
Current sink via or pad	(4.75, 4.8)	0.014	1	0.0099	1.4988	
Current sink via or pad	(4.69, 4.58)	0.014	1	0.0099	1.4988	
Current sink via or pad	(4.88, 5.2)	0.014	1	0.0099	1.4988	
Current sink via or pad	(4.88, 4.98)	0.014	1	0.0099	1.4988	
Current sink via or pad	(4.81, 4.94)	0.014	1	0.0099	1.4988	
Current sink via or pad	(4.78, 5.2)	0.014	1	0.0099	1.4987	
Current sink via or pad	(4.75, 4.98)	0.014	1	0.0099	1.4987	
Current sink via or pad	(4.72, 5.2)	0.014	1	0.0099	1.4987	
Current sink via or pad	(4.72, 4.94)	0.014	1	0.0099	1.4987	
Current sink via or pad	(4.66, 5.17)	0.014	1	0.0099	1.4987	
Current sink via or pad	(4.66, 4.94)	0.014	1	0.0099	1.4987	
Current sink via or pad	(5.1, 5.2)	0.014	1	0.0099	1.499	
Current sink via or pad	(5.1, 4.94)	0.014	1	0.0099	1.4989	
Current sink via or pad	(5.03, 5.2)	0.014	1	0.0099	1.4989	

Current sink via or pad	(5.03, 4.94)	0.014	1	0.0099	1.4989	
Current sink via or pad	(4.94, 5.17)	0.014	1	0.0099	1.4988	
Current sink via or pad	(4.94, 4.98)	0.014	1	0.0099	1.4988	
Current sink via or pad	(4.84, 5.13)	0.014	1	0.0099	1.4988	
Current sink via or pad	(4.75, 5.2)	0.014	1	0.0099	1.4987	
Current sink via or pad	(4.69, 4.98)	0.014	1	0.0099	1.4987	
Current sink via or pad	(5.35, 3.9)	0.026	1	0.0099	1.499	
Current sink via or pad	(5.19, 4.87)	0.026	16	0.0099	1.4989	
Current sink via or pad	(4.36, 4.1)	0.026	16	0.0099	1.4988	
Voltage source via or pad	(5.23, 5.34)	0.026	1	-0.4806	1.4995	
Voltage source via or pad	(5.3, 4.34)	0.026	1	-0.5195	1.4995	
Current sink via or pad	(5.41, 5.61)	0.052	16	0.0099	1.4988	
Current sink via or pad	(5.41, 5.61)	0.052	1	0.0099	1.4988	
Current sink via or pad	(5.42, 4.03)	0.026	1	0.0099	1.499	
Current sink via or pad	(5.42, 3.95)	0.026	1	0.0099	1.499	
Current sink via or pad	(4.54, 5.34)	0.035	1	0.0099	1.4987	
Current sink via or pad	(4.54, 5.34)	0.035	16	0.0099	1.4987	
Current sink via or pad	(5.3, 5.63)	0.035	16	0.0099	1.4988	
Current sink via or pad	(5.2, 5.63)	0.035	1	0.0099	1.4988	
Current sink via or pad	(5.3, 5.63)	0.035	1	0.0099	1.4988	
Current sink via or pad	(5.02, 5.63)	0.035	1	0.0099	1.4988	
Current sink via or pad	(5.11, 5.63)	0.035	1	0.0099	1.4988	
Current sink via or pad	(4.73, 5.63)	0.035	16	0.0099	1.4987	
Current sink via or pad	(4.83, 5.63)	0.035	16	0.0099	1.4988	
Current sink via or pad	(5.21, 4.38)	0.035	16	0.0099	1.499	
Current sink via or pad	(5.12, 4.38)	0.035	16	0.0099	1.499	
Current sink	(5.02, 4.38)	0.035	16	0.0099	1.4989	

via or pad						
Current sink via or pad	(4.93, 4.38)	0.035	16	0.0099	1.4989	
Current sink via or pad	(4.55, 4.38)	0.035	1	0.0099	1.4987	
Current sink via or pad	(4.65, 4.38)	0.035	1	0.0099	1.4988	
Current sink via or pad	(4.74, 4.38)	0.035	1	0.0099	1.4988	
Current sink via or pad	(4.83, 4.38)	0.035	1	0.0099	1.4988	
Current sink via or pad	(4.93, 4.38)	0.035	1	0.0099	1.4989	
Current sink via or pad	(4.83, 4.38)	0.035	16	0.0099	1.4988	
Current sink via or pad	(5.21, 4.38)	0.035	1	0.0099	1.4993	
Current sink via or pad	(4.74, 4.38)	0.035	16	0.0099	1.4988	
Current sink via or pad	(5.02, 4.38)	0.035	1	0.0099	1.4989	
Current sink via or pad	(4.65, 4.38)	0.035	16	0.0099	1.4988	
Current sink via or pad	(5.12, 4.38)	0.035	1	0.0099	1.499	
Current sink via or pad	(4.55, 4.38)	0.035	16	0.0099	1.4988	
Current sink via or pad	(5.02, 5.63)	0.035	16	0.0099	1.4988	
Current sink via or pad	(4.92, 5.63)	0.035	16	0.0099	1.4988	
Current sink via or pad	(4.73, 5.63)	0.035	1	0.0099	1.4987	
Current sink via or pad	(4.92, 5.63)	0.035	1	0.0099	1.4988	
Current sink via or pad	(5.11, 5.63)	0.035	16	0.0099	1.4988	
Current sink via or pad	(4.83, 5.63)	0.035	1	0.0099	1.4988	
Current sink via or pad	(5.2, 5.63)	0.026	16	0.0099	1.4988	
Current sink via or pad	(4.5, 5.62)	0.026	1	0.0099	1.4987	
Current sink via or pad	(4.65, 5.62)	0.026	1	0.0099	1.4987	
Current sink via or pad	(4.58, 5.62)	0.026	1	0.0099	1.4987	
Current sink via or pad	(4.65, 5.62)	0.026	16	0.0099	1.4987	
Current sink via or pad	(4.58, 5.62)	0.026	16	0.0099	1.4987	
Current sink via or pad	(4.5, 5.62)	0.026	16	0.0099	1.4987	

Current sink via or pad	(5.08, 5.34)	0.026	1	0.0099	1.4989	
Current sink via or pad	(5.16, 5.34)	0.026	1	0.0099	1.4994	
Current sink via or pad	(5.08, 5.34)	0.026	16	0.0099	1.499	
Current sink via or pad	(5.16, 5.34)	0.026	16	0.0099	1.4991	
Current sink via or pad	(4.79, 5.34)	0.026	1	0.0099	1.4987	
Current sink via or pad	(4.86, 5.34)	0.026	1	0.0099	1.4988	
Current sink via or pad	(5.01, 5.34)	0.026	1	0.0099	1.4989	
Current sink via or pad	(4.79, 5.34)	0.026	16	0.0099	1.4987	
Current sink via or pad	(4.86, 5.34)	0.026	16	0.0099	1.4988	
Current sink via or pad	(5.01, 5.34)	0.026	16	0.0099	1.4989	
Current sink via or pad	(4.18, 4.66)	0.02	1	0.0099	1.4987	
Current sink via or pad	(4.3, 4.7)	0.02	1	0.0099	1.4987	
Current sink via or pad	(4.14, 4.77)	0.02	1	0.0099	1.4987	
Current sink via or pad	(4.26, 4.81)	0.02	1	0.0099	1.4987	
Current sink via or pad	(4.1, 4.89)	0.02	1	0.0099	1.4987	
Current sink via or pad	(4.22, 4.93)	0.02	1	0.0099	1.4987	
Current sink via or pad	(4.34, 4.97)	0.02	1	0.0099	1.4987	
Current sink via or pad	(4.18, 5.05)	0.02	1	0.0099	1.4987	
Current sink via or pad	(4.3, 5.09)	0.02	1	0.0099	1.4987	
Via	(5.14, 5.25)	0.012	1 - 12	0.1596		0.15
Via	(5.14, 5.25)	0.012	12 - 16	0.0099		0
Via	(5.11, 5.25)	0.012	1 - 12	0.1365		0.13
Via	(5.18, 5.25)	0.012	1 - 12	0.1747		0.16
Via	(5.11, 4.93)	0.012	1 - 12	-0.0099		-0.01
Via	(5.05, 4.93)	0.012	1 - 12	-0.0099		-0.01
Via	(4.96, 4.96)	0.012	1 - 12	-0.0099		-0.01
Via	(4.86, 4.96)	0.012	1 - 12	-0.0099		-0.01
Via	(4.8, 4.93)	0.012	1 - 12	-0.0099		-0.01
Via	(4.73, 4.96)	0.012	1 - 12	-0.0099		-0.01
Via	(5.11, 5.21)	0.012	1 - 12	-0.0099		-0.01
Via	(5.05, 5.21)	0.012	1 - 12	-0.0099		-0.01
Via	(4.96, 5.18)	0.012	1 - 12	-0.0099		-0.01

Via	(4.86, 5.21)	0.012	1 - 12	-0.0099		-0.01
Via	(4.83, 5.15)	0.012	1 - 12	-0.0099		-0.01
Via	(4.77, 5.21)	0.012	1 - 12	-0.0099		-0.01
Via	(4.73, 5.21)	0.012	1 - 12	-0.0099		-0.01
Via	(5.11, 4.82)	0.012	1 - 12	-0.0099		-0.01
Via	(5.05, 4.82)	0.012	1 - 12	-0.0099		-0.01
Via	(4.96, 4.79)	0.012	1 - 12	-0.0099		-0.01
Via	(4.86, 4.82)	0.012	1 - 12	-0.0099		-0.01
Via	(4.83, 4.76)	0.012	1 - 12	-0.0099		-0.01
Via	(4.77, 4.82)	0.012	1 - 12	-0.0099		-0.01
Via	(4.73, 4.82)	0.012	1 - 12	-0.0099		-0.01
Via	(5.18, 4.82)	0.012	12 - 16	0.0099		0
Via	(5.08, 5.25)	0.012	12 - 16	0.0099		0
Via	(4.99, 5.25)	0.012	12 - 16	0.0099		0
Via	(4.86, 5.25)	0.012	12 - 16	0.0099		0
Via	(4.77, 5.25)	0.012	12 - 16	0.0099		0
Via	(5.05, 5.25)	0.012	1 - 12	-0.0099		-0.01
Via	(5.02, 5.25)	0.012	1 - 12	-0.0099		-0.01
Via	(4.83, 5.25)	0.012	1 - 12	-0.0099		-0.01
Via	(4.8, 5.25)	0.012	1 - 12	-0.0099		-0.01
Via	(4.7, 4.93)	0.012	1 - 12	-0.0099		-0.01
Via	(4.67, 4.96)	0.012	1 - 12	-0.0099		-0.01
Via	(4.64, 4.93)	0.012	1 - 12	-0.0099		-0.01
Via	(4.64, 5.18)	0.012	1 - 12	-0.0099		-0.01
Via	(4.7, 5.21)	0.012	1 - 12	-0.0099		-0.01
Via	(4.64, 4.79)	0.012	1 - 12	-0.0099		-0.01
Via	(4.7, 4.82)	0.012	1 - 12	-0.0099		-0.01
Via	(4.32, 5.11)	0.012	1 - 12	-0.0099		-0.01
Via	(4.2, 5.07)	0.012	1 - 12	-0.0099		-0.01
Via	(4.36, 4.99)	0.012	1 - 12	-0.0099		-0.01
Via	(4.24, 4.95)	0.012	1 - 12	-0.0099		-0.01
Via	(4.12, 4.91)	0.012	1 - 12	-0.0099		-0.01
Via	(4.28, 4.79)	0.012	1 - 12	-0.0099		-0.01
Via	(4.16, 4.75)	0.012	1 - 12	-0.0099		-0.01
Via	(4.64, 5.25)	0.012	1 - 12	-0.0099		-0.01
Via	(4.64, 5.25)	0.012	12 - 16	0.0099		0
Via	(5.34, 5.57)	0.012	1 - 12	-0.017		-0.02
Via	(5.34, 5.57)	0.012	12 - 16	0.0223		0.01
Via	(5.27, 5.57)	0.012	1 - 12	-0.0098		-0.01
Via	(5.27, 5.57)	0.012	12 - 16	0.0065		0
Via	(5.2, 5.57)	0.012	1 - 12	-0.0095		-0.01
Via	(5.2, 5.57)	0.012	12 - 16	0.0067		0
Via	(5.13, 5.57)	0.012	1 - 12	-0.0121		-0.01
Via	(5.13, 5.57)	0.012	12 - 16	0.0134		0
Via	(5.06, 5.57)	0.012	1 - 12	-0.0128		-0.01
Via	(5.06, 5.57)	0.012	12 - 16	0.0154		0

Via	(4.99, 5.57)	0.012	1 - 12	-0.0109		-0.01
Via	(4.99, 5.57)	0.012	12 - 16	0.0119		0
Via	(4.92, 5.57)	0.012	1 - 12	-0.0092		-0.01
Via	(4.92, 5.57)	0.012	12 - 16	0.0096		0
Via	(4.85, 5.57)	0.012	1 - 12	-0.0071		-0.01
Via	(4.85, 5.57)	0.012	12 - 16	0.0066		0
Via	(4.78, 5.57)	0.012	1 - 12	-0.0057		-0.01
Via	(4.78, 5.57)	0.012	12 - 16	0.0049		0
Via	(4.71, 5.57)	0.012	1 - 12	-0.0045		0
Via	(4.71, 5.57)	0.012	12 - 16	0.0034		0
Via	(4.64, 5.57)	0.012	1 - 12	-0.0039		0
Via	(4.64, 5.57)	0.012	12 - 16	0.0031		0
Via	(4.57, 5.57)	0.012	1 - 12	-0.0035		0
Via	(4.57, 5.57)	0.012	12 - 16	0.0029		0
Via	(4.5, 5.57)	0.012	1 - 12	-0.0031		0
Via	(4.5, 5.57)	0.012	12 - 16	0.0023		0
Via	(5.11, 4.54)	0.012	1 - 12	-0.0099		-0.01
Via	(5.05, 4.54)	0.012	1 - 12	-0.0099		-0.01
Via	(4.96, 4.57)	0.012	1 - 12	-0.0099		-0.01
Via	(4.86, 4.57)	0.012	1 - 12	-0.0099		-0.01
Via	(4.8, 4.54)	0.012	1 - 12	-0.0099		-0.01
Via	(4.73, 4.57)	0.012	1 - 12	-0.0099		-0.01
Via	(5.37, 4.03)	0.015	1 - 12	-0.0151		-0.01
Via	(5.37, 4.03)	0.015	12 - 16	0.0045		0
Via	(5.37, 3.96)	0.015	1 - 12	-0.0103		-0.01
Via	(5.37, 3.96)	0.015	12 - 16	-0.0005		0
Via	(5.43, 3.86)	0.015	1 - 12	-0.0071		-0.01
Via	(5.43, 3.86)	0.015	12 - 16	-0.0008		0
Via	(5.36, 3.86)	0.015	1 - 12	-0.007		-0.01
Via	(5.36, 3.86)	0.015	12 - 16	-0.0032		0
Via	(4.96, 4.5)	0.012	12 - 16	0.0099		0
Via	(5.05, 4.5)	0.012	12 - 16	0.0099		0
Via	(5.08, 4.5)	0.012	12 - 16	0.0099		0
Via	(4.8, 4.5)	0.012	12 - 16	0.0099		0
Via	(5.11, 4.5)	0.012	1 - 12	-0.0099		-0.01
Via	(5.02, 4.5)	0.012	1 - 12	-0.0099		-0.01
Via	(4.92, 4.5)	0.012	1 - 12	-0.0099		-0.01
Via	(5.14, 4.5)	0.012	1 - 12	0.0969		0.09
Via	(5.14, 4.5)	0.012	12 - 16	0.0099		0
Via	(5.27, 4.34)	0.015	1 - 12	0.2169		0.17
Via	(5.3, 4.3)	0.015	1 - 12	0.1959		0.15
Via	(4.83, 4.5)	0.012	1 - 12	-0.0099		-0.01
Via	(4.73, 4.5)	0.012	1 - 12	-0.0099		-0.01
Via	(4.64, 4.5)	0.012	1 - 12	-0.0099		-0.01
Via	(4.64, 4.5)	0.012	12 - 16	0.0099		0
Via	(4.7, 4.54)	0.012	1 - 12	-0.0099		-0.01

Via	(4.67, 4.57)	0.012	1 - 12	-0.0099		-0.01
Via	(4.64, 4.54)	0.012	1 - 12	-0.0099		-0.01
Via	(4.32, 4.68)	0.012	1 - 12	-0.0099		-0.01
Via	(4.2, 4.64)	0.012	1 - 12	-0.0099		-0.01
Via	(4.67, 4.5)	0.012	1 - 12	-0.0099		-0.01
Via	(4.67, 4.5)	0.012	12 - 16	0.0099		0
Via	(4.36, 4.04)	0.015	12 - 16	0.0099		0
Via	(4.7, 4.5)	0.012	12 - 16	0.0099		0

1.4.5 1V8 Voltage Drop Report

Item	Location(s), in	Diameter, in	Layer(s)	Current, [A]	Voltage, [V]	Voltage drop, [mV]
Pin C101.1	(3.17, 4.77)			0.0122	1.7919	
Pin C102.1	(3.17, 4.77)			0.0122	1.7919	
Pin C225.2	(4.84, 6.23)			0.0122	1.7933	
Pin C659.1	(2.69, 5.63)			0.0122	1.792	
Pin C660.1	(2.8, 5.63)			0.0122	1.792	
Pin C661.1	(2.98, 5.63)			0.0122	1.792	
Pin C662.1	(2.98, 5.63)			0.0122	1.792	
Pin C663.1	(3.28, 5.62)			0.0122	1.792	
Pin C664.1	(3.21, 5.62)			0.0122	1.792	
Pin C665.1	(3.35, 5.62)			0.0122	1.792	
Pin C666.1	(3.28, 5.62)			0.0122	1.792	
Pin C667.1	(3.21, 5.62)			0.0122	1.792	
Pin C702.1	(2.92, 5.34)			0.0122	1.792	
Pin C703.1	(2.93, 5.38)			0.0122	1.792	
Pin C704.1	(2.93, 5.48)			0.0122	1.792	
Pin C705.1	(2.93, 5.48)			0.0122	1.792	
Pin C706.1	(2.93, 5.23)			0.0122	1.792	
Pin C707.1	(2.93, 5.16)			0.0122	1.792	
Pin C708.1	(2.93, 5.16)			0.0122	1.792	
Pin C709.1	(2.93, 5.23)			0.0122	1.792	
Pin C710.1	(2.93, 5.3)			0.0122	1.792	
Pin C711.1	(2.69, 5.63)			0.0122	1.792	
Pin C712.1	(2.89, 5.63)			0.0122	1.792	
Pin C713.1	(2.89, 5.63)			0.0122	1.792	
Pin C714.1	(2.8, 5.63)			0.0122	1.792	
Pin C715.1	(3.07, 5.62)			0.0122	1.792	
Pin C716.1	(3.14, 5.62)			0.0122	1.792	
Pin C717.1	(3.07, 5.62)			0.0122	1.792	
Pin C718.1	(3.14, 5.62)			0.0122	1.792	
Pin C719.1	(3.35, 5.62)			0.0122	1.792	
Pin F2.2	(8.7, 6.11)			-1.0001	1.799	
Pin L12.1	(3.95, 5.69)			0.0122	1.7925	

Pin L13.1	(2.2, 6.35)			0.0122	1.7921	
Pin L17.1	(3.39, 6.77)			0.0122	1.7924	
Pin L18.1	(3.93, 6.42)			0.0122	1.7928	
Pin L20.1	(5.53, 6.29)			0.0122	1.7941	
Pin L21.1	(6.57, 6.35)			0.0122	1.7951	
Pin L3.2	(3.1, 4.84)			0.0122	1.7919	
Pin L4.2	(3.1, 5.15)			0.0122	1.792	
Pin L49.1	(1.86, 0.154)			0.0122	1.7917	
Pin L5.2	(4.67, 4.1)			0.0122	1.7917	
Pin L6.2	(3.57, 5.69)			0.0122	1.7923	
Pin R105.2	(3.64, 5.69)			0.0122	1.7923	
Pin R119.1	(3.32, 6.77)			0.0122	1.7924	
Pin R120.2	(4.12, 6.71)			0.0122	1.7929	
Pin R38.2	(7.62, 4.27)			0.0122	1.7914	
Pin R39.2	(7.62, 4.2)			0.0122	1.7914	
Pin R44.2	(6.99, 4.18)			0.0122	1.7914	
Pin R484.2	(3.42, 5.69)			0.0122	1.7922	
Pin R62.1	(3.94, 4.1)			0.0122	1.7918	
Pin SW5.10	(1.24, 6.82)			0.0122	1.7918	
Pin SW5.11	(1.14, 6.82)			0.0122	1.7918	
Pin SW5.12	(1.04, 6.82)			0.0122	1.7918	
Pin SW5.13	(0.942, 6.82)			0.0122	1.7918	
Pin SW5.14	(0.842, 6.82)			0.0122	1.7917	
Pin SW5.15	(0.742, 6.82)			0.0122	1.7917	
Pin SW5.16	(0.642, 6.82)			0.0122	1.7917	
Pin SW5.9	(1.34, 6.82)			0.0122	1.7918	
Pin U106.A16	(3.95, 5.36)			0.0122	1.7924	
Pin U106.A6	(3.55, 5.36)			0.0122	1.7921	
Pin U106.B13	(3.83, 5.33)			0.0122	1.7922	
Pin U106.B3	(3.43, 5.33)			0.0122	1.7921	
Pin U106.C10	(3.71, 5.29)			0.0122	1.7922	
Pin U106.D7	(3.59, 5.25)			0.0122	1.7921	
Pin U106.E14	(3.87, 5.21)			0.0122	1.7922	
Pin U106.E4	(3.47, 5.21)			0.0122	1.792	
Pin U106.F1	(3.36, 5.17)			0.0122	1.792	
Pin U106.F11	(3.75, 5.17)			0.0122	1.7921	
Pin U106.G8	(3.63, 5.13)			0.0122	1.792	
Pin U106.H15	(3.91, 5.09)			0.0122	1.7921	
Pin U106.H5	(3.51, 5.09)			0.0122	1.792	
Pin U106.J12	(3.79, 5.05)			0.0122	1.792	
Pin U106.J2	(3.39, 5.05)			0.0122	1.792	
Pin U106.K9	(3.67, 5.01)			0.0122	1.792	
Pin U106.L6	(3.55, 4.97)			0.0122	1.792	
Pin U106.M14	(3.87, 4.93)			0.0122	1.792	
Pin U106.M3	(3.43, 4.93)			0.0122	1.792	
Pin U26.5	(4.95, 6.23)			0.0122	1.7933	

Pin U28.8	(6.97, 6.53)			0.0122	1.7955	
Pin U85.8	(1.65, 1.18)			0.0122	1.7917	
Pin U86.8	(1.65, 0.522)			0.0122	1.7917	
Pin U87.8	(1.65, 1.86)			0.0122	1.7917	
Pin U88.8	(1.65, 2.52)			0.0122	1.7917	
Current sink via or pad	(1.65, 2.52)	0.036	1	0.0122	1.7917	
Current sink via or pad	(1.65, 1.86)	0.036	1	0.0122	1.7917	
Current sink via or pad	(1.65, 0.522)	0.036	1	0.0122	1.7917	
Current sink via or pad	(1.65, 1.18)	0.036	1	0.0122	1.7917	
Current sink via or pad	(6.97, 6.53)	0.036	1	0.0122	1.7955	
Current sink via or pad	(1.34, 6.82)	0.045	1	0.0122	1.7918	
Current sink via or pad	(1.24, 6.82)	0.045	1	0.0122	1.7918	
Current sink via or pad	(1.14, 6.82)	0.045	1	0.0122	1.7918	
Current sink via or pad	(1.04, 6.82)	0.045	1	0.0122	1.7918	
Current sink via or pad	(0.942, 6.82)	0.045	1	0.0122	1.7918	
Current sink via or pad	(0.842, 6.82)	0.045	1	0.0122	1.7917	
Current sink via or pad	(0.742, 6.82)	0.045	1	0.0122	1.7917	
Current sink via or pad	(0.642, 6.82)	0.045	1	0.0122	1.7917	
Current sink via or pad	(7.62, 4.2)	0.026	1	0.0122	1.7914	
Current sink via or pad	(7.62, 4.27)	0.026	1	0.0122	1.7914	
Current sink via or pad	(4.12, 6.71)	0.026	1	0.0122	1.7929	
Current sink via or pad	(3.32, 6.77)	0.026	1	0.0122	1.7924	
Current sink via or pad	(6.99, 4.18)	0.026	16	0.0122	1.7914	
Current sink via or pad	(3.64, 5.69)	0.026	1	0.0122	1.7923	
Current sink via or pad	(3.42, 5.69)	0.026	16	0.0122	1.7922	
Current sink via or pad	(3.94, 4.1)	0.026	16	0.0122	1.7918	
Current sink via or pad	(4.67, 4.1)	0.026	1	0.0122	1.7917	
Current sink via or pad	(1.86, 0.154)	0.026	1	0.0122	1.7917	
Current sink via or pad	(3.1, 5.15)	0.026	1	0.0122	1.792	

Current sink via or pad	(3.1, 4.84)	0.026	1	0.0122	1.7919	
Current sink via or pad	(6.57, 6.35)	0.026	1	0.0122	1.7951	
Current sink via or pad	(5.53, 6.29)	0.026	1	0.0122	1.7941	
Current sink via or pad	(3.93, 6.42)	0.026	1	0.0122	1.7928	
Current sink via or pad	(3.39, 6.77)	0.026	1	0.0122	1.7924	
Current sink via or pad	(2.2, 6.35)	0.026	1	0.0122	1.7921	
Current sink via or pad	(3.95, 5.69)	0.026	1	0.0122	1.7925	
Current sink via or pad	(3.57, 5.69)	0.026	1	0.0122	1.7923	
Current sink via or pad	(2.69, 5.63)	0.052	16	0.0122	1.792	
Current sink via or pad	(2.92, 5.34)	0.052	16	0.0122	1.792	
Current sink via or pad	(2.69, 5.63)	0.052	1	0.0122	1.792	
Current sink via or pad	(2.8, 5.63)	0.035	16	0.0122	1.792	
Current sink via or pad	(2.89, 5.63)	0.035	16	0.0122	1.792	
Current sink via or pad	(2.89, 5.63)	0.035	1	0.0122	1.792	
Current sink via or pad	(2.93, 5.48)	0.035	16	0.0122	1.792	
Current sink via or pad	(2.93, 5.48)	0.035	1	0.0122	1.792	
Current sink via or pad	(2.93, 5.38)	0.035	1	0.0122	1.792	
Current sink via or pad	(2.98, 5.63)	0.035	1	0.0122	1.792	
Current sink via or pad	(2.98, 5.63)	0.035	16	0.0122	1.792	
Current sink via or pad	(2.8, 5.63)	0.035	1	0.0122	1.792	
Current sink via or pad	(3.35, 5.62)	0.026	16	0.0122	1.792	
Current sink via or pad	(3.14, 5.62)	0.026	16	0.0122	1.792	
Current sink via or pad	(3.07, 5.62)	0.026	16	0.0122	1.792	
Current sink via or pad	(3.14, 5.62)	0.026	1	0.0122	1.792	
Current sink via or pad	(3.07, 5.62)	0.026	1	0.0122	1.792	
Current sink via or pad	(2.93, 5.3)	0.026	1	0.0122	1.792	
Current sink	(2.93, 5.23)	0.026	1	0.0122	1.792	

via or pad						
Current sink via or pad	(2.93, 5.16)	0.026	1	0.0122	1.792	
Current sink via or pad	(2.93, 5.16)	0.026	16	0.0122	1.792	
Current sink via or pad	(2.93, 5.23)	0.026	16	0.0122	1.792	
Current sink via or pad	(3.21, 5.62)	0.026	1	0.0122	1.792	
Current sink via or pad	(3.28, 5.62)	0.026	1	0.0122	1.792	
Current sink via or pad	(3.35, 5.62)	0.026	1	0.0122	1.792	
Current sink via or pad	(3.21, 5.62)	0.026	16	0.0122	1.792	
Current sink via or pad	(3.28, 5.62)	0.026	16	0.0122	1.792	
Current sink via or pad	(3.17, 4.77)	0.026	16	0.0122	1.7919	
Current sink via or pad	(4.84, 6.23)	0.026	1	0.0122	1.7933	
Current sink via or pad	(3.17, 4.77)	0.026	1	0.0122	1.7919	
Current sink via or pad	(3.79, 5.05)	0.02	1	0.0122	1.792	
Current sink via or pad	(3.91, 5.09)	0.02	1	0.0122	1.7921	
Current sink via or pad	(3.75, 5.17)	0.02	1	0.0122	1.7921	
Current sink via or pad	(3.87, 5.21)	0.02	1	0.0122	1.7922	
Current sink via or pad	(3.83, 5.33)	0.02	1	0.0122	1.7922	
Current sink via or pad	(3.95, 5.36)	0.02	1	0.0122	1.7924	
Current sink via or pad	(3.67, 5.01)	0.02	1	0.0122	1.792	
Current sink via or pad	(3.63, 5.13)	0.02	1	0.0122	1.792	
Current sink via or pad	(3.59, 5.25)	0.02	1	0.0122	1.7921	
Current sink via or pad	(3.71, 5.29)	0.02	1	0.0122	1.7922	
Current sink via or pad	(3.43, 5.33)	0.02	1	0.0122	1.7921	
Current sink via or pad	(3.55, 5.36)	0.02	1	0.0122	1.7921	
Current sink via or pad	(3.43, 4.93)	0.02	1	0.0122	1.792	
Current sink via or pad	(3.55, 4.97)	0.02	1	0.0122	1.792	
Current sink via or pad	(3.39, 5.05)	0.02	1	0.0122	1.792	

Current sink via or pad	(3.51, 5.09)	0.02	1	0.0122	1.792	
Current sink via or pad	(3.36, 5.17)	0.02	1	0.0122	1.792	
Current sink via or pad	(3.47, 5.21)	0.02	1	0.0122	1.792	
Current sink via or pad	(3.87, 4.93)	0.02	1	0.0122	1.792	
Voltage source via or pad	(8.7, 6.11)	0.035	1	-1.0001	1.799	
Current sink via or pad	(4.95, 6.23)	0.014	1	0.0122	1.7933	
Via	(8.68, 6.17)	0.015	1 - 7	0.2481		0.1
Via	(8.68, 6.17)	0.015	7 - 16	0.0603		0.04
Via	(8.68, 6.23)	0.015	1 - 7	0.1015		0.04
Via	(8.68, 6.23)	0.015	7 - 16	-0.0004		0
Via	(8.68, 6.29)	0.015	1 - 7	0.1318		0.06
Via	(8.68, 6.29)	0.015	7 - 16	-0.0651		-0.04
Via	(8.74, 6.17)	0.015	1 - 7	0.1425		0.06
Via	(8.74, 6.17)	0.015	7 - 16	0.0561		0.04
Via	(8.74, 6.23)	0.015	1 - 7	0.0573		0.02
Via	(8.74, 6.23)	0.015	7 - 16	0.0154		0.01
Via	(8.74, 6.29)	0.015	1 - 7	0.0766		0.03
Via	(8.74, 6.29)	0.015	7 - 16	-0.0271		-0.02
Via	(8.8, 6.17)	0.015	1 - 7	0.0289		0.01
Via	(8.8, 6.17)	0.015	7 - 16	0.0242		0.02
Via	(8.8, 6.23)	0.015	1 - 7	0.0264		0.01
Via	(8.8, 6.23)	0.015	7 - 16	0.0089		0.01
Via	(8.8, 6.29)	0.015	1 - 7	0.0546		0.02
Via	(8.8, 6.29)	0.015	7 - 16	-0.022		-0.01
Via	(8.86, 6.17)	0.015	1 - 7	0.0103		0
Via	(8.86, 6.17)	0.015	7 - 16	0.0063		0
Via	(8.86, 6.23)	0.015	1 - 7	0.014		0.01
Via	(8.86, 6.23)	0.015	7 - 16	0.0005		0
Via	(8.86, 6.29)	0.015	1 - 7	0.0405		0.02
Via	(8.86, 6.29)	0.015	7 - 16	-0.022		-0.01
Via	(8.92, 6.17)	0.015	1 - 7	0.0117		0
Via	(8.92, 6.17)	0.015	7 - 16	-0.0018		0
Via	(8.92, 6.23)	0.015	1 - 7	0.0162		0.01
Via	(8.92, 6.23)	0.015	7 - 16	-0.007		0
Via	(8.92, 6.29)	0.015	1 - 7	0.0398		0.02
Via	(8.92, 6.29)	0.015	7 - 16	-0.0263		-0.02
Via	(6.58, 6.29)	0.015	1 - 7	-0.034		-0.01
Via	(6.58, 6.29)	0.015	7 - 16	0.0163		0.01
Via	(6.51, 6.29)	0.015	1 - 7	0.0137		0.01
Via	(6.51, 6.29)	0.015	7 - 16	-0.0114		-0.01
Via	(6.51, 6.35)	0.015	1 - 7	0.0081		0

Via	(6.51, 6.35)	0.015	7 - 16	-0.0049		0
Via	(6.97, 6.6)	0.015	1 - 7	-0.0122		-0.01
Via	(5.6, 6.18)	0.015	1 - 7	-0.0281		-0.01
Via	(5.52, 6.18)	0.015	1 - 7	0.0263		0.01
Via	(5.6, 6.24)	0.015	1 - 7	-0.0224		-0.01
Via	(5.52, 6.24)	0.015	1 - 7	0.0121		0.01
Via	(4.91, 6.31)	0.015	1 - 7	-0.0389		-0.02
Via	(4.91, 6.31)	0.015	7 - 16	0.0234		0.01
Via	(4.84, 6.31)	0.015	1 - 7	-0.0128		-0.01
Via	(4.84, 6.31)	0.015	7 - 16	0.005		0
Via	(4.77, 6.31)	0.015	1 - 7	0.0123		0.01
Via	(4.77, 6.31)	0.015	7 - 16	-0.0129		-0.01
Via	(4.77, 6.24)	0.015	1 - 7	0.015		0.01
Via	(4.77, 6.24)	0.015	7 - 16	-0.0156		-0.01
Via	(3.95, 5.92)	0.015	1 - 7	-0.0196		-0.01
Via	(3.95, 5.92)	0.015	7 - 16	0.0155		0.01
Via	(3.95, 5.86)	0.015	1 - 7	-0.0066		0
Via	(3.95, 5.86)	0.015	7 - 16	0.005		0
Via	(3.95, 5.8)	0.015	1 - 7	0.0018		0
Via	(3.95, 5.8)	0.015	7 - 16	-0.0044		0
Via	(3.95, 5.74)	0.015	1 - 7	0.0123		0.01
Via	(3.95, 5.74)	0.015	7 - 16	-0.0161		-0.01
Via	(3.3, 4.79)	0.012	1 - 7	-0.0035		0
Via	(3.3, 4.79)	0.012	7 - 16	0.0037		0
Via	(3.3, 4.83)	0.012	1 - 7	-0.0065		0
Via	(3.3, 4.83)	0.012	7 - 16	0.0059		0
Via	(3.3, 4.75)	0.012	1 - 7	-0.0022		0
Via	(3.3, 4.75)	0.012	7 - 16	0.0026		0
Via	(3.39, 6.84)	0.015	1 - 7	-0.0324		-0.01
Via	(3.39, 6.84)	0.015	7 - 16	0.0149		0.01
Via	(3.33, 6.84)	0.015	1 - 7	-0.0123		-0.01
Via	(3.33, 6.84)	0.015	7 - 16	0.0031		0
Via	(3.27, 6.84)	0.015	1 - 7	0.0078		0
Via	(3.27, 6.84)	0.015	7 - 16	-0.0083		-0.01
Via	(3.27, 6.77)	0.015	1 - 7	0.0125		0.01
Via	(3.27, 6.77)	0.015	7 - 16	-0.0096		-0.01
Via	(3.41, 4.95)	0.012	1 - 7	-0.0122		-0.01
Via	(3.53, 4.99)	0.012	1 - 7	-0.0122		-0.01
Via	(3.38, 5.07)	0.012	1 - 7	-0.0122		-0.01
Via	(3.49, 5.11)	0.012	1 - 7	-0.0122		-0.01
Via	(3.34, 5.19)	0.012	1 - 7	-0.0122		-0.01
Via	(3.45, 5.23)	0.012	1 - 7	-0.0122		-0.01
Via	(3.65, 5.03)	0.012	1 - 7	-0.0122		-0.01
Via	(3.61, 5.15)	0.012	1 - 7	-0.0122		-0.01
Via	(3.57, 5.27)	0.012	1 - 7	-0.0122		-0.01
Via	(3.69, 5.31)	0.012	1 - 7	-0.0122		-0.01

Via	(3.41, 5.35)	0.012	1 - 7	-0.0122		-0.01
Via	(3.53, 5.38)	0.012	1 - 7	-0.0122		-0.01
Via	(3.42, 5.74)	0.015	7 - 16	0.0122		0.01
Via	(3.77, 5.07)	0.012	1 - 7	-0.0122		-0.01
Via	(3.93, 5.11)	0.012	1 - 7	-0.0122		-0.01
Via	(3.73, 5.19)	0.012	1 - 7	-0.0122		-0.01
Via	(3.89, 5.23)	0.012	1 - 7	-0.0122		-0.01
Via	(3.81, 5.35)	0.012	1 - 7	-0.0122		-0.01
Via	(3.97, 5.38)	0.012	1 - 7	-0.0122		-0.01
Via	(3.89, 4.95)	0.012	1 - 7	-0.0122		-0.01
Via	(2.69, 5.57)	0.015	1 - 7	-0.0119		0
Via	(2.69, 5.57)	0.015	7 - 16	0.0119		0.01
Via	(2.76, 5.57)	0.015	1 - 7	-0.0096		0
Via	(2.76, 5.57)	0.015	7 - 16	0.0102		0.01
Via	(2.83, 5.57)	0.015	1 - 7	-0.0109		0
Via	(2.83, 5.57)	0.015	7 - 16	0.0113		0.01
Via	(2.9, 5.57)	0.015	1 - 7	-0.0147		-0.01
Via	(2.9, 5.57)	0.015	7 - 16	0.0141		0.01
Via	(2.97, 5.57)	0.015	1 - 7	-0.0247		-0.01
Via	(2.97, 5.57)	0.015	7 - 16	0.0215		0.01
Via	(3.38, 5.42)	0.012	1 - 7	-0.0253		-0.01
Via	(3.38, 5.42)	0.012	7 - 16	0.0232		0.02
Via	(3.34, 5.42)	0.012	1 - 7	-0.0177		-0.01
Via	(3.34, 5.42)	0.012	7 - 16	0.0176		0.01
Via	(3.3, 5.42)	0.012	1 - 7	-0.0129		-0.01
Via	(3.3, 5.42)	0.012	7 - 16	0.014		0.01
Via	(2.97, 5.5)	0.015	1 - 7	-0.0137		-0.01
Via	(2.97, 5.5)	0.015	7 - 16	0.0125		0.01
Via	(2.97, 5.43)	0.015	1 - 7	-0.0092		0
Via	(2.97, 5.43)	0.015	7 - 16	0.008		0.01
Via	(2.97, 5.36)	0.015	1 - 7	-0.0084		0
Via	(2.97, 5.36)	0.015	7 - 16	0.0072		0
Via	(2.97, 5.29)	0.015	1 - 7	-0.0079		0
Via	(2.97, 5.29)	0.015	7 - 16	0.0038		0
Via	(2.97, 5.22)	0.015	1 - 7	-0.0072		0
Via	(2.97, 5.22)	0.015	7 - 16	0.0026		0
Via	(2.97, 5.15)	0.015	1 - 7	-0.0087		0
Via	(2.97, 5.15)	0.015	7 - 16	0.0006		0
Via	(1.34, 6.88)	0.015	1 - 7	-0.0122		-0.01
Via	(1.24, 6.88)	0.015	1 - 7	-0.0122		-0.01
Via	(1.14, 6.88)	0.015	1 - 7	-0.0122		-0.01
Via	(1.04, 6.88)	0.015	1 - 7	-0.0122		-0.01
Via	(0.942, 6.88)	0.015	1 - 7	-0.0122		-0.01
Via	(0.842, 6.88)	0.015	1 - 7	-0.0122		-0.01
Via	(0.742, 6.88)	0.015	1 - 7	-0.0122		-0.01
Via	(0.642, 6.88)	0.015	1 - 7	-0.0122		-0.01

Via	(3.97, 6.39)	0.015	1 - 7	-0.004		0
Via	(3.97, 6.44)	0.015	1 - 7	-0.0082		0
Via	(4.12, 6.67)	0.015	1 - 7	-0.0122		-0.01
Via	(2.17, 6.38)	0.015	1 - 7	-0.003		0
Via	(2.17, 6.38)	0.015	7 - 16	-0.0007		0
Via	(2.23, 6.38)	0.015	1 - 7	-0.0038		0
Via	(2.23, 6.38)	0.015	7 - 16	-0.0002		0
Via	(2.23, 6.44)	0.015	1 - 7	-0.0042		0
Via	(2.23, 6.44)	0.015	7 - 16	0.0016		0
Via	(2.17, 6.44)	0.015	1 - 7	-0.0012		0
Via	(2.17, 6.44)	0.015	7 - 16	-0.0007		0
Via	(3.05, 4.84)	0.015	1 - 7	-0.0122		-0.01
Via	(3.63, 5.88)	0.015	1 - 7	-0.0312		-0.01
Via	(3.63, 5.88)	0.015	7 - 16	0.0232		0.01
Via	(3.56, 5.88)	0.015	1 - 7	-0.008		0
Via	(3.56, 5.88)	0.015	7 - 16	0.0053		0
Via	(3.49, 5.88)	0.015	1 - 7	0.013		0.01
Via	(3.49, 5.88)	0.015	7 - 16	-0.0114		-0.01
Via	(3.49, 5.81)	0.015	1 - 7	0.0219		0.01
Via	(3.49, 5.81)	0.015	7 - 16	-0.018		-0.01
Via	(3.63, 5.81)	0.015	1 - 7	-0.0201		-0.01
Via	(3.63, 5.81)	0.015	7 - 16	0.0132		0.01
Via	(3.56, 5.81)	0.015	1 - 7	0.0005		0
Via	(3.56, 5.81)	0.015	7 - 16	-0.0022		0
Via	(3.63, 5.74)	0.015	1 - 7	-0.011		0
Via	(3.63, 5.74)	0.015	7 - 16	0.0019		0
Via	(3.56, 5.74)	0.015	1 - 7	0.0105		0
Via	(3.56, 5.74)	0.015	7 - 16	-0.012		-0.01
Via	(7.67, 4.2)	0.015	1 - 7	-0.0132		-0.01
Via	(7.68, 4.27)	0.015	1 - 7	-0.0112		0
Via	(6.99, 4.22)	0.015	7 - 16	0.0122		0.01
Via	(4.68, 3.87)	0.015	1 - 7	-0.001		0
Via	(4.68, 3.87)	0.015	7 - 16	0.0002		0
Via	(4.68, 3.93)	0.015	1 - 7	-0.0011		0
Via	(4.68, 3.93)	0.015	7 - 16	-0.0001		0
Via	(4.68, 3.99)	0.015	1 - 7	-0.0026		0
Via	(4.68, 3.99)	0.015	7 - 16	-0.0003		0
Via	(4.68, 4.05)	0.015	1 - 7	-0.0074		0
Via	(4.68, 4.05)	0.015	7 - 16	0.0003		0
Via	(1.96, 0.109)	0.015	1 - 7	-0.0012		0
Via	(1.96, 0.109)	0.015	7 - 16	-0.0003		0
Via	(1.9, 0.109)	0.015	1 - 7	-0.0029		0
Via	(1.9, 0.109)	0.015	7 - 16	-0.0004		0
Via	(1.96, 0.169)	0.015	1 - 7	-0.0016		0
Via	(1.96, 0.169)	0.015	7 - 16	0		0
Via	(1.9, 0.169)	0.015	1 - 7	-0.0038		0

Via	(1.9, 0.169)	0.015	7 - 16	-0.0002		0
Via	(2.02, 0.109)	0.015	1 - 7	-0.001		0
Via	(2.02, 0.109)	0.015	7 - 16	0.0002		0
Via	(2.02, 0.169)	0.015	1 - 7	-0.0016		0
Via	(2.02, 0.169)	0.015	7 - 16	0.0006		0
Via	(1.72, 0.522)	0.015	1 - 7	-0.0122		-0.01
Via	(1.72, 2.52)	0.015	1 - 7	-0.0122		-0.01
Via	(1.72, 1.86)	0.015	1 - 7	-0.0122		-0.01
Via	(1.72, 1.18)	0.015	1 - 7	-0.0122		-0.01
Via	(3.94, 4.02)	0.015	7 - 16	0.0122		0.01

1.4.6 1V2_FPGA Voltage Drop Report

Item	Location(s), in	Diameter, in	Layer(s)	Current, [A]	Voltage, [V]	Voltage drop, [mV]
Pin C100.1	(7.26, 4.46)			0.0058	3.2958	
Pin C103.1	(3.17, 4.54)			0.0058	3.295	
Pin C104.1	(3.17, 4.54)			0.0058	3.295	
Pin C105.2	(5.17, 3.77)			0.0058	3.2953	
Pin C107.1	(2.68, 4.64)			0.0058	3.2949	
Pin C108.1	(2.68, 4.64)			0.0058	3.2949	
Pin C109.1	(2.68, 5.03)			0.0058	3.2949	
Pin C110.1	(2.68, 5.03)			0.0058	3.2949	
Pin C153.2	(5.05, 3.9)			0.0058	3.2953	
Pin C210.2	(4.14, 6.19)			0.0058	3.2952	
Pin C214.1	(5.27, 6.63)			0.0058	3.2955	
Pin C215.2	(5.27, 6.63)			0.0058	3.2955	
Pin C235.2	(5.95, 4.63)			0.0058	3.2957	
Pin C236.1	(6.07, 5.7)			0.0058	3.2958	
Pin C237.1	(6.07, 5.63)			0.0058	3.2958	
Pin C577.2	(1.08, 6.19)			0.0058	3.2944	
Pin C579.2	(1.08, 6.27)			0.0058	3.2944	
Pin C625.2	(2.11, 1.49)			0.0058	3.2932	
Pin C627.2	(2.19, 1.7)			0.0058	3.2932	
Pin C629.2	(2.93, 1.49)			0.0058	3.2931	
Pin C631.2	(2.98, 1.7)			0.0058	3.2931	
Pin C633.2	(4.56, 1.49)			0.0058	3.293	
Pin C635.2	(3.74, 1.49)			0.0058	3.2931	
Pin C637.2	(4.62, 1.7)			0.0058	3.293	
Pin C639.2	(3.81, 1.7)			0.0058	3.2931	
Pin C642.2	(3.45, 1.48)			0.0058	3.2931	
Pin C644.2	(2.64, 1.48)			0.0058	3.2931	
Pin C645.2	(3.34, 1.7)			0.0058	3.2931	
Pin C647.2	(2.52, 1.7)			0.0058	3.2931	
Pin C649.2	(4.27, 1.48)			0.0058	3.293	

Pin C651.2	(5.08, 1.48)			0.0058	3.293	
Pin C653.2	(4.15, 1.7)			0.0058	3.293	
Pin C655.2	(4.97, 1.7)			0.0058	3.293	
Pin C657.1	(1.5, 7.2)			0.0058	3.2945	
Pin C658.1	(1.5, 7.12)			0.0058	3.2945	
Pin C668.1	(1.33, 7.2)			0.0058	3.2945	
Pin C669.1	(1.33, 7.12)			0.0058	3.2945	
Pin C670.1	(1.15, 7.2)			0.0058	3.2945	
Pin C671.1	(1.15, 7.12)			0.0058	3.2945	
Pin C672.1	(0.984, 7.2)			0.0058	3.2944	
Pin C673.1	(0.983, 7.12)			0.0058	3.2944	
Pin C674.1	(0.813, 7.2)			0.0058	3.2944	
Pin C675.1	(0.812, 7.12)			0.0058	3.2944	
Pin C676.1	(0.642, 7.2)			0.0058	3.2944	
Pin C677.1	(0.641, 7.12)			0.0058	3.2944	
Pin C678.1	(0.471, 7.2)			0.0058	3.2944	
Pin C679.1	(0.47, 7.12)			0.0058	3.2944	
Pin C680.1	(0.3, 7.2)			0.0058	3.2944	
Pin C681.1	(0.299, 7.12)			0.0058	3.2944	
Pin C682.1	(4.57, 6.09)			0.0058	3.2953	
Pin C683.1	(4.69, 5.91)			0.0058	3.2954	
Pin C684.1	(2.92, 4.42)			0.0058	3.295	
Pin C685.1	(2.93, 4.72)			0.0058	3.295	
Pin C686.1	(2.93, 4.72)			0.0058	3.295	
Pin C687.1	(2.93, 4.54)			0.0058	3.295	
Pin C688.1	(2.93, 4.8)			0.0058	3.295	
Pin C689.1	(2.93, 4.87)			0.0058	3.295	
Pin C690.1	(2.93, 4.94)			0.0058	3.295	
Pin C691.1	(2.93, 5.02)			0.0058	3.295	
Pin C692.1	(2.93, 5.09)			0.0058	3.295	
Pin C693.1	(2.92, 4.42)			0.0058	3.295	
Pin C694.1	(2.93, 4.63)			0.0058	3.295	
Pin C695.1	(2.93, 4.54)			0.0058	3.295	
Pin C696.1	(2.93, 4.63)			0.0058	3.295	
Pin C697.1	(2.93, 4.8)			0.0058	3.295	
Pin C698.1	(2.93, 4.87)			0.0058	3.295	
Pin C699.1	(2.93, 4.94)			0.0058	3.295	
Pin C700.1	(2.93, 5.02)			0.0058	3.295	
Pin C701.1	(2.93, 5.09)			0.0058	3.295	
Pin C94.1	(7.55, 4.13)			0.0058	3.2958	
Pin C95.1	(4.43, 5.54)			0.0058	3.2953	
Pin C99.2	(6.98, 4.5)			0.0058	3.2958	
Pin D1.2	(6.99, 4.1)			0.0058	3.2958	
Pin F3.1	(8.84, 5.31)			-1.0537	3.2989	
Pin J1.2	(5.06, 0.175)			0.0058	3.293	
Pin J10.1	(6.87, 5.74)			0.0058	3.2961	

Pin J11.1	(6.87, 5.37)			0.0058	3.296	
Pin J54.11	(0.413, 3.58)			0.0058	3.2937	
Pin J54.12	(0.513, 3.58)			0.0058	3.2937	
Pin J55.11	(0.413, 2.76)			0.0058	3.2935	
Pin J55.12	(0.513, 2.76)			0.0058	3.2935	
Pin L14.1	(2.57, 6.25)			0.0058	3.2949	
Pin L16.1	(3.76, 6.77)			0.0058	3.2951	
Pin L22.1	(5.78, 6.45)			0.0058	3.2957	
Pin L25.1	(4.18, 5.69)			0.0058	3.2953	
Pin R122.2	(4.39, 6.82)			0.0058	3.2953	
Pin R124.2	(4.39, 6.65)			0.0058	3.2953	
Pin R128.2	(4.39, 6.48)			0.0058	3.2953	
Pin R143.2	(5.21, 6.87)			0.0058	3.2956	
Pin R155.1	(5.89, 5.07)			0.0058	3.2957	
Pin R156.1	(6.72, 4.87)			0.0058	3.2959	
Pin R157.1	(6.72, 4.94)			0.0058	3.2959	
Pin R158.1	(5.89, 4.7)			0.0058	3.2956	
Pin R159.2	(6.07, 5.56)			0.0058	3.2958	
Pin R163.2	(6.36, 5.54)			0.0058	3.2958	
Pin R169.1	(6.07, 5.35)			0.0058	3.2958	
Pin R180.2	(6.74, 5.17)			0.0058	3.2959	
Pin R181.2	(6.74, 5.32)			0.0058	3.296	
Pin R42.2	(4.43, 5.62)			0.0058	3.2953	
Pin R43.2	(6.99, 4.18)			0.0058	3.2958	
Pin R45.2	(7.43, 4.43)			0.0058	3.2959	
Pin R46.2	(7.43, 4.43)			0.0058	3.2959	
Pin R461.1	(1.5, 7.12)			0.0058	3.2946	
Pin R463.1	(1.33, 7.12)			0.0058	3.2945	
Pin R465.1	(1.15, 7.12)			0.0058	3.2945	
Pin R467.1	(0.983, 7.12)			0.0058	3.2944	
Pin R469.1	(0.812, 7.12)			0.0058	3.2944	
Pin R47.2	(7.37, 4.01)			0.0058	3.2958	
Pin R471.1	(0.641, 7.12)			0.0058	3.2944	
Pin R473.1	(0.47, 7.12)			0.0058	3.2944	
Pin R475.1	(0.299, 7.12)			0.0058	3.2944	
Pin R486.2	(7.13, 4.25)			0.0058	3.2958	
Pin R488.2	(7.35, 4.43)			0.0058	3.2959	
Pin R54.2	(5.43, 3.68)			0.0058	3.2954	
Pin R55.2	(4.99, 3.57)			0.0058	3.2953	
Pin R56.1	(3.1, 4.7)			0.0058	3.2949	
Pin R57.2	(5.17, 0.303)			0.0058	3.293	
Pin R58.2	(5.43, 3.75)			0.0058	3.2954	
Pin R59.2	(5.43, 3.6)			0.0058	3.2954	
Pin R61.1	(3.1, 4.7)			0.0058	3.2949	
Pin R63.1	(3.1, 4.63)			0.0058	3.2949	
Pin R66.1	(3.1, 4.63)			0.0058	3.2949	

Pin R68.1	(2.68, 5.11)			0.0058	3.2949	
Pin R70.1	(2.68, 4.72)			0.0058	3.2949	
Pin R84.2	(4.98, 4.03)			0.0058	3.2953	
Pin R85.2	(4.98, 4.1)			0.0058	3.2953	
Pin U10.2	(7.19, 4.46)			0.0058	3.2958	
Pin U105.2	(4.59, 6.08)			0.0058	3.2954	
Pin U105.6	(4.69, 5.91)			0.0058	3.2954	
Pin U106.AA16	(3.95, 4.58)			0.0058	3.2951	
Pin U106.AA26	(4.34, 4.58)			0.0058	3.2952	
Pin U106.AB13	(3.83, 4.54)			0.0058	3.2951	
Pin U106.AB23	(4.22, 4.54)			0.0058	3.2952	
Pin U106.AC10	(3.71, 4.5)			0.0058	3.2951	
Pin U106.AC20	(4.1, 4.5)			0.0058	3.2952	
Pin U106.AD17	(3.99, 4.46)			0.0058	3.2951	
Pin U106.AE14	(3.87, 4.42)			0.0058	3.2951	
Pin U106.AE24	(4.26, 4.42)			0.0058	3.2952	
Pin U106.AF11	(3.75, 4.38)			0.0058	3.2951	
Pin U106.AF21	(4.14, 4.38)			0.0058	3.2952	
Pin U106.U8	(3.63, 4.74)			0.0058	3.2951	
Pin U106.V12	(3.79, 4.7)			0.0058	3.2951	
Pin U106.V14	(3.87, 4.7)			0.0058	3.2951	
Pin U106.V8	(3.63, 4.7)			0.0058	3.2951	
Pin U106.W8	(3.63, 4.66)			0.0058	3.2951	
Pin U106.Y19	(4.06, 4.62)			0.0058	3.2952	
Pin U11.5	(6.99, 4.56)			0.0058	3.2959	
Pin U12.1	(5.18, 3.7)			0.0058	3.2953	
Pin U17.10	(5.16, 4.01)			0.0058	3.2953	
Pin U23.5	(4.14, 6.2)			0.0058	3.2952	
Pin U24.21	(5.22, 6.5)			0.0058	3.2955	
Pin U29.16	(6.12, 4.68)			0.0058	3.2957	
Pin U30.2	(6.02, 5.6)			0.0058	3.2958	
Pin U8.4	(4.35, 5.62)			0.0058	3.2953	
Pin U84.1	(1.08, 6.26)			0.0058	3.2944	
Pin U89.1	(2.2, 1.56)			0.0058	3.2932	
Pin U9.1	(7.46, 4.15)			0.0058	3.2958	
Pin U90.1	(3.01, 1.56)			0.0058	3.2931	
Pin U91.1	(3.83, 1.56)			0.0058	3.2931	
Pin U92.1	(4.64, 1.56)			0.0058	3.293	

Pin U93.1	(2.55, 1.56)			0.0058	3.2931	
Pin U94.1	(3.36, 1.56)			0.0058	3.2931	
Pin U95.1	(4.18, 1.56)			0.0058	3.293	
Pin U96.1	(4.99, 1.56)			0.0058	3.293	
Current sink via or pad	(4.99, 1.56)	0.031	1	0.0065	3.293	
Current sink via or pad	(4.18, 1.56)	0.031	1	0.0065	3.293	
Current sink via or pad	(3.36, 1.56)	0.031	1	0.0065	3.2931	
Current sink via or pad	(2.55, 1.56)	0.031	1	0.0065	3.2931	
Current sink via or pad	(4.64, 1.56)	0.031	16	0.0065	3.293	
Current sink via or pad	(3.83, 1.56)	0.031	16	0.0065	3.2931	
Current sink via or pad	(3.01, 1.56)	0.031	16	0.0065	3.2931	
Current sink via or pad	(7.46, 4.15)	0.041	1	0.0065	3.2958	
Current sink via or pad	(2.2, 1.56)	0.031	16	0.0065	3.2932	
Current sink via or pad	(1.08, 6.26)	0.031	1	0.0065	3.2944	
Current sink via or pad	(4.35, 5.62)	0.03	1	0.0065	3.2953	
Current sink via or pad	(6.02, 5.6)	0.035	1	0.0065	3.2958	
Current sink via or pad	(6.12, 4.68)	0.035	1	0.0065	3.2957	
Current sink via or pad	(5.16, 4.01)	0.055	1	0.0065	3.2953	
Current sink via or pad	(4.69, 5.91)	0.053	1	0.0065	3.2954	
Current sink via or pad	(4.59, 6.08)	0.053	1	0.0065	3.2954	
Current sink via or pad	(7.19, 4.46)	0.03	1	0.0065	3.2958	
Current sink via or pad	(2.68, 4.72)	0.026	1	0.0065	3.2949	
Current sink via or pad	(2.68, 5.11)	0.026	1	0.0065	3.2949	
Current sink via or pad	(3.1, 4.63)	0.026	16	0.0065	3.2949	
Current sink via or pad	(0.299, 7.12)	0.026	1	0.0065	3.2944	
Current sink via or pad	(0.47, 7.12)	0.026	1	0.0065	3.2944	
Current sink via or pad	(0.641, 7.12)	0.026	1	0.0065	3.2944	
Current sink via or pad	(0.812, 7.12)	0.026	1	0.0065	3.2944	
Current sink	(0.983, 7.12)	0.026	1	0.0065	3.2944	

via or pad						
Current sink via or pad	(1.15, 7.12)	0.026	1	0.0065	3.2945	
Current sink via or pad	(1.33, 7.12)	0.026	1	0.0065	3.2945	
Current sink via or pad	(1.5, 7.12)	0.026	1	0.0065	3.2946	
Current sink via or pad	(4.43, 5.62)	0.026	1	0.0065	3.2953	
Current sink via or pad	(6.74, 5.32)	0.026	1	0.0065	3.296	
Current sink via or pad	(5.43, 3.6)	0.026	1	0.0065	3.2954	
Current sink via or pad	(5.43, 3.75)	0.026	1	0.0065	3.2954	
Current sink via or pad	(4.99, 3.57)	0.026	1	0.0065	3.2953	
Current sink via or pad	(5.43, 3.68)	0.026	1	0.0065	3.2954	
Current sink via or pad	(5.89, 4.7)	0.026	1	0.0065	3.2956	
Current sink via or pad	(6.72, 4.94)	0.026	1	0.0065	3.2959	
Current sink via or pad	(6.72, 4.87)	0.026	1	0.0065	3.2959	
Current sink via or pad	(5.89, 5.07)	0.026	1	0.0065	3.2957	
Current sink via or pad	(4.39, 6.48)	0.026	1	0.0065	3.2953	
Current sink via or pad	(4.39, 6.65)	0.026	1	0.0065	3.2953	
Current sink via or pad	(4.39, 6.82)	0.026	1	0.0065	3.2953	
Current sink via or pad	(3.1, 4.7)	0.026	16	0.0065	3.2949	
Current sink via or pad	(7.37, 4.01)	0.026	16	0.0065	3.2958	
Current sink via or pad	(7.43, 4.43)	0.026	1	0.0065	3.2959	
Current sink via or pad	(7.43, 4.43)	0.026	16	0.0065	3.2959	
Current sink via or pad	(6.99, 4.18)	0.026	1	0.0065	3.2958	
Current sink via or pad	(6.07, 5.56)	0.026	16	0.0065	3.2958	
Current sink via or pad	(3.1, 4.63)	0.026	1	0.0065	3.2949	
Current sink via or pad	(3.1, 4.7)	0.026	1	0.0065	3.2949	
Current sink via or pad	(6.07, 5.35)	0.026	16	0.0065	3.2958	
Current sink via or pad	(5.17, 0.303)	0.026	16	0.0065	3.293	

Current sink via or pad	(6.74, 5.17)	0.026	1	0.0065	3.2959	
Current sink via or pad	(7.35, 4.43)	0.026	1	0.0065	3.2959	
Current sink via or pad	(7.13, 4.25)	0.026	1	0.0065	3.2958	
Current sink via or pad	(6.36, 5.54)	0.026	16	0.0065	3.2958	
Current sink via or pad	(4.98, 4.1)	0.026	1	0.0065	3.2953	
Current sink via or pad	(4.98, 4.03)	0.026	1	0.0065	3.2953	
Current sink via or pad	(5.21, 6.87)	0.026	1	0.0065	3.2956	
Current sink via or pad	(4.18, 5.69)	0.026	1	0.0065	3.2953	
Current sink via or pad	(5.78, 6.45)	0.026	1	0.0065	3.2957	
Current sink via or pad	(3.76, 6.77)	0.026	1	0.0065	3.2951	
Current sink via or pad	(2.57, 6.25)	0.026	1	0.0065	3.2949	
Current sink via or pad	(6.87, 5.37)	0.065	1	0.0065	3.296	
Current sink via or pad	(6.87, 5.74)	0.065	1	0.0065	3.2961	
Current sink via or pad	(0.513, 2.76)	0.059	1	0.0065	3.2935	
Current sink via or pad	(0.413, 2.76)	0.059	1	0.0065	3.2935	
Current sink via or pad	(0.513, 3.58)	0.059	1	0.0065	3.2937	
Current sink via or pad	(0.413, 3.58)	0.059	1	0.0065	3.2937	
Current sink via or pad	(6.99, 4.1)	0.027	1	0.0065	3.2958	
Current sink via or pad	(5.08, 1.48)	0.035	1	0.0065	3.293	
Current sink via or pad	(4.27, 1.48)	0.035	1	0.0065	3.293	
Current sink via or pad	(2.64, 1.48)	0.035	1	0.0065	3.2931	
Current sink via or pad	(3.45, 1.48)	0.035	1	0.0065	3.2931	
Current sink via or pad	(3.74, 1.49)	0.035	16	0.0065	3.2931	
Current sink via or pad	(4.56, 1.49)	0.035	16	0.0065	3.293	
Current sink via or pad	(2.93, 1.49)	0.035	16	0.0065	3.2931	
Current sink via or pad	(2.11, 1.49)	0.035	16	0.0065	3.2932	
Current sink	(1.08, 6.19)	0.035	16	0.0065	3.2944	

via or pad						
Current sink via or pad	(5.27, 6.63)	0.026	1	0.0065	3.2955	
Current sink via or pad	(2.92, 4.42)	0.052	16	0.0065	3.295	
Current sink via or pad	(2.92, 4.42)	0.052	1	0.0065	3.295	
Current sink via or pad	(5.05, 3.9)	0.026	1	0.0065	3.2953	
Current sink via or pad	(2.93, 4.63)	0.035	1	0.0065	3.295	
Current sink via or pad	(2.93, 4.54)	0.035	1	0.0065	3.295	
Current sink via or pad	(2.93, 4.63)	0.035	16	0.0065	3.295	
Current sink via or pad	(2.93, 4.54)	0.035	16	0.0065	3.295	
Current sink via or pad	(2.93, 4.72)	0.035	1	0.0065	3.295	
Current sink via or pad	(2.93, 4.72)	0.035	16	0.0065	3.295	
Current sink via or pad	(4.69, 5.91)	0.026	16	0.0065	3.2954	
Current sink via or pad	(0.299, 7.12)	0.026	16	0.0065	3.2944	
Current sink via or pad	(0.47, 7.12)	0.026	16	0.0065	3.2944	
Current sink via or pad	(0.641, 7.12)	0.026	16	0.0065	3.2944	
Current sink via or pad	(0.812, 7.12)	0.026	16	0.0065	3.2944	
Current sink via or pad	(0.983, 7.12)	0.026	16	0.0065	3.2944	
Current sink via or pad	(1.15, 7.12)	0.026	16	0.0065	3.2945	
Current sink via or pad	(1.33, 7.12)	0.026	16	0.0065	3.2945	
Current sink via or pad	(1.5, 7.12)	0.026	16	0.0065	3.2945	
Current sink via or pad	(2.68, 5.03)	0.026	16	0.0065	3.2949	
Current sink via or pad	(2.68, 4.64)	0.026	16	0.0065	3.2949	
Current sink via or pad	(3.17, 4.54)	0.035	1	0.0065	3.295	
Current sink via or pad	(3.17, 4.54)	0.035	16	0.0065	3.295	
Current sink via or pad	(2.93, 5.09)	0.026	1	0.0065	3.295	
Current sink via or pad	(2.93, 5.02)	0.026	1	0.0065	3.295	
Current sink via or pad	(2.93, 4.94)	0.026	1	0.0065	3.295	

Current sink via or pad	(2.93, 4.87)	0.026	1	0.0065	3.295	
Current sink via or pad	(2.93, 4.8)	0.026	1	0.0065	3.295	
Current sink via or pad	(2.93, 5.09)	0.026	16	0.0065	3.295	
Current sink via or pad	(2.93, 5.02)	0.026	16	0.0065	3.295	
Current sink via or pad	(2.93, 4.94)	0.026	16	0.0065	3.295	
Current sink via or pad	(2.93, 4.87)	0.026	16	0.0065	3.295	
Current sink via or pad	(2.93, 4.8)	0.026	16	0.0065	3.295	
Current sink via or pad	(6.98, 4.5)	0.026	16	0.0065	3.2958	
Current sink via or pad	(4.43, 5.54)	0.026	1	0.0065	3.2953	
Current sink via or pad	(7.55, 4.13)	0.026	1	0.0065	3.2958	
Current sink via or pad	(4.57, 6.09)	0.026	16	0.0065	3.2953	
Current sink via or pad	(0.3, 7.2)	0.026	16	0.0065	3.2944	
Current sink via or pad	(0.471, 7.2)	0.026	16	0.0065	3.2944	
Current sink via or pad	(0.642, 7.2)	0.026	16	0.0065	3.2944	
Current sink via or pad	(0.813, 7.2)	0.026	16	0.0065	3.2944	
Current sink via or pad	(0.984, 7.2)	0.026	16	0.0065	3.2944	
Current sink via or pad	(1.15, 7.2)	0.026	16	0.0065	3.2945	
Current sink via or pad	(1.33, 7.2)	0.026	16	0.0065	3.2945	
Current sink via or pad	(1.5, 7.2)	0.026	16	0.0065	3.2945	
Current sink via or pad	(4.97, 1.7)	0.026	1	0.0065	3.293	
Current sink via or pad	(4.15, 1.7)	0.026	1	0.0065	3.293	
Current sink via or pad	(2.52, 1.7)	0.026	1	0.0065	3.2931	
Current sink via or pad	(3.34, 1.7)	0.026	1	0.0065	3.2931	
Current sink via or pad	(3.81, 1.7)	0.026	16	0.0065	3.2931	
Current sink via or pad	(4.62, 1.7)	0.026	16	0.0065	3.293	
Current sink via or pad	(2.98, 1.7)	0.026	16	0.0065	3.2931	
Current sink	(2.19, 1.7)	0.026	16	0.0065	3.2932	

via or pad						
Current sink via or pad	(1.08, 6.27)	0.026	16	0.0065	3.2944	
Current sink via or pad	(6.07, 5.63)	0.026	16	0.0065	3.2958	
Current sink via or pad	(6.07, 5.7)	0.026	16	0.0065	3.2958	
Current sink via or pad	(5.95, 4.63)	0.026	1	0.0065	3.2957	
Current sink via or pad	(5.27, 6.63)	0.026	16	0.0065	3.2955	
Current sink via or pad	(4.14, 6.19)	0.026	16	0.0065	3.2952	
Current sink via or pad	(2.68, 5.03)	0.026	1	0.0065	3.2949	
Current sink via or pad	(2.68, 4.64)	0.026	1	0.0065	3.2949	
Current sink via or pad	(5.17, 3.77)	0.026	1	0.0065	3.2953	
Current sink via or pad	(7.26, 4.46)	0.026	16	0.0065	3.2958	
Current sink via or pad	(5.22, 6.5)	0.039	1	0.0065	3.2955	
Current sink via or pad	(5.18, 3.7)	0.013	1	0.0065	3.2953	
Current sink via or pad	(4.06, 4.62)	0.02	1	0.0065	3.2952	
Current sink via or pad	(4.14, 4.38)	0.02	1	0.0065	3.2952	
Current sink via or pad	(4.26, 4.42)	0.02	1	0.0065	3.2952	
Current sink via or pad	(4.1, 4.5)	0.02	1	0.0065	3.2952	
Current sink via or pad	(4.22, 4.54)	0.02	1	0.0065	3.2952	
Current sink via or pad	(4.34, 4.58)	0.02	1	0.0065	3.2952	
Current sink via or pad	(3.75, 4.38)	0.02	1	0.0065	3.2951	
Current sink via or pad	(3.87, 4.42)	0.02	1	0.0065	3.2951	
Current sink via or pad	(3.99, 4.46)	0.02	1	0.0065	3.2951	
Current sink via or pad	(3.71, 4.5)	0.02	1	0.0065	3.2951	
Current sink via or pad	(3.83, 4.54)	0.02	1	0.0065	3.2951	
Current sink via or pad	(3.95, 4.58)	0.02	1	0.0065	3.2951	
Current sink via or pad	(3.87, 4.7)	0.02	1	0.0065	3.2951	
Current sink via or pad	(3.79, 4.7)	0.02	1	0.0065	3.2951	

Current sink via or pad	(3.63, 4.74)	0.02	1	0.0065	3.2951	
Current sink via or pad	(3.63, 4.7)	0.02	1	0.0065	3.2951	
Current sink via or pad	(3.63, 4.66)	0.02	1	0.0065	3.2951	
Current sink via or pad	(5.06, 0.175)	0.06	1	0.0065	3.293	
Voltage source via or pad	(8.84, 5.31)	0.035	1	-1.0537	3.2989	
Current sink via or pad	(4.14, 6.2)	0.014	1	0.0065	3.2952	
Current sink via or pad	(6.99, 4.56)	0.014	1	0.0065	3.2959	
Via	(3.61, 4.72)	0.012	1 - 6	-0.0065		0
Via	(3.61, 4.68)	0.012	1 - 6	-0.0065		0
Via	(3.61, 4.64)	0.012	1 - 6	-0.0065		0
Via	(3.77, 4.68)	0.012	1 - 6	-0.0065		0
Via	(3.73, 4.36)	0.012	1 - 6	-0.0065		0
Via	(4.01, 4.44)	0.012	1 - 6	-0.0065		0
Via	(3.69, 4.48)	0.012	1 - 6	-0.0065		0
Via	(3.97, 4.56)	0.012	1 - 6	-0.0065		0
Via	(4.36, 4.56)	0.012	1 - 6	-0.0065		0
Via	(4.24, 4.52)	0.012	1 - 6	-0.0065		0
Via	(4.12, 4.48)	0.012	1 - 6	-0.0065		0
Via	(4.28, 4.4)	0.012	1 - 6	-0.0065		0
Via	(4.16, 4.36)	0.012	1 - 6	-0.0065		0
Via	(4.08, 4.6)	0.012	1 - 6	-0.0065		0
Via	(7.14, 4.43)	0.015	1 - 6	-0.0065		0
Via	(5.27, 6.6)	0.015	1 - 6	-0.0129		0
Via	(5.27, 6.6)	0.015	6 - 16	0.0065		0
Via	(6.12, 5.7)	0.015	6 - 16	0.0128		0.01
Via	(6.12, 5.6)	0.015	1 - 6	-0.0065		0
Via	(6.12, 5.6)	0.015	6 - 16	0.0066		0
Via	(8.83, 5.2)	0.015	1 - 6	0.1198		0.04
Via	(8.83, 5.2)	0.015	6 - 16	-0.0071		0
Via	(8.83, 5.26)	0.015	1 - 6	0.2598		0.09
Via	(8.83, 5.26)	0.015	6 - 16	0.0002		0
Via	(9.13, 5.2)	0.015	1 - 6	0.0012		0
Via	(9.13, 5.2)	0.015	6 - 16	0.0009		0
Via	(8.89, 5.32)	0.015	1 - 6	0.2261		0.08
Via	(8.89, 5.32)	0.015	6 - 16	-0.0183		-0.01
Via	(8.89, 5.26)	0.015	1 - 6	0.1143		0.04
Via	(8.89, 5.26)	0.015	6 - 16	0.0218		0.02
Via	(8.89, 5.2)	0.015	1 - 6	0.0541		0.02
Via	(8.89, 5.2)	0.015	6 - 16	0.0165		0.01
Via	(8.95, 5.32)	0.015	1 - 6	0.063		0.02
Via	(8.95, 5.32)	0.015	6 - 16	0.0011		0

Via	(8.95, 5.26)	0.015	1 - 6	0.0376		0.01
Via	(8.95, 5.26)	0.015	6 - 16	0.0142		0.01
Via	(8.95, 5.2)	0.015	1 - 6	0.0224		0.01
Via	(8.95, 5.2)	0.015	6 - 16	0.0132		0.01
Via	(9.01, 5.32)	0.015	1 - 6	0.0434		0.02
Via	(9.01, 5.32)	0.015	6 - 16	-0.012		-0.01
Via	(9.01, 5.26)	0.015	1 - 6	0.0148		0.01
Via	(9.01, 5.26)	0.015	6 - 16	0.0051		0
Via	(9.01, 5.2)	0.015	1 - 6	0.0099		0
Via	(9.01, 5.2)	0.015	6 - 16	0.0069		0
Via	(9.07, 5.32)	0.015	1 - 6	0.0412		0.01
Via	(9.07, 5.32)	0.015	6 - 16	-0.0223		-0.02
Via	(9.07, 5.26)	0.015	1 - 6	0.0083		0
Via	(9.07, 5.26)	0.015	6 - 16	-0.0011		0
Via	(9.07, 5.2)	0.015	1 - 6	0.0032		0
Via	(9.07, 5.2)	0.015	6 - 16	0.0021		0
Via	(9.13, 5.26)	0.015	1 - 6	0.0041		0
Via	(9.13, 5.26)	0.015	6 - 16	-0.0018		0
Via	(9.13, 5.32)	0.015	1 - 6	0.0305		0.01
Via	(9.13, 5.32)	0.015	6 - 16	-0.0195		-0.01
Via	(6.76, 4.94)	0.015	1 - 6	-0.0129		0
Via	(5.89, 5.11)	0.015	1 - 6	-0.0113		0
Via	(5.84, 5.07)	0.015	1 - 6	0.0048		0
Via	(6.32, 5.54)	0.015	6 - 16	0.0065		0
Via	(6.12, 5.35)	0.015	6 - 16	0.0065		0
Via	(6.78, 5.17)	0.015	1 - 6	-0.0065		0
Via	(5.66, 6.27)	0.015	1 - 6	0.0057		0
Via	(5.66, 6.27)	0.015	6 - 16	-0.0042		0
Via	(5.66, 6.39)	0.015	1 - 6	0.0049		0
Via	(5.66, 6.39)	0.015	6 - 16	-0.0037		0
Via	(5.66, 6.33)	0.015	1 - 6	0.0052		0
Via	(5.66, 6.33)	0.015	6 - 16	-0.0039		0
Via	(5.72, 6.27)	0.015	1 - 6	0.0017		0
Via	(5.72, 6.27)	0.015	6 - 16	-0.0007		0
Via	(5.78, 6.27)	0.015	1 - 6	-0.0065		0
Via	(5.78, 6.27)	0.015	6 - 16	0.004		0
Via	(5.78, 6.39)	0.015	1 - 6	-0.01		0
Via	(5.78, 6.39)	0.015	6 - 16	0.0046		0
Via	(5.78, 6.33)	0.015	1 - 6	-0.0068		0
Via	(5.78, 6.33)	0.015	6 - 16	0.0039		0
Via	(5.72, 6.33)	0.015	1 - 6	0.0003		0
Via	(5.72, 6.33)	0.015	6 - 16	-0.0002		0
Via	(5.72, 6.39)	0.015	1 - 6	-0.0008		0
Via	(5.72, 6.39)	0.015	6 - 16	0.0003		0
Via	(5.25, 6.87)	0.015	1 - 6	-0.0065		0
Via	(4.36, 5.42)	0.012	1 - 6	-0.0002		0

Via	(4.36, 5.42)	0.012	6 - 16	-0.0032		0
Via	(4.4, 5.42)	0.012	1 - 6	-0.0085		0
Via	(4.4, 5.42)	0.012	6 - 16	0.0009		0
Via	(4.4, 5.38)	0.012	1 - 6	-0.0057		0
Via	(4.4, 5.38)	0.012	6 - 16	0.0009		0
Via	(4.4, 5.35)	0.012	1 - 6	-0.005		0
Via	(4.4, 5.35)	0.012	6 - 16	0.0013		0
Via	(4.18, 5.93)	0.015	1 - 6	-0.0032		0
Via	(4.18, 5.93)	0.015	6 - 16	0.0022		0
Via	(4.18, 5.87)	0.015	1 - 6	-0.0025		0
Via	(4.18, 5.87)	0.015	6 - 16	0.0014		0
Via	(4.18, 5.81)	0.015	1 - 6	-0.0025		0
Via	(4.18, 5.81)	0.015	6 - 16	0.0002		0
Via	(4.18, 5.75)	0.015	1 - 6	0.0017		0
Via	(4.18, 5.75)	0.015	6 - 16	-0.0038		0
Via	(1.08, 6.33)	0.015	1 - 6	-0.0065		0
Via	(1.08, 6.33)	0.015	6 - 16	0.0152		0.01
Via	(1.08, 6.14)	0.015	6 - 16	-0.0022		0
Via	(1.5, 7.08)	0.015	1 - 6	-0.0065		0
Via	(1.5, 7.08)	0.015	6 - 16	0.0129		0.01
Via	(1.33, 7.08)	0.015	1 - 6	-0.0065		0
Via	(1.33, 7.08)	0.015	6 - 16	0.0129		0.01
Via	(1.15, 7.08)	0.015	1 - 6	-0.0065		0
Via	(1.15, 7.08)	0.015	6 - 16	0.0129		0.01
Via	(0.983, 7.08)	0.015	1 - 6	-0.0065		0
Via	(0.983, 7.08)	0.015	6 - 16	0.0129		0.01
Via	(0.812, 7.08)	0.015	1 - 6	-0.0065		0
Via	(0.812, 7.08)	0.015	6 - 16	0.0129		0.01
Via	(0.641, 7.08)	0.015	1 - 6	-0.0065		0
Via	(0.641, 7.08)	0.015	6 - 16	0.0129		0.01
Via	(0.47, 7.08)	0.015	1 - 6	-0.0065		0
Via	(0.47, 7.08)	0.015	6 - 16	0.0129		0.01
Via	(0.299, 7.08)	0.015	1 - 6	-0.0065		0
Via	(0.299, 7.08)	0.015	6 - 16	0.0129		0.01
Via	(4.69, 5.85)	0.015	6 - 16	-0.0004		0
Via	(4.75, 5.91)	0.015	1 - 6	-0.0065		0
Via	(4.75, 5.91)	0.015	6 - 16	0.0069		0
Via	(4.62, 6.16)	0.015	1 - 6	-0.0058		0
Via	(4.62, 6.16)	0.015	6 - 16	0.005		0
Via	(4.56, 6.16)	0.015	1 - 6	-0.0007		0
Via	(4.56, 6.16)	0.015	6 - 16	0.0014		0
Via	(3.76, 6.88)	0.015	1 - 6	-0.0022		0
Via	(3.76, 6.88)	0.015	6 - 16	0		0
Via	(3.76, 6.82)	0.015	1 - 6	-0.0043		0
Via	(3.76, 6.82)	0.015	6 - 16	0		0
Via	(4.35, 6.82)	0.015	1 - 6	-0.0065		0

Via	(4.35, 6.65)	0.015	1 - 6	-0.0065		0
Via	(4.35, 6.48)	0.015	1 - 6	-0.0065		0
Via	(2.57, 6.22)	0.015	1 - 6	-0.0014		0
Via	(2.61, 6.25)	0.015	1 - 6	-0.005		0
Via	(2.73, 5.11)	0.015	1 - 6	-0.0065		0
Via	(2.73, 5.03)	0.015	1 - 6	-0.0065		0
Via	(2.73, 5.03)	0.015	6 - 16	0.0065		0
Via	(4.99, 3.53)	0.015	1 - 6	-0.0047		0
Via	(4.95, 3.57)	0.015	1 - 6	-0.0018		0
Via	(5.17, 3.8)	0.015	1 - 6	-0.0129		0
Via	(4.98, 3.96)	0.015	1 - 6	-0.0034		0
Via	(4.98, 3.96)	0.015	6 - 16	-0.0043		0
Via	(5.04, 3.96)	0.015	1 - 6	-0.0051		0
Via	(5.04, 3.96)	0.015	6 - 16	-0.0014		0
Via	(5.1, 3.96)	0.015	1 - 6	-0.0045		0
Via	(5.1, 3.96)	0.015	6 - 16	0.0004		0
Via	(5.16, 3.96)	0.015	1 - 6	-0.0129		0
Via	(5.16, 3.96)	0.015	6 - 16	0.0053		0
Via	(6.94, 4.18)	0.015	1 - 6	-0.0069		0
Via	(6.99, 4.05)	0.015	1 - 6	-0.006		0
Via	(7.09, 4.25)	0.015	1 - 6	-0.0065		0
Via	(5.13, 1.48)	0.015	1 - 6	-0.0048		0
Via	(5.08, 1.54)	0.015	1 - 6	-0.0063		0
Via	(4.97, 1.73)	0.015	1 - 6	-0.0084		0
Via	(6.05, 4.68)	0.015	1 - 6	-0.0129		0
Via	(5.82, 4.7)	0.015	1 - 6	-0.0065		0
Via	(7.5, 4.15)	0.015	1 - 6	-0.0129		0
Via	(7.24, 4.01)	0.015	6 - 16	0.0065		0
Via	(5.49, 3.75)	0.015	1 - 6	-0.0133		0
Via	(5.49, 3.6)	0.015	1 - 6	-0.0061		0
Via	(7.35, 4.47)	0.015	1 - 6	-0.004		0
Via	(7.35, 4.47)	0.015	6 - 16	0.0065		0
Via	(7.43, 4.47)	0.015	1 - 6	-0.009		0
Via	(7.43, 4.47)	0.015	6 - 16	0.0065		0
Via	(3.3, 4.56)	0.012	1 - 6	-0.0016		0
Via	(3.3, 4.56)	0.012	6 - 16	0.0019		0
Via	(3.3, 4.6)	0.012	1 - 6	-0.0017		0
Via	(3.3, 4.6)	0.012	6 - 16	0.0019		0
Via	(3.3, 4.52)	0.012	1 - 6	-0.0031		0
Via	(3.3, 4.52)	0.012	6 - 16	0.0027		0
Via	(2.73, 4.72)	0.015	1 - 6	-0.0065		0
Via	(2.73, 4.64)	0.015	1 - 6	-0.0065		0
Via	(2.73, 4.64)	0.015	6 - 16	0.0065		0
Via	(3.45, 1.54)	0.015	1 - 6	-0.0063		0
Via	(3.51, 1.48)	0.015	1 - 6	-0.0034		0
Via	(3.34, 1.73)	0.015	1 - 6	-0.0097		0

Via	(3.81, 4.52)	0.012	1 - 6	-0.0065		0
Via	(3.89, 4.4)	0.012	1 - 6	-0.0065		0
Via	(3.89, 4.68)	0.012	1 - 6	-0.0065		0
Via	(4.15, 1.73)	0.015	1 - 6	-0.0092		0
Via	(4.27, 1.54)	0.015	1 - 6	-0.0063		0
Via	(4.32, 1.48)	0.015	1 - 6	-0.0039		0
Via	(2.64, 1.54)	0.015	1 - 6	-0.0061		0
Via	(2.7, 1.48)	0.015	1 - 6	-0.0024		0
Via	(2.53, 1.73)	0.015	1 - 6	-0.0109		0
Via	(2.18, 1.74)	0.015	6 - 16	0.0065		0
Via	(2.12, 1.54)	0.015	6 - 16	0.0064		0
Via	(2.06, 1.49)	0.015	6 - 16	0.0065		0
Via	(2.99, 1.74)	0.015	6 - 16	0.0065		0
Via	(2.93, 1.54)	0.015	6 - 16	0.0065		0
Via	(2.87, 1.49)	0.015	6 - 16	0.0064		0
Via	(3.81, 1.74)	0.015	6 - 16	0.0065		0
Via	(3.74, 1.54)	0.015	6 - 16	0.0069		0
Via	(3.69, 1.49)	0.015	6 - 16	0.006		0
Via	(4.62, 1.74)	0.015	6 - 16	0.0065		0
Via	(4.5, 1.49)	0.015	6 - 16	0.0058		0
Via	(4.56, 1.54)	0.015	6 - 16	0.0072		0
Via	(2.97, 4.39)	0.015	1 - 6	-0.013		0
Via	(2.97, 4.39)	0.015	6 - 16	0.0111		0.01
Via	(2.97, 4.46)	0.015	1 - 6	-0.0061		0
Via	(2.97, 4.46)	0.015	6 - 16	0.0069		0
Via	(2.97, 4.53)	0.015	1 - 6	-0.0063		0
Via	(2.97, 4.53)	0.015	6 - 16	0.0067		0
Via	(2.97, 4.6)	0.015	1 - 6	-0.0066		0
Via	(2.97, 4.6)	0.015	6 - 16	0.0067		0
Via	(2.97, 4.67)	0.015	1 - 6	-0.007		0
Via	(2.97, 4.67)	0.015	6 - 16	0.0066		0
Via	(2.97, 4.74)	0.015	1 - 6	-0.0049		0
Via	(2.97, 4.74)	0.015	6 - 16	0.0053		0
Via	(2.97, 4.81)	0.015	1 - 6	-0.0036		0
Via	(2.97, 4.81)	0.015	6 - 16	0.0043		0
Via	(2.97, 4.88)	0.015	1 - 6	-0.0039		0
Via	(2.97, 4.88)	0.015	6 - 16	0.0045		0
Via	(2.97, 4.95)	0.015	1 - 6	-0.0068		0
Via	(2.97, 4.95)	0.015	6 - 16	0.0063		0
Via	(2.97, 5.02)	0.015	1 - 6	-0.0054		0
Via	(2.97, 5.02)	0.015	6 - 16	0.0057		0
Via	(2.97, 5.09)	0.015	1 - 6	-0.0075		0
Via	(2.97, 5.09)	0.015	6 - 16	0.007		0
Via	(4.09, 6.2)	0.015	1 - 6	-0.0065		0
Via	(4.09, 6.2)	0.015	6 - 16	0.0065		0
Via	(6.99, 4.61)	0.015	1 - 6	-0.0065		0

Via	(6.99, 4.61)	0.015	6 - 16	0.0065		0
Via	(6.87, 5.37)	0.047	1 - 6	-0.0129		0
Via	(6.87, 5.74)	0.047	1 - 6	-0.0065		0
Via	(0.513, 2.76)	0.042	1 - 6	-0.0065		0
Via	(0.413, 2.76)	0.042	1 - 6	-0.0065		0
Via	(0.513, 3.58)	0.042	1 - 6	-0.0065		0
Via	(0.413, 3.58)	0.042	1 - 6	-0.0065		0
Via	(5.06, 0.175)	0.042	1 - 6	-0.0065		0
Via	(5.06, 0.175)	0.042	6 - 16	0.0065		0

1.4.7 5V_M Voltage Drop Report

Item	Location(s), in	Diameter, in	Layer(s)	Current, [A]	Voltage, [V]	Voltage drop, [mV]
Pin C17.2	(7.25, 5.95)			0.025	4.9958	
Pin C20.2	(7.34, 5.35)			0.025	4.997	
Pin C217.2	(4.87, 6.8)			0.025	4.9933	
Pin C232.2	(7.02, 6.41)			0.025	4.9948	
Pin C233.2	(7.1, 6.42)			0.025	4.9948	
Pin C234.2	(7.1, 6.42)			0.025	4.9949	
Pin C32.1	(7.59, 5.17)			0.025	4.999	
Pin C329.2	(6.46, 1.89)			0.025	4.9816	
Pin C330.2	(6.46, 1.89)			0.025	4.9816	
Pin C5.2	(7.21, 5.66)			0.025	4.9962	
Pin C581.2	(1.8, 0.531)			0.025	4.982	
Pin C584.2	(1.8, 1.18)			0.025	4.9821	
Pin C587.2	(1.8, 1.1)			0.025	4.9821	
Pin C588.2	(1.8, 0.445)			0.025	4.982	
Pin C589.2	(1.8, 0.445)			0.025	4.9821	
Pin C590.2	(1.8, 1.1)			0.025	4.9821	
Pin C605.2	(1.8, 1.87)			0.025	4.9821	
Pin C606.2	(1.8, 1.78)			0.025	4.9821	
Pin C607.2	(1.8, 2.53)			0.025	4.9822	
Pin C608.2	(1.8, 1.78)			0.025	4.9822	
Pin C610.2	(1.8, 2.44)			0.025	4.9822	
Pin C612.2	(1.8, 2.44)			0.025	4.9822	
Pin J70.1	(3.73, 0.55)			0.025	4.982	
Pin J70.2	(3.64, 0.55)			0.025	4.982	
Pin R1.2	(7.37, 5.69)			0.025	4.9963	
Pin R2.2	(7.37, 5.62)			0.025	4.9964	
Pin R3.2	(7.37, 5.54)			0.025	4.9964	
Pin R6.2	(7.37, 5.88)			0.025	4.9957	
Pin R8.2	(7.37, 5.95)			0.025	4.9957	
Pin U1.1	(7.26, 5.66)			0.025	4.9962	
Pin U25.5	(4.94, 6.8)			0.025	4.9933	

Pin U28.9	(7.02, 6.53)			0.025	4.9948	
Pin U3.1	(7.26, 5.95)			0.025	4.9958	
Pin U4.1	(7.34, 5.36)			0.025	4.997	
Pin U4.5	(7.28, 5.36)			0.025	4.9968	
Pin U48.1	(6.53, 1.8)			0.025	4.9816	
Pin U48.3	(6.46, 1.8)			0.025	4.9816	
Pin U5.3	(7.46, 5.14)			-1.0002	4.999	
Pin U85.9	(1.65, 1.23)			0.025	4.9821	
Pin U86.9	(1.65, 0.572)			0.025	4.9821	
Pin U87.9	(1.65, 1.91)			0.025	4.9822	
Current sink via or pad	(1.65, 1.91)	0.036	1	0.025	4.9822	
Current sink via or pad	(1.65, 0.572)	0.036	1	0.025	4.9821	
Current sink via or pad	(1.65, 1.23)	0.036	1	0.025	4.9821	
Current sink via or pad	(7.02, 6.53)	0.036	1	0.025	4.9948	
Current sink via or pad	(7.26, 5.95)	0.063	1	0.025	4.9958	
Current sink via or pad	(7.26, 5.66)	0.063	1	0.025	4.9962	
Current sink via or pad	(7.37, 5.95)	0.026	16	0.025	4.9957	
Current sink via or pad	(7.37, 5.88)	0.026	16	0.025	4.9957	
Current sink via or pad	(7.37, 5.54)	0.026	16	0.025	4.9964	
Current sink via or pad	(7.37, 5.62)	0.026	16	0.025	4.9964	
Current sink via or pad	(7.37, 5.69)	0.026	16	0.025	4.9963	
Current sink via or pad	(3.64, 0.55)	0.063	1	0.025	4.982	
Current sink via or pad	(3.73, 0.55)	0.063	1	0.025	4.982	
Current sink via or pad	(7.59, 5.17)	0.026	1	0.025	4.999	
Current sink via or pad	(6.46, 1.89)	0.026	16	0.025	4.9816	
Current sink via or pad	(6.46, 1.89)	0.026	1	0.025	4.9816	
Current sink via or pad	(1.8, 2.53)	0.035	1	0.025	4.9822	
Current sink via or pad	(1.8, 1.87)	0.035	1	0.025	4.9821	
Current sink via or pad	(1.8, 1.18)	0.035	1	0.025	4.9821	
Current sink via or pad	(1.8, 0.531)	0.035	1	0.025	4.982	
Current sink via or pad	(7.02, 6.41)	0.035	1	0.025	4.9948	

Current sink via or pad	(7.21, 5.66)	0.026	16	0.025	4.9962	
Current sink via or pad	(4.87, 6.8)	0.026	1	0.025	4.9933	
Current sink via or pad	(7.34, 5.35)	0.026	16	0.025	4.997	
Current sink via or pad	(7.25, 5.95)	0.026	16	0.025	4.9958	
Current sink via or pad	(1.8, 2.44)	0.026	1	0.025	4.9822	
Current sink via or pad	(1.8, 1.78)	0.026	1	0.025	4.9821	
Current sink via or pad	(1.8, 0.445)	0.026	1	0.025	4.982	
Current sink via or pad	(1.8, 1.1)	0.026	1	0.025	4.9821	
Current sink via or pad	(7.1, 6.42)	0.026	1	0.025	4.9948	
Current sink via or pad	(1.8, 2.44)	0.026	16	0.025	4.9822	
Current sink via or pad	(1.8, 1.78)	0.026	16	0.025	4.9822	
Current sink via or pad	(1.8, 1.1)	0.026	16	0.025	4.9821	
Current sink via or pad	(1.8, 0.445)	0.026	16	0.025	4.9821	
Current sink via or pad	(7.1, 6.42)	0.026	16	0.025	4.9949	
Voltage source via or pad	(7.46, 5.14)	0.036	1	-1.0002	4.999	
Current sink via or pad	(6.53, 1.8)	0.021	1	0.025	4.9816	
Current sink via or pad	(6.46, 1.8)	0.021	1	0.025	4.9816	
Current sink via or pad	(4.94, 6.8)	0.023	1	0.025	4.9933	
Current sink via or pad	(7.28, 5.36)	0.014	1	0.025	4.9968	
Current sink via or pad	(7.34, 5.36)	0.014	1	0.025	4.997	
Via	(6.46, 1.84)	0.015	1 - 10	-0.025		-0.02
Via	(6.46, 1.84)	0.015	10 - 16	0.0123		0.01
Via	(6.41, 1.89)	0.015	1 - 10	-0.025		-0.02
Via	(6.41, 1.89)	0.015	10 - 16	0.0127		0.01
Via	(6.56, 1.8)	0.015	1 - 10	-0.025		-0.02
Via	(4.91, 6.8)	0.015	1 - 10	-0.05		-0.03
Via	(7.38, 5.14)	0.015	1 - 10	0.9752		0.61
Via	(7.19, 5.95)	0.015	1 - 10	-0.025		-0.02
Via	(7.19, 5.95)	0.015	10 - 16	0.025		0.01
Via	(7.37, 6)	0.015	10 - 16	0.05		0.02
Via	(7.37, 5.74)	0.015	10 - 16	-0.0621		-0.03

Via	(7.37, 5.5)	0.015	10 - 16	0.1371		0.06
Via	(7.15, 5.66)	0.015	1 - 10	-0.025		-0.02
Via	(7.15, 5.66)	0.015	10 - 16	0.025		0.01
Via	(7.02, 6.47)	0.015	1 - 10	-0.0122		-0.01
Via	(7.1, 6.45)	0.015	1 - 10	-0.0628		-0.04
Via	(7.1, 6.45)	0.015	10 - 16	0.025		0.01
Via	(1.72, 0.572)	0.015	1 - 10	-0.075		-0.05
Via	(1.72, 0.572)	0.015	10 - 16	0.025		0.01
Via	(1.72, 1.23)	0.015	1 - 10	-0.075		-0.05
Via	(1.72, 1.23)	0.015	10 - 16	0.025		0.01
Via	(1.72, 1.91)	0.015	1 - 10	-0.075		-0.05
Via	(1.72, 1.91)	0.015	10 - 16	0.025		0.01
Via	(1.72, 2.57)	0.015	1 - 10	-0.05		-0.03
Via	(1.72, 2.57)	0.015	10 - 16	0.025		0.01
Via	(7.24, 5.36)	0.015	1 - 10	-0.025		-0.02
Via	(7.42, 5.34)	0.015	1 - 10	-0.025		-0.02
Via	(7.42, 5.34)	0.015	10 - 16	0.025		0.01
Via	(3.64, 0.55)	0.046	1 - 10	-0.025		0
Via	(3.73, 0.55)	0.046	1 - 10	-0.025		0

1.4.8 +5V_VCC Voltage Drop Report

Item	Location(s), in	Diameter, in	Layer(s)	Current, [A]	Voltage, [V]	Voltage drop, [mV]
Pin C335.1	(6.05, 1.95)			0.1111	4.987	
Pin C336.1	(6.05, 1.95)			0.1111	4.987	
Pin C394.1	(7.39, 1.95)			0.1111	4.9883	
Pin C395.1	(7.39, 1.95)			0.1111	4.9883	
Pin C453.1	(8.59, 1.95)			0.1111	4.9901	
Pin C454.1	(8.59, 1.95)			0.1111	4.9901	
Pin L28.2	(8.26, 4.06)			-1	4.999	
Pin U51.16	(5.92, 2.11)			0.1111	4.9869	
Pin U59.16	(7.26, 2.11)			0.1111	4.9881	
Pin U69.16	(8.46, 2.11)			0.1111	4.9903	
Voltage source via or pad	(8.26, 4.06)	0.026	1	-1	4.999	
Current sink via or pad	(8.59, 1.95)	0.026	16	0.1111	4.9901	
Current sink via or pad	(7.39, 1.95)	0.026	16	0.1111	4.9883	
Current sink via or pad	(6.05, 1.95)	0.026	16	0.1111	4.987	
Current sink via or pad	(8.59, 1.95)	0.026	1	0.1111	4.9901	
Current sink via or pad	(7.39, 1.95)	0.026	1	0.1111	4.9883	

Current sink via or pad	(6.05, 1.95)	0.026	1	0.1111	4.987	
Current sink via or pad	(8.46, 2.11)	0.022	1	0.1111	4.9903	
Current sink via or pad	(7.26, 2.11)	0.022	1	0.1111	4.9881	
Current sink via or pad	(5.92, 2.11)	0.022	1	0.1111	4.9869	
Via	(7.25, 2.05)	0.015	1 - 6	-0.1111		-0.04
Via	(8.46, 2.05)	0.015	1 - 6	-0.1111		-0.04
Via	(8.59, 1.99)	0.015	1 - 6	-0.1111		-0.04
Via	(8.59, 1.99)	0.015	6 - 16	0.1111		0.08
Via	(7.39, 1.99)	0.015	1 - 6	-0.1111		-0.04
Via	(7.39, 1.99)	0.015	6 - 16	0.1111		0.08
Via	(5.92, 2.05)	0.015	1 - 6	-0.1111		-0.04
Via	(6.06, 1.99)	0.015	1 - 6	-0.1111		-0.04
Via	(6.06, 1.99)	0.015	6 - 16	0.1111		0.08
Via	(8.37, 4.01)	0.015	1 - 6	0.2695		0.1
Via	(8.37, 4.01)	0.015	6 - 16	-0.0807		-0.06
Via	(8.37, 4.07)	0.015	1 - 6	0.2087		0.07
Via	(8.37, 4.07)	0.015	6 - 16	-0.0248		-0.02
Via	(8.31, 4.01)	0.015	1 - 6	0.1991		0.07
Via	(8.31, 4.01)	0.015	6 - 16	0.0162		0.01
Via	(8.31, 4.07)	0.015	1 - 6	0.3227		0.11
Via	(8.31, 4.07)	0.015	6 - 16	0.0893		0.06

1.4.9 +5V_VDD Voltage Drop Report

Item	Location(s), in	Diameter, in	Layer(s)	Current, [A]	Voltage, [V]	Voltage drop, [mV]
Pin C340.1	(6.14, 3.37)			0.0133	4.9932	
Pin C341.1	(5.56, 3.37)			0.0133	4.9931	
Pin C342.1	(6.22, 3.37)			0.0133	4.9932	
Pin C343.1	(5.63, 3.37)			0.0133	4.9931	
Pin C354.1	(6.14, 3.37)			0.0133	4.9932	
Pin C355.1	(5.56, 3.37)			0.0133	4.9932	
Pin C356.1	(6.22, 3.37)			0.0133	4.9932	
Pin C357.1	(5.63, 3.37)			0.0133	4.9932	
Pin C364.1	(5.58, 1.52)			0.0133	4.9931	
Pin C365.1	(6.13, 1.52)			0.0133	4.9931	
Pin C366.1	(5.65, 1.52)			0.0133	4.9931	
Pin C367.1	(6.2, 1.52)			0.0133	4.9932	
Pin C378.1	(6.13, 1.52)			0.0133	4.9932	
Pin C379.1	(5.58, 1.52)			0.0133	4.9931	
Pin C380.1	(6.2, 1.52)			0.0133	4.9932	
Pin C381.1	(5.65, 1.52)			0.0133	4.9931	

Pin C399.1	(7.42, 3.37)			0.0133	4.9936	
Pin C400.1	(6.87, 3.37)			0.0133	4.9934	
Pin C401.1	(7.5, 3.37)			0.0133	4.9936	
Pin C402.1	(6.94, 3.37)			0.0133	4.9934	
Pin C413.1	(7.42, 3.37)			0.0133	4.9937	
Pin C414.1	(6.87, 3.37)			0.0133	4.9934	
Pin C415.1	(7.5, 3.37)			0.0133	4.9937	
Pin C416.1	(6.94, 3.37)			0.0133	4.9934	
Pin C423.1	(6.87, 1.52)			0.0133	4.9933	
Pin C424.1	(7.41, 1.52)			0.0133	4.9934	
Pin C425.1	(6.94, 1.52)			0.0133	4.9933	
Pin C426.1	(7.48, 1.52)			0.0133	4.9934	
Pin C437.1	(7.41, 1.52)			0.0133	4.9934	
Pin C438.1	(6.87, 1.52)			0.0133	4.9933	
Pin C439.1	(7.48, 1.52)			0.0133	4.9934	
Pin C440.1	(6.94, 1.52)			0.0133	4.9933	
Pin C458.1	(8.64, 3.37)			0.0133	4.9949	
Pin C459.1	(8.08, 3.37)			0.0133	4.9942	
Pin C460.1	(8.71, 3.37)			0.0133	4.9949	
Pin C461.1	(8.16, 3.37)			0.0133	4.9942	
Pin C472.1	(8.64, 3.37)			0.0133	4.9949	
Pin C473.1	(8.08, 3.37)			0.0133	4.9942	
Pin C474.1	(8.71, 3.37)			0.0133	4.9949	
Pin C475.1	(8.16, 3.37)			0.0133	4.9942	
Pin C482.1	(8.09, 1.52)			0.0133	4.9935	
Pin C483.1	(8.17, 1.52)			0.0133	4.9935	
Pin C484.1	(8.64, 1.52)			0.0133	4.9935	
Pin C485.1	(8.71, 1.52)			0.0133	4.9935	
Pin C496.1	(8.64, 1.52)			0.0133	4.9935	
Pin C497.1	(8.09, 1.52)			0.0133	4.9935	
Pin C498.1	(8.71, 1.52)			0.0133	4.9935	
Pin C499.1	(8.17, 1.52)			0.0133	4.9935	
Pin J20.3	(5.49, 1.96)			0.0133	4.9932	
Pin J26.3	(6.82, 1.96)			0.0133	4.9934	
Pin J32.3	(8, 1.96)			0.0133	4.9936	
Pin L26.2	(8.26, 4.15)			-1.0004	4.999	
Pin U49.7	(6.15, 3.25)			0.0133	4.9932	
Pin U50.7	(5.57, 3.25)			0.0133	4.9932	
Pin U52.7	(6.2, 3.25)			0.0133	4.9932	
Pin U53.7	(5.62, 3.25)			0.0133	4.9931	
Pin U54.7	(6.13, 1.4)			0.0133	4.9932	
Pin U55.7	(5.59, 1.4)			0.0133	4.9931	
Pin U56.7	(6.18, 1.4)			0.0133	4.9932	
Pin U57.7	(5.64, 1.4)			0.0133	4.9931	
Pin U58.7	(7.43, 3.25)			0.0133	4.9937	
Pin U60.7	(6.88, 3.25)			0.0133	4.9934	

Pin U61.7	(7.48, 3.25)			0.0133	4.9937	
Pin U62.7	(6.93, 3.25)			0.0133	4.9934	
Pin U63.7	(7.42, 1.4)			0.0133	4.9934	
Pin U64.7	(6.87, 1.4)			0.0133	4.9933	
Pin U65.7	(7.47, 1.4)			0.0133	4.9934	
Pin U66.7	(6.92, 1.4)			0.0133	4.9933	
Pin U67.7	(8.64, 3.25)			0.0133	4.9948	
Pin U68.7	(8.09, 3.25)			0.0133	4.9942	
Pin U70.7	(8.69, 3.25)			0.0133	4.9949	
Pin U71.7	(8.14, 3.25)			0.0133	4.9942	
Pin U72.7	(8.1, 1.4)			0.0133	4.9935	
Pin U73.7	(8.65, 1.4)			0.0133	4.9935	
Pin U74.7	(8.7, 1.4)			0.0133	4.9935	
Pin U75.7	(8.15, 1.4)			0.0133	4.9935	
Voltage source via or pad	(8.26, 4.15)	0.026	1	-1.0004	4.999	
Current sink via or pad	(8, 1.96)	0.065	1	0.0133	4.9936	
Current sink via or pad	(8.09, 1.52)	0.026	1	0.0133	4.9935	
Current sink via or pad	(8.64, 1.52)	0.026	16	0.0133	4.9935	
Current sink via or pad	(8.64, 1.52)	0.026	1	0.0133	4.9935	
Current sink via or pad	(8.09, 1.52)	0.026	16	0.0133	4.9935	
Current sink via or pad	(8.08, 3.37)	0.026	1	0.0133	4.9942	
Current sink via or pad	(8.64, 3.37)	0.026	16	0.0133	4.9949	
Current sink via or pad	(8.08, 3.37)	0.026	16	0.0133	4.9942	
Current sink via or pad	(8.64, 3.37)	0.026	1	0.0133	4.9949	
Current sink via or pad	(6.87, 1.52)	0.026	16	0.0133	4.9933	
Current sink via or pad	(7.41, 1.52)	0.026	1	0.0133	4.9934	
Current sink via or pad	(7.41, 1.52)	0.026	16	0.0133	4.9934	
Current sink via or pad	(6.87, 1.52)	0.026	1	0.0133	4.9933	
Current sink via or pad	(6.87, 3.37)	0.026	16	0.0133	4.9934	
Current sink via or pad	(7.42, 3.37)	0.026	1	0.0133	4.9937	
Current sink via or pad	(6.87, 3.37)	0.026	1	0.0133	4.9934	
Current sink via or pad	(7.42, 3.37)	0.026	16	0.0133	4.9936	

Current sink via or pad	(5.58, 1.52)	0.026	1	0.0133	4.9931	
Current sink via or pad	(6.13, 1.52)	0.026	1	0.0133	4.9932	
Current sink via or pad	(6.13, 1.52)	0.026	16	0.0133	4.9931	
Current sink via or pad	(5.58, 1.52)	0.026	16	0.0133	4.9931	
Current sink via or pad	(5.56, 3.37)	0.026	1	0.0133	4.9932	
Current sink via or pad	(6.14, 3.37)	0.026	1	0.0133	4.9932	
Current sink via or pad	(5.56, 3.37)	0.026	16	0.0133	4.9931	
Current sink via or pad	(6.14, 3.37)	0.026	16	0.0133	4.9932	
Current sink via or pad	(8.17, 1.52)	0.026	1	0.0133	4.9935	
Current sink via or pad	(8.71, 1.52)	0.026	16	0.0133	4.9935	
Current sink via or pad	(8.71, 1.52)	0.026	1	0.0133	4.9935	
Current sink via or pad	(8.17, 1.52)	0.026	16	0.0133	4.9935	
Current sink via or pad	(8.16, 3.37)	0.026	1	0.0133	4.9942	
Current sink via or pad	(8.71, 3.37)	0.026	16	0.0133	4.9949	
Current sink via or pad	(8.16, 3.37)	0.026	16	0.0133	4.9942	
Current sink via or pad	(8.71, 3.37)	0.026	1	0.0133	4.9949	
Current sink via or pad	(6.94, 1.52)	0.026	1	0.0133	4.9933	
Current sink via or pad	(7.48, 1.52)	0.026	1	0.0133	4.9934	
Current sink via or pad	(7.48, 1.52)	0.026	16	0.0133	4.9934	
Current sink via or pad	(6.94, 1.52)	0.026	16	0.0133	4.9933	
Current sink via or pad	(6.94, 3.37)	0.026	16	0.0133	4.9934	
Current sink via or pad	(7.5, 3.37)	0.026	1	0.0133	4.9937	
Current sink via or pad	(6.94, 3.37)	0.026	1	0.0133	4.9934	
Current sink via or pad	(7.5, 3.37)	0.026	16	0.0133	4.9936	
Current sink via or pad	(5.65, 1.52)	0.026	1	0.0133	4.9931	
Current sink via or pad	(6.2, 1.52)	0.026	16	0.0133	4.9932	
Current sink	(6.2, 1.52)	0.026	1	0.0133	4.9932	

via or pad						
Current sink via or pad	(5.65, 1.52)	0.026	16	0.0133	4.9931	
Current sink via or pad	(5.63, 3.37)	0.026	1	0.0133	4.9932	
Current sink via or pad	(6.22, 3.37)	0.026	1	0.0133	4.9932	
Current sink via or pad	(5.63, 3.37)	0.026	16	0.0133	4.9931	
Current sink via or pad	(6.22, 3.37)	0.026	16	0.0133	4.9932	
Current sink via or pad	(6.82, 1.96)	0.065	1	0.0133	4.9934	
Current sink via or pad	(5.49, 1.96)	0.065	1	0.0133	4.9932	
Current sink via or pad	(8.15, 1.4)	0.025	16	0.0133	4.9935	
Current sink via or pad	(8.7, 1.4)	0.025	16	0.0133	4.9935	
Current sink via or pad	(8.14, 3.25)	0.025	16	0.0133	4.9942	
Current sink via or pad	(8.69, 3.25)	0.025	16	0.0133	4.9949	
Current sink via or pad	(6.92, 1.4)	0.025	16	0.0133	4.9933	
Current sink via or pad	(7.47, 1.4)	0.025	16	0.0133	4.9934	
Current sink via or pad	(6.93, 3.25)	0.025	16	0.0133	4.9934	
Current sink via or pad	(7.48, 3.25)	0.025	16	0.0133	4.9937	
Current sink via or pad	(5.64, 1.4)	0.025	16	0.0133	4.9931	
Current sink via or pad	(6.18, 1.4)	0.025	16	0.0133	4.9932	
Current sink via or pad	(5.62, 3.25)	0.025	16	0.0133	4.9931	
Current sink via or pad	(6.2, 3.25)	0.025	16	0.0133	4.9932	
Current sink via or pad	(8.65, 1.4)	0.025	1	0.0133	4.9935	
Current sink via or pad	(8.1, 1.4)	0.025	1	0.0133	4.9935	
Current sink via or pad	(8.09, 3.25)	0.025	1	0.0133	4.9942	
Current sink via or pad	(8.64, 3.25)	0.025	1	0.0133	4.9948	
Current sink via or pad	(6.87, 1.4)	0.025	1	0.0133	4.9933	
Current sink via or pad	(7.42, 1.4)	0.025	1	0.0133	4.9934	
Current sink via or pad	(6.88, 3.25)	0.025	1	0.0133	4.9934	

Current sink via or pad	(7.43, 3.25)	0.025	1	0.0133	4.9937	
Current sink via or pad	(5.59, 1.4)	0.025	1	0.0133	4.9931	
Current sink via or pad	(6.13, 1.4)	0.025	1	0.0133	4.9932	
Current sink via or pad	(5.57, 3.25)	0.025	1	0.0133	4.9932	
Current sink via or pad	(6.15, 3.25)	0.025	1	0.0133	4.9932	
Via	(8.68, 1.46)	0.015	1 - 7	-0.0195		-0.01
Via	(8.68, 1.46)	0.015	7 - 16	0.04		0.03
Via	(8.65, 1.35)	0.015	1 - 7	-0.0205		-0.01
Via	(8.1, 1.35)	0.015	1 - 7	-0.0198		-0.01
Via	(8.14, 1.46)	0.015	1 - 7	-0.0202		-0.01
Via	(8.14, 1.46)	0.015	7 - 16	0.04		0.03
Via	(8.69, 3.32)	0.015	1 - 7	-0.0596		-0.02
Via	(8.69, 3.32)	0.015	7 - 16	0.04		0.03
Via	(8.64, 3.2)	0.015	1 - 7	0.0196		0.01
Via	(8.09, 3.2)	0.015	1 - 7	-0.0078		0
Via	(8.14, 3.32)	0.015	1 - 7	-0.0322		-0.01
Via	(8.14, 3.32)	0.015	7 - 16	0.04		0.03
Via	(6.88, 3.2)	0.015	1 - 7	-0.021		-0.01
Via	(5.59, 1.35)	0.015	1 - 7	-0.0219		-0.01
Via	(5.63, 1.46)	0.015	1 - 7	-0.0181		-0.01
Via	(5.63, 1.46)	0.015	7 - 16	0.04		0.03
Via	(6.2, 3.32)	0.015	1 - 7	-0.0184		-0.01
Via	(6.2, 3.32)	0.015	7 - 16	0.04		0.03
Via	(6.15, 3.19)	0.015	1 - 7	-0.0217		-0.01
Via	(6.13, 1.35)	0.015	1 - 7	-0.0211		-0.01
Via	(6.17, 1.46)	0.015	1 - 7	-0.0189		-0.01
Via	(6.17, 1.46)	0.015	7 - 16	0.04		0.03
Via	(5.57, 3.19)	0.015	1 - 7	-0.0235		-0.01
Via	(5.62, 3.32)	0.015	1 - 7	-0.0165		-0.01
Via	(5.62, 3.32)	0.015	7 - 16	0.04		0.03
Via	(8.37, 4.19)	0.015	1 - 7	0.2119		0.09
Via	(8.37, 4.19)	0.015	7 - 16	-0.0435		-0.03
Via	(8.37, 4.13)	0.015	1 - 7	0.3169		0.13
Via	(8.37, 4.13)	0.015	7 - 16	-0.1024		-0.06
Via	(8.31, 4.19)	0.015	1 - 7	0.1621		0.07
Via	(8.31, 4.19)	0.015	7 - 16	0.0559		0.04
Via	(8.31, 4.13)	0.015	1 - 7	0.3095		0.13
Via	(8.31, 4.13)	0.015	7 - 16	0.0901		0.06
Via	(6.87, 1.35)	0.015	1 - 7	-0.0202		-0.01
Via	(6.91, 1.46)	0.015	1 - 7	-0.0198		-0.01
Via	(6.91, 1.46)	0.015	7 - 16	0.04		0.03
Via	(7.43, 3.2)	0.015	1 - 7	-0.018		-0.01

Via	(7.48, 3.32)	0.015	1 - 7	-0.022		-0.01
Via	(7.48, 3.32)	0.015	7 - 16	0.04		0.03
Via	(7.42, 1.35)	0.015	1 - 7	-0.0197		-0.01
Via	(7.45, 1.46)	0.015	1 - 7	-0.0203		-0.01
Via	(7.45, 1.46)	0.015	7 - 16	0.04		0.03
Via	(6.93, 3.32)	0.015	1 - 7	-0.019		-0.01
Via	(6.93, 3.32)	0.015	7 - 16	0.04		0.03
Via	(8, 1.96)	0.047	1 - 7	-0.0133		0
Via	(6.82, 1.96)	0.047	1 - 7	-0.0133		0
Via	(5.49, 1.96)	0.047	1 - 7	-0.0133		0

1.4.10 -5V_VSS Voltage Drop Report

Item	Location(s), in	Diameter, in	Layer(s)	Current, [A]	Voltage, [V]	Voltage drop, [mV]
Pin C345.1	(5.43, 2.92)			0.0133	-5.0116	
Pin C346.1	(6.09, 2.92)			0.0133	-5.0114	
Pin C347.1	(5.5, 2.92)			0.0133	-5.0116	
Pin C350.1	(6.02, 2.92)			0.0133	-5.0114	
Pin C358.1	(6.31, 2.92)			0.0133	-5.0113	
Pin C359.1	(5.72, 2.92)			0.0133	-5.0115	
Pin C361.1	(6.24, 2.92)			0.0133	-5.0113	
Pin C362.1	(5.65, 2.92)			0.0133	-5.0115	
Pin C369.1	(5.45, 1.07)			0.0133	-5.0134	
Pin C370.1	(6, 1.07)			0.0133	-5.0139	
Pin C372.1	(5.53, 1.07)			0.0133	-5.0134	
Pin C373.1	(6.22, 1.07)			0.0133	-5.0141	
Pin C382.1	(6.29, 1.06)			0.0133	-5.0141	
Pin C383.1	(5.75, 1.06)			0.0133	-5.0136	
Pin C385.1	(5.67, 1.07)			0.0133	-5.0136	
Pin C386.1	(6.07, 1.07)			0.0133	-5.0139	
Pin C403.1	(7.03, 2.92)			0.0133	-5.0111	
Pin C404.1	(7.37, 2.92)			0.0133	-5.0111	
Pin C406.1	(7.29, 2.92)			0.0133	-5.0111	
Pin C408.1	(6.96, 2.92)			0.0133	-5.0111	
Pin C418.1	(7.59, 2.92)			0.0133	-5.0112	
Pin C419.1	(6.74, 2.92)			0.0133	-5.0111	
Pin C420.1	(6.81, 2.92)			0.0133	-5.0111	
Pin C421.1	(7.51, 2.92)			0.0133	-5.0112	
Pin C428.1	(7.28, 1.07)			0.0133	-5.0147	
Pin C430.1	(6.74, 1.07)			0.0133	-5.0144	
Pin C431.1	(6.96, 1.07)			0.0133	-5.0146	
Pin C432.1	(7.5, 1.07)			0.0133	-5.0149	
Pin C441.1	(7.58, 1.06)			0.0133	-5.0149	
Pin C442.1	(7.03, 1.06)			0.0133	-5.0146	

Pin C444.1	(7.36, 1.07)			0.0133	-5.0148	
Pin C445.1	(6.81, 1.07)			0.0133	-5.0144	
Pin C463.1	(8.8, 2.92)			0.0133	-5.0114	
Pin C465.1	(7.95, 2.92)			0.0133	-5.0113	
Pin C466.1	(8.73, 2.92)			0.0133	-5.0114	
Pin C467.1	(8.03, 2.92)			0.0133	-5.0113	
Pin C476.1	(8.51, 2.92)			0.0133	-5.0113	
Pin C478.1	(8.25, 2.92)			0.0133	-5.0113	
Pin C479.1	(8.58, 2.92)			0.0133	-5.0114	
Pin C480.1	(8.17, 2.92)			0.0133	-5.0113	
Pin C488.1	(7.97, 1.07)			0.0133	-5.015	
Pin C489.1	(8.8, 1.06)			0.0133	-5.0152	
Pin C490.1	(8.04, 1.07)			0.0133	-5.015	
Pin C491.1	(8.58, 1.07)			0.0133	-5.0152	
Pin C501.1	(8.51, 1.07)			0.0133	-5.0151	
Pin C502.1	(8.26, 1.06)			0.0133	-5.0151	
Pin C503.1	(8.73, 1.07)			0.0133	-5.0152	
Pin C504.1	(8.19, 1.07)			0.0133	-5.0151	
Pin J25.4	(5.52, 2.43)			0.0133	-5.0118	
Pin J31.4	(6.86, 2.43)			0.0133	-5.0112	
Pin J37.4	(8.02, 2.43)			0.0133	-5.0113	
Pin L27.2	(8.03, 6.97)			-0.9996	-5.001	
Pin U49.4	(6.25, 3.04)			0.0133	-5.0112	
Pin U50.4	(5.67, 3.04)			0.0133	-5.0115	
Pin U52.4	(6.1, 3.04)			0.0133	-5.0114	
Pin U53.4	(5.52, 3.04)			0.0133	-5.0117	
Pin U54.4	(6.23, 1.19)			0.0133	-5.0141	
Pin U55.4	(5.69, 1.19)			0.0133	-5.0136	
Pin U56.4	(6.08, 1.19)			0.0133	-5.0139	
Pin U57.4	(5.54, 1.19)			0.0133	-5.0134	
Pin U58.4	(7.53, 3.04)			0.0133	-5.0111	
Pin U60.4	(6.98, 3.04)			0.0133	-5.011	
Pin U61.4	(7.38, 3.04)			0.0133	-5.0111	
Pin U62.4	(6.83, 3.04)			0.0133	-5.0112	
Pin U63.4	(7.52, 1.19)			0.0133	-5.0149	
Pin U64.4	(6.97, 1.19)			0.0133	-5.0146	
Pin U65.4	(7.37, 1.19)			0.0133	-5.0148	
Pin U66.4	(6.82, 1.19)			0.0133	-5.0145	
Pin U67.4	(8.74, 3.04)			0.0133	-5.0114	
Pin U68.4	(8.19, 3.04)			0.0133	-5.0113	
Pin U70.4	(8.59, 3.04)			0.0133	-5.0114	
Pin U71.4	(8.04, 3.04)			0.0133	-5.0113	
Pin U72.4	(8.2, 1.19)			0.0133	-5.0151	
Pin U73.4	(8.75, 1.19)			0.0133	-5.0152	
Pin U74.4	(8.6, 1.19)			0.0133	-5.0152	
Pin U75.4	(8.05, 1.19)			0.0133	-5.0151	

Voltage source via or pad	(8.03, 6.97)	0.026	16	-0.9996	-5.001	
Current sink via or pad	(8.26, 1.06)	0.026	1	0.0133	-5.0151	
Current sink via or pad	(8.51, 1.07)	0.026	16	0.0133	-5.0151	
Current sink via or pad	(8.8, 1.06)	0.026	1	0.0133	-5.0152	
Current sink via or pad	(7.97, 1.07)	0.026	16	0.0133	-5.015	
Current sink via or pad	(8.25, 2.92)	0.026	1	0.0133	-5.0113	
Current sink via or pad	(8.51, 2.92)	0.026	16	0.0133	-5.0113	
Current sink via or pad	(7.95, 2.92)	0.026	16	0.0133	-5.0113	
Current sink via or pad	(8.8, 2.92)	0.026	1	0.0133	-5.0114	
Current sink via or pad	(7.03, 1.06)	0.026	1	0.0133	-5.0146	
Current sink via or pad	(7.58, 1.06)	0.026	1	0.0133	-5.0149	
Current sink via or pad	(6.74, 1.07)	0.026	16	0.0133	-5.0144	
Current sink via or pad	(7.28, 1.07)	0.026	16	0.0133	-5.0147	
Current sink via or pad	(6.74, 2.92)	0.026	16	0.0133	-5.0111	
Current sink via or pad	(7.59, 2.92)	0.026	1	0.0133	-5.0112	
Current sink via or pad	(7.29, 2.92)	0.026	16	0.0133	-5.0111	
Current sink via or pad	(7.03, 2.92)	0.026	1	0.0133	-5.0111	
Current sink via or pad	(5.75, 1.06)	0.026	1	0.0133	-5.0136	
Current sink via or pad	(6.29, 1.06)	0.026	1	0.0133	-5.0141	
Current sink via or pad	(6, 1.07)	0.026	16	0.0133	-5.0139	
Current sink via or pad	(5.45, 1.07)	0.026	16	0.0133	-5.0134	
Current sink via or pad	(5.72, 2.92)	0.026	1	0.0133	-5.0115	
Current sink via or pad	(6.31, 2.92)	0.026	1	0.0133	-5.0113	
Current sink via or pad	(6.02, 2.92)	0.026	16	0.0133	-5.0114	
Current sink via or pad	(5.43, 2.92)	0.026	16	0.0133	-5.0116	
Current sink via or pad	(8.19, 1.07)	0.026	1	0.0133	-5.0151	

Current sink via or pad	(8.73, 1.07)	0.026	1	0.0133	-5.0152	
Current sink via or pad	(8.58, 1.07)	0.026	16	0.0133	-5.0152	
Current sink via or pad	(8.04, 1.07)	0.026	16	0.0133	-5.015	
Current sink via or pad	(8.17, 2.92)	0.026	1	0.0133	-5.0113	
Current sink via or pad	(8.58, 2.92)	0.026	16	0.0133	-5.0114	
Current sink via or pad	(8.03, 2.92)	0.026	16	0.0133	-5.0113	
Current sink via or pad	(8.73, 2.92)	0.026	1	0.0133	-5.0114	
Current sink via or pad	(6.81, 1.07)	0.026	16	0.0133	-5.0144	
Current sink via or pad	(7.36, 1.07)	0.026	16	0.0133	-5.0148	
Current sink via or pad	(7.5, 1.07)	0.026	1	0.0133	-5.0149	
Current sink via or pad	(6.96, 1.07)	0.026	1	0.0133	-5.0146	
Current sink via or pad	(7.51, 2.92)	0.026	1	0.0133	-5.0112	
Current sink via or pad	(6.81, 2.92)	0.026	16	0.0133	-5.0111	
Current sink via or pad	(6.96, 2.92)	0.026	1	0.0133	-5.0111	
Current sink via or pad	(7.37, 2.92)	0.026	16	0.0133	-5.0111	
Current sink via or pad	(6.07, 1.07)	0.026	16	0.0133	-5.0139	
Current sink via or pad	(5.67, 1.07)	0.026	1	0.0133	-5.0136	
Current sink via or pad	(6.22, 1.07)	0.026	1	0.0133	-5.0141	
Current sink via or pad	(5.53, 1.07)	0.026	16	0.0133	-5.0134	
Current sink via or pad	(5.65, 2.92)	0.026	1	0.0133	-5.0115	
Current sink via or pad	(6.24, 2.92)	0.026	1	0.0133	-5.0113	
Current sink via or pad	(5.5, 2.92)	0.026	16	0.0133	-5.0116	
Current sink via or pad	(6.09, 2.92)	0.026	16	0.0133	-5.0114	
Current sink via or pad	(8.05, 1.19)	0.025	16	0.0133	-5.0151	
Current sink via or pad	(8.6, 1.19)	0.025	16	0.0133	-5.0152	
Current sink via or pad	(8.04, 3.04)	0.025	16	0.0133	-5.0113	
Current sink	(8.59, 3.04)	0.025	16	0.0133	-5.0114	

via or pad						
Current sink via or pad	(6.82, 1.19)	0.025	16	0.0133	-5.0145	
Current sink via or pad	(7.37, 1.19)	0.025	16	0.0133	-5.0148	
Current sink via or pad	(6.83, 3.04)	0.025	16	0.0133	-5.0112	
Current sink via or pad	(7.38, 3.04)	0.025	16	0.0133	-5.0111	
Current sink via or pad	(5.54, 1.19)	0.025	16	0.0133	-5.0134	
Current sink via or pad	(6.08, 1.19)	0.025	16	0.0133	-5.0139	
Current sink via or pad	(5.52, 3.04)	0.025	16	0.0133	-5.0117	
Current sink via or pad	(6.1, 3.04)	0.025	16	0.0133	-5.0114	
Current sink via or pad	(8.75, 1.19)	0.025	1	0.0133	-5.0152	
Current sink via or pad	(8.2, 1.19)	0.025	1	0.0133	-5.0151	
Current sink via or pad	(8.19, 3.04)	0.025	1	0.0133	-5.0113	
Current sink via or pad	(8.74, 3.04)	0.025	1	0.0133	-5.0114	
Current sink via or pad	(6.97, 1.19)	0.025	1	0.0133	-5.0146	
Current sink via or pad	(7.52, 1.19)	0.025	1	0.0133	-5.0149	
Current sink via or pad	(6.98, 3.04)	0.025	1	0.0133	-5.011	
Current sink via or pad	(7.53, 3.04)	0.025	1	0.0133	-5.0111	
Current sink via or pad	(5.69, 1.19)	0.025	1	0.0133	-5.0136	
Current sink via or pad	(6.23, 1.19)	0.025	1	0.0133	-5.0141	
Current sink via or pad	(5.67, 3.04)	0.025	1	0.0133	-5.0115	
Current sink via or pad	(6.25, 3.04)	0.025	1	0.0133	-5.0112	
Current sink via or pad	(8.02, 2.43)	0.06	1	0.0133	-5.0113	
Current sink via or pad	(6.86, 2.43)	0.06	1	0.0133	-5.0112	
Current sink via or pad	(5.52, 2.43)	0.06	1	0.0133	-5.0118	
Via	(8.85, 1.06)	0.015	1 - 12	-0.0199		-0.02
Via	(8.75, 1.25)	0.015	1 - 12	-0.02		-0.02
Via	(7.53, 3.1)	0.015	1 - 12	-0.0267		-0.02
Via	(6.98, 3.1)	0.015	1 - 12	-0.0283		-0.02
Via	(7.29, 2.96)	0.015	12 - 16	0.04		0.01

Via	(6.25, 3.11)	0.015	1 - 12	-0.0197		-0.02
Via	(8.2, 1.25)	0.015	1 - 12	-0.0231		-0.02
Via	(8.31, 1.06)	0.015	1 - 12	-0.0169		-0.01
Via	(7.97, 1.11)	0.015	12 - 16	0.04		0.01
Via	(8.51, 2.96)	0.015	12 - 16	0.04		0.01
Via	(8.74, 3.1)	0.015	1 - 12	-0.0191		-0.02
Via	(8.85, 2.92)	0.015	1 - 12	-0.0209		-0.02
Via	(8.51, 1.11)	0.015	12 - 16	0.04		0.01
Via	(8.3, 2.92)	0.015	1 - 12	-0.0194		-0.02
Via	(8.19, 3.11)	0.015	1 - 12	-0.0206		-0.02
Via	(7.95, 2.96)	0.015	12 - 16	0.04		0.01
Via	(7.63, 2.92)	0.015	1 - 12	-0.0133		-0.01
Via	(6.97, 1.25)	0.015	1 - 12	-0.0291		-0.02
Via	(7.08, 1.06)	0.015	1 - 12	-0.0109		-0.01
Via	(6.74, 1.11)	0.015	12 - 16	0.04		0.01
Via	(7.52, 1.25)	0.015	1 - 12	-0.0259		-0.02
Via	(7.63, 1.06)	0.015	1 - 12	-0.014		-0.01
Via	(7.28, 1.11)	0.015	12 - 16	0.04		0.01
Via	(7.08, 2.92)	0.015	1 - 12	-0.0117		-0.01
Via	(6.74, 2.96)	0.015	12 - 16	0.04		0.01
Via	(5.69, 1.25)	0.015	1 - 12	-0.0374		-0.03
Via	(5.8, 1.06)	0.015	1 - 12	-0.0026		0
Via	(5.45, 1.11)	0.015	12 - 16	0.04		0.01
Via	(6.36, 2.92)	0.015	1 - 12	-0.0203		-0.02
Via	(6.02, 2.96)	0.015	12 - 16	0.04		0.01
Via	(6.23, 1.25)	0.015	1 - 12	-0.0317		-0.03
Via	(6.34, 1.06)	0.015	1 - 12	-0.0082		-0.01
Via	(6, 1.11)	0.015	12 - 16	0.04		0.01
Via	(5.77, 2.92)	0.015	1 - 12	-0.0184		-0.01
Via	(5.67, 3.11)	0.015	1 - 12	-0.0215		-0.02
Via	(5.43, 2.96)	0.015	12 - 16	0.04		0.01
Via	(8.08, 6.97)	0.015	12 - 16	-0.9996		-0.26
Via	(8.02, 2.43)	0.042	1 - 12	-0.0133		0
Via	(6.86, 2.43)	0.042	1 - 12	-0.0133		0
Via	(5.52, 2.43)	0.042	1 - 12	-0.0133		0

1.4.11 5V_ADC Voltage Drop Report

Item	Location(s), in	Diameter, in	Layer(s)	Current, [A]	Voltage, [V]	Voltage drop, [mV]
Pin C246.1	(8.11, 3.99)			0.0213	4.9993	
Pin C255.2	(3.76, 3.3)			0.0213	4.9872	
Pin C256.2	(3.76, 3.3)			0.0213	4.9872	
Pin C257.2	(4.8, 3)			0.0213	4.9877	
Pin C258.2	(4.87, 3)			0.0213	4.9878	

Pin C264.1	(4.65, 2.06)			0.0213	4.9871	
Pin C265.1	(4.57, 2.06)			0.0213	4.9871	
Pin C271.1	(4.57, 2.06)			0.0213	4.9871	
Pin C272.1	(4.65, 2.06)			0.0213	4.9871	
Pin C278.1	(4.14, 2.06)			0.0213	4.987	
Pin C279.1	(4.21, 2.06)			0.0213	4.987	
Pin C285.1	(4.21, 2.06)			0.0213	4.987	
Pin C286.1	(4.14, 2.06)			0.0213	4.987	
Pin C294.2	(3.5, 3)			0.0213	4.987	
Pin C295.2	(3.57, 3)			0.0213	4.987	
Pin C299.1	(3.35, 2.06)			0.0213	4.9867	
Pin C300.1	(3.35, 2.06)			0.0213	4.9867	
Pin C305.1	(3.27, 2.06)			0.0213	4.9867	
Pin C306.1	(3.27, 2.06)			0.0213	4.9867	
Pin C313.1	(2.83, 2.06)			0.0213	4.9866	
Pin C314.1	(2.83, 2.06)			0.0213	4.9866	
Pin C320.1	(2.91, 2.06)			0.0213	4.9866	
Pin C321.1	(2.91, 2.06)			0.0213	4.9866	
Pin L26.1	(8.19, 4.15)			0.0213	4.9995	
Pin L28.1	(8.19, 4.06)			0.0213	4.9994	
Pin U31.4	(8.12, 4.07)			-0.5386	4.9995	
Pin U31.5	(8.12, 4.14)			-0.4616	4.9995	
Pin U35.1	(3.88, 3.3)			0.0213	4.9872	
Pin U35.3	(3.88, 3.23)			0.0213	4.9872	
Pin U36.5	(4.83, 2.91)			0.0213	4.9877	
Pin U36.6	(4.81, 2.91)			0.0213	4.9877	
Pin U37.5	(4.61, 2.18)			0.0213	4.9871	
Pin U37.6	(4.57, 2.18)			0.0213	4.9871	
Pin U38.5	(4.61, 2.18)			0.0213	4.9871	
Pin U38.6	(4.65, 2.18)			0.0213	4.9871	
Pin U40.5	(4.17, 2.18)			0.0213	4.987	
Pin U40.6	(4.21, 2.18)			0.0213	4.987	
Pin U41.5	(4.17, 2.18)			0.0213	4.987	
Pin U41.6	(4.14, 2.18)			0.0213	4.987	
Pin U42.5	(3.54, 2.91)			0.0213	4.987	
Pin U42.6	(3.51, 2.91)			0.0213	4.987	
Pin U43.5	(3.31, 2.18)			0.0213	4.9867	
Pin U43.6	(3.35, 2.18)			0.0213	4.9867	
Pin U44.5	(3.31, 2.18)			0.0213	4.9867	
Pin U44.6	(3.27, 2.18)			0.0213	4.9867	
Pin U46.5	(2.87, 2.18)			0.0213	4.9866	
Pin U46.6	(2.91, 2.18)			0.0213	4.9866	
Pin U47.5	(2.87, 2.18)			0.0213	4.9866	
Pin U47.6	(2.83, 2.18)			0.0213	4.9866	
Current sink via or pad	(2.87, 2.18)	0.027	16	0.0213	4.9866	

Current sink via or pad	(2.83, 2.18)	0.027	16	0.0213	4.9866	
Current sink via or pad	(2.87, 2.18)	0.027	1	0.0213	4.9866	
Current sink via or pad	(2.91, 2.18)	0.027	1	0.0213	4.9866	
Current sink via or pad	(3.31, 2.18)	0.027	16	0.0213	4.9867	
Current sink via or pad	(3.27, 2.18)	0.027	16	0.0213	4.9867	
Current sink via or pad	(3.31, 2.18)	0.027	1	0.0213	4.9867	
Current sink via or pad	(3.35, 2.18)	0.027	1	0.0213	4.9867	
Current sink via or pad	(4.17, 2.18)	0.027	16	0.0213	4.987	
Current sink via or pad	(4.14, 2.18)	0.027	16	0.0213	4.987	
Current sink via or pad	(4.17, 2.18)	0.027	1	0.0213	4.987	
Current sink via or pad	(4.21, 2.18)	0.027	1	0.0213	4.987	
Current sink via or pad	(4.61, 2.18)	0.027	1	0.0213	4.9871	
Current sink via or pad	(4.65, 2.18)	0.027	1	0.0213	4.9871	
Current sink via or pad	(4.61, 2.18)	0.027	16	0.0213	4.9871	
Current sink via or pad	(4.57, 2.18)	0.027	16	0.0213	4.9871	
Current sink via or pad	(8.19, 4.06)	0.026	1	0.0213	4.9994	
Current sink via or pad	(8.19, 4.15)	0.026	1	0.0213	4.9995	
Current sink via or pad	(2.91, 2.06)	0.026	16	0.0213	4.9866	
Current sink via or pad	(2.83, 2.06)	0.026	1	0.0213	4.9866	
Current sink via or pad	(3.27, 2.06)	0.026	1	0.0213	4.9867	
Current sink via or pad	(3.35, 2.06)	0.026	16	0.0213	4.9867	
Current sink via or pad	(3.5, 3)	0.026	1	0.0213	4.987	
Current sink via or pad	(4.21, 2.06)	0.026	16	0.0213	4.987	
Current sink via or pad	(4.14, 2.06)	0.026	1	0.0213	4.987	
Current sink via or pad	(4.57, 2.06)	0.026	1	0.0213	4.9871	
Current sink via or pad	(4.65, 2.06)	0.026	16	0.0213	4.9871	
Current sink	(4.8, 3)	0.026	1	0.0213	4.9877	

via or pad						
Current sink via or pad	(3.76, 3.3)	0.026	1	0.0213	4.9872	
Current sink via or pad	(3.76, 3.3)	0.026	16	0.0213	4.9872	
Current sink via or pad	(8.11, 3.99)	0.026	1	0.0213	4.9993	
Current sink via or pad	(2.91, 2.06)	0.026	1	0.0213	4.9866	
Current sink via or pad	(2.83, 2.06)	0.026	16	0.0213	4.9866	
Current sink via or pad	(3.27, 2.06)	0.026	16	0.0213	4.9867	
Current sink via or pad	(3.35, 2.06)	0.026	1	0.0213	4.9867	
Current sink via or pad	(3.57, 3)	0.026	1	0.0213	4.987	
Current sink via or pad	(4.14, 2.06)	0.026	16	0.0213	4.987	
Current sink via or pad	(4.21, 2.06)	0.026	1	0.0213	4.987	
Current sink via or pad	(4.65, 2.06)	0.026	1	0.0213	4.9871	
Current sink via or pad	(4.57, 2.06)	0.026	16	0.0213	4.9871	
Current sink via or pad	(4.87, 3)	0.026	1	0.0213	4.9878	
Current sink via or pad	(3.88, 3.3)	0.021	1	0.0213	4.9872	
Current sink via or pad	(3.88, 3.23)	0.021	1	0.0213	4.9872	
Voltage source via or pad	(8.12, 4.14)	0.023	1	-0.4616	4.9995	
Voltage source via or pad	(8.12, 4.07)	0.023	1	-0.5386	4.9995	
Current sink via or pad	(3.54, 2.91)	0.019	1	0.0213	4.987	
Current sink via or pad	(3.51, 2.91)	0.019	1	0.0213	4.987	
Current sink via or pad	(4.83, 2.91)	0.019	1	0.0213	4.9877	
Current sink via or pad	(4.81, 2.91)	0.019	1	0.0213	4.9877	
Via	(4.76, 2.91)	0.015	1 - 7	-0.0147		-0.01
Via	(8.16, 4.01)	0.015	1 - 7	0.1623		0.07
Via	(8.16, 4.01)	0.015	7 - 16	0.0624		0.04
Via	(8.22, 4.01)	0.015	1 - 7	0.1042		0.04
Via	(8.22, 4.01)	0.015	7 - 16	0.0534		0.03
Via	(8.22, 3.95)	0.015	1 - 7	0.0607		0.03
Via	(8.22, 3.95)	0.015	7 - 16	0.0211		0.01

Via	(8.16, 3.95)	0.015	1 - 7	0.084		0.04
Via	(8.16, 3.95)	0.015	7 - 16	0.0235		0.01
Via	(8.1, 3.95)	0.015	1 - 7	0.1256		0.05
Via	(8.1, 3.95)	0.015	7 - 16	0.011		0.01
Via	(8.1, 3.89)	0.015	1 - 7	0.1478		0.06
Via	(8.1, 3.89)	0.015	7 - 16	-0.0645		-0.04
Via	(8.16, 3.89)	0.015	1 - 7	0.1284		0.05
Via	(8.16, 3.89)	0.015	7 - 16	-0.0512		-0.03
Via	(8.22, 3.89)	0.015	1 - 7	0.1233		0.05
Via	(8.22, 3.89)	0.015	7 - 16	-0.0558		-0.03
Via	(3.82, 3.33)	0.015	1 - 7	-0.0267		-0.01
Via	(3.82, 3.33)	0.015	7 - 16	0.011		0.01
Via	(3.82, 3.27)	0.015	1 - 7	-0.0213		-0.01
Via	(3.82, 3.27)	0.015	7 - 16	0.0082		0.01
Via	(3.82, 3.21)	0.015	1 - 7	-0.0159		-0.01
Via	(3.82, 3.21)	0.015	7 - 16	0.0021		0
Via	(3.57, 2.96)	0.015	1 - 7	-0.0512		-0.02
Via	(3.46, 3)	0.015	1 - 7	-0.034		-0.01
Via	(3.24, 2.11)	0.015	1 - 7	-0.0118		0
Via	(3.24, 2.11)	0.015	7 - 16	0.0196		0.01
Via	(3.38, 2.11)	0.015	1 - 7	-0.0456		-0.02
Via	(3.38, 2.11)	0.015	7 - 16	0.0365		0.02
Via	(3.31, 2.11)	0.015	1 - 7	-0.0278		-0.01
Via	(3.31, 2.11)	0.015	7 - 16	0.029		0.02
Via	(2.8, 2.11)	0.015	1 - 7	-0.0195		-0.01
Via	(2.8, 2.11)	0.015	7 - 16	0.0258		0.02
Via	(2.94, 2.11)	0.015	1 - 7	-0.0371		-0.02
Via	(2.94, 2.11)	0.015	7 - 16	0.0302		0.02
Via	(2.87, 2.11)	0.015	1 - 7	-0.0285		-0.01
Via	(2.87, 2.11)	0.015	7 - 16	0.0291		0.02
Via	(4.24, 2.11)	0.015	1 - 7	-0.0388		-0.02
Via	(4.24, 2.11)	0.015	7 - 16	0.0324		0.02
Via	(4.1, 2.11)	0.015	1 - 7	-0.0175		-0.01
Via	(4.1, 2.11)	0.015	7 - 16	0.0237		0.01
Via	(4.17, 2.11)	0.015	1 - 7	-0.0289		-0.01
Via	(4.17, 2.11)	0.015	7 - 16	0.029		0.02
Via	(4.54, 2.11)	0.015	1 - 7	-0.0111		0
Via	(4.54, 2.11)	0.015	7 - 16	0.0187		0.01
Via	(4.68, 2.11)	0.015	1 - 7	-0.044		-0.02
Via	(4.68, 2.11)	0.015	7 - 16	0.0365		0.02
Via	(4.61, 2.11)	0.015	1 - 7	-0.0301		-0.01
Via	(4.61, 2.11)	0.015	7 - 16	0.03		0.02
Via	(4.91, 3)	0.015	1 - 7	-0.0704		-0.03

1.4.12 5V_AVDD Voltage Drop Report

Item	Location(s), in	Diameter, in	Layer(s)	Current, [A]	Voltage, [V]	Voltage drop, [mV]
Pin C510.1	(8.46, 4.57)			0.0667	4.9986	
Pin C511.1	(8.46, 4.57)			0.0667	4.9985	
Pin C535.1	(1.68, 5.13)			0.0667	4.9807	
Pin C536.1	(1.68, 4.24)			0.0667	4.9784	
Pin C537.1	(1.76, 5.13)			0.0667	4.9807	
Pin C540.1	(1.76, 4.24)			0.0667	4.9784	
Pin C563.1	(1.68, 3.37)			0.0667	4.9781	
Pin C564.1	(1.76, 3.37)			0.0667	4.9781	
Pin L36.2	(8.5, 4.48)			-1.0001	4.999	
Pin L40.2	(1.69, 5.13)			0.0667	4.9807	
Pin L41.2	(1.69, 4.24)			0.0667	4.9784	
Pin L46.2	(1.69, 3.37)			0.0667	4.978	
Pin U78.17	(1.7, 5.72)			0.0667	4.9824	
Pin U81.17	(1.67, 4.14)			0.0667	4.9783	
Pin U82.17	(1.67, 5.03)			0.0667	4.9806	
Pin U83.17	(1.67, 3.27)			0.0667	4.9779	
Current sink via or pad	(1.67, 5.03)	0.011	1	0.0667	4.9806	
Current sink via or pad	(1.67, 3.27)	0.011	1	0.0667	4.9779	
Current sink via or pad	(1.67, 4.14)	0.011	1	0.0667	4.9783	
Current sink via or pad	(1.7, 5.72)	0.011	1	0.0667	4.9824	
Current sink via or pad	(1.69, 3.37)	0.026	1	0.0667	4.978	
Current sink via or pad	(1.69, 4.24)	0.026	1	0.0667	4.9784	
Current sink via or pad	(1.69, 5.13)	0.026	1	0.0667	4.9807	
Voltage source via or pad	(8.5, 4.48)	0.026	1	-1.0001	4.999	
Current sink via or pad	(1.76, 3.37)	0.026	16	0.0667	4.9781	
Current sink via or pad	(1.76, 4.24)	0.026	16	0.0667	4.9784	
Current sink via or pad	(1.76, 5.13)	0.026	16	0.0667	4.9807	
Current sink via or pad	(8.46, 4.57)	0.026	16	0.0667	4.9985	
Current sink via or pad	(1.68, 3.37)	0.026	16	0.0667	4.9781	
Current sink via or pad	(1.68, 4.24)	0.026	16	0.0667	4.9784	
Current sink	(1.68, 5.13)	0.026	16	0.0667	4.9807	

via or pad						
Current sink via or pad	(8.46, 4.57)	0.026	1	0.0667	4.9986	
Via	(1.79, 5.56)	0.015	10 - 12	0.2984		0.05
Via	(1.64, 5.57)	0.015	10 - 12	0.0338		0.01
Via	(1.72, 5.56)	0.015	10 - 12	0.1728		0.03
Via	(1.73, 3.32)	0.015	1 - 12	-0.0492		-0.04
Via	(1.73, 3.32)	0.015	12 - 16	0.0667		0.02
Via	(1.69, 3.32)	0.015	1 - 12	-0.0842		-0.07
Via	(1.69, 3.32)	0.015	12 - 16	0.0667		0.02
Via	(1.69, 5.08)	0.015	1 - 12	-0.0865		-0.07
Via	(1.69, 5.08)	0.015	12 - 16	0.0667		0.02
Via	(1.73, 5.08)	0.015	1 - 12	-0.0468		-0.04
Via	(1.73, 5.08)	0.015	12 - 16	0.0667		0.02
Via	(1.69, 4.2)	0.015	1 - 12	-0.0866		-0.07
Via	(1.69, 4.2)	0.015	12 - 16	0.0681		0.02
Via	(1.73, 4.2)	0.015	1 - 12	-0.0468		-0.04
Via	(1.73, 4.2)	0.015	12 - 16	0.0653		0.02
Via	(8.46, 4.48)	0.015	1 - 10	0.2851		0.18
Via	(8.46, 4.48)	0.015	10 - 16	0.1206		0.05
Via	(8.4, 4.48)	0.015	1 - 10	0.1522		0.1
Via	(8.4, 4.48)	0.015	10 - 16	0.0654		0.03
Via	(8.4, 4.54)	0.015	1 - 10	0.2638		0.17
Via	(8.4, 4.54)	0.015	10 - 16	-0.1126		-0.05
Via	(8.46, 4.54)	0.015	1 - 10	0.2323		0.15
Via	(8.46, 4.54)	0.015	10 - 16	-0.0067		0
Via	(1.72, 5.78)	0.015	1 - 10	-0.0667		-0.04
Via	(1.72, 5.78)	0.015	10 - 12	0.295		0.05

1.4.13 5V_DAC Voltage Drop Report

Item	Location(s), in	Diameter, in	Layer(s)	Current, [A]	Voltage, [V]	Voltage drop, [mV]
Pin C513.1	(8.57, 4.56)			0.1429	4.9987	
Pin L34.1	(8.22, 3.62)			0.1429	4.9922	
Pin L36.1	(8.57, 4.48)			0.1429	4.9988	
Pin L37.1	(8.29, 3.62)			0.1429	4.9922	
Pin L40.1	(1.69, 5.2)			0.1429	4.9827	
Pin L41.1	(1.69, 4.31)			0.1429	4.9832	
Pin L46.1	(1.69, 3.44)			0.1429	4.9842	
Pin U76.3	(8.57, 4.58)			-1	4.999	
Voltage source via or pad	(8.57, 4.58)	0.036	1	-1	4.999	
Current sink via or pad	(8.29, 3.62)	0.026	1	0.1429	4.9922	

Current sink via or pad	(1.69, 3.44)	0.026	1	0.1429	4.9842	
Current sink via or pad	(1.69, 4.31)	0.026	1	0.1429	4.9832	
Current sink via or pad	(1.69, 5.2)	0.026	1	0.1429	4.9827	
Current sink via or pad	(8.57, 4.48)	0.026	1	0.1429	4.9988	
Current sink via or pad	(8.22, 3.62)	0.026	1	0.1429	4.9922	
Current sink via or pad	(8.57, 4.56)	0.026	16	0.1429	4.9987	
Via	(1.7, 5.3)	0.015	1 - 14	-0.0421		-0.04
Via	(1.7, 5.3)	0.015	14 - 16	-0.0043		0
Via	(1.7, 5.35)	0.015	1 - 14	-0.0359		-0.03
Via	(1.7, 5.35)	0.015	14 - 16	0.0097		0
Via	(1.7, 5.25)	0.015	1 - 14	-0.0648		-0.06
Via	(1.7, 5.25)	0.015	14 - 16	-0.0054		0
Via	(8.34, 3.51)	0.015	1 - 3	-0.1337		-0.02
Via	(8.34, 3.51)	0.015	3 - 14	0.132		0.11
Via	(8.34, 3.51)	0.015	14 - 16	0.0054		0
Via	(8.34, 3.59)	0.015	1 - 3	-0.1781		-0.02
Via	(8.34, 3.59)	0.015	3 - 14	0.1025		0.08
Via	(8.34, 3.59)	0.015	14 - 16	0.0569		0.01
Via	(8.27, 3.51)	0.015	1 - 3	0.0129		0
Via	(8.27, 3.51)	0.015	3 - 14	0.0664		0.05
Via	(8.27, 3.51)	0.015	14 - 16	-0.0205		0
Via	(8.27, 3.59)	0.015	1 - 3	-0.0226		0
Via	(8.27, 3.59)	0.015	3 - 14	0.041		0.03
Via	(8.27, 3.59)	0.015	14 - 16	0.0188		0
Via	(8.19, 3.51)	0.015	1 - 3	0.0309		0
Via	(8.19, 3.51)	0.015	3 - 14	0.0548		0.04
Via	(8.19, 3.51)	0.015	14 - 16	-0.0455		-0.01
Via	(8.19, 3.59)	0.015	1 - 3	0.0049		0
Via	(8.19, 3.59)	0.015	3 - 14	0.0318		0.03
Via	(8.19, 3.59)	0.015	14 - 16	-0.0151		0
Via	(1.7, 3.54)	0.015	1 - 14	-0.0424		-0.04
Via	(1.7, 3.54)	0.015	14 - 16	-0.0033		0
Via	(1.7, 3.49)	0.015	1 - 14	-0.0647		-0.06
Via	(1.7, 3.49)	0.015	14 - 16	-0.0061		0
Via	(1.7, 3.59)	0.015	1 - 14	-0.0358		-0.03
Via	(1.7, 3.59)	0.015	14 - 16	0.0093		0
Via	(1.7, 4.41)	0.015	1 - 14	-0.0421		-0.04
Via	(1.7, 4.41)	0.015	14 - 16	-0.0045		0
Via	(1.7, 4.46)	0.015	1 - 14	-0.035		-0.03
Via	(1.7, 4.46)	0.015	14 - 16	0.0069		0
Via	(1.7, 4.36)	0.015	1 - 14	-0.0658		-0.06

Via	(1.7, 4.36)	0.015	14 - 16	-0.0025		0
Via	(8.67, 4.59)	0.015	1 - 3	0.1919		0.02
Via	(8.67, 4.59)	0.015	3 - 16	0.0278		0.03
Via	(8.67, 4.53)	0.015	1 - 3	0.1722		0.02
Via	(8.67, 4.53)	0.015	3 - 16	0.0157		0.01
Via	(8.61, 4.53)	0.015	1 - 3	0.2084		0.03
Via	(8.61, 4.53)	0.015	3 - 16	0.0762		0.07
Via	(8.67, 4.47)	0.015	1 - 3	0.1763		0.02
Via	(8.67, 4.47)	0.015	3 - 16	-0.0139		-0.01
Via	(8.61, 4.47)	0.015	1 - 3	0.1084		0.01
Via	(8.61, 4.47)	0.015	3 - 16	0.037		0.03

1.4.14 10V_DAC Voltage Drop Report

Item	**Location(s), in**	**Diameter, in**	**Layer(s)**	**Current, [A]**	**Voltage, [V]**	**Voltage drop, [mV]**
Pin C529.1	(8.1, 4.45)			0.3333	9.9986	
Pin C530.1	(8.1, 4.45)			0.3333	9.9983	
Pin L35.1	(8.19, 4.45)			0.3333	9.9985	
Pin U79.5	(8.11, 4.37)			-1	9.999	
Voltage source via or pad	(8.11, 4.37)	0.021	1	-1	9.999	
Current sink via or pad	(8.19, 4.45)	0.026	1	0.3333	9.9985	
Current sink via or pad	(8.1, 4.45)	0.035	1	0.3333	9.9986	
Current sink via or pad	(8.1, 4.45)	0.026	16	0.3333	9.9983	
Via	(8.08, 4.51)	0.015	1 - 16	0.0877		0.09
Via	(8.14, 4.51)	0.015	1 - 16	0.0763		0.08
Via	(8.2, 4.51)	0.015	1 - 16	0.0474		0.05
Via	(8.08, 4.57)	0.015	1 - 16	0.0456		0.05
Via	(8.2, 4.57)	0.015	1 - 16	0.0333		0.03
Via	(8.14, 4.57)	0.015	1 - 16	0.0431		0.05