

Version 2 is built. Connect the **accounts**.

This guide takes the Business AI Action Hub v2 from the zip to a live address: websites at **name.employz.ai**, the hub's own WhatsApp for owners, payments, and — for every Growth Mentorship owner — their own WhatsApp number, Employz.ai account and AI Telecaller. The app is built and tested (217 automated tests, a 23-step browser click-through and a screenshot sweep of every page on desktop and phone). Your job is to create the accounts, paste in the keys and run the go-live checks.

WHAT YOU DEPLOY

One Docker container on Railway with MongoDB Atlas behind it, plus one wildcard DNS record for

`*.employz.ai`

THE HUB'S ACCOUNTS

Atlas, Railway, an AI key, a speech key, AiSensy (the hub's number), MSG91 SMS, Razorpay

START THESE TODAY

SMS DLT (2–7 days), WhatsApp template approval (up to 48 h), Razorpay Subscriptions, the Employz.ai snapshot and an ElevenLabs phone line

WHAT CHANGED SINCE EDITION 1

The hub's number now messages **owners only** — four customer campaigns are retired. Websites move to `name.employz.ai`. Growth Mentorship owners connect their **own** AiSensy, Employz.ai and ElevenLabs accounts (pages DG-11 to DG-15). The admin manages every feature and plan from **Admin** → **Features & plans**. New variables: `SITES_DOMAIN`, `CONNECTIONS_KEY`, `AISENSY_OWNER_ALERT_CAMPAIGN` and a few limits.

DOCUMENT DEVELOPER GUIDE · EDITION 2


PRODUCT BUSINESS AI ACTION HUB · V2 · ALL SIX PLANS

DATE OCTOBER 2026

FILES ACTION-HUB-V2.ZIP · README.MD · DOCS/PHASES.MD · BACKEND/.ENV.EXAMPLE

Nine steps, in **this** order.

Steps 4, 5 and 6 wait on outside approvals, and step 8 needs the Employz.ai snapshot and a phone line for the voice agent — start those first.



#	STEP	YOU NEED	TIME
1	Atlas + Railway: database, deploy, the hub's domain	Atlas, Railway Pro, DNS access	45 min
2	Core variables , the AI key, a speech key, <code>CONNECTIONS_KEY</code>	Admin phone numbers	15 min
3	Websites at name.employz.ai: one wildcard record	DNS for employz.ai	20 min + certificate
4	The hub's WhatsApp (AiSensy): 4 templates, all to owners	A WhatsApp Business API number	1 h + Meta ≤ 48 h
5	MSG91 SMS backup for login codes	PAN/GST documents	1 h + DLT 2–7 days
6	Razorpay: keys, the ₹1,999 plan, the webhook	Activated account	45 min
7	Admin: features & plans, cohorts, member calls, recordings	An admin number	30 min
8	Per Growth owner: their AiSensy, Employz.ai, ElevenLabs	Their accounts or yours	≈ 2 h per owner
9	Go-live checks on the real setup	Two phones	1 h

Six plans, one hub, three rules.

Each plan includes everything below it. The admin can move, rename or switch off any feature without a deploy (DG-10).

PLAN	PRICE	RUNS	ADDS
Free	₹0	10	Website at name.employz.ai, Business Brain from a website / voice note / typed lines, Business AI Score, launch kit, AI Writer
Membership	₹1,999/month	150	The week (Monday plan, daily action, streak, Friday score), festival calendar, member call, cohort board, AI tools, Magic Number, Gaps scan
Action Program	₹10,000 once	300	Lead magnet at /guide, offer ladder, levers, portfolio, Football Field pipeline, leak finder, end goals, Send list with follow-ups and reviews
Running the Business	₹25,000 once	400	Employz.ai CRM starter, customers A/B/C, GST quotations and invoices, money owed, payment reminders, quote follow-ups, customer desk
Growth Mentorship	₹1,50,000 once	3,000	6 AI staff on the owner's own WhatsApp and Employz.ai, done-for-you setup over 6 months, Company Brain, campaigns, Control Room, Gym, team of 10
LegacyWorkforce	₹6,00,000 once	6,000	30 AI staff (6 per department, from 82 roles), the AI office, staff that act on their own, Tally/email/calendar, team of 25

1 · THE HUB'S NUMBER

Only ever messages owners: login codes, inquiry alerts, the digest, owner alerts. The software has no path from it to a customer.

2 · CUSTOMERS

Below ₹1.5L, messages wait in the Send list and the owner taps *Send on WhatsApp* (their own phone). From ₹1.5L they can go from the owner's own AiSensy number.

3 · MONEY WAITS

Reminders and quotations always wait for a person. Only LegacyWorkforce staff may act alone — never with money or a link.

WHERE IT LIVES

Defaults: `backend/app/plans.py` (79 features). The admin's changes: the `config` collection, applied within 5 seconds on every worker. Every feature: `docs/PHASES.md` and the *Feature list by plan* PDF.

Put the app and its data side by side.

Railway has no India region, so run both in Singapore. A database in Mumbai with the app in Singapore would add about 60 ms to every database call, and each screen makes several. Owners in India reach Singapore in about 60–80 ms, which feels instant.

1

MongoDB Atlas

1. Create a project. Choose **Build a cluster** → **M10 on AWS · Singapore (ap-southeast-1)**. The free M0 is fine for setup and testing. Upgrade to M10 before the workshop, because M0 caps operations per second.
2. **Database Access** → add a user with a long generated password and the role *Read and write to any database*.
3. **Network Access** → add `0.0.0.0/0`. Railway has no fixed outgoing IP on standard plans, so the strong password is the protection.
4. **Connect** → Drivers → Python → copy the `mongodb+srv://...` string. Put the password in it (URL-encode any `@ : / ?`). This is `MONGO_URL`.
5. On M10, turn on **Backup**. Collections and indexes are created automatically the first time the app starts.

2

Railway deploy

1. Unzip `Action-Hub.zip` and push it to a **private** GitHub repository.
2. Railway → **New Project** → **Deploy from GitHub repo**. Railway finds the `Dockerfile`, builds the React app, and starts the API on its `PORT`.
3. Service → **Settings**:
 - Region: **Southeast Asia (Singapore)**.
 - Healthcheck path: `/api/health`.
 - Replicas: **1**. The container runs 2 workers, which is enough for a room of several hundred. Set `WEB_CONCURRENCY` to change it. The automations' scheduler and the money-campaign sender run inside each worker; every job is claimed first, so nothing is sent twice.
 - Plan: **Pro**. The wildcard `*.employz.ai` (DG-05) and Growth owners' own domains are custom domains on this service; Pro allows 20 per service (Railway raises it on request).
4. **Networking** → **Custom Domain** → for example `hub.yourdomain.in`. Add the CNAME that Railway shows at your DNS provider. Railway issues the HTTPS certificate itself.
5. **Variables** → **Raw Editor** → paste `backend/.env.example` and fill it in (DG-04 to DG-09). Each save redeploys.

The app **refuses to start** in production without a 32+ character `JWT_SECRET` and an https `APP_URL`. If a deploy crashes at once, the log line says which one is missing.

The values that make it yours.

Paste these in Railway → Variables. The app refuses to start in production without a 32+ character `JWT_SECRET` and an `https` `APP_URL`.

```
APP_ENV=production
APP_URL=https://hub.yourdomain.in          # exact public address of the hub, no trailing slash
MONGO_URL=mongodb+srv://hub:PASSWORD@cluster0.xxxxx.mongodb.net/?retryWrites=true&w=majority
DB_NAME=action_hub
JWT_SECRET=...                            # 48 random characters (command below)
CONNECTIONS_KEY=...                       # a Fernet key (command below)
ADMIN_PHONES=+919XXXXXXXXX,+919XXXXXXXXX  # with +91, comma-separated
PROGRAM_NAME=Business AI Action Hub
SPEAKER_LINE=Akshat Dani · Chirag J.

# JWT_SECRET:      python3 -c "import secrets; print(secrets.token_urlsafe(48))"
# CONNECTIONS_KEY: python3 -c "from cryptography.fernet import Fernet;
print(Fernet.generate_key().decode())"
```

`CONNECTIONS_KEY` — SET IT ONCE, NEVER CHANGE IT

It encrypts every owner's API keys and tokens (AiSensy, Employz.ai, ElevenLabs, Tally...) in the database. Change it and every stored key becomes unreadable; owners' connections then show as not set. Left blank, the key is derived from `JWT_SECRET` — which ties the two together, so set it explicitly.

`JWT_SECRET` AND `ADMIN_PHONES`

Changing `JWT_SECRET` logs everyone out.
`ADMIN_PHONES` is checked on every admin request, so removing a number removes access at once.
 Development mode (codes on screen, demo connections) only works with
`APP_ENV=development` and a localhost `APP_URL` — never on Railway.

2

AI and speech

1. Anthropic Console → create a key, add credits, set a monthly cap.
`AI_PROVIDER=anthropic`, `ANTHROPIC_API_KEY=...`. Default model `claude-haiku-5-5`; `AI_MODEL` overrides it. Gemini or OpenAI work the same way (`AI_PROVIDER=gemini|openai`).
2. **Voice notes** need an `OPENAI_API_KEY` or a `GEMINI_API_KEY` whatever the provider (OpenAI is tried first). v2 uses voice in onboarding, the English polisher, quotations, the Sales Training Gym, SOPs and meetings — set one before the workshop.
3. Check the rate-limit tier: a room of 300 pressing *Read my website* together is a few hundred requests a minute. When the AI is busy the run is refunded and the owner retries.
4. `AI_COST_INR_PER_M_INPUT` / `_OUTPUT` only feed the cost estimate on Pulse.

One wildcard record, every website live.

Every owner's website lives at `yourname.employz.ai`. One DNS record covers all of them; nothing to do per owner.

3

Wildcard domain on Railway

1. Railway → the service → **Settings** → **Networking** → **Custom Domain** → add `*.employz.ai`.
2. Railway shows the DNS records for it — a **CNAME** for `*` pointing at the service, and the record it needs to issue the wildcard certificate (an `_acme-challenge` CNAME). Add exactly those at the DNS provider of `employz.ai`. If the zone is on Cloudflare, set both to **DNS only** (grey cloud).
3. Wait until Railway shows the certificate as issued (minutes to an hour). Then set `SITES_DOMAIN=employz.ai` and redeploy.
4. Open `https://<a demo owner>.employz.ai`: the website loads; `/card`, `/guide` (if published) and the inquiry form work on the same host.

HOW A REQUEST FINDS ITS WEBSITE

The app reads the host name.

`shree-ganesh.employz.ai/...` is served as that owner's website; the hub itself stays on `APP_URL`. Without `SITES_DOMAIN`, websites live at `APP_URL/s/<name>` — links already shared that way keep working.

NAMES NOBODY CAN TAKE

`app`, `www`, `api`, `admin`, `mail`, `crm`, `link`, `go`, `s`, `join...` (the full list is in `config.py`). Add the sub-domains Employz.ai itself uses (for example its white-label app address) to `RESERVED_SUBDOMAINS` if they differ — a specific DNS record always wins over the wildcard.

OWN DOMAINS (GROWTH MENTORSHIP AND UP)

Unchanged from edition 1: the owner asks on the Website page, you add the domain in Railway and paste Railway's CNAME and TXT into **Admin** → **Own domains**; the owner adds them and presses *Check now*; you mark it live once the certificate is issued.

BEFORE THE WORKSHOP

The wildcard certificate must be issued before owners start publishing. Owners' websites go live in the workshop room; a missing certificate shows browsers a warning on every one of them.

Four templates, all to owners.

Use a dedicated WhatsApp Business API number named *Business AI Action Hub*. For each template: create it in AiSensy and wait for Meta's approval → **Campaigns** → **Launch** → **API Campaign** → pick the template → **Live** → put the campaign's name in the variable shown. Then set `AISENSY_API_KEY`.

Login code

AUTHENTICATION

AISENSY_OTP_CAMPAIGN

SUGGESTED TEMPLATE BODY

{{1}} is your verification code. For your security, do not share this code.

[Copy code](#)

PARAMETERS, IN THIS ORDER

{{1}} = the 6-digit code, also sent as the button parameter (`AISENSY_OTP_BUTTON=true`).

Meta's fixed wording. Check the campaign's Test Campaign script: the button section must be `sub_type: url , index: 0` . No button → `AISENSY_OTP_BUTTON=false` .

New inquiry alert

UTILITY

AISENSY_LEAD_ALERT_CAMPAIGN

SUGGESTED TEMPLATE BODY

New inquiry for {{1}}
Name: {{2}}
Phone: {{3}}
Message: {{4}}

Reply from your Leads inbox in the Action Hub.

PARAMETERS, IN THIS ORDER

{{1}} business · {{2}} customer name · {{3}} customer phone · {{4}} their message (first 300 characters)

Every plan, free included. Line breaks and tabs are flattened and blanks become "-", because Meta rejects them in parameters.

The digest, the alerts, and what's retired.

Morning digest

UTILITY

AISENSY_DIGEST_CAMPAIGN

SUGGESTED TEMPLATE BODY

Good morning from your Action Hub, `{{1}}`.

`{{2}}`

Open the hub for details.

PARAMETERS, IN THIS ORDER

`{{1}}` business · `{{2}}` the day in one line (new leads, replies waiting, Send list, money overdue, tasks due)

Action Program and up, every day at 8:30am.

Owner alert

UTILITY

AISENSY_OWNER_ALERT_CAMPAIGN

SUGGESTED TEMPLATE BODY

Update for `{{1}}`:

`{{2}}`

Open the Action Hub to see it.

PARAMETERS, IN THIS ORDER

`{{1}}` business · `{{2}}` the alert (up to 900 characters)

One template for every other owner alert: *your week is ready* (Membership, Mondays 8am), *a WhatsApp chat needs you* and the *Monday CEO report* (Growth Mentorship).

RETIRED IN V2 — DELETE THESE VARIABLES AND PAUSE THE CAMPAIGNS

`AISENSY_LEAD_AUTOREPLY_CAMPAIGN`, `AISENSY_FOLLOWUP_CAMPAIGN`, `AISENSY_REVIEW_CAMPAIGN`, `AISENSY_REMINDER_CAMPAIGN`. They sent customer messages from the hub's number; v2 never does. Those messages now go from the owner's own WhatsApp — a tap below ₹1.5L, or the owner's own AiSensy number from ₹1.5L (DG-13).

Blank campaigns don't break anything: the alert still appears in the hub, and the automation's log says the WhatsApp template isn't set up.

A backup for login, and the hub's clock.

5

MSG91 SMS fallback

If WhatsApp is down or a number isn't on WhatsApp, the login code goes by SMS. On a DLT portal (Jio, Airtel, Vi...) register the company as a Principal Entity, a 6-letter header (e.g. BIZAIH) and a Service Implicit template such as *{#var#} is your Business AI Action Hub login code. It expires in 10 minutes. Do not share it.* (approval 2–7 days). In MSG91 add the DLT entity and header, create the OTP template with the same text and its DLT template id, then set `MSG91_AUTH_KEY` and `MSG91_OTP_TEMPLATE_ID` .

AUTOMATION	FROM	WHEN (INDIA TIME)
Your week	Membership	Mondays 8am — 7 posts and 3 actions, owner alert
Content calendar	Membership	25th of the month, 9am — next month's posts with festivals
Morning digest	Action Program	Every day 8:30am — to the owner
Follow-ups	Action Program	Day 1, 3, 7 after an inquiry, 10am–7pm (<code>FOLLOWUP_DAYS</code>) → Send list
Review requests	Action Program	2 days after Won → Send list
Payment reminders	Running	10am, every 3 days, at most 4 → Send list (money: always waits)
Quote follow-ups	Running	11am, day 2, 5 and 10 after sending → Send list (money)
Customer desk	Running	11:30am — reorders, occasions, referrals, quiet customers → Send list
Instant reply + AI chat	Growth	The moment a customer writes — from the owner's number
AI Telecaller	Growth	Minutes after an inquiry, in calling hours; re-calls Mondays 11am
CEO report · results	Growth	Mondays 9am · the 1st at 10am
Money campaigns	Growth	Every minute 10am–7pm, ≤ 200 a day per owner

Nothing to set up: a scheduler inside each worker wakes every minute and claims each job by a unique id before running it, so several workers never send twice. Owners switch each automation on or off on the Automations page; the admin can switch a whole feature off for everyone.

Members pay **inside** the hub.

Membership is a monthly subscription (UPI autopay or card). The four programs are one payment each. Razorpay is the record of truth: the hub checks every payment's signature and listens to Razorpay's webhook, so a closed browser tab never loses a payment.

6

- 1. Account.** Complete KYC so the account is activated, and ask Razorpay support to switch on **Subscriptions** (with UPI Autopay) if it isn't in your menu. Under **Account & Settings** → **Payment capture**, keep **automatic capture** on.
- 2. Plan. Subscriptions** → **Plans** → **Create plan**: name *Action Hub Membership*, billing every **1 month**, amount **₹1,999**. Copy the `plan_...` id into `RAZORPAY_PLAN_ID_LITE`. The programs need no plan; the hub creates an order for each purchase.
- 3. Keys. Account & Settings** → **API keys** → **Generate key** → `RAZORPAY_KEY_ID` (`rzp_live_...`) and `RAZORPAY_KEY_SECRET`.
- 4. Webhook. Account & Settings** → **Webhooks** → **Add new webhook**:
 - URL: `https://hub.yourdomain.in/api/razorpay/webhook` (your `APP_URL` + `/api/razorpay/webhook`)
 - Secret: a long random string → `RAZORPAY_WEBHOOK_SECRET`
 - Events: `payment.captured` , `order.paid` , every `subscription.*` event, `refund.processed`
- 5. Test first.** Do steps 2–4 in **Test mode** (`rzp_test_...` keys, a test plan, a test-mode webhook), buy Membership and a program with Razorpay's test card or UPI, refund one, then repeat with live keys before the workshop.

WHAT THE HUB DOES

- Buying again extends a program; a higher plan never lowers anything already paid for.
- Membership cancelled → it runs to the end of the paid month, then stops. A failed renewal keeps Membership while Razorpay retries.
- A refund from the Razorpay dashboard removes that access at once. A full refund of a Membership charge also cancels the subscription.
- Without keys: test payments on a laptop; *Talk to us* (or your `UPGRADE_URL_*` links) on a real deployment.

REFERRAL COMMISSIONS

- 30% of a referred owner's payments for 12 months (`REFERRAL_COMMISSION_PERCENT` , `REFERRAL_COMMISSION_MONTHS`).
- Held 7 days for refunds (`COMMISSION_HOLD_DAYS`), then **Admin** → **Referral commissions** → **Approve**.
- Pay the owner's UPI ID (they add it on *Invite & earn*), then **Mark paid** with the UTR. The owner gets a note.
- A refund voids an unpaid commission and flags a paid one for clawback.

Every feature, every plan, from the admin.

Changes apply to every worker within 5 seconds, without a deploy.

FEATURES & PLANS

Plan board: drag a feature to another plan; switch it off for everyone; choose whether a locked page shows as a teaser; rename it and edit its description (owners see the new words in the menu, on locked pages and on Plans). Home, Business Brain and Plans can't be moved or switched off.

MENU ORDER · PLANS · GRANTS · CHANGE LOG

Drag pages within and between menu groups. Edit each plan's name, short name, price, AI runs, team size and access days (a Membership price change needs a new Razorpay plan id). Give one owner a feature for N days. Every change is logged with **Undo**.

WORKSHOP COHORTS

Pulse → Workshop cohorts → code, name, date → **Copy join link** (APP_URL/join?c=CODE) → make it a QR for the slide. Owners who join through it share a cohort board.

MEMBER CALLS

Admin → Member calls → title, date and time (India), join link, lowest plan invited. Owners on that plan and up get a notice, send up to 3 questions each, and you see them grouped by business.

Your business
BUSINESS AI ACTION HUB

ADMIN
PULSE
FEATURES & PLANS
MEMBER CALLS
RECORDINGS
START
HOME
THIS WEEK
SEND LIST
YOUR SETUP
CONTROL ROOM
TASKS
LEARN
RECORDINGS
MEMBER CALL
STRUCTURE
BUSINESS BRAIN

ADMIN · MEMBER CALLS

The monthly member call.

Schedule the call, tell every invited owner, and read their questions by business before you go live.

SCHEDULE A CALL

TITLE
October member call: getting paid c

DATE
mm/dd/yyyy

TIME (INDIA TIME)
07:00 PM

WHO'S INVITED
Membership and up

JOIN LINK (OPTIONAL)
https://zoom.us/j/...

Owners on this plan and every plan above it. Zoom, Google Meet or any link. Owners see it on their Member call page.

NOTES FOR OWNERS (OPTIONAL)
What the call covers, and what to bring.

Admin → Member calls: schedule the call, then read every owner's questions before it.

Recordings are unchanged from edition 1: upload to Vimeo (hidden, embeddable only on the hub's domain) or YouTube unlisted, paste the link in Admin → Recordings, choose who can watch.

Six months, ten steps, done for them.

Growth Mentorship is done-for-you. The owner's AI staff work on the owner's own accounts; the team connects them here.

MONTH	STEP (TICKED IN ADMIN → THE OWNER → SETUP)	HOW
1	Employz.ai sub-account from the snapshot: Football Field pipeline, team users, calendar	DG-14
1	Own domain with the multi-page website	DG-05 · Admin → Own domains
1	The owner's WhatsApp number on AiSensy, 6 templates approved	DG-13
1	Company Brain: price list, catalogue, FAQs, past quotations	Hub → Company Brain
1	Old customer list imported, cleaned, sorted A/B/C	Hub → Customers → Import
2	Sales Executive live: AI replies on WhatsApp 24×7	needs the WhatsApp connection
3	Telecaller live: ElevenLabs agent calling new leads	DG-15
4	Marketing Executive: the month's calendar loaded into Employz.ai's social planner	Hub → Content calendar
5	Accounts and Customer Care: reminders, reviews, reorders from the owner's number	Hub → Send list rules
6	Team on PACE: roles, meetings, tasks; Chief of Staff	Hub → Team, Meetings

WHERE YOU DO IT

Admin → Pulse → the owner → Owner page: plan, extra features, the setup ticks (the owner gets a notice for each), and **Connections** — the same forms the owner sees, filled in by the team. Secret fields are never shown again after saving; an empty secret keeps the saved one.

WHAT "LIVE" MEANS

The Sales Executive counts as working only when the owner's WhatsApp connection is ready, and the Telecaller only when the voice connection is. The setup ticks record your progress; they never make a staff member look live without the connection.

Every owner's setup on **one** screen.

6-MONTH SETUP

4 of 10 done · started 8 Oct 2026

MONTH 1

☒ Employz.ai account: CRM, Football Field pipeline, team users and calendar

Done 8 Oct 2026

Done on the onboarding call

☐ Your own domain, with the multi-page website

Note for the owner (optional)

☒ Your WhatsApp number connected (AiSensy), templates approved

Done 8 Oct 2026

Done on the onboarding call

☒ Company Brain loaded: price list, catalogue, FAQs, past quotations

Admin → the owner → 6-month setup: tick a step with a note; the owner gets a notice and sees it on Your setup.

CONNECTIONS

WhatsApp (AiSensy), Employz.ai and the AI Telecaller, set up by the team for this owner. Keys and passwords are never shown again after saving.

WhatsApp — your own number +

SAVED · NOT TESTED

Employz.ai CRM –

NOT SET UP

SUB-ACCOUNT (LOCATION) ID

PRIVATE INTEGRATION TOKEN

PIPELINE ID

STAGE ID: IDENTIFICATION

Employz.ai → Settings → Business profile → Location ID

Employz.ai → Settings → Private integrations (contacts + opportunities)

Admin → the owner → Connections: the same forms the owner sees. Saved keys show only as saved; each connection has Save and Test.

CONNECTIONS, PER OWNER

WhatsApp (AiSensy or Meta), Employz.ai, AI Telecaller (ElevenLabs), and at LegacyWorkforce Tally, email and calendar. Each has **Save**, **Test** and its own **webhook address** with a copy button — paste that address into the other service.

TEST BUTTONS

WhatsApp: sends the instant-reply template to the owner's own number. Employz.ai: lists the pipelines it can see. ElevenLabs: reads the agent's name. A failed test says what to fix.

Their number, their templates.

Growth Mentorship and up. Everything below ₹1.5L works without this — owners tap Send on WhatsApp.

In the owner's AiSensy account (their WhatsApp Business API number): create six templates, launch each as an **API campaign**, then paste the **campaign names** and the **API key** into the owner's WhatsApp connection. Body text is a suggestion; the parameter order is fixed.

FIELD	USED FOR	PARAMETERS, IN ORDER
<code>tpl_instant</code>	First reply to a new website inquiry (Utility)	{{1}} customer name · {{2}} business
<code>tpl_followup</code>	Follow-ups, quote follow-ups, AI office messages	{{1}} name · {{2}} business · {{3}} the approved message
<code>tpl_reminder</code>	Payment reminders (Utility)	{{1}} name · {{2}} business · {{3}} amount · {{4}} due date · {{5}} how to pay
<code>tpl_review</code>	Review requests	{{1}} name · {{2}} business · {{3}} review link
<code>tpl_customer</code>	Customer desk: reorders, greetings, referrals, check-ins	{{1}} name · {{2}} business · {{3}} the message
<code>tpl_campaign</code>	Money campaigns (Marketing)	{{1}} name · {{2}} business · {{3}} the campaign message

TWO-WAY CHAT (THE SALES EXECUTIVE)

Free-form replies inside WhatsApp's 24-hour window use AiSensy's **project API**: paste the **project id** and **project API password** (header `X-AiSensy-Project-API-Pwd`, base `AISENSY_PROJECT_API_BASE`). Outside the window the hub automatically uses the matching template instead.

INCOMING MESSAGES

Copy the connection's webhook address (`.../api/hooks/whatsapp/<token>`) into AiSensy's webhook for incoming messages. The hub reads Meta's message format (and a flat `phone, name, text` shape), de-duplicates retries and replies within seconds.

META CLOUD API INSTEAD

Provider **meta**: phone number id, a permanent system-user access token, the app secret (signatures are then checked) and the template language. The same webhook address doubles as Meta's verify token.

LIMITS THAT PROTECT THE NUMBER

200 instant replies a day, 20 AI replies per chat per day (`AI_REPLIES_PER_CHAT_PER_DAY`), campaigns 10am–7pm and 200 a day (`CAMPAIGN_DAILY_CAP`). Unhappy customers and buyers are handed to a person, with an owner alert.

A sub-account, a pipeline, one token.

a

Once, in the agency: the **snapshot**

1. Build one sub-account the way every owner should start: a pipeline named **Football Field** with five stages — *Identification · Logic / reason · Pain / consequence · Solution / vision · Ask / close* — the booking calendar, and a workflow **Opportunity stage changed / status changed** → **Webhook** (URL filled per owner).
2. Save it as a **snapshot**. Running the Business owners get the CRM starter (their account + sync); Growth owners get the full setup.

b

Per owner

1. Create the owner's sub-account from the snapshot. Copy its **Location ID** (Settings → Business profile).
2. Settings → **Private Integrations** → create a token with scopes `contacts.write`, `contacts.readonly`, `opportunities.write`, `opportunities.readonly`.
3. Copy the **pipeline id** and the **five stage ids** (Opportunities → Pipelines; or `GET /opportunities/pipelines?locationId=...` with the token).
4. Admin → the owner → Connections → **Employz.ai CRM**: location id, token, pipeline id, stage ids and the link that opens their account → Save → **Test**.
5. Paste the connection's webhook address into the sub-account's workflow webhook action. Send `opportunity_id`, `pipeline_stage_id`, `status`, `monetary_value` and the contact's `phone` in the body.

WHAT THE HUB DOES

Every new lead → `POST /contacts/upsert` then `POST /opportunities/` in the Identification stage (header `Version: 2021-07-28`, Bearer token). Moving a lead on the hub's Football Field → `PUT /opportunities/{id}`. Won or lost in Employz.ai → the webhook moves it in the hub (and a won lead becomes a customer). Failures are kept on the lead; **Sync now** on the CRM page retries them.

An agent, a phone line, a signed webhook.

a

The agent

1. ElevenLabs → Conversational AI → create the owner's agent from the telecalling script (the hub's *Telecalling script* tool writes it, including a version for a voice agent).
2. Use the dynamic variables the hub sends with every call: `{{lead_name}}` , `{{business_name}}` , `{{inquiry}}` , `{{lead_id}}` — for example *"Hello {{lead_name}}, this is {{business_name}}. You asked about {{inquiry}}..."*. Turn on analysis so a call summary and success result are produced.

b

The phone line

1. Phone numbers → import a **Twilio** number, or connect a **SIP trunk** from an Indian telephony provider (better for calling Indian mobiles). Assign it to the agent.
2. Copy the **agent id** and the **phone number id**; create an **API key**.

c

Connect and verify

1. Admin → the owner → Connections → **AI Telecaller**: API key, agent id, phone number id, line (twilio or sip), calling hours (e.g. `10-19`) → Save → Test.
2. ElevenLabs → webhooks → add a **post-call transcription** webhook with the connection's address (`.../api/hooks/voice/<token>`); paste the secret it shows into the connection's *webhook secret*. The hub checks the `ElevenLabs-Signature` (HMAC-SHA256 of `timestamp.body`) and refuses anything unsigned or older than 30 minutes.

WHAT HAPPENS

A new inquiry → a call a few minutes later, inside calling hours (`POST /v1/convai/twilio/outbound-call` or `/sip-trunk/outbound-call`). After the call the summary is written on the lead, a new lead becomes *contacted*, and the call is scored in the Sales Training Gym. Mondays 11am: re-calls leads that went quiet for 30 days. At most `CALLS_PER_OWNER_PER_DAY` (60) calls a day; won or lost leads are never called.

Ready when every box is ticked.

- ☐ `/api/health` returns `{"ok":true}` ; the tests pass once against Atlas: `cd backend && MONGO_URL=... pytest -q` (own throwaway database).
- ☐ A demo owner's website opens at `https://name.employz.ai` with a valid certificate; `/card` and the inquiry form work there.
- ☐ Login code on WhatsApp within 10 seconds; SMS backup works with `AISENSY_OTP_CAMPAIGN` blanked.
- ☐ Onboarding: read a real website, a Hindi voice note and typed Gujarati — each fills the Business Brain draft.
- ☐ An inquiry from a second phone reaches the owner as a WhatsApp alert — and nothing at all goes to the customer from the hub's number.
- ☐ Membership: *Plan my week*, mark today done, Friday check-in; the content calendar writes festival posts.
- ☐ Action Program: a follow-up appears in the Send list and *Send on WhatsApp* opens the owner's own WhatsApp with the text typed.
- ☐ Running: a GST quotation (CGST+SGST and IGST) prints to PDF; *Make invoice* adds it to Money owed; the lead is won.
- ☐ Growth test owner: WhatsApp connection **Test** sends to the owner's phone; a message from a third phone gets an AI reply from the owner's number; *I want to book a visit* hands over with an owner alert.
- ☐ Employz.ai Test lists the Football Field pipeline; a new inquiry appears in it; moving it to *Won* there marks it won in the hub.
- ☐ ElevenLabs: a test inquiry is called inside calling hours; the post-call webhook writes the summary on the lead.
- ☐ Payments in test mode: Membership, a program, cancel, refund; then live keys, one real purchase, refund it.
- ☐ Admin: move a feature, see it locked for a test owner, undo it.

WORKSHOP DAY

Atlas on M10, not M0 · AI credits topped up and the rate-limit tier checked · the wildcard certificate issued ·
`OTP_PER_IP_PER_HOUR` high enough for one shared Wi-Fi (default 1,500) · the cohort QR on the slide · one admin phone in the room.

What only the real accounts can prove.

The code is tested against fake versions of every outside service. These depend on the live accounts, so check them once.

CONFIRM	HOW
AiSensy OTP button	The login campaign's Test Campaign script shows the same button structure the hub sends; else <code>AISENSY_OTP_BUTTON=false</code> .
AiSensy incoming webhook	Where the owner's AiSensy account forwards incoming messages, and that the body is Meta's format (or <code>phone/name/text</code>). One test message shows it in WhatsApp chats.
AiSensy project API	The base URL and that free-form replies are accepted with the project id and password (<code>AISENSY_PROJECT_API_BASE</code>).
Employz.ai scopes	The private integration token can upsert contacts and create/update opportunities in that location; Test lists pipelines.
ElevenLabs endpoints	Outbound calls work for the chosen line (Twilio or SIP) and the post-call webhook delivers with a signature; a test call proves both.
Railway wildcard	The certificate covers <code>*.employz.ai</code> ; sub-domains Employz.ai itself uses have their own DNS records (they win over the wildcard).
Template categories	Meta: login = Authentication; inquiry alert, digest, owner alert = Utility; owners' instant reply, reminder, customer = Utility; campaign = Marketing.
Razorpay	The webhook answers 200; the ₹1,999 plan is monthly and in the same mode as the keys.
AI model and proxy	<code>claude-haiku-5-5</code> works on your key; <code>TRUSTED_PROXY_HOPS=1</code> for Railway alone, 2 behind Cloudflare.

ALREADY TESTED AGAINST FAKE SERVERS

AI engines and speech; the hub's AiSensy and MSG91; owners' AiSensy campaign and project APIs and Meta's Cloud API (request shapes, 24-hour window, signatures); GoHighLevel contacts and opportunities (headers, bodies, failures and retries); ElevenLabs outbound calls and webhook signatures; Razorpay orders, subscriptions and webhooks; reading websites, including refusing private addresses and redirects into them.

If something goes wrong.

YOU SEE	LOOK AT
A website shows a certificate warning	The wildcard certificate isn't issued yet, or the <code>_acme-challenge</code> record is missing or proxied (Cloudflare: DNS only).
A website shows the hub instead of the owner's site	<code>SITES_DOMAIN</code> isn't set, or the name is in <code>RESERVED_SUBDOMAINS</code> .
"We couldn't read that website"	The address is private, not http(s), on an odd port, or the site is down. The owner can use voice or typing instead.
Owner says the AI didn't reply on WhatsApp	WhatsApp chats: the chat may need a person (handed over), the AI may be switched off, or the daily cap reached. Connections → Test.
Owner's connection shows not connected after a deploy	<code>CONNECTIONS_KEY</code> (or, if blank, <code>JWT_SECRET</code>) changed. Restore the old value; keys can't be recovered otherwise.
Leads not reaching Employz.ai	CRM page → the error on the lead (e.g. <code>contact 401</code> = token or scope). Fix, then Sync now .
No call after an inquiry	Outside calling hours (the call waits), daily limit, or the voice connection isn't ready. Staff page → AI Telecaller's recent calls.
Post-call webhook refused (401)	The webhook secret in the connection doesn't match ElevenLabs', or the server clock is off by more than 30 minutes.
"The AI is busy right now"	The engine refused (rate limit, credits). The run is refunded; the owner retries.
A feature vanished for everyone	Admin → Features & plans → Change log → Undo.

Nothing an owner did is lost: leads are saved before alerts go out, refused AI runs are refunded, payments are recorded from Razorpay's webhook, and every outside call is logged with what went wrong. Edition 1's list (login codes, room Wi-Fi limits, Razorpay) still applies.

The full settings list.

VARIABLE	PURPOSE	DEFAULT
APP_ENV APP_URL	production / development (localhost only) / test · public https address of the hub	production · required
MONGO_URL DB_NAME	Atlas connection string and database	— · action_hub
JWT_SECRET	Signs login sessions; 32+ characters	required
CONNECTIONS_KEY	Encrypts owners' API keys at rest (Fernet key)	derived from JWT_SECRET
ADMIN_PHONES	Admin numbers with +91, comma-separated	none
SITES_DOMAIN RESERVED_SUBDOMAINS	Websites at name.SITES_DOMAIN · names nobody may take	— · built-in list
AI_PROVIDER AI_MODEL *_API_KEY	anthropic / gemini / openai / mock; OpenAI or Gemini key for voice	mock
AISENSY_API_KEY	The hub's AiSensy account	—
AISENSY_OTP_CAMPAIGN _OTP_BUTTON	Login code campaign · send the code as the button parameter	— · true
AISENSY_LEAD_ALERT_CAMPAIGN	Inquiry alert to the owner	—
AISENSY_DIGEST_CAMPAIGN	Morning digest to the owner	—
AISENSY_OWNER_ALERT_CAMPAIGN	Week ready, chat needs you, CEO report	—
MSG91_AUTH_KEY MSG91_OTP_TEMPLATE_ID	SMS fallback for login codes	—
RAZORPAY_KEY_ID RAZORPAY_KEY_SECRET RAZORPAY_PLAN_ID_LITE RAZORPAY_WEBHOOK_SECRET	Payments; the ₹1,999 monthly plan; webhook secret	—

The same list, with comments, is `backend/.env.example` . Retired in v2: `AISENSY_LEAD_AUTOREPLY_CAMPAIGN` , `AISENSY_FOLLOWUP_CAMPAIGN` , `AISENSY_REVIEW_CAMPAIGN` , `AISENSY_REMINDER_CAMPAIGN` .

The full settings list.

VARIABLE	PURPOSE	DEFAULT
<code>AISENSY_PROJECT_API_BASE</code>	Owners' two-way chat replies	<code>https://apis.aisensy.com/project-apis/v1</code>
<code>WHATSAPP_GRAPH_BASE</code>	Owners on Meta's Cloud API	<code>https://graph.facebook.com/v21.0</code>
<code>EMPLOYZ_API_BASE</code> <code>EMPLOYZ_APP_URL</code>	GoHighLevel API v2 · default "Open Employz.ai" link	<code>services.leadconnectorhq.com</code> · —
<code>ELEVENLABS_API_BASE</code>	ElevenLabs API	<code>https://api.elevenlabs.io</code>
<code>CAMPAIGN_DAILY_CAP</code>	Campaign messages per owner per day	200
<code>AI_REPLIES_PER_CHAT_PER_DAY</code>	AI replies per WhatsApp chat per day	20
<code>CALLS_PER_OWNER_PER_DAY</code>	AI Telecaller calls per owner per day	60
<code>FOLLOWUP_DAYS</code> <code>REVIEW_REQUEST_DELAY_DAYS</code>	Follow-up days · days after Won	1,3,7 · 2
<code>PAYMENT_REMINDER_GAP_DAYS</code>	Days between reminders (4 at most)	3
<code>ACCESS_DAYS_PROGRAM_RUNNING_GROWTH_OFFICE</code>	Days each one-time plan lasts	365 · 365 · 180 · 365
<code>RUN_SCHEDULER</code>	Automations inside the web workers	true
<code>CUSTOM_DOMAIN_TARGET</code>	Blank on Railway (records per own domain)	—
<code>REFERRAL_*</code> <code>COMMISSION_HOLD_DAYS</code>	Friend trial and rewards, 30% commission, refund hold (edition 1)	as edition 1 · 7
<code>OTP_PER_IP_PER_HOUR</code> <code>INQUIRIES_PER_SITE_PER_HOUR</code> <code>TRUSTED_PROXY_HOPS</code>	Room Wi-Fi limit · inquiries per website · proxies in front	1500 · 120 · 1

The same list, with comments, is `backend/.env.example` . Retired in v2: `AISENSY_LEAD_AUTOREPLY_CAMPAIGN` , `AISENSY_FOLLOWUP_CAMPAIGN` , `AISENSY_REVIEW_CAMPAIGN` , `AISENSY_REMINDER_CAMPAIGN` .