



```
In [3]: import pandas as pd
        import matplotlib.pyplot as plt
        import seaborn as sns
        import os
        from sklearn.model_selection import train_test_split
        from sklearn.linear_model import LogisticRegression
        from sklearn.ensemble import RandomForestClassifier
        from sklearn.metrics import (
            confusion_matrix,
            classification_report,
            precision_recall_curve,
            accuracy score,
            f1_score
        # Load Dataset (Titanic)
        df = sns.load_dataset('titanic')
        # Preprocess
        df = df[['sex', 'age', 'fare', 'survived']].dropna()
        df['sex'] = df['sex'].map({'male': 0, 'female': 1})
        X = df[['sex', 'age', 'fare']]
        y = df['survived']
        X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.2, random_
        # Train Logistic Regression Model
        lr = LogisticRegression()
        lr.fit(X_train, y_train)
        y_pred_lr = lr.predict(X_test)
        # Train Random Forest Model
        rf = RandomForestClassifier()
        rf.fit(X train, y train)
        y_pred_rf = rf.predict(X_test)
        # Create Results Directory
        if not os.path.exists('results'):
            os.makedirs('results')
        # Confusion Matrix for Logistic Regression
        cm_lr = confusion_matrix(y_test, y_pred_lr)
        plt.figure(figsize=(6, 4))
        sns.heatmap(cm_lr, annot=True, fmt='d', cmap='Blues')
        plt.title('Confusion Matrix - Logistic Regression')
        plt.xlabel('Predicted')
        plt.ylabel('Actual')
        plt.savefig('results/confusion matrix lr.png')
        plt.show()
        # Confusion Matrix for Random Forest
        cm_rf = confusion_matrix(y_test, y_pred_rf)
        plt.figure(figsize=(6, 4))
        sns.heatmap(cm_rf, annot=True, fmt='d', cmap='Greens')
        plt.title('Confusion Matrix - Random Forest')
        plt.xlabel('Predicted')
        plt.ylabel('Actual')
```

```
plt.savefig('results/confusion_matrix_rf.png')
plt.show()
# Precision-Recall Curve for Logistic Regression
y_scores_lr = lr.predict_proba(X_test)[:, 1]
precision_lr, recall_lr, _ = precision_recall_curve(y_test, y_scores_lr)
plt.figure(figsize=(6, 4))
plt.plot(recall_lr, precision_lr, label='Logistic Regression')
plt.xlabel('Recall')
plt.ylabel('Precision')
plt.title('Precision-Recall Curve')
plt.legend()
plt.savefig('results/precision_recall_curve_lr.png')
plt.show()
# Precision-Recall Curve for Random Forest
y_scores_rf = rf.predict_proba(X_test)[:, 1]
precision_rf, recall_rf, _ = precision_recall_curve(y_test, y_scores_rf)
plt.figure(figsize=(6, 4))
plt.plot(recall_rf, precision_rf, label='Random Forest', color='green')
plt.xlabel('Recall')
plt.ylabel('Precision')
plt.title('Precision-Recall Curve')
plt.legend()
plt.savefig('results/precision_recall_curve_rf.png')
plt.show()
# Model Comparison - Print Classification Reports
print("Logistic Regression Report:\n", classification_report(y_test, y_pred_lr))
print("\nRandom Forest Report:\n", classification_report(y_test, y_pred_rf))
# Calculate Accuracy and F1-Score
accuracy_lr = accuracy_score(y_test, y_pred_lr)
accuracy_rf = accuracy_score(y_test, y_pred_rf)
f1_lr = f1_score(y_test, y_pred_lr)
f1 rf = f1 score(y test, y pred rf)
print(f"Logistic Regression - Accuracy: {accuracy_lr:.4f}, F1-Score: {f1_lr:.4f}
print(f"Random Forest - Accuracy: {accuracy_rf:.4f}, F1-Score: {f1_rf:.4f}")
# Decide and Print Better Model
if f1 rf > f1 lr:
   print("\n → (model 2)Random Forest is better because it has a higher F1-Scor
elif f1 rf < f1 lr:</pre>
   print("\n → (model 1)Logistic Regression is better because it has a higher N
else:
    print("\n → Both models perform similarly based on F1-Score.")
```









Logistic Regre	ession Report	•		
	precision	recall	f1-score	support
0	0.79	0.79	0.79	87
1	0.68	0.68	0.68	56
accuracy			0.75	143
macro avg	0.74	0.74	0.74	143
weighted avg	0.75	0.75	0.75	143
Random Forest	Report:			
	precision	recall	f1-score	support
0	0.78	0.79	0.78	87
1	0.67	0.64	0.65	56
accuracy			0.73	143
macro avg	0.72	0.72	0.72	143
weighted avg	0.73	0.73	0.73	143

Logistic Regression - Accuracy: 0.7483, F1-Score: 0.6786 Random Forest - Accuracy: 0.7343, F1-Score: 0.6545

⁽model 1)Logistic Regression is better because it has a higher F1-Score, meaning it balances precision and recall more effectively.