Lab 7-10 Programs

```
CREATE DATABASE IF NOT EXISTS DBMS_LAB;
USE DBMS_LAB;

DROP TABLE IF EXISTS employee;
DROP TABLE IF EXISTS department;


CREATE TABLE department (
   dept_id INT PRIMARY KEY,
   dept_name  VARCHAR(50),
   location VARCHAR(50)
);

CREATE TABLE employee (
   emp_id INT PRIMARY KEY,
   emp_name VARCHAR(50),
   salary DECIMAL(10,2),
   dept_id INT
);
INSERT INTO department VALUES
(10, 'HR', 'Bangalore'),
(20, 'IT', 'Chennai'),
(30, 'Finance', 'Mumbai'),
(40, 'Marketing', 'Delhi');

INSERT INTO employee VALUES
(101, 'Shreyas', 35000, 10),
(102, 'Yashas', 42000, 20),
(103, 'Charan', 28000, 20),
(104, 'Deepak', 50000, 30),
(105, 'Karthik', 32000, NULL);

SELECT * FROM department;

SELECT * FROM employee;
```



```
CREATE DATABASE IF NOT EXISTS DBMS_LAB;
USE DBMS_LAB;

DROP TABLE IF EXISTS employee;
DROP TABLE IF EXISTS department;

CREATE TABLE department (
    dept_id INT PRIMARY KEY,
    dept_name VARCHAR(50),
    location VARCHAR(50)
);


CREATE TABLE employee (
    emp_id INT PRIMARY KEY,
    emp_name VARCHAR(50),
    salary DECIMAL(10,2),
    dept_id INT
```

Result Grid — Filter Rows:


emp_id	emp_name	salary	dept_id
101	Shreyas	35000.00	10
102	Yashas	42000.00	20
103	Charan	28000.00	20
104	Deepak	50000.00	30
105	Karthik	32000.00	NULL

department 52 | employee 53


```
SELECT
    employee.emp_id,
    employee.emp_name,
    employee.salary,
    department.dept_name,
    department.location
FROM employee
INNER JOIN department
ON employee.dept_id = department.dept_id;
```




```
SELECT
   employee.emp_id,
   employee.emp_name,
   employee.salary,
   employee.dept_id,
   department.dept_name,
   department.location
FROM employee
LEFT OUTER JOIN department
ON employee.dept_id = department.dept_id;
```





```
SELECT
   employee.emp_id,
   employee.emp_name,
   employee.salary,
   department.dept_id,
   department.dept_name,
   department.location
FROM employee
RIGHT OUTER JOIN department
ON employee.dept_id = department.dept_id;
```




```
SELECT *
FROM employee
NATURAL JOIN department;
SELECT
   employee.emp_name,
   employee.salary,
   department.dept_name
FROM employee
INNER JOIN department
ON employee.dept_id = department.dept_id
WHERE employee.salary > 30000;
```



dept_id	emp_id	emp_name	salary	dept_name	location
10	101	Shreyas	35000.00	HR	Bangalore
20	102	Yashas	42000.00	IT	Chennai
20	103	Charan	28000.00	IT	Chennai
30	104	Deepak	50000.00	Finance	Mumbai



emp_name	salary	dept_name
Shreyas	35000.00	HR
Yashas	42000.00	IT
Deepak	50000.00	Finance

department 66 | employee 67 | Result 68 | Result 69 | Result 70 | Result 71