AI LOG ANALYZER / ON-DEVICE

LogSense

What went wrong at 3 AM?

Drop in a log. Find the root cause. Keep the data on your device.

THE NIGHT-SHIFT PROBLEM

INCIDENT INTELLIGENCE, NOT INCIDENT DATA.

Ayushman Sharma	Priyanshu kumar Jha
Mohd Shadab Ali	Tanishq goyal
Vashu Kushwaha	Shreyas Gondkar

TEAM / TBD

EVENT / TBD

TRACK / TBD

Logs are loud.
Root causes are quiet.

INCIDENT FRAGMENT / SAMPLE LINES

```
[2024-01-15 03:14:22] ERROR [db-pool] Connection pool
exhausted
[2024-01-15 03:14:23] FATAL [order-service]
OutOfMemoryError: Java heap space
```

Which line started it all?

01 VOLUME

Thousands of lines, often spread across multiple services.

02 NOISE

Repeated INFO and DEBUG messages can bury the first real failure.

03 EXPOSURE

Logs may contain sensitive details; cloud upload raises concerns.

Today's options don't fit every moment.

Full observability has its place. LogSense focuses on fast, single-file triage when a developer needs a clear lead without setup or log upload.

DIMENSION	MANUAL GREP	OBSERVABILITY PLATFORM	CLOUD LOG ANALYSIS	LOGSENSE
SETUP	Command-line tools	Agents / setup	Service setup varies	Open and analyze
LOG PATH	Stays local	Platform-dependent	Uploaded for analysis	Parsed in browser
DIAGNOSIS	Manual inspection	Broad observability	Cloud-assisted	Rule-based root cause
BEST FIT	Targeted searches	Ongoing operations	Cloud workflows	Private quick triage
COST MODEL	Tooling varies	Budget / plan varies	Service varies	Free, no signup

Three steps.
One clearer next move.

01

BRING THE LOG

Paste text or choose a .log, .txt, or .json file.

PASTE · DROP FILE

SAMPLE CRASH LOG

CLIPBOARD · LARGE DEMO

02

FIND THE SIGNAL

Parse each line. Score severity and content. Group repeated patterns.

RULE-BASED ENGINE

PROCESSES IN YOUR BROWSER

03

READ THE CAUSE

Review the anchor line, earlier warnings, backward trace, and diagnosis.

ROOT CAUSE · EVIDENCE

REPORT · SEARCHABLE LOGS

The failure, explained.

INCIDENT ANALYSIS › SAMPLE EXCERPT | MEASURED PARSE TIME · CAPTURE LIVE | ANALYZED LOCALLY

LINES / SEVERITY / SERVICES	ROOT CAUSE	WARNINGS	SUMMARY
Shown after analysis	**Anchor line**	**Signals before crash**	**Rule-based · local**

SUPPLIED SAMPLE LOG · TWO OBSERVED EVENTS

Connection pool exhausted → Java heap space

```
03:14:22 · ERROR [db-pool] Connection pool exhausted
03:14:23 · FATAL [order-service] OutOfMemoryError: Java heap space
```

The excerpt establishes sequence, not causality. Use the running analyzer to verify its diagnosis and anchor line.

THE SHORT VERSION · LOCAL


The app generates a plain-English summary with its on-device rule-based engine.

BEFORE THE CRASH

Warnings from the analyzed log appear here; this two-line excerpt contains no earlier warning.

See exactly how it unfolded.

40-BUCKET EVENT DENSITY · ILLUSTRATIVE DATA



LOW DENSITY

Illustrative shape only; not real output

← Backward trace connects signals leading toward the anchor failure.

FULL PICTURE / SEARCHABLE LOGS

The log explorer

Search messages, services, and line numbers. Filter by severity or service, or switch to signal-only.

```
⌘K SEARCH [MESSAGE / SERVICE / LINE]
FATAL · ERROR · WARN · INFO · DEBUG
SERVICE ▾    SIGNAL ONLY □
```

Expandable raw context · highlighted matches · root-cause marker · 300-line window with “Load 300 more”.

Service impact — top five services, expandable. Replace this panel with a verified screenshot for live output.

Built to think like an on-call engineer.

THE CLIENT-SIDE ANALYSIS PIPELINE

01 / Parse

Line · time · severity · service · message

02 / Score

Severity and content keywords separate signal from noise

03 / Find anchor

First significant failure + matched patterns

04 / Trace back

Related signals and warnings before failure

05 / Profile

40 buckets · event density · degradation point

06 / Diagnose

What happened · why · copyable report

07 / Explore

Charts, filters, search, line context

08 / Display

React dashboard and log explorer

Input → analysis → results stay on the user's device.

POSTGRESQL / DRIZZLE
HEALTH CHECK ONLY
NO LOGS · NO USER DATA

Your logs never leave your device.

THE PROCESSING BOUNDARY

Parse. Analyze. Display.

YOUR BROWSER → RESULTS ON DEVICE

OUTSIDE THE LOG DATA PATH

Servers / cloud

NO ACCOUNT

NO LOG UPLOAD

NO CLOUD PROCESSING

The database connection is used only for a health-check endpoint; it stores no logs or user data.

A cinematic interface. A focused debugging flow.

DESIGN THAT STAYS OUT OF THE WAY.

Particle scene morphs with scroll; scans show live line progress. Effects serve the incident story, not the other way around.

WEBGL
Three.js particles + bloom.

MOTION
GSAP reveals · Lenis scroll.

ACCESSIBLE
Reduced-motion support.

PERFORMANCE
Low-power fallback; pause when tab is hidden.

Next.js 16 App Router	**React 19** Dashboard UI	**TypeScript** Analysis engine
Three.js Shaders + bloom	**GSAP** ScrollTrigger	**Lenis** Smooth scrolling
Tailwind 4 Custom CSS	**Drizzle** Health-check only	**PostgreSQL** No log or user-data storage

ENGINEERING NOTES
Custom log parser + heuristic root-cause engine
Windowed explorer: 300 lines at a time; 10,000-line demo

Live demo.

THE FIVE-MOVE WALKTHROUGH

01 Open LogSense. Point out: no account, no setup.

02 Choose “Sample crash log”; click “Analyze now.”

03 Show the root cause and use “Jump to line.”

04 Walk the trace, density chart, service impact, explorer.

05 Load the 10,000-line demo; capture actual “Found in” time.

QR CODE TO BE ADDED

DEMO URL: TBD

DEMO · TBD
REPO · TBD

BACKUP RECORDING · TBD
Offline sample log · local build if available

Hard problems, solved. More to build.

ENGINEERING LEARNINGS / NOW

Glow vs. readability

Tuned bloom thresholds and additive blending so the interface stays legible.

Animations vs. React StrictMode

Clean up split-text animation so it doesn't duplicate content.

Large logs vs. responsive UI

Windowed 300-line rendering and debounced search keep the explorer light.

First failure, not loudest error

Heuristic scoring aims to identify the earliest significant failure event.

ROADMAP / PLANNED

NEXT

Local summaries + formats

PLANNED

Optional local LLM summaries; Docker, Kubernetes, nginx/Apache, syslog, JSON-lines, and cloud log formats.

THEN

Connect related signals

PLANNED

Multi-file correlation; redaction and shareable redacted reports.

LATER

Meet developers in their flow

PLANNED

CLI, VS Code extension, CI/CD analysis, alerting, local history, opt-in team workspaces.

LIMITS TODAY · Heuristic, not LLM · Unusual formats may reduce accuracy · Single-file only · Real-world source testing: TBD

The people behind the signal.

Ayushman Sharma
2392608038
Role · TBD

Priyanshu kumar Jha
2392608096
Role · TBD

Mohd Shadab Ali
2392608147
Role · TBD

Tanishq goyal
2392608040
Role · TBD

Vashu Kushwaha
2392608059
Role · TBD

Shreyas Gondkar
2392608194
Role · TBD

THE 3 AM QUESTION

Stop scrolling. Start fixing.

DEMO / TBD

GITHUB / TBD

CONTACT / TBD

QUESTIONS?