PROPERTY	DESCRIPTION
<u>align-content</u>	Aligns items in a flex container along flex lines.
<u>align-items</u>	Aligns evenly spaced items in a flex container.
<u>align-self</u>	Aligns an item inside a flex container.
all	Resets all element properties to its default or inherited values.
<u>animation</u>	Creates an animating element.
animation-delay	Sets a delay before an animation begins.
animation-direction	Sets how, in which direction, an animation is played.
animation-duration	Defines the duration of an animation cycle.
animation-fill-mode	Defines how styles are applied before and after animation.
animation-iteration- count	Sets the number of times an animation is played.
animation-name	Defines a name for the animation.
animation-play-state	Sets the animation play state to running or paused.
<u>animation-timing-</u> <u>function</u>	Specifies the animation speed curve.
backface-visibility	Shows or hides the backface visibility of an element.
background	Sets the background of an element.
<u>background-attachment</u>	Defines how the background is attached to an element.
<u>background-blend-mode</u>	Defines the background layer blending mode.
<u>background-clip</u>	Defines how background extends beyond the element.
background-color	Sets the background color of the element.
<u>background-image</u>	Specifies a background image for an element.
<u>background-origin</u>	Specifies the background image origin position.
background-position	Sets the position of a background image.
background-repeat	Specifies how the background image is repeated.
background-size	Sets the size of the background image.
<u>border</u>	Specifies a border for an element
border-bottom	Specifies a bottom border for an element.
border-bottom-color	Sets the color of a bottom border .
border-bottom-left- radius	Sets the border radius of the bottom left corner.
<u>border-bottom-right-</u> <u>radius</u>	Sets the border radius of the bottom right corner
border-bottom-style	Sets the style of the bottom border.

<u>border-radius</u>	Sets the radius of the border.
<u>border-right</u>	Sets the right border of the element.
border-right-color	Sets the color of the right border.
border-right-style	Sets the style of the right border.
border-right-width	Sets the width of the right border.
border-spacing	Sets the adjacent table cell distance.
border-style	Defines the style of the border
border-top	Sets the top border of the element.
border-top-color	Sets the color of the top border.
border-top-left-radius	Sets the border radius of the top left corner.
border-top-right-radius	Sets the border radius of the top right corner.
border-top-style	Sets the style of the top border.
border-top-width	Sets the width of the top border.
border-width	Sets the border width of the element.
bottom	Positions the element from the bottom of the relative container.
box-shadow	Adds a shadow effect to an element.
<u>box-sizing</u>	Sets how element height and width are calculated.
<u>caption-side</u>	Defines on which side of the table a caption is placed.
<u>caret-color</u>	Sets the color of the blinking mouse caret.
@charset	Specifies the character encoding of the stylesheet.
<u>clear</u>	Sets the element side that does not allow floating elements.
clip	Sets how an image is cropped or clipped inside a container.
<u>clip-path</u>	Clips an element inside a specific shape or SVG.
color	Specifies the color of text in an element.
<u>column-count</u>	Divides an element into the specified number of columns.
column-fill	Specifies how divided columns are filled.
<u>column-gap</u>	Specifies the space between divided columns.
<u>column-rule</u>	Sets the style, width, and color of a column divider.
column-rule-color	Sets the color of a column divider.
column-rule-style	Sets the style of a column divider.
column-rule-width	Sets the width of a column divider.
<u>column-span</u>	Sets number of divided columns an element should span.
<u>column-width</u>	Specifies the width of a divided column.

<u>flex-grow</u>	Specifies how a flex item can grow inside the container.
<u>flex-shrink</u>	Specifies how a flex item can shrink inside the container.
flex-wrap	Specifies how flexible items wrap inside the container.
float	Sets how an element is positioned relative to other elements.
font	Sets font family, variant, weight, height, and size for an element.
@font-face	Embeds a custom font inside a web page
font-family	Sets the font family for an element.
<u>font-kerning</u>	Sets the spacing between the font's characters.
<u>font-size</u>	Sets the size of the font for an element.
font-size-adjust	Specifies a fall-back font size.
<u>font-stretch</u>	Sets the text characters to a wider or narrower variant.
<u>font-style</u>	Set the font style to normal, italic, or oblique.
<u>font-variant</u>	Specifies that text is displayed in a small-caps font.
<u>font-weight</u>	Sets the weight or thickness of the font.
g <u>rid</u>	Defines a grid layout with responsive rows and columns.
g <u>rid-area</u>	Sets the size and location of grid items in a grid container.
grid-auto-columns	Specifies the size of the columns in a grid container.
grid-auto-flow	Specifies the initial placement of items in a grid container.
grid-auto-rows	Specifies the initial size of the items in a grid container.
grid-column	Specifies the size and location of a grid item in a grid container.
grid-column-end	Specifies in which column-line the grid item will end.
<u>grid-column-gap</u>	Specifies the gap size between columns in a grid container.
g <u>rid-column-start</u>	Specifies in which column line the grid item will start.
g <u>rid-gap</u>	Specifies the gap size between grid rows and columns.
g <u>rid-row</u>	Specifies the grid item size and location in a grid container.
grid-row-end	Specifies in which row-line the grid item will end.
<u>grid-row-gap</u>	Specifies the gap size between rows in a grid container.
grid-row-start	Specifies in which row line the grid item will start
<u>grid-template</u>	Divides a page into sections with a size, position, and layer.
grid-template-areas	Specifies area in a grid container.
grid-template-columns	Sets the number and width of columns in a grid container.
grid-template-rows	Sets the number and height of rows in a grid container.
<u>height</u>	Sets the height of an element.

margin-left	Sets the left margin (outside spacing) for an element.
margin-right	Sets the right margin (outside spacing) for an element.
margin-top	Sets the top margin (outside spacing) for an element.
max-height	Sets the maximumn height for an element.
max-width	Sets the maximum width for an element.
@media	Applies media queries to a page.
<u>min-height</u>	Sets the minimum height for an element.
min-width	Sets the minimum width for an element.
object-fit	Specifies how an image or video fits inside a container.
object-position	Specifies the image or video position inside a container.
<u>opacity</u>	Sets the opacity (transparency) of the element.
order	Specifies the order of an item in a flex container.
<u>outline</u>	Adds an outline (highlighted border) to an element.
outline-color	Sets the color of an outline.
<u>outline-offset</u>	Sets the space between the outline and border.
outline-style	Sets the style of an outline.
<u>outline-width</u>	Sets the width of an outline.
<u>overflow</u>	Specifies the flow of content that exceeds the container.
<u>overflow-x</u>	Specifies the flow of content that exceeds the container width.
<u>overflow-y</u>	Specifies the flow of content that exceeds the container height.
<u>padding</u>	Sets the spacing between content and element border.
<u>padding-bottom</u>	Sets the spacing between content and bottom element border.
<u>padding-left</u>	Sets the spacing between content and left element border.
<u>padding-right</u>	Sets the spacing between content and right element border.
<u>padding-top</u>	Sets the spacing between content and top element border.
page-break-after	Adds a print page-break after an element.
<u>page-break-before</u>	Adds a print page-break before an element.
<u>page-break-inside</u>	Specifies if print page-break is allowed inside an element.
<u>perspective</u>	Adds perspective to a 3D-positioned element.
perspective-origin	Sets the origin of the perspective for a 3D-positioned element.
<u>pointer-events</u>	Specifies whether element reacts to pointer events or not.
position	Sets the element's positioning method.
<u>quotes</u>	Defines the quotation marks to be used on text.

text-transform	Defines text capitalization or casing.
<u>top</u>	Positions the element from the top of the relative container
transform	Applies a 2D or 3D transformation to an element.
<u>transform-origin</u>	Sets the origin for the transformation of the element.
<u>transform-style</u>	Specifies the display behavior of 3D space nested elements.
<u>transition</u>	Creates transitions from one property value to another.
<u>transition-delay</u>	Creates a delay before the transition effect starts.
transition-duration	Specifies the time the transition will take.
transition-property	Specifies the CSS property that will transition.
<u>transition-timing-</u> <u>function</u>	Defines the speed curve function of the transition.
<u>user-select</u>	Specifies how text can be selected (highlighted)
vertical-align	Specifies vertical alignment of an element.
visibility	Specifies the visibility of an element.
white-space	Specifies how white-space is handled inside an element.
<u>width</u>	Sets the width of an element.
word-break	Specifies how line breaks take place.
word-spacing	Sets the spacing between words.
word-wrap	Specifies how long words can be wrapped.
writing-mode	Sets the text reading orientation: top to bottom, etc.
<u>z-index</u>	Sets the vertical stacking order relative to other elements.