



Product Catalogue

P&O INTERNATIONAL PVT. LTD

Adapter



4A01-M-S /
4A01-M-T



4A01-M-C



4A01-M-A

4-Prongs Adapter (Male)

Code	Material	Weight	Load
4A01-M-C	S.steel	95g	125kg
4A01-M-S	S.steel	95g	125kg
4A01-M-T	Titanium	55g	125kg
4A01-M-A	Aliminium	63g	125kg



4A01-F-S

4-Prongs Adapter (Female)

Code	Material	Weight	Load
4A01-F-S	S.steel	106g	125kg



4A01-FR-S

4-Prongs Rotatable Adapter (Female)

Code	Material	Weight	Load
4A01-FR-S	S.steel	153g	125kg



4A01-MR-S

4-Prongs Rotatable Adapter (Male)

Code	Material	Weight	Load
4A01-MR-S	S.steel	160g	125kg



4A01-D

4-Prongs Adapter

Code	Material	Weight	Load
4A01-D	S.steel	95g	125kg

Adapter



4A03-FR-S /
4A03-FR-T

3-Prongs Rotatable Adapter (Female)

Code	Material	Weight	Load
4A03-FR-S	S.steel(conncetor) S.steel(3-prongs)	204g	125kg
4A03-FR-T	Titanium(conncetor) S.steel(3-prongs)	173g	125kg



4A03-MR-S /
4A03-MR-T

3-Prongs Rotatable Adapter (Male)

Code	Material	Weight	Load
4A03-MR-S	S.steel(conncetor) S.steel(4-prongs)	224g	125kg
4A03-MR-T	Titanium(conncetor) S.steel(4-prongs)	196g	125kg



A-T-S

3- Prongs Adapter

Code	Material	Weight	Load
A-T-S	S.steel	124g	125kg

Male Adapter



A-MA-S
A-MA-T

Female Adapter



A-FA-S
A-FA-T

Male Adapter / Female Adapter

Code	Material	Weight	Load
A-MA-S	S.steel	115g	125kg
A-MA-T	Titanium	72g	125kg
A-FA-S	S.steel	77g	125kg
A-FA-T	Titanium	49g	125kg



4A03-F



4A03-M

4-Holes Socket Adapter(Female) 4-Holes Socket Adapter(Male)

Code	Material	Weight	Load
4A03-F	S.steel	86g	125kg
4A03-M	S.steel	88g	125kg

Adapter



4A04-FR-S



4A04-MR-S

Rotatable Socket Adapter (Square / Female) Rotatable Socket Adapter (Square / Male)

Code	Material	Weight	Load
4A04-FR-S	S.steel	148g	125kg
4A04-MR-S	S.steel	142g	125kg



4A05-F-S /
4A05-F-T

Tube Clamp Adapter (Female)

Code	Material	Weight	Load
4A05-F-S	S.steel	125g	125kg
4A05-F-T	Titanium	75g	125kg



4A05-M-S /
4A05-M-T

Tube Clamp Adapter (Male)

Code	Material	Weight	Load
4A05-M-S	S.steel	111g	125kg
4A05-M-T	Titanium	60g	125kg



Angle Tube Clamp Adapter (Female)

Code	Material	Weight	Load
4A05-FA-S	S.steel	135g	125kg
4A05-FA-T	Titanium	90g	125kg



Sliding Tube Clamp Adapter(Female) Sliding Adapter(Female)

Code	Material	Weight	Load
4A05-FT-S	S.steel	300g	125kg
4A06-FT-S	S.steel	325g	125kg



Ajustable Length Adapter(Female)

Code	Material	Weight	Load
4A06-FA-S	S.steel	238g	125kg

The height could be adjusted from 60mm to 75mm



BK Socket Adapter

Code	Material	Weight	Load
4A07-S	S.steel	214g	125kg



4A07-M-S

BK Socket Adapter

Code	Material	Weight	Load
4A07-M-S	S.steel	175g	125kg



4A08-S

AK Socket Adapter

Code	Material	Weight	Load
4A08-S	S.steel	234g	125kg



4A08-M-S

AK Socket Adapter

Code	Material	Weight	Load
4A08-M-S	S.steel	233g	125kg



4A09

Socket Attachment Block

Code	Material	Weight	Load
4A09	PU	300g	125kg

Adapter



Double Tube Adapter

Code	Material	Weight	Load
4A12-S-32	S.steel	156g	125kg
4A12-S-45	S.steel	164g	125kg
4A12-S-60	S.steel	177g	125kg
4A12-S-75	S.steel	188g	125kg
4A12-A-32	Aluminium	100g	125kg
4A12-A-45	Aluminium	120g	125kg
4A12-A-60	Aluminium	142g	125kg
4A12-A-75	Aluminium	161g	125kg



Double Adapter With Pyramid

Code	Material	Weight	Load
4A13-S-32	S.steel	121g	125kg
4A13-S-45	S.steel	160g	125kg
4A13-S-60	S.steel	182g	125kg
4A13-S-75	S.steel	203g	125kg
4A13-A-45	Aluminium	108g	125kg
4A13-A-60	Aluminium	129g	125kg
4A13-A-75	Aluminium	138g	125kg



Rotation Adapter

Code	Material	Weight	Load
CLA	S.steel	256g	125kg

Adapter



420MM Tube (Aluminium) With Adapter

Code	Material	Weight	Load
4A17-420-S	S.steel (adapter)	310g	125kg
4A17-420-T	Titanium (adapter)	265g	125kg
4A17-420-A	Aluminum (adapter)	279g	125kg



220MM Tube (Aluminium) With Adapter

Code	Material	Weight	Load
4A17-220-S	S.steel (adapter)	220g	125kg
4A17-220-T	Titanium (adapter)	160g	125kg
4A17-220-A	Aluminum (adapter)	178g	125kg



320mm Tube (Aluminium) With Angle Adapter

Code	Material	Weight	Load
4A19-320-S	S.steel (adapter)	268g	125kg
4A19-320-T	Titanium (adapter)	223g	125kg

Lock



LL-01

Shuttle Lock (Male)

Code	Material	Weight	Load
LL-01	Aluminium	345g	125kg



LL-03

Shuttle Lock (Male)

Code	Material	Weight	Load
LL-03	Aluminium	395g	125kg



LL-02

Shuttle Lock (Female)

Code	Material	Weight	Load
LL-02	Aluminium	351g	125kg



LL-04

Built-In Shuttle Lock

Code	Material	Weight	Load
LL-04	Aluminium	193g	125kg



48mm 58mm 68mm 78mm

Lock Pin

Code	Material	Weight	Length
LL-A-48	S.steel	16g	48MM
LL-A-58	S.steel	19g	58MM
LL-A-68	S.steel	21g	68MM
LL-A-78	S.steel	24g	78MM

Ankle Joint



Sach Foot Adapter

Code	Material	Weight	Load
2A01-S	S.steel	110g	125kg
2A01-T	Titanium	70g	125kg
2A01-A	Aluminium	100g	125kg



Single Axis Foot Adapter

Code	Material	Weight	Load
2A02-S	S.steel	283g(S) 293g(L)	125kg
2A02-T	Titanium	185g(S) 190g(L)	125kg
Size S:21-25 Size L:26-27			



Sach Foot

Code	Material	Weight	Size
1F01	Polyurethane	480g(25)	15-30
Load :15(50kg) 16(55kg) 17(60kg) 18(70kg) 18(80kg) 20-30(100kg)			



Syme Foot

Code	Material	Weight	Load
1F01-01	Polyurethane	370g(25)	100kg
Size:21-27			



Single Axis Dynamic Foot

Code	Material	Weight	Load
1F02	Polyurethane	380g (25)	100kg
Size:21-27			



Carbon Fiber Foot Shell

Code	Material	Weight	Load
1F04	Polyurethane	225g(25)	125kg
Size:22-27			



Storage Energy Sach Foot

Code	Material	Weight	Load
1F06	Polyurethane	617g(25)	100kg
SIZE :21-28			



Low Ankle Carbon Fiber Foot

Code	Material	Weight	Load
1F05-01-T	Titanium Adapter	340g(25)	125kg
1F05-01-A	Aluminium Adapter	340g(26)	125kg
SIZE:22-27 Height :6.5cm			



Low Ankle Carbon Foot

Code	Material	Weight	Load
1F05-01L-S	S.steel Adapter	270g(24)	125kg
1F05-01L-T	Aluminium Adapter	210g(24)	125kg
SIZE:22-27 Height :6cm			



PRO1-KL-1



LARA Carbon Foot

Code	Material	Weight	Load
PRO1-KL-1	S.steel Adapter	510g(24)	150KG
SIZE:22-27 Height :8cm			



PRO1-KL-1



ASYA Carbon Foot

Code	Material	Weight	Load
PRO1-KL-1	S.steel Adapter	520g(24)	125kg
SIZE:22-27 Height :8cm			



1F05-03-T



High Ankle Carbon Foot

Code	Material	Weight	Load
1F05-03-T	Titanium Adapter	454g(25)	125kg
SIZE:22-27 Height:17cm			



Chopart Carbon Foot

Code	Material	Weight	Load
1F05-05	Carbon Fiber	96g(24)	125kg
SIZE:22-27			



Syme Carbon Foot

Code	Material	Weight	Load
1F05-06	Titanium Adapter	186g(24)	125kg
SIZE:22-27 Height:4cm			



Children Low Ankle Carbon Foot

Code	Material	Weight	Load
C1F05-01-T	Aluminium Adapter	185g(21)	45kg
SIZE:15-21 Height :4.5cm			



C1F05-01-T

Knee Joint



3K02-S-KD

4 Bar Mechanical Knee Joint (for knee disarticulation)

Code	Material	Weight	Load
3K02-S-KD	S.steel	960g	100kg
3K02-T-KD	Titanium	630G	100kg



3K02-S-KD-C

4 Bar Mechanical Knee Joint With Manual Lock (for knee disarticulation)

Code	Material	Weight	Load
3K02-S-KD-C	S.steel	947g	100kg
3K02-T-KD-C	Titanium	665g	100kg



3K05-S

Single Axis Knee Joint With Manual Lock

Code	Material	Weight	Load
3K05-S	S.steel	600g	100kg
3K05-T	Titanium	390g	100kg



3K06-S

Single Axis Knee Joint With Self-Lock

Code	Material	Weight	Load
3K06-S	S.steel	520g	100kg
3K06-T	Titanium	465g	100kg

Knee Joint



3K01-01-S

3K01-01-T

4 Bar Mechanical Knee Joint

Code	Material	Weight	Load
3K01-01-S	S.steel	665g	100kg
3K01-01-T	Titanium	470g	100kg



3K01-02-S

4 Bar Mechanical Knee Joint

Code	Material	Weight	Load
3K01-02-S	S.steel	690g	100kg



3K01-03-A

4 Bar Mechanical Knee Joint

Code	Material	Weight	Load
3K01-03-A	Aluminium	563g	100kg



3K01-03-A-KD

4 Bar Mechanical Knee Joint (for knee disarticulation)

Code	Material	Weight	Load
3K01-03-A-KD	Aluminium	731g	100kg



3K01-03-A-C

4 Bar Mechanical Knee Joint With Manual Lock (for knee disarticulation)

Code	Material	Weight	Load
3K01-03-A-C	Aluminium	564g	100kg

Knee Joint



4 Bar Pneumatic Knee Joint 4 Bar Pneumatic Knee Joint (for KD)

Code	Material	Weight	Load
3K03-A	Aluminium	790g	100kg
3K03-A-KD	Aluminium	830g	100kg



4 Bar Pneumatic Knee Joint

Code	Material	Weight	Load
3K04-A	Aluminium	820g	100kg
3K04-A-KD	Aluminium	860g	100kg



Five Bar Linkage Pneumatic Knee Joint with Geometric Lock

Code	Material	Weight	Load
3K08-A	Aluminium	845g	100kg
3K08-A-KD	Aluminium	895g	100kg
3K08-A-S	Aluminium	835g	100kg



Double Hydraulic Knee Joint

Code	Material	Weight	Load
C100	Aluminium	867g	100kg
C100-KD	Aluminium	905g	100kg



Single Axis Knee Joint With Adjustable Constant Friction

Code	Material	Weight	Load
3K07-S	S.steel	538g	100kg



Child Knee Joint / With Lock System

Code	Material	Weight	Load
KK-D200	Aluminium	558 g	136 Kg
KK-T200	Titanium	372 g	136 Kg

Hip Joint



7H01-S

Four Bar Hip Joint

Code	Material	Weight	Load
7H01-S	S.steel	980g	100kg



7H01-A

Four Bar Hip Joint

Code	Material	Weight	Load
7H01-A	Aluminium	480g	100kg



7H02-S

Single Axis Hip Joint

Code	Material	Weight	Load
7H02-S	S.steel	860g	100kg

Kids Series



Four Bar Knee Joint For Children
Four Bar Broken Knee Joint For Children

Code	Material	Weight	Load
C3K01-A	Aluminium	372g	55kg
C3K01-A-KD	Aluminium	368g	55kg



Four Bar Knee Joint For Children
Four Bar Manual Lock Knee Joint For Children

Code	Material	Weight	Load
C3K01-02	Aluminium	320g	55kg
C3K01-02-KD	Aluminium	320g	55kg
C3K01-02-C	Aluminium	387g	55kg
C3K01-02-C-KD	Aluminium	387g	55kg



Children Four Bar Hip Join

Code	Material	Weight	Load
C7H01-A	Aluminium	386	55kg



160mm Tube (Aluminium) With Adapter
310mm Tube (Aluminium) With Adapter

Code	Material	Weight	Load
C4A17-160-S	AL+S.steel	112g	45kg
C4A17-310-S	AL+S.steel	170g	45kg



Shuttle Lock For Children

Code	Material	Weight	Load
CLL-01	Aluminium	706g	55kg

Kids Series



C4A01-M-S

C4A01-F-S

C4A01-FR-S



C4A05-M-S

C4A05-F-S

C4A01-FA-S



C2A01-S

C4A03-F-S

C4A03-M-S



C4A08-S



COR=13(SS)



Children 4-Prongs Adapter With pyramid
Children 4-Prongs Female Adapter
Children 4-Prongs Rotatable Adapter

Code	Material	Weight	Load
C4A01-M-S	S.steel	55g	45kg
C4A01-F-S	S.steel	53g	45kg
C4A01-FR-S	S.steel	85g	45kg

Tube Clamp Adapter With Pyramid
Children Tube Clamp Adapter
Children Angle Tube Adapter (10°)

Code	Material	Weight	Load
C4A05-M-S	S.steel	74g	45kg
C4A05-F-S	S.steel	40g	45kg
C4A01-FA-S	S.steel	77g	45kg

Children Sach Foot Adapter
Children Adjustable Socket Adapter
Children 4-Holes Adapter With Pyramid

Code	Material	Weight	Load
C2A01-S	S.steel	56g	45kg
C4A03-F-S	S.steel	53g	45kg
C4A03-M-S	S.steel	59g	45kg

Children AK Thermoplastic Cavity Adapter

Code	Material	Weight	Load
C4A08-S	S.steel	130g	45kg

Children Integrated Knee Hinge With Ring-Lock


Code	Material	Weight	Load
COR=13(SS)	S.steel	300g	55kg
4mm*13mm*470mm			

Orhotic Knee Joint



Knee Hinge With Spring-Lock


Code	Size	Material	Weight
O04=19(SS)	4mm*17mm*850mm	S.steel bar	1100g
O04=19(AL)	6mm*19mm*850mm	S.steel bar	696g



OA-A Ankle Joint(Adult)
OA-C Ankle Joint (Child)
OA-A-H Ankle Joint With Bar (Adult)
OA-C-H Ankle Joint With Bar (Child)


Code	Material	Weight	Note
OA-A	S.steel	300g	Adult
OA-C	S.steel	230g	Child
OA-A-H	S.steel	655g	Adult
OA-C-H	S.steel	585g	Child

Cosmetic Foam



AK Cosmetic Foam Cover (pre-shape)

Code	Material	Weight	Colour
6C01	Sponge	542g	Beige



AK Cosmetic Foam Cover (pre-shape)

Code	Material	Weight	Colour
6C01-01	Sponge	389g	Beige



AK Cosmetic Foam Cover (pre-shape)

Code	Material	Weight	Colour
6C02	Sponge	633g	Beige



AK EVA Cosmetic Foam (water-proof)

Code	Material	Weight	Colour
6C05	EVA	166g	Beige



BK EVA Cosmetic Foam (waterproof)

Code	Material	Weight	Colour
6C09	EVA	138g	Beige

Cosmetic Foam



BK EVA Cosmetic Foam (waterproof)


Code	Material	Weight	Colour
6C08	EVA	463g	Beige



Children AK Cosmetic Foam Cover (pre-shape)

Code	Material	Weight	Colour
C6C01	Sponge	290g	Beige





Cotton Stockinette		
Code	Material	Width
CS	Cotton	5cm,7.5cm,10cm,15cm,23cm,30cm
1kg / Roll		



Terylene Stockinette		
Code	Material	Width
TS	Terylene	5cm,7.5cm,10cm,15cm,23cm,30cm
5cm:2kg / Roll 7.5cm,10cm,15cm:1kg / Roll 23cm,30cm:2kg / Roll		



Carbon Fiber Stockinette		
Code	Material	Width
CFS-AK	Carbon Fiber	13CM (nature width)
CFS-BK	Carbon Fiber	9CM (nature width)
10 Meters / Roll		



Carbon Fiber Cloth

Code	Material	Specification
CFC	Carbon fiber	1m(width)*10m / Roll



Prosthetic EVA plate

Code	Material	Size
EVA-P=1500x1000x2mm	EVA	500x1000x2mm
EVA-P=1500x1000x3mm	EVA	1500x1000x3mm
EVA-P=1500x1000x4mm	EVA	1500x1000x4mm
EVA-P=1500x1000x5mm	EVA	1500x1000x5mm
EVA-P=1500x1000x6mm	EVA	1500x1000x6mm



Thermoplastic Sheet

Solid	Micro	Mini	Macro
Offers Maximum support strength	1.0mm hole diameter. High Breathability and aesthetic appeal	2.0mm hole diameter. Uniform stretching	3.2mm hole diameter. Lightweight with good rigidity.




PP Plate

Code	Material	Size
PP-O=1m*2m*3mm	PP	1m*2m*3mm
PP-O=1m*2m*4mm	PP	1m*2m*4mm
PP-O=1m*2m*5mm	PP	1m*2m*5mm
PP-O=1m*2m*6mm	PP	1m*2m*6mm



PE Plate

Code	Material	Size
PE-O=1m*2m*3mm	PE	1m*2m*3mm
PE-O=1m*2m*4mm	PE	1m*2m*4mm
PE-O=1m*2m*5mm	PE	1m*2m*6mm
PE-O=1m*2m*6mm	PE	1m*2m*6mm



Code	Material	Size
PEP=50	PVA	1.1m(width) x 50m (length) /Roll
PEP=100	PVA	1.1m(width) x 100m (length) /Roll
PEP=150	PVA	1.1m(width) x 150m (length) /Roll
PEP=200	PVA	1.1m(width) x 200m (length) /Roll

PVA Bag

Code	Material	Note
PS=700mm*190mm*50mm	PVA	BK
PS=1000mm*190mm*50mm	PVA	BK(longer)
PS=700mm*270mm*50mm	PVA	AK
PS=1000mm*260mm*50mm	PVA	AK(longer)
PS=60mm*130mm*40mm	PVA	upper limber
PS= 1000mm*450mm*50mm	PVA	hip joint disarticulation

Transfer Paper

Code	Size
TP=60	60cm(width) x 10m (length) / Roll
TP=80	80cm(width) x 10m (length) / Roll

Name	Code	Thickness	Size
Orthotics Soft Pad	OLP-NN-2	2mm	1000*1400
Orthotics Soft Pad	OLP-NN-3	3mm	1000*1400
Orthotics Soft Pad	OLP-NN-4	4mm	1000*1400
Orthotics Soft Pad(Perforation)	OLP-WN-2	2mm	1000*1400
Orthotics Soft Pad(Perforation)	OLP-WN-3	3mm	1000*1400
Orthotics Soft Pad(Perforation)	OLP-WN-4	4mm	1000*1400
Orthotics Soft Pad(Perforation+Gum)	OLP-WW-2	2mm	1000*1400
Orthotics Soft Pad(Perforation+Gum)	OLP-WW-3	3mm	1000*1400
Orthotics Soft Pad(Perforation+Gum)	OLP-WW-4	4mm	1000*1400

EVA Insole Sheet

Code	Size
OSXD-5	1000(width) x 1500 (length) x 5mm
OSXD-6	1000(width) x 1500 (length) x 6mm
OSXD-10	1000(width) x 1500 (length) x 10mm

Stockings



GFS

Carbon Foot Stocking

Code	Material	Colour
GFS	Glass Fiber	White



CSS

Cotton Stump Stocking

Code	Material	Colour
CSS-30	Cotton	Yellow Grey
CSS-40	Cotton	Yellow Grey
CSS-50	Cotton	Yellow Grey



COS

AK Cosmetic Stocking BK Cosmetic Stocking

Code	Material	Length
COS-AK	Velvet	Length: 70cm
COS-BK	Velvet	Length: 50cm



NSS

Nylon Stump Stocking

Code	Material	Length
NSS-30	Nylon	Length: 30cm
NSS-40	Nylon	Length: 40cm
NSS-50	Nylon	Length: 50cm
NSS-70	Nylon	Length: 70cm

BST-302

BST-303



Bionest Gel Liner With Hole

Code	Thickness	Size					
BST302	3mm / 6mm	S	M	M+	L	L+	XL
Circumference Of Application		18-22	23-25	25-27	27-31	32-37	37-42

Bionest Gel Liner Without Hole

Code	Thickness	Size					
BST303	3mm / 6mm	S	M	M+	L	L+	XL
Circumference Of Application		18-22	23-25	25-27	27-31	32-37	37-42



ALPS Gel Liner

Code	Thickness	Size							
AKDT	3mm / 6mm	16	20	24	26	28	32	38	44
AKFR	3mm / 6mm	16	20	24	26	28	32	38	44
Circumference Of Application		16-19	20-23	24-25	26-27	28-31	32-37	38-44	44-52



BK Gel Sock

Code	Thickness	Size			
BS	3mm	18	22	24	26
Circumference Of Application		20-22	22-24	24-26	26-28

Valves



Code	Name
A05	Automatic Exhaust Valve
A05-A	Valve Ring
A07	Manual Exhaust Valve




Manual Exhaust Valve With Bending Tube	
Code	Material
A08	Silicone +Plastic Tube



Automatic Exhaust Valve With Bending Tube	
Code	Material
A09	Silicone +Plastic Tube



Automatic Exhaust Valve	
Code	Material
A06	Silicone +Plastic



Manual Exhaust Valve	
Code	Material
A04	Silicone +Plastic

Silicone Cosmetic Parts



CHS Cosmetic Silicone Glove



Size	A	B	C	D	E
Male / S	16.5	19.5	6.5	7.8	17
Male / M	17.5	20	6.5	8	17
Male / L	18	22	7	8.5	17
Female / S	15	17.5	6	7.5	17
Female / M	15.5	18.5	6.5	7.5	17
Female / L	17	20	7	8.5	17

CHSF Cosmetic hand shell for BE with foam



LCHS Extended hand shell for AE



CHSZ Cosmetic hand shell with zipper




CF Cosmetic finger (5pcs/box)



5 pcs / box Size S / M / L Male / Female

DHS Myo electronic / Mechanical hand shell



cm

Size	A	B	C	D	E
Male / M	17	19.5	6.8	7.5	7
Male / L	17.5	20.5	6.8	8	7
Female / S	16	17	5.5	6.6	7
Female / M	16	18.5	6	7	7
Female / L	17	19	6	7	7
Kids	15	16.8	5.5	6.5	7


Silicone Cosmetic Parts



Silicone Foot Shell

Code	Material
CFSF	Silicone
CFSF-C	Silicone Shell + Carbon fiber Insole
Size: 15-20 (Children) 21-27 (Adult)	

Color Card



Call: +91 8881788788 , +91 8800393472

www.pointinternational.in

Prosthetic Hands



3 fingers / 5 fingers

One degree of freedom myoelectric hand for Below elbow

Code	Material	Weight	Battery capacity: 750mAh Grip: 35N-60N Power supply: 7.4V
EHBE	Aluminium	650g	

Fingers can open and grasp. Wrist can be passively rotated with friction or be fixed. Suitable for Wrist Disarticulation.

Including: 1- a pair of sensors or electric switches, 2- two pcs of sensor modules, 3- two batteries, one battery box, 4- one battery box module, 5- one battery charger adapter, 6- one charger base, 7- one silicone glove, 8- one myoelectric hand skeleton



EHBE-C

3 fingers / 5 fingers

Carbon Fiber One degree of freedom myoelectric hand for Below elbow

Code	Material	Weight	Battery capacity: 750mAh Grip: 35N-60N Power supply: 7.4V
EHBE-C	Carbon Fiber	550g	

Fingers can open and grasp. Wrist can be passively rotated with friction or be fixed. Suitable for Wrist Disarticulation.

Including: 1- a pair of sensors or electric switches, 2- two pcs of sensor modules, 3- two batteries, one battery box, 4- one battery box module, 5- one battery charger adapter, 6- one charger base, 7- one silicone glove, 8- one myoelectric hand skeleton

Two degree of freedom myoelectric hand for elbow disarticulation

Code	Material	Weight	Battery capacity: 750mAh Grip: 35N-60N Power supply: 7.4V
EHDE	Aluminium	1230g	

Fingers can open and grasp. Wrist can be passively rotated with friction. Elbow can extend and flex by electrical control. Suitable for Elbow Disarticulation.

Including: 1- a pair of sensors or electric switches, 2- two pcs of sensor modules, 3- two batteries, one battery box, 4- one battery box module, 5- one battery charger adapter, 6- one charger base, 7- one silicone glove, 8- one myoelectric hand skeleton

Two degree of freedom myoelectric hand for above elbow

Code	Material	Weight	Battery capacity: 750mAh Grip: 35N-60N Power supply: 7.4V
EHAE	Aluminium	1415g	

Fingers can open and grasp. Wrist can be passively rotated with friction. Elbow can extend and flex by electrical control. Suitable for Above Elbow amputation.

Including: 1- a pair of sensors or electric switches, 2- two pcs of sensor modules, 3- two batteries, one battery box, 4- one battery box module, 5- one battery charger adapter, 6- one charger base, 7- one silicone glove, 8- one myoelectric hand skeleton



EHDE

3 fingers / 5 fingers



EHAE

3 fingers / 5 fingers



Elbow Joint

Code	Material	Weight	Note
KBE-01	Aluminum	133 g	For Elbow Joint And Hand



Elbow Joint

Code	Material	Weight	Note
KTE-01	Aluminum	202 g	For Arm Socket And Hand

Prosthetic Hands



Cable controlled mechanical hand for the below-elbow

Code	Material	Weight	Including:
MHBE	Aluminium	370g	1-Silicone Glove 1pc 2-hand skeleton 1pc 3-Belt and Rivet 1set

Wrist diameter:45mm / 50mm



Mechanical Elbow

Code	Material	Weight	Note
ME-45	Plastic	359g	Wrist diameter:45mm
ME-50	Plastic	359g	Wrist diameter:50mm



Cosmetic Hand

Code	Material	Weight	Fingers can open passively. Wrist can rotate passively 360°. Suitable for Below Elbow amputation
CH	Aluminium	182g	

Arm Lever for elbow disarticulation

Code	Material	Weight	Left / Right Elbow joint can rotate passively. Suitable for Elbow Disarticulation
CBE	Aluminium	262g	

Arm Lever for above-elbow

Code	Material	Weight	Left / Right Elbow joint can rotate passively. Suitable for Above Elbow amputation.
CAE	Aluminium	373g	

Arm Lever for shoulder disarticulation

Code	Material	Weight	Left / Right Elbow joint and shoulder joint can rotate passively. Suitable for Above Shoulder amputation.
CSE	Aluminium	403g	

A01



suspender of BK Socket
(cowhide)

A02



suspender of AK Socket
(cowhide)

A03

S / M L / XL / XXL / XXXL
Left/Right



suspender of AK Socket
(canvas)

A10



Dynamic ankle buffer

A11



Ankle Shield for Single
Axis Foot

A12



Ankle Shield for Sach Foot

A13

S / M / L / XL



Stump Pulling Cloth

A14

7.5CM / 10CM / 12.5CM / 15CM



Elastic Bandage

A15

7.5CM / 10CM / 12.5CM / 15CM



POP Bandage

MRB



Metal Ring Buckle

VE-P

25 meters / roll
Width: 2.5CM / 3.8CM



Velcro--pure surface

V-02



Velcro ---picture surface

HR

4 L



Acrylic Resin

HR-A

110g



Hardener

DSF

Φ9 X10mm
Φ9 X12mm
Φ12 X10mm
Φ12 X12mm



Double Snap Fastener

C-B



Shape Box



Elastomer soft socket material

Code	Thickness	Size
PPA-12	12mm	400*400mm
PPA-15	15mm	400*400mm
Soft,Anti-microbial		

<p>T01</p>  <p>Surform (plastic)</p>	<p>T02</p>  <p>Surform (metal)</p>	<p>T03</p>  <p>Plaster File</p>	<p>T04</p>  <p>Water-Soluble Pencil</p>	<p>T05</p>  <p>Deburring Knife</p>	<p>T06</p>  <p>Blade of Deburring Knife</p>
<p>T07</p>  <p>Hot Air Gun</p>	<p>T08</p>  <p>Scroll Saw</p>	<p>T09</p>  <p>Vise</p>	<p>T10</p>  <p>Vibrative Saw (Germany)</p>	<p>T11</p>  <p>Vibrative Saw</p>	<p>T12</p>  <p>Vibrative Saw Blade</p>
<p>T13</p>  <p>Bandage Scissors</p>	<p>T14</p>  <p>Bowl for Plaster</p>	<p>T15</p>  <p>Plaster Knife</p>	<p>T16 T18 T17-36 T17-50</p>  <p>Grinding Head</p>		<p>T32</p>  <p>Hook Knife</p>
<p>T19</p>  <p>Grinding Rollers</p>	<p>T19-A</p>  <p>Emery Cloth for Rollers</p>	<p>T42</p>  <p>Rubber Grinding Rollers</p>	<p>T20</p>  <p>Taper Grinding Rollers</p>	<p>T20-A</p>  <p>Emery Cloth for Taper Grinding Rollers</p>	<p>T21</p>  <p>Plaster Scraper</p>
<p>T22</p>  <p>Riveted Bar</p>	<p>T25</p>  <p>Hand Grinder (made in Japan)</p>	<p>T27</p>  <p>Hexagon Spanner</p>	<p>T28</p>  <p>T-Hexagon Spanner</p>	<p>T29</p>  <p>Locking Pliers</p>	<p>T30</p>  <p>Pipe Cutter</p>
<p>T38</p>  <p>Exhaust Tube</p>	<p>T36</p>  <p>Iron for PVA-01</p>	<p>T37</p>  <p>Iron for PVA-02</p>	<p>T35</p>  <p>Horse Mouth Spanner</p>	<p>T33</p>  <p>Strong Scissors</p>	<p>T41</p>  <p>Punch Pliers</p>



Infrared-ray Flat Oven

Code	Size
IFRFO	1200mm*1000mm / Custom-made
Power requirements: AC / 220 V / 50 Hz / 6 kw Temperature range : 0-300° C 1-temperature measurement: K scale number thermocouple + intelligent digital display temperature controller; 2-temperature control: digital display automatic constant temperature + intelligent PID regulation + solid state module pressure regulation, temperature rise speed is adjustable, heat preservation time is adjustable, automatic shutdown, temperature control precision: $\pm 1^{\circ}\text{C}$	



Flat bed Oven

Code	Size
FH	1200mm*800mm 1200mm*1000mm Custom-made
Power requirements: AC / 220 V / 50 Hz / 2.5 kw 1200mm*800mm AC / 220 V / 50 Hz / 3.5 kw 1200mm*1000mm Temperature range : 0-300° C 1-temperature measurement: K scale number thermocouple + intelligent digital display temperature controller; 2-temperature control: digital display automatic constant temperature + intelligent PID regulation + solid state module pressure regulation, temperature rise speed is adjustable, heat preservation time is adjustable, automatic shutdown, temperature control precision: $\pm 1^{\circ}\text{C}$	



Grinder

Code	Speed
GM-1	infinitely variable speeds
GM-2	Fix speed
Power requirements: AC / 220 V / 50 Hz / 2 kw AC / 380 V / 50 Hz / 2 kw 1-Threaded for router: M16 2-Including dust collector	