


EXPERIMENT NO 01


Name:- Shreyash Dhekane **Class:-** D15A **Roll:No:-** 16

AIM:- Installation and Configuration of Flutter Environment.


Step 1: Go to the official Flutter website: <https://docs.flutter.dev/get-started/install>




Step 2: To download the latest Flutter SDK, click on the Windows icon > Android



Step 3: For Windows, download the stable release (a .zip file).



Step 4: Extract the ZIP file to a folder (e.g., C:\flutter).




Step 5 :- Add Flutter to System PATH

Right-click on the Start Menu > System > Advanced system settings > Environment Variables.

Under System Variables, find Path and click Edit.

Add the full path to the flutter/bin directory (e.g., C:\flutter\bin).



Step 6 : - Now, run the \$ flutter command in command prompt.

```
Command Prompt - flut x + v
C:\Users\shrey>flutter
Manage your Flutter app development.

Common commands:

  flutter create <output directory>
    Create a new Flutter project in the specified directory.

  flutter run [options]
    Run your Flutter application on an attached device or in an emulator.

Usage: flutter <command> [arguments]

Global options:
-h, --help          Print this usage information.
-v, --verbose       Noisy logging, including all shell commands executed.
                    If used with "--help", shows hidden options. If used with "flutter doctor", shows additional
                    diagnostic information. (Use "-vv" to force verbose logging in those cases.)
-d, --device-id     Target device id or name (prefixes allowed).
--version           Reports the version of this tool.
--enable-analytics  Enable telemetry reporting each time a flutter or dart command runs.
--disable-analytics Disable telemetry reporting each time a flutter or dart command runs, until it is
                    re-enabled.
--suppress-analytics Suppress analytics reporting for the current CLI invocation.

Available commands:

Flutter SDK
  bash-completion  Output command line shell completion setup scripts.
```


Step 7:- Run the \$ flutter doctor command. This command checks for all the requirements of Flutter app development and displays a report of the status of your Flutter installation

```
Command Prompt - flut x + v
C:\Users\shrey>flutter doctor
Doctor summary (to see all details, run flutter doctor -v):
[✓] Flutter (Channel stable, 3.27.3, on Microsoft Windows [Version 10.0.26100.2894], locale en-IN)
[✓] Windows Version (Installed version of Windows is version 10 or higher)
[X] Android toolchain - develop for Android devices
    X cmdline-tools component is missing
      Run 'path/to/sdkmanager --install "cmdline-tools;latest"'
      See https://developer.android.com/studio/command-line for more details.
[✓] Chrome - develop for the web
[X] Visual Studio - develop Windows apps
    X Visual Studio not installed; this is necessary to develop Windows apps.
      Download at https://visualstudio.microsoft.com/downloads/.
      Please install the "Desktop development with C++" workload, including all of its default components
[!] Android Studio (not installed)
[✓] VS Code (version 1.94.2)
[✓] Connected device (3 available)
[✓] Network resources


! Doctor found issues in 3 categories.

C:\Users\shrey|
```


Step 8 : - Go to Android Studio and download the installer.




Step 8.1: - When the download is complete, open the .exe file and run it. You will get the following dialog box





Step 8.2: - Select all the Checkboxes and Click on 'Next' Button.




Step 8.3: - Change the destination as per your convenience and click on 'Next' Button.




Step 8.4: - Follow the steps of the installation wizard. Once the installation wizard completes, you will get the following screen.



Step 8.5: - Go to Preferences > Appearance & Behavior > System Settings > Android SDK. Select the SDK Tools tab and check Android SDK Command-line Tools and Install it.



Step 9: - Open a terminal and run the following command




```
Command Prompt - flut x + v

C:\Users\shrey>flutter doctor
Doctor summary (to see all details, run flutter doctor -v):
[✓] Flutter (Channel stable, 3.27.3, on Microsoft Windows [Version 10.0.26100.2894], locale en-IN)
[✓] Windows Version (Installed version of Windows is version 10 or higher)
[✓] Android toolchain - develop for Android devices (Android SDK version 35.0.1)
[✓] Chrome - develop for the web
[✓] Visual Studio - develop Windows apps (Visual Studio Community 2022 17.12.4)
[✓] Android Studio (version 2024.2)
[✓] VS Code (version 1.96.4)
[✓] Connected device (3 available)
[✓] Network resources


• No issues found!

C:\Users\shrey>
```


Step 10: - Next, you need to set up an Android emulator. It is responsible for running and testing the Flutter application



Step 10.1: - Open Android Studio and go to Tools > AVD Manager. Create a new virtual device.





Step 10.2: - Click on the icon pointed into the red color rectangle. The Android emulator displayed as below screen



Step 11: - Now, install Flutter and Dart plugin for building Flutter application in Android Studio. These plugins provide a template to create a Flutter application, give an option to run and debug Flutter application in the Android Studio itself


Step 11.1: - Open the Android Studio and then go to File->Settings->Plugins. Now, search the Flutter plugin. If found, select Flutter plugin and click install






Step 11.2: - Restart the Android Studio

Step 12: - Go to File > New Project > Create Flutter Project, then select the project name and location, and click Next to proceed.



 New Project ×

Project name:

hello_shreyash

Project location:

~\AndroidStudioProjects\hello_shreyash

...

Description:

A new Flutter project.

Project type:

Application

▼

Organization:

com.example

Android language:

☐ Java

☒ Kotlin

Platforms:

☒ Android

☒ iOS

☒ Linux

☒ MacOS

☒ Web

☒ Windows

When created, the new project will run on the selected platforms (others can be added later).

☐ Create project offline


> More Settings




Previous

Create

Cancel



```
93 // Column is also a layout widget. It takes a list of children and
94 // arranges them vertically. By default, it sizes itself to fit its
95 // children horizontally, and tries to be as tall as its parent.
96 //
97 // Column has various properties to control how it sizes itself and
98 // how it positions its children. Here we use mainAxisAlignment to
99 // center the children vertically; the main axis here is the vertical
100 // axis because Columns are vertical (the cross axis would be
101 // horizontal).
102 //
103 // TRY THIS: Invoke "debug painting" (choose the "Toggle Debug Paint"
104 // action in the IDE, or press "p" in the console), to see the
105 // wireframe for each widget.
106 mainAxisAlignment: MainAxisAlignment.center,
107 children: <Widget>[
108   const Text(
109     'Hello Shreyash',
110   ), // Text
111   const Text(
112     'You have pushed the button this many times:',
113   ), // Text
114   Text(
115     '$_counter',
116     style: Theme.of(context).textTheme.headlineMedium,
117   ), // Text
118 ], // <Widget>[]
119 ), // Column
120 ), // Center
121 floatingActionButton: FloatingActionButton(
122   onPressed: _incrementCounter,
123   tooltip: 'Increment',
124   child: const Icon(Icons.add),
125 ), // This trailing comma makes auto-formatting nicer for build methods. // FloatingActionButton
126 ); // Scaffold
127 }
128
129
```



```
93 // Column is also a layout widget. It takes a list of children and
94 // arranges them vertically. By default, it sizes itself to fit its
95 // children horizontally, and tries to be as tall as its parent.
96 //
97 // Column has various properties to control how it sizes itself and
98 // how it positions its children. Here we use mainAxisAlignment to
99 // center the children vertically; the main axis here is the vertical
100 // axis because Columns are vertical (the cross axis would be
101 // horizontal).
102 //
103 // TRY THIS: Invoke "debug painting" (choose the "Toggle Debug Paint"
104 // action in the IDE, or press "p" in the console), to see the
105 // wireframe for each widget.
106 mainAxisAlignment: MainAxisAlignment.center,
107 children: <Widget>[
108   const Text(
109     'Hello Shreyash',
110   ), // Text
111   const Text(
112     'You have pushed the button this many times:',
113   ), // Text
114   Text(
115     '$_counter',
116     style: Theme.of(context).textTheme.headlineMedium,
117   ), // Text
118 ], // <Widget>[]
119 ), // Column
120 ), // Center
121 floatingActionButton: FloatingActionButton(
122   onPressed: _incrementCounter,
123   tooltip: 'Increment',
124   child: const Icon(Icons.add),
125 ), // This trailing comma makes auto-formatting nicer for build methods. // FloatingActionButton
126 ); // Scaffold
127 }
128
129
```

Flutter Demo Home Page

Hello Shreyash
You have pushed the button this many times:
3

8:38



DEBUG

Flutter Demo Home Page

Hello Shreyash

You have pushed the button this many times:

3

