

Name:- Shreya Shedi

PRN:- B25ET1193

Div:- 6Y3 Batch:- C3

Q1 What is a string?

→ A string is an array of characters terminated by a null character ('\0'). It is used to store and manipulate text in C.

Q2 Explain string function:-

- strcmp() :- compares two strings
- strlen() :- returns the length of a string.
- strcat() :- joins two strings
- strcpy() :- copies one string into another.

Q3 In string comparisons, if two strings are same, what will be the result of comparison?

→ If both strings are identical, strcmp() returns 0. This indicates that the strings are equal.

Q4 What is length of the string "Data Structures"?

→ The string "Data Structures" has 15 characters.

Q5 Explain how to use strcpy() function.

→ The strcpy(output, input) function copies the contents of input string into output string. The output array should have enough space to store the copied string.

Q6. What is `strncat()` string function?

→ `strncat()` appends only the first `n` characters of one string to the end of another. It helps avoid copying more characters than required.

Q7. What is ~~strrev~~ `strrev()`?

→ `strrev()` reverses the order of characters in a string. It returns the string in reverse form.

Q8. Which function is more appropriate for reading a multi-word string?

→ `gets()` can read a complete line, including spaces. However, in modern C, `fgets()` is preferred because it is safer.

Q9. What are the applications of strings?

→ Strings are used to store and process text such as names, addresses and messages. They are widely used in text processing and data handling.

Q10. What is limitation of an array of pointers to strings?

→ An array of pointers to string literals cannot modify the string contents directly. It is mainly used for storing fixed strings and requires careful memory management.

Ans
05/06/20