10.1.2 . Reverse a String

A] Algorithm
Step 1: Start
Step 2: Read input string from the user and store it in user_input
Step 3: Define a function reverse_string(input_string)
Step 4: Inside the function, initialize an empty string re = ""
Step 5: Find the length l of input_string
Step 6: Loop from index l-1 down to 0 (reverse order):
    Step 6a: Append the character at current index to re
Step 7: After the loop, return re (the reversed string)
Step 8: Call reverse_string(user_input) and store the result in result
Step 9: Print the original string user_input
Step 10: Print the reversed string result
Step 11: End

B] code

```
def reverse_string(input_string):
        re=""
        l = len(user_input)
        for i in range(l-1,-1,-1):
                re += user_input[i]
        return re



user_input = input("Enter a string: ")
result = reverse_string(user_input)
print(f"Original String: {user_input}")
print(f"Reversed String: {result}")
```

C] flowchart


Start
input user_input
call reverse_string(user_input
re=""\n l=len(input_string)
i = l - 1
i >= 0 ?
no
yea
Print Original & Reversed string
re = re + input_string[i]
End
i = i - 1

D] ouput


draw.io
Untitled Diagram - draw.io
Invalid request rewrite | app.di
SHREYASH-GIRADE/PPS
Course
Ask Gemini
sitnagpur.codetantra.com/secure/course.jsp?eucid=693fa60b79739f1e1d81ca43#/contents/693fa70179739f1e1d81cd27/693fa77b79739f1e1d81ce58/658a7ec44d558633a56a08d9
CODETANTRA
Home
bhavik.khobragade.batch2025@sitnagpur.siu.edu.in
Support
Logout
10.1.2. Reverse a String
03:25
Write a Python program that prints the reverse of a given input string. The program uses a reverse_string() function that takes a string as input and returns its reversed string.
Input Format:
• The program prompts "Enter a string: " and reads a string representing the string to be reversed.
Output Format:
• The first line prints the original string, in the format:
Original String: <input_string>
• The next line prints the reversed string, in the format:
Reversed String: <reversed_string>
Sample Test Cases
ReverseS...
Submit
Explorer
Debugger
def reverse_string(s):
return s[::-1]
user_input = input("Enter a string: ")
result = reverse_string(user_input)
print(f"Original String: {user_input}")
print(f"Reversed String: {result}")
Average time
0.007 s
7.25 ms
Maximum time
0.010 s
10.00 ms
2 out of 2 shown test case(s) passed
2 out of 2 hidden test case(s) passed
Test case 1
10 ms
Debug
Expected output
Enter a string: PythonProgramming
Original String: PythonProgramming
Reversed String: gnimmargorPnohtyP
Actual output
Enter a string: PythonProgramming
Original String: PythonProgramming
Reversed String: gnimmargorPnohtyP
Test case 2
6 ms
Terminal
Test cases
Prev
Reset
Submit
Next
ENG
IN
10:30
30-03-2026