



Home » IDE

Code, Compile & Run

 Ide  

Contest Code/Name (e.g. JULY15/PRACTICE)

Problem Code/Name (e.g. TEST)

Select

C (gcc 6.3)



Code gets autosaved every second



```

1 #include <stdio.h>
2 int main() {
3     int a, b, x, y, t, gcd, lcm;
4
5     printf("Enter two integers\n");
6     scanf("%d%d", &x, &y);
7
8     a = x;
9     b = y;
10
11     while (b != 0) {
12         t = b;
13         b = a % b;
14         a = t;
15     }
16
17     gcd = a;
18     lcm = (x*y)/gcd;
19
20     printf("Greatest common divisor of %d and %d = %d\n", x, y, gcd);
21     printf("Least common multiple of %d and %d = %d\n", x, y, lcm);
22
23     return 0;
24 }
25
  
```

0/0



Open File

☒ Custom Input

Run

Custom Input

8 4

Status Successfully executed **Date** 2020-06-03 13:04:57 **Time** 0 sec **Mem** 9.424 kB

Input

8 4

Output

```

Enter two integers
Greatest common divisor of 8 and 4 = 4
Least common multiple of 8 and 4 = 8
  
```

CodeChef is a non-profit competitive programming community.

[About CodeChef](#) | [CEO's Corner](#) | [Contact Us](#)

 The time now is: 06:39:08 PM
 Your IP: 157.49.211.21

 CodeChef uses SPOJ © by [Sphere Research Labs](#)

 In order to report copyright violations of any kind, send in an email to copyright@codechef.com

CodeChef - A Platform for Aspiring Programmers

CodeChef was created as a platform to help programmers

summan.c

Name: Shreyas Naalya

C program to find the HCF & LCM of two numbers.

Algorithm

Step 1: Start

Step 2: input x, y

Step 3: $a = x;$

Step 4: $b = y;$

Step 5: while ($b \neq 0$)

{
 $t = b;$
 $b = a \% b;$
 $a = t$

}

Step 6: $gcd = a;$

Step 7: $lcm = (x * y) / gcd$

Step 8: output gcd, lcm

Step 9: Stop.

Flowchart

