






(a)
(b)
(c)
Observed inclusion
Nominal probability
0.0
0.2
0.4
0.6
0.8
1.0
0.50
0.80
0.95
True variances, $\beta = 1$
True variances, forgetting
Fixed variances
Learned variances



(a)
(b)
(c)
Observed inclusion
1.0
0.8
0.6
0.4
0.2
0.0
0.50
0.80
0.95
Nominal probability
True variances, $\beta = 1$
True variances, forgetting
Fixed variances
Learned variances



(a)
(b)
(c)
Observed inclusion
1.0
0.8
0.6
0.4
0.2
0.0
0.50
0.80
0.95
Nominal probability
True variances, $\beta = 1$
True variances, forgetting
Fixed variances
Learned variances



(a)
(b)
(c)
Observed inclusion
1.0
0.8
0.6
0.4
0.2
0.0
0.50
0.80
0.95
Nominal probability
True variances, $\beta = 1$
True variances, forgetting
Fixed variances
Learned variances


(a)
(b)
(c)
Observed inclusion
1.0
0.8
0.6
0.4
0.2
0.0
0.50
0.80
0.95
Nominal probability
True variances, $\beta = 1$
True variances, forgetting
Fixed variances
Learned variances


(a)
(b)
(c)
Observed inclusion
Nominal probability
0.0
0.2
0.4
0.6
0.8
1.0
0.50
0.80
0.95
True variances, $\beta = 1$
True variances, forgetting
Fixed variances
Learned variances


(a)
Learned variances
Fixed variances
True variances, forgetting
True variances, $\beta = 1$
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Chordal radius
(b)
Learned variances
Fixed variances
True variances, forgetting
True variances, $\beta = 1$
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
Interval width of $e_1^T Pq$
(c)
Learned variances
Fixed variances
True variances, forgetting
True variances, $\beta = 1$
0.0
0.5
1.0
1.5
2.0
Interval width of $\mathrm{Re}(u_{t,1})$


(a)
Learned variances
Fixed variances
True variances, forgetting
True variances, $\beta = 1$
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Chordal radius
(b)
Learned variances
Fixed variances
True variances, forgetting
True variances, $\beta = 1$
0.0
0.2
0.4
0.6
0.8
Interval width of $e_1^T Pq$
(c)
Learned variances
Fixed variances
True variances, forgetting
True variances, $\beta = 1$
0.0
0.5
1.0
1.5
2.0
Interval width of $\mathrm{Re}(u_{t,1})$


(a)
Learned variances
Fixed variances
True variances, forgetting
True variances, $\beta = 1$
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
Chordal radius
(b)
Learned variances
Fixed variances
True variances, forgetting
True variances, $\beta = 1$
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
Interval width of $e_1^T Pq$
(c)
Learned variances
Fixed variances
True variances, forgetting
True variances, $\beta = 1$
0.00
0.25
0.50
0.75
1.00
1.25
1.50
1.75
2.00
Interval width of $\mathrm{Re}(u_{t,1})$