

**VISVESVARAYA TECHNOLOGICAL  
UNIVERSITY**

“JnanaSangama”, Belgaum -590014, Karnataka.



**LAB REPORT**

**on**

**Object Oriented Java Programming**

**(23CS3PCOOJ)**

*Submitted by*

**SHREYA SUMAN (1BF24CS287)**

*in partial fulfillment for the award of the degree of*  
**BACHELOR OF ENGINEERING**  
*in*

**B.M.S. COLLEGE OF ENGINEERING**

(Autonomous Institution under VTU)

**BENGALURU-560019**

**Aug-2025 to Jan-2026**

**B.M.S. College of Engineering,  
Bull Temple Road, Bangalore 560019**  
(Affiliated To Visvesvaraya Technological University, Belgaum)  
**Department of Computer Science and Engineering**



**CERTIFICATE**

This is to certify that the Lab work entitled “Object Oriented Java Programming (23CS3PCOOJ)” carried out by **SHREYA SUMAN (1BF24CS287)**, who is bonafide student of **B.M.S. College of Engineering**. It is in partial fulfilment for the award of **Bachelor of Engineering in Computer Science and Engineering** of the Visvesvaraya Technological University, Belgaum. The Lab report has been approved as it satisfies the academic requirements in respect of an Object-Oriented Java Programming (23CS3PCOOJ) work prescribed for the said degree.

Dr. Seema Patil Associate Professor Department of CSE, BMSCE	Dr. Kavitha Sooda Professor & HOD Department of CSE, BMSCE
--	--

## Index

<b>Sl. No.</b>	<b>Date</b>	<b>Experiment Title</b>	<b>Page No.</b>
1	23/9/25	Quadratic Equations	
2	13/10/25	SGPA Calculator	
3	14/10/25	BookStore Program	
4	4/11/25	Shapes program	
5	4/11/25	Bank Program	
6	18/11/25	Packages	
7	26/11/25	Errors	
8	9/12/25	MultiThreading	
9	9/12/25	Open Ended Question 1	
10	9/12/25	Open Ended Question 2	

Github Link: <https://github.com/shreyasumancs24/OOJ>

## Program 1

Implement Quadratic Equation

### Code:

```
import java.util.*;
public class Quadratic
{
    public static void main(String[] args ){
        Scanner sc=new Scanner(System.in);
        double a,b,c,d;
        System.out.println("Enter the value of a ");
        a= sc.nextInt();
        System.out.println("Enter the value of b");
        b= sc.nextInt();
        System.out.println("Enter the value of c");
        c= sc.nextInt();
        if(a==0){
            System.out.println("Not a quadratic equation");
        }
        else{
            d=b*b-4*a*c;
            if(d==0){
                double r1=(-b)/(2*a);
                System.out.println("Roots are real and equal");
                System.out.println("roots"+r1);

            }
            else if (d>0) {
                System.out.println("Roots are real and distinct");
                double r1=(((-b)+(Math.sqrt(d)))/(double)(2*a));
                double r2=(((-b)-(Math.sqrt(d)))/(double)(2*a));
                System.out.println("roots are "+r1);
                System.out.println("roots are"+r2);

            }
            else if(d<0){
                System.out.println("Roots are imaginary");
                double r1= (-b)/(2*a);
```

```

        double r2= Math.sqrt(-d)/(2*a);
        System.out.println("roots are"+r1);
        System.out.println("roots are"+r2);
    }
}
}
}
}

```

## Terminal Output:

```

● PS D:\Shreya Suman 1BF24CS287> cd "d:\Shreya Suman 1BF24CS287\" ; if ($?) { javac Quadratic.java } ; if ($?) { java Quadratic }
Enter the value of a
1
Enter the value of b
-4
Enter the value of c
3
Roots are real and distinct
roots are 3.0
roots are1.0
● PS D:\Shreya Suman 1BF24CS287> cd "d:\Shreya Suman 1BF24CS287\" ; if ($?) { javac Quadratic.java } ; if ($?) { java Quadratic }
Enter the value of a
2
Enter the value of b
3
Enter the value of c
5
Roots are imaginary
roots are-0.75
roots are1.3919410907075054
● PS D:\Shreya Suman 1BF24CS287> cd "d:\Shreya Suman 1BF24CS287\" ; if ($?) { javac Quadratic.java } ; if ($?) { java Quadratic }
Enter the value of a
1
Enter the value of b
-2
Enter the value of c
1
Roots are real and equal
roots1.0

```

## **Program 2:** **Implement SGPA Calculator**

### **Code:**

```
import java.util.Scanner;
```

```
class Student {
```

```
    String usn;
```

```
    String name;
```

```
    int[] credits;
```

```
    int[] marks;
```

```
public void acceptDetails(Scanner sc) {
```

```
    System.out.print("Enter USN: ");
```

```
    usn = sc.nextLine();
```

```
    System.out.print("Enter Name: ");
```

```
    name = sc.nextLine();
```

```
    System.out.print("Enter number of subjects: ");
```

```
    int numSubjects = sc.nextInt();
```

```
    credits = new int[numSubjects];
```

```
    marks = new int[numSubjects];
```

```
    for (int i = 0; i < numSubjects; i++) {
```

```
        System.out.print("Enter credits for subject " + (i + 1) + ": ");
```

```
        credits[i] = sc.nextInt();
```

```
        System.out.print("Enter marks for subject " + (i + 1) + ": ");
```

```
        marks[i] = sc.nextInt();
```

```
}
```

```
    sc.nextLine();
```

```
}
```

```
public void displayDetails() {
```

```
    System.out.println("\nStudent Details:");
```

```
    System.out.println("USN: " + usn);
```

```
    System.out.println("Name: " + name);
```

```
    for (int i = 0; i < credits.length; i++) {
```

```

        System.out.println("Subject " + (i + 1) + " - Credits: " + credits[i] + ",  

        Marks: " + marks[i]);
    }
}

public double calculateSGPA() {
    double totalCredits = 0;
    double weightedSum = 0;

    for (int i = 0; i < credits.length; i++) {
        int gradePoint;

        if (marks[i] >= 90) {
            gradePoint = 10;
        } else if (marks[i] >= 80) {
            gradePoint = 9;
        } else if (marks[i] >= 70) {
            gradePoint = 8;
        } else if (marks[i] >= 60) {
            gradePoint = 7;
        } else if (marks[i] >= 50) {
            gradePoint = 6;
        } else if (marks[i] >= 40) {
            gradePoint = 5;
        } else {
            gradePoint = 0;
        }

        weightedSum += gradePoint * credits[i];
        totalCredits += credits[i];
    }

    if (totalCredits == 0)
        return 0;
    return weightedSum / totalCredits;
}

public class StudentSGPACalculator {
    public static void main(String[] args) {

```

```

Scanner sc = new Scanner(System.in);
Student student = new Student();
student.acceptDetails(sc);
student.displayDetails();
double sgpa = student.calculateSGPA();
System.out.printf("SGPA of the student: %.2f\n", sgpa);

sc.close(); // Close scanner to avoid resource leak
}
}

```

### **Terminal Output:**

```

● PS C:\Users\hp> cd "d:\Shreya Suman 1BF24CS287\" ; if ($?) { javac StudentSGPACalculator.java } ; if ($?) { java StudentSGPACalculator }
Enter USN: 1BF24CS287
Enter Name: Shreya Suman
Enter number of subjects: 7
Enter credits for subject 1: 4
Enter marks for subject 1: 90
Enter credits for subject 2: 4
Enter marks for subject 2: 88
Enter credits for subject 3: 4
Enter marks for subject 3: 99
Enter credits for subject 4: 3
Enter marks for subject 4: 87
Enter credits for subject 5: 3
Enter marks for subject 5: 86
Enter credits for subject 6: 2
Enter marks for subject 6: 91
Enter credits for subject 7: 1
Enter marks for subject 7: 80

Student Details:
USN: 1BF24CS287
Name: Shreya Suman
Subject 1 - Credits: 4, Marks: 90
Subject 2 - Credits: 4, Marks: 88
Subject 3 - Credits: 4, Marks: 99
Subject 4 - Credits: 3, Marks: 87
Subject 5 - Credits: 3, Marks: 86
Subject 6 - Credits: 2, Marks: 91
Subject 7 - Credits: 1, Marks: 80
SGPA of the student: 9.48
● PS D:\Shreya Suman 1BF24CS287>

```

```
PS D:\Shreya Suman 1BF24CS287> cd "d:\Shreya Suman 1BF24CS287\" ; if ($?) { javac StudentSGPACalculator.java } ; if ($) { java StudentSGPACalculator }

Enter USN: 1BF24CS286
Enter Name: Shreya Shah
Enter number of subjects: 7
Enter credits for subject 1: 4
Enter marks for subject 1: 98
Enter credits for subject 2: 4
Enter marks for subject 2: 87
Enter credits for subject 3: 4
Enter marks for subject 3: 99
Enter credits for subject 4: 3
Enter marks for subject 4: 87
Enter credits for subject 5: 3
Enter marks for subject 5: 88
Enter credits for subject 6: 2
Enter marks for subject 6: 98
Enter credits for subject 7: 1
Enter marks for subject 7: 87

Student Details:
USN: 1BF24CS286
Name: Shreya Shah
Subject 1 - Credits: 4, Marks: 98
Subject 2 - Credits: 4, Marks: 87
Subject 3 - Credits: 4, Marks: 99
Subject 4 - Credits: 3, Marks: 87
Subject 5 - Credits: 3, Marks: 88
Subject 6 - Credits: 2, Marks: 98
Subject 7 - Credits: 1, Marks: 87
SGPA of the student: 9.48
```

## **Lab Program 3:** **Implement Bookstore Management**

### **Code:**

```
import java.util.Scanner;

class Book {
    String name;
    String author;
    int price;
    int numPages;

    Book(String name, String author, int price, int numPages) {
        this.name = name;
        this.author = author;
        this.price = price;
        this.numPages = numPages;
    }

    public String toString() {
        return "Book Name: " + name + "\n"
            + "Author Name: " + author + "\n"
            + "Price: " + price + "\n"
            + "Number of Pages: " + numPages + "\n";
    }
}

public class BookStore {
    public static void main(String[] args) {
        Scanner s = new Scanner(System.in);
        System.out.print("Enter number of books: ");
        int n = s.nextInt();

        Book[] books = new Book[n];

        for (int i = 0; i < n; i++) {
            System.out.println("\nEnter details for Book " + (i + 1) + ":");
            s.nextLine();
        }
    }
}
```

```

        System.out.print("Name: ");
        String name = s.nextLine();

        System.out.print("Author: ");
        String author = s.nextLine();

        System.out.print("Price: ");
        int price = s.nextInt();

        System.out.print("Number of pages: ");
        int numPages = s.nextInt();

        books[i] = new Book(name, author, price, numPages);
    }

    System.out.println("\n--- Book Details ---");
    for (Book b : books) {
        System.out.println(b.toString());
    }
    s.close();
}
}

```

## Terminal Output:

```

cd "d:\Shreya Suman 1BF24CS287\" ; if ($?) { javac BookStore.java } ; if ($?) { java BookStore }

Enter number of books: 2

Enter details for Book 1:
Name: To Kill a Mockingbird
Author: Harper Lee
Price: 499
Number of pages: 394

Enter details for Book 2:
Name: The Great Gatsby
Author: F. Scott Fitzgerald
Price: 799
Number of pages: 597

--- Book Details ---
Book Name: To Kill a Mockingbird
Author Name: Harper Lee
Price: 499
Number of Pages: 394

Book Name: The Great Gatsby
Author Name: F. Scott Fitzgerald
Price: 799
Number of Pages: 597

```

## **Lab Program 4:**

Implement a program to calculate attributes of different shapes

### **Code:**

```
import java.util.Scanner;
```

```
abstract class Shape {  
    protected int dim1;  
    protected int dim2;  
  
    public abstract void printArea();  
}
```

```
class Rectangle extends Shape {  
  
    public Rectangle(int length, int width) {  
        this.dim1 = length;  
        this.dim2 = width;  
    }  
  
    @Override  
    public void printArea() {  
        int area = dim1 * dim2;  
        System.out.println("Area of Rectangle: " + area);  
    }  
}
```

```
class Triangle extends Shape {  
  
    public Triangle(int base, int height) {  
        this.dim1 = base;  
        this.dim2 = height;  
    }  
  
    @Override  
    public void printArea() {  
        // Use 0.5 to ensure floating-point calculation  
    }  
}
```

```

        double area = 0.5 * dim1 * dim2;
        System.out.println("Area of Triangle: " + area);
    }
}

class Circle extends Shape {

    public Circle(int radius) {
        this.dim1 = radius;
    }

    @Override
    public void printArea() {

        double area = Math.PI * dim1 * dim1;

        System.out.printf("Area of Circle: %.2f\n", area);
    }
}

public class Shapes {

    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        // Rectangle input
        System.out.println("Enter dimensions for Rectangle:");
        System.out.print("Enter length: ");
        int length = sc.nextInt();
        System.out.print("Enter width: ");
        int width = sc.nextInt();
        Shape rectangle = new Rectangle(length, width);

        // Triangle input
        System.out.println("\nEnter dimensions for Triangle:");
        System.out.print("Enter base: ");

```

```

int base = sc.nextInt();
System.out.print("Enter height: ");
int height = sc.nextInt();
Shape triangle = new Triangle(base, height);

// Circle input
System.out.println("\nEnter dimensions for Circle:");
System.out.print("Enter radius: ");
int radius = sc.nextInt();
Shape circle = new Circle(radius);

System.out.println("\n--- Areas of Shapes ---");
rectangle.printArea();
triangle.printArea();
circle.printArea();

sc.close();
}
}

```

### **Terminal Output:**

```

PS C:\Users\hp> cd "d:\Shreya Suman 1BF24CS287\" ; if ($?) { javac Shapes.java } ; if ($?) { java Shapes }

Enter dimensions for Rectangle:
Enter length: 20
Enter width: 5

Enter dimensions for Triangle:
Enter base: 2
Enter height: 54

Enter dimensions for Circle:
Enter radius: 5

--- Areas of Shapes ---
Area of Rectangle: 100
Area of Triangle: 54.0
Area of Circle: 78.54

```

## **Lab Program 5:**

Implement a program for a banking software.

### **Code:**

```
import java.util.Scanner;
```

```
class Account
```

```
{
```

```
    String customerName;
```

```
    String accountNumber;
```

```
    String accountType;
```

```
    double balance;
```

```
    Account(String customerName, String accountNumber, String accountType, double  
initialBalance) {
```

```
        this.customerName = customerName;
```

```
        this.accountNumber = accountNumber;
```

```
        this.accountType = accountType;
```

```
        this.balance = initialBalance;
```

```
}
```

```
    void deposit(double amount)
```

```
{
```

```
    if (amount > 0)
```

```
{
```

```
        balance += amount;
```

```
        System.out.println("Deposited: " + amount);
```

```
}
```

```
else
```

```
{
```

```
    System.out.println("Invalid deposit amount.");
```

```
}
```

```
}
```

```
    void displayBalance() {
```

```
        System.out.println("Current Balance: " + balance);
```

```
}
```

```
}
```

```

class Saving extends Account
{
    double INTEREST_RATE = 0.05;

    Saving(String customerName, String accountNumber, double initialBalance)
    {
        super(customerName, accountNumber, "Savings", initialBalance);
    }

    void Interest(int years) {
        double interest = balance * Math.pow((1 + INTEREST_RATE), years) - balance;
        balance += interest;
        System.out.println("Interest of " + String.format("%.2f", interest) + " added to
your account.");
    }

    void withdraw(double amount)
    {
        if (amount <= balance)
        {
            balance -= amount;
            System.out.println("Withdrawn:" + amount);
        } else
        {
            System.out.println("Insufficient balance!");
        }
    }
}

```

```

class Current extends Account {
    static final double MIN_BALANCE = 1000.0;
    static final double SERVICE_CHARGE = 50.0;

    public Current(String customerName, String accountNumber, double initialBalance)
    {
        super(customerName, accountNumber, "Current", initialBalance);
    }

    void withdraw(double amount) {
        if (amount <= balance) {
            balance -= amount;

```

```

        System.out.println("Withdrawn: ₹" + amount);
        checkMinimumBalance();
    } else {
        System.out.println("Insufficient balance!");
    }
}

void checkMinimumBalance() {
    if (balance < MIN_BALANCE) {
        balance -= SERVICE_CHARGE;
        System.out.println("Balance below minimum! Service charge of ₹" +
SERVICE_CHARGE + " imposed.");
    }
}
}

public class Banking {
    public static void main(String[] args) {
        Scanner in = new Scanner(System.in);

        System.out.println("Enter Customer Name:");
        String name = in.nextLine();

        System.out.println("Enter Account Number:");
        String accNo = in.nextLine();

        System.out.println("Enter Account Type (savings/current):");
        String type = in.nextLine().toLowerCase();

        System.out.println("Enter Initial Balance:");
        double balance = in.nextDouble();

        Account account;

        if (type.equals("savings"))
        {
            account = new Saving(name, accNo, balance);
        }
        else
        {

```

```

        account = new Current(name, accNo, balance);
    }

int choice;
do {
    System.out.println("\nOptions Available");
    System.out.println("1. Deposit");
    System.out.println("2. Withdraw");
    System.out.println("3. Display Balance");
    if (account instanceof Saving)
        System.out.println("4. Compute and Deposit Interest");
    System.out.println("5 . Exit");
    System.out.print("Enter choice: ");
    choice = in.nextInt();

    switch (choice) {
        case 1:
            System.out.print("Enter amount to deposit: ");
            double depositAmount = in.nextDouble();
            account.deposit(depositAmount);
            break;

        case 2:
            System.out.print("Enter amount to withdraw: ");
            double withdrawAmount = in.nextDouble();
            if (account instanceof Saving) {
                ((Saving) account).withdraw(withdrawAmount);
            } else {
                ((Current) account).withdraw(withdrawAmount);
            }
            break;

        case 3:
            account.displayBalance();
            break;

        case 4:
            if (account instanceof Saving) {
                System.out.print("Enter number of years for interest: ");
                int years = in.nextInt();

```

```

        ((Saving) account).Interest(years);
    } else {
        System.out.println("Interest computation not available for Current
Account.");
    }
    break;

case 5:
    System.out.println("Exiting Program ");
    break;

default:
    System.out.println("Invalid choice. Try again.");
}
} while (choice != 0);

in.close();
}
}

```

## **Terminal Output:**

```

PS C:\Users\hp> cd "d:\Shreya Suman 1BF24CS287\" ; if ($?) { javac Banking.java } ; if ($?) { java Banking }

Enter Customer Name:
Shreya Suman
Enter Account Number:
998767365398
Enter Account Type (savings/current):
savings
Enter Initial Balance:
10000

Options Available
1. Deposit
2. Withdraw
3. Display Balance
4. Compute and Deposit Interest
5 . Exit
Enter choice: 1
Enter amount to deposit: 500
Deposited: 500.0

Options Available
1. Deposit
2. Withdraw
3. Display Balance
4. Compute and Deposit Interest
5 . Exit
Enter choice: 2
Enter amount to withdraw: 1000
Withdrawn:1000.0

```

```
PS C:\Users\hp> cd "d:\Shreya Suman 1BF24CS287\" ; if ($?) { javac Banking.java } ; if ($?) { java Banking }

Options Available
1. Deposit
2. Withdraw
3. Display Balance
4. Compute and Deposit Interest
5 . Exit
Enter choice: 3
Current Balance: 9500.0

Options Available
1. Deposit
2. Withdraw
3. Display Balance
4. Compute and Deposit Interest
5 . Exit
Enter choice: 4
Enter number of years for interest: 4
Interest of 2047.31 added to your account.

Options Available
1. Deposit
2. Withdraw
3. Display Balance
4. Compute and Deposit Interest
5 . Exit
Enter choice: 5
Exiting Program
```

## **Lab Program 6**

Implement a program to show packages in java

### **Code:**

#### **Package CIE Programs:**

1.

```
package CIE;

import java.util.Scanner;

public class Internals extends Student {
    protected int marks[] = new int[5];

    public void inputCIEmarks() {
        Scanner in = new Scanner(System.in);
        System.out.println("Enter CIE marks for 5 subjects:");
        for (int i = 0; i < 5; i++) {
            System.out.print("CIE Mark " + (i + 1) + ": ");
            marks[i] = in.nextInt();
        }
    }
}
```

2.

```
package CIE;

import java.util.Scanner;

public class Student {
    protected String usn;
    protected String name;
    protected int sem;

    public void inputStudentDetails() {
        Scanner in = new Scanner(System.in);
        System.out.print("Enter USN: ");
        usn = in.nextLine();
        System.out.print("Enter Name: ");
        name = in.nextLine();
        System.out.print("Enter Semester: ");
```

```

        sem = in.nextInt();
    }

public void displayStudentDetails() {
    System.out.println("USN: " + usn);
    System.out.println("Name: " + name);
    System.out.println("Semester: " + sem);
}
}

```

Package SEE Program:

```

package SEE;

import CIE.Internals;
import java.util.Scanner;

public class Externals extends Internals {

    protected int marksSEE[];
    protected int finalMarks[];

    public Externals() {
        marksSEE = new int[5];
        finalMarks = new int[5];
    }

    public void inputSEEmarks() {
        Scanner s = new Scanner(System.in);
        System.out.println("Enter SEE marks for 5 subjects:");
        for (int i = 0; i < 5; i++) {
            System.out.print("SEE Mark " + (i + 1) + ": ");
            marksSEE[i] = s.nextInt();
        }
    }

    public void calculateFinalMarks() {
        for (int i = 0; i < 5; i++) {
            finalMarks[i] = marks[i] + marksSEE[i];
        }
    }
}

```

```

public void displayFinalMarks() {
    displayStudentDetails();
    System.out.println("Final marks (CIE + SEE):");
    for (int i = 0; i < 5; i++) {
        System.out.println("Subject " + (i + 1) + ": " + finalMarks[i]);
    }
}

Main Program:
import SEE.Externals;

class Main {
    public static void main(String args[]) {
        int n = 0;
        java.util.Scanner s = new java.util.Scanner(System.in);

        System.out.print("Enter number of students: ");
        n = s.nextInt();

        Externals arr[] = new Externals[n];

        for (int i = 0; i < n; i++) {
            System.out.println("\nEnter details of student " + (i + 1));
            arr[i] = new Externals();
            arr[i].inputStudentDetails();
            arr[i].inputCIEMarks();
            arr[i].inputSEEmarks();
            arr[i].calculateFinalMarks();
        }

        System.out.println("\nFINAL MARKS ");
        for (int i = 0; i < n; i++) {
            System.out.println("\nStudent " + (i + 1) + ":" );
            arr[i].displayFinalMarks();
        }
    }
}

```

## Terminal Output:

```
● PS D:\Shreya Suman 1BF24CS287\src\SEE> cd "d:\Shreya Suman 1BF24CS287\src\" ; if ($?) { javac Main.java } ; if ($?) { java Main }

Enter number of students: 2

Enter details of student 1
Enter USN: 1BF24CS287
Enter Name: Shreya Suman
Enter Semester: 3
Enter CIE marks for 5 subjects:
CIE Mark 1: 44
CIE Mark 2: 47
CIE Mark 3: 46
CIE Mark 4: 50
CIE Mark 5: 49
Enter SEE marks for 5 subjects:
SEE Mark 1: 50
SEE Mark 2: 49
SEE Mark 3: 37
SEE Mark 4: 50
SEE Mark 5: 46

Enter details of student 2
Enter USN: 1BF24CS286
Enter Name: Shreya Shah
Enter Semester: 3
Enter CIE marks for 5 subjects:
CIE Mark 1: 46
CIE Mark 2: 48
CIE Mark 3: 47
CIE Mark 4: 50
CIE Mark 5: 43
Enter SEE marks for 5 subjects:
SEE Mark 1: 44
SEE Mark 2: 43
SEE Mark 3: 41
SEE Mark 4: 49
SEE Mark 5: 50
PS D:\Shreya Suman 1BF24CS287\src\SEE> cd "d:\Shreya Suman 1BF24CS287\src\" ; if ($?) { javac Main.java } ; if ($?) { java Main }

FINAL MARKS

Student 1:
USN: 1BF24CS287
Name: Shreya Suman
Semester: 3
Final marks (CIE + SEE):
Subject 1: 94
Subject 2: 96
Subject 3: 83
Subject 4: 100
Subject 5: 95

Student 2:
USN: 1BF24CS286
Name: Shreya Shah
Semester: 3
Final marks (CIE + SEE):
Subject 1: 90
Subject 2: 91
Subject 3: 88
Subject 4: 99
Subject 5: 93
PS D:\Shreya Suman 1BF24CS287\src>
```

## **Lab Program 7**

Implement a Java Program to show Error Handling

### **Code:**

```
import java.util.Scanner;

class WrongAge extends Exception
{
    public WrongAge(String message)
    {
        super(message);
    }
}

class Father
{
    int fatherAge;

    Father(int age) throws WrongAge
    {
        if (age<0)
        {
            throw new WrongAge("Father's age cannot be negative!");
        }
        this.fatherAge = age;
    }

    void display()
    {
        System.out.println("Father's age : "+fatherAge);
    }
}

class Son extends Father{
    int sonAge;

    Son(int fatherAge,int sonAge) throws WrongAge
    {
        super(fatherAge);
```

```

if (sonAge>=fatherAge)
{
    throw new WrongAge
(
    "Son's age cannot be greater than or equal to father's age!"
);
}

if (sonAge<0)
{
    throw new WrongAge("Son's age cannot be negative!");
}

this.sonAge=sonAge;
}
}

public class Error
{
    public static void main(String[] args)
    {
        Scanner in = new Scanner(System.in);
        int s_age,f_age;
        System.out.println("Enter father's age : ");
        f_age = in.nextInt();
        System.out.println("Enter son's age : ");
        s_age = in.nextInt();
        try{
            Son s = new Son(f_age,s_age);
            System.out.println("Father and Son objects created successfully!");
            s.display();
        }
        catch(WrongAge e)
        {
            System.out.println("Wrong Age Error: " + e.getMessage());
        }
    }
}

```

## **Terminal Output:**

```
● PS C:\Users\hp> cd "d:\Shreya Suman 1BF24CS287\" ; if ($?) { javac Error.java } ; if ($?) { java Error }
Enter father's age :
45
Enter son's age :
50
Wrong Age Error: Son's age cannot be greater than or equal to father's age!
● PS D:\Shreya Suman 1BF24CS287> cd "d:\Shreya Suman 1BF24CS287\" ; if ($?) { javac Error.java } ; if ($?) { java Error }
Enter father's age :
-5
Enter son's age :
20
Wrong Age Error: Father's age cannot be negative!
● PS D:\Shreya Suman 1BF24CS287> cd "d:\Shreya Suman 1BF24CS287\" ; if ($?) { javac Error.java } ; if ($?) { java Error }
Enter father's age :
40
Enter son's age :
-5
Wrong Age Error: Son's age cannot be negative!
```

## **Lab Program 8**

Implement a Java Program to show working of Threads

### **Code:**

```
class MessageThread extends Thread {  
    private String message;  
    private int interval;  
  
    MessageThread(String message, int interval) {  
        this.message = message;  
        this.interval = interval;  
    }  
  
    public void run() {  
        try {  
            while (true) {  
                System.out.println(message);  
                Thread.sleep(interval);  
            }  
        } catch (InterruptedException e) {  
            System.out.println("Thread interrupted.");  
        }  
    }  
}  
  
public class Threads {  
    public static void main(String[] args) {  
        MessageThread t1 = new MessageThread("BMS College of Engineering",  
10000);  
        MessageThread t2 = new MessageThread("CSE", 2000);  
  
        t1.start();  
        t2.start();  
    }  
}
```

## **Terminal Output:**

```
cd "d:\Shreya Suman 1BF24CS287\" ; if ($?) { javac Threads.java } ; if ($?) { java Threads }
BMS College of Engineering
CSE
CSE
CSE
CSE
CSE
BMS College of Engineering
CSE
CSE
```

## **Lab Program 9**

### Open Ended Question 1

#### **Code:**

```
import javax.swing.*;
import java.awt.*;
import java.awt.event;

public class DivisionUI {
    public static void main(String[] args) {

        JFrame frame = new JFrame("Integer Division");
        frame.setSize(350, 200);
        frame.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
        frame.setLayout(new GridLayout(4, 2));

        JLabel l1 = new JLabel("Num1:");
        JTextField t1 = new JTextField();

        JLabel l2 = new JLabel("Num2:");
        JTextField t2 = new JTextField();

        JLabel l3 = new JLabel("Result:");
        JTextField result = new JTextField();
        result.setEditable(false);

        JButton divideBtn = new JButton("Divide");

        divideBtn.addActionListener(new ActionListener() {
            public void actionPerformed(ActionEvent e) {
                try {
                    int num1 = Integer.parseInt(t1.getText());
                    int num2 = Integer.parseInt(t2.getText());

                    int res = num1 / num2;
                    result.setText(Integer.toString(res));
                }
                catch (NumberFormatException ex) {
                    JOptionPane.showMessageDialog(frame,
                        "Please enter valid integers!");
                }
            }
        });
    }
}
```

```

        "Number Format Error",
        JOptionPane.ERROR_MESSAGE);
    }
    catch (ArithmaticException ex) {
        JOptionPane.showMessageDialog(frame,
            "Division by zero is not allowed!",
            "Arithmatic Error",
            JOptionPane.ERROR_MESSAGE);
    }
}
});

frame.add(l1); frame.add(t1);
frame.add(l2); frame.add(t2);
frame.add(l3); frame.add(result);
frame.add(divideBtn);


frame.setVisible(true);
}
}

```

### Terminal Output:


```

PS D:\Shreya Suman 1BF24CS287> cd "d:\Shreya Suman 1BF24CS287\" ; if ($?) { javac DivisionUI.java } ; if ($?) { java DivisionUI }



```

```
PS D:\Shreya Suman 1BF24CS287> cd "d:\Shreya Suman 1BF24CS287\" ; if ($?) { javac DivisionUI.java } ; if ($?) { java DivisionUI }
```



## **Lab Program 10:**

### Open Ended Question 2

#### **Code:**

```
class Q {  
    int n;  
    boolean valueSet = false;  
  
    synchronized int get() {  
        while (!valueSet) {  
            try {  
                System.out.println(" Consumer waiting");  
                wait();  
            } catch (InterruptedException e) {  
                System.out.println("InterruptedException caught");  
            }  
        }  
  
        System.out.println("Got: " + n);  
        valueSet = false;  
  
        System.out.println("Intimate Producer");  
        notify();  
        return n;  
    }  
  
    synchronized void put(int n) {  
        while (valueSet) {  
            try {  
                System.out.println("Producer waiting");  
                wait();  
            } catch (InterruptedException e) {  
                System.out.println("InterruptedException caught");  
            }  
        }  
  
        this.n = n;  
        valueSet = true;  
  
        System.out.println("Put: " + n);  
    }  
}
```

```

        System.out.println("Intimate Consumer");
        notify();
    }
}

class Producer implements Runnable {
    Q q;

    Producer(Q q) {
        this.q = q;
        new Thread(this, "Producer").start();
    }

    public void run() {
        int i = 0;
        while (i < 3) {
            q.put(i++);
        }
    }
}

class Consumer implements Runnable {
    Q q;

    Consumer(Q q) {
        this.q = q;
        new Thread(this, "Consumer").start();
    }

    public void run() {
        int i = 0;
        while (i < 3) {
            int r = q.get();
            System.out.println("Consumed: " + r);
            i++;
        }
    }
}

public class PCDemo {

```

```
public static void main(String[] args) {  
    Q q = new Q();  
    new Producer(q);  
    new Consumer(q);  
}  
}
```

## Terminal Ouput:

```
● PS D:\Shreya Suman 1BF24CS287> cd "d:\Shreya Su  
cd "d:\Shreya Suman 1BF24CS287\" ; if ($?) { javac PCDemo.java } ;  
if (?) { java PCDemo }  
Put: 0  
Intimate Consumer  
Producer waiting  
Got: 0  
Intimate Producer  
Put: 1  
Intimate Consumer  
Producer waiting  
Consumed: 0  
Got: 1  
Intimate Producer  
Consumed: 1  
Put: 2  
Intimate Consumer  
Got: 2  
Intimate Producer  
Consumed: 2
```