Operating System | Page Fault Handling

A page fault occurs when a program attempts to access data or code that is in its address space, but is not currently located in the system RAM. So when page fault occurs then following sequence of events happens :



- The computer hardware traps to the kernel and program counter (PC) is saved on the stack. Current instruction state information is saved in CPU registers.
- An assembly program is started to save the general registers and other volatile information to keep the OS from destroying it.
- Operating system finds that a page fault has occurred and tries to find out which virtual page is needed. Some times hardware register contains this required information. If not, the operating system must retrieve PC, fetch instruction and find out what it was doing when the fault occurred.
- Once virtual address caused page fault is known, system checks to see if address is valid and checks if there is no protection access problem.
- If the virtual address is valid, the system checks to see if a page frame is free. If no frames are free, the page replacement algorithm is run to remove a page.
- If frame selected is dirty, page is scheduled for transfer to disk, context switch takes place, fault process is suspended and another process is made to run until disk transfer is completed.
- As soon as page frame is clean, operating system looks up disk address where needed page is, schedules disk operation to bring it in.
- When disk interrupt indicates page has arrived, page tables are updated to reflect its position, and frame marked as being in normal state.
- Faulting instruction is backed up to state it had when it began and PC is reset. Faulting is scheduled, operating system returns to routine that called it.

- Assembly Routine reloads register and other state information, returns to user space to continue execution.

References –

cs.uttyler.edu

professormerwyn.wordpress.com

This article is contributed by **Swasthik**. If you like GeeksforGeeks and would like to contribute, you can also write an article using contribute.geeksforgeeks.org or mail your article to contribute@geeksforgeeks.org. See your article appearing on the GeeksforGeeks main page and help other Geeks.

Please write comments if you find anything incorrect, or you want to share more information about the topic discussed above.

Recommended Posts:

Operating System | Inverted Page Table

Operating System | Page Table Entries

Operating System | Second Chance (or Clock) Page Replacement Policy

Page Replacement Algorithms in Operating Systems

Operating System | Starvation and Aging in Operating Systems

Operating System | Buddy System - Memory allocation technique

Operating System | Introduction of Operating System - Set 1

Operating System | Semaphores in operating system

Operating System | Requirements of memory management system

Operating System | Types of Operating Systems

Operating System | Introduction of System Call

Operating System | Kernel I/O Subsystem (I/O System)

Operating System | Unix File System

Operating System | Segmentation

Operating System | Thread

Article Tags : GATE CS, Operating Systems

Practice Tags : Operating Systems

Be the First to upvote.

To-do Done

2.5

Based on **9** vote(s)

Feedback/ Suggest Improvement | Add Notes | Improve Article

Please write to us at contribute@geeksforgeeks.org to report any issue with the above content.

Digital logic | Encoder

Next

DBMS | Enhanced ER Model

Most popular in GATE CS

Arden's Theorem and Challenging Applications | Set 2

IEEE 802.11 Mac Frame

Most visited in Operating Systems

Deadlock, Starvation, and Livelock

Logical vs Physical Address in Operating System

Operating System | Boot Block

Message based Communication in IPC (inter process communication)

Get/Set process resource limits in C