



**S. B. JAIN INSTITUTE OF TECHNOLOGY, MANAGEMENT
& RESEARCH, NAGPUR.**

Practical No. 9

Aim: Apply the knowledge of Bootstrap CSS v5.1.3 & design a webpage by using following components: NavBar, Carousel, Accordion and Footer.

Name of Student: Shreya Wasnik

Roll No.: CS24044

Semester/Year: II/I

Academic Session: 2024 -25

Date of Performance: /05/2025

Date of Submission: /05/2025

AIM: Apply the knowledge of Bootstrap CSS v5.1.3 & design a webpage by using

following components: NavBar, Button, Carousel, Spinners & Footer.

OBJECTIVE/EXPECTED LEARNING OUTCOME:

The objectives and expected learning outcome of this practical are:

- To apply the knowledge of Bootstrap
- To be able to create a Nav Bar, Buttons, Carousel, Spinners and Footer.

HARDWARE AND SOFTWARE REQUIREMENT:

Hardware Requirement

- 1.6 GHz or faster processor
- .RAM: 1GB
- Hard Disk Drive: > 80 GB

Software Requirement

- Operating System – Windows 2007,2010.
- Editor – Visual Studio Code /SublimeText.

THEORY:

What is Bootstrap?

Bootstrap is a front-end framework used to create modern websites and web apps. It's open-

source and free to use. Bootstrap also supports JavaScript extensions. It is the most popular

HTML, CSS, and JavaScript framework for developing responsive, mobile-first websites.

Bootstrap is completely free to download and use.

Include Bootstrap's CSS and JS.

To use Bootstrap, add the following line inside the <head> and <body>section of your Chosen editor's page:

1. Place the <link> tag in the &<head>for our CSS.
2. Place the <script>tag for our JavaScript bundle before the closing </body>after head

section.

CDN links

Description URL

CS S	https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/css/bootstrap.min.css
JS	https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/js/bootstrap.bundle.min.js

CODE:

```
<html>

<head>

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfSpd3yD65VohhpUuCOmLASjC"
crossorigin="anonymous">
```

```
<script src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.9.2/dist/umd/popper.min.js"
integrity="sha384-
IQsoLXI5PILFhosVNubq5LC7Qb9DXgDA9i+tQ8Zj3iwWAwPtgFTxbJ8NT4GN1R8p"
crossorigin="anonymous"></script>
```

```
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.min.js"
integrity="sha384-
cVKIPhGWIC2Al4u+LWgxfKTRlcfu0JTxR+EQDz/bglDoEyl4H0zUF0QKbrJ0EcQF"
crossorigin="anonymous"></script>
```

```
</head>
```

```
<body bgcolor="tan">
```

```
<nav class="navbar navbar-expand-lg navbar-light bg-light">
```

```
<div class="container-fluid">
```

```
<a class="navbar-brand" href="#">Buy House</a>
```

```
<button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
expanded="false" aria-label="Toggle navigation">
```

```
<span class="navbar-toggler-icon"></span>
```

```
</button>
```

```
<div class="collapse navbar-collapse" id="navbarSupportedContent">
```

```
<ul class="navbar-nav me-auto mb-2 mb-lg-0">
```

```
<li class="nav-item">
```

```
<a class="nav-link active" aria-current="page" href="#">Home</a>
```

```
</li>
```

```
<li class="nav-item">
```

```
<a class="nav-link" href="#">About us</a>
```

```
</li>
```

```
<li class="nav-item dropdown">
```

```
<a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown" aria-expanded="false">
```

```
Content
```

```
</a>
```

```
<ul class="dropdown-menu" aria-labelledby="navbarDropdown">
```

```
<li><a class="dropdown-item" href="#">Villa</a></li>
```

```
<li><a class="dropdown-item" href="#">House</a></li>
```

```
</li><hr class="dropdown-divider"></li>

<li><a class="dropdown-item" href="#">Room</a></li>

</ul>

</li>

<li class="nav-item">

  <a class="nav-link disabled" href="#" tabindex="-1" aria-
disabled="true">Disabled</a>

</li>

</ul>

<form class="d-flex">

  <input class="form-control me-2" type="search" placeholder="Search" aria-
label="Search">

  <button class="btn btn-outline-success" type="submit">Search</button>

</form>

</div>

</div>

</nav>

<div id="carouselExampleControls" class="carousel slide" data-bs-ride="carousel">

  <div class="carousel-inner">

    <div class="carousel-item active">

    </div>

    <div class="carousel-item">

    </div>

    <div class="carousel-item">

    </div>

  </div>

</div>
```

```
<button class="carousel-control-prev" type="button" data-bs-
target="#carouselExampleControls" data-bs-slide="prev">

    <span class="carousel-control-prev-icon" aria-hidden="true"></span>

    <span class="visually-hidden">Previous</span>

</button>

<button class="carousel-control-next" type="button" data-bs-
target="#carouselExampleControls" data-bs-slide="next">

    <span class="carousel-control-next-icon" aria-hidden="true"></span>

    <span class="visually-hidden">Next</span>

</button>

</div>

<div class="accordion" id="accordionExample" align="center">

    <div class="accordion-item" align="center">

        <h2 class="accordion-header" id="headingOne" >

            <button class="accordion-button" type="button" data-bs-toggle="collapse" data-bs-
target="#collapseOne" aria-expanded="true" aria-controls="collapseOne" >

                Why Choose Our Villas?

            </button>

        </h2>

        <div id="collapseOne" class="accordion-collapse collapse show" aria-
labelledby="headingOne" data-bs-parent="#accordionExample">

            <div class="accordion-body">

                <strong>Our villas are located in prime areas, offering luxury, privacy, and top-tier
amenities at competitive prices.</strong>

            </div>

        </div>

    </div>

    <div class="accordion-item">

        <h2 class="accordion-header" id="headingTwo" >

            <button class="accordion-button collapsed" type="button" data-bs-
toggle="collapse" data-bs-target="#collapseTwo" aria-expanded="false" aria-
controls="collapseTwo">

                What's Included in the Price?
```

```
</button>

</h2>

<div id="collapseTwo" class="accordion-collapse collapse" aria-
labelledby="headingTwo" data-bs-parent="#accordionExample">

  <div class="accordion-body">

    <strong>Each villa includes modern furnishings, landscaped gardens, private
pools, and 24/7 security.</strong>

  </div>

</div>

</div>

<div class="accordion-item" >

  <h2 class="accordion-header" id="headingThree" >

    <button class="accordion-button collapsed" type="button" data-bs-
toggle="collapse" data-bs-target="#collapseThree" aria-expanded="false" aria-
controls="collapseThree" >

      Do You Offer Financing?

    </button>

  </h2>

  <div id="collapseThree" class="accordion-collapse collapse" aria-
labelledby="headingThree" data-bs-parent="#accordionExample">

    <div class="accordion-body">

      <strong>We partner with trusted banks to provide flexible home loan options for
eligible buyers.</strong>

    </div>

  </div>

</div>

</div>

<div class="card">

  <div class="card-header">

    <h5 style="color:rgb(107, 62, 3)">Quote</h5>

  </div>


  <div class="card-body">

    <blockquote class="blockquote mb-0">
```

"Every home has a story—let yours begin in the perfect villa."

Shreya Wasnik *Source Title*, India

OUTPUT/SCREENSHOTS:



CONCLUSION: In this practical, a responsive webpage was created using Bootstrap 5.1.3 with components like Navbar, Carousel, Accordion, Footer, and a product section. It demonstrated how Bootstrap simplifies modern web design with reusable, mobile-friendly elements.

DISCUSSION QUESTIONS:

- Explain Bootstrap?
- What is meant by Responsive Website?
- What is Open Source?
- Difference between CSS and Bootstrap?

REFERENCES:

- <https://getbootstrap.coms>
- <https://www.w3schools.com/bootstrap5/>
- <https://getbootstrap.com/docs/5.2/components/navbar/>
- <https://getbootstrap.com/docs/5.2/components/carousel/>