



SQL Quiz Results

Score: 25 of 25

100% Correct:

Question 1:

What does SQL stand for?

✓ Structured Query Language

Your answer

Structured Question Language

Strong Question Language

Question 2:

Which SQL statement is used to extract data from a database?

✓ SELECT

Your answer

GET

OPEN

EXTRACT

Question 3:

Which SQL statement is used to update data in a database?

✓ UPDATE

Your answer

MODIFY

SAVE

SAVE AS

Question 4:

Which SQL statement is used to delete data from a database?

✓ DELETE

Your answer

REMOVE

COLLAPSE

Question 5:

Which SQL statement is used to insert new data in a database?

✓ INSERT INTO

Your answer

ADD NEW

INSERT NEW

ADD RECORD

Question 6:

With SQL, how do you select a column named "FirstName" from a table named "Persons"?

✓ SELECT FirstName FROM Persons

Your answer

SELECT Persons.FirstName

EXTRACT FirstName FROM Persons

Question 7:

With SQL, how do you select all the columns from a table named "Persons"?

✓ SELECT * FROM Persons

Your answer

SELECT Persons

SELECT *.Persons

SELECT [all] FROM Persons

Question 8:

With SQL, how do you select all the records from a table named "Persons" where the value of the column "FirstName" is "Peter"?

✓ SELECT * FROM Persons WHERE FirstName='Peter'

Your answer

SELECT * FROM Persons WHERE FirstName<>'Peter'

SELECT [all] FROM Persons WHERE FirstName='Peter'

SELECT [all] FROM Persons WHERE FirstName LIKE 'Peter'

Question 9:

With SQL, how do you select all the records from a table named "Persons" where the value of the column "FirstName" starts with an "a"?

✓ SELECT * FROM Persons WHERE FirstName LIKE 'a%'

Your answer

```
SELECT * FROM Persons WHERE FirstName LIKE '%a'
```

```
SELECT * FROM Persons WHERE FirstName='%a%'
```

```
SELECT * FROM Persons WHERE FirstName='a'
```

Question 10:

The OR operator displays a record if ANY conditions listed are true. The AND operator displays a record if ALL of the conditions listed are true

✓ True

Your answer

False

Question 11:

With SQL, how do you select all the records from a table named "Persons" where the "FirstName" is "Peter" and the "LastName" is "Jackson"?

✓

```
SELECT * FROM Persons WHERE FirstName='Peter' AND  
LastName='Jackson'
```

Your answer

```
SELECT FirstName='Peter', LastName='Jackson' FROM Persons
```

```
SELECT * FROM Persons WHERE FirstName<>'Peter' AND  
LastName<>'Jackson'
```

Question 12:

With SQL, how do you select all the records from a table named "Persons" where the "LastName" is alphabetically between (and including) "Hansen" and "Pettersen"?

✓

```
SELECT * FROM Persons WHERE LastName BETWEEN  
'Hansen' AND 'Pettersen'
```

Your answer

```
SELECT * FROM Persons WHERE LastName>'Hansen' AND  
LastName<'Pettersen'
```

```
SELECT LastName>'Hansen' AND LastName<'Pettersen' FROM Persons
```

Question 13:

Which SQL statement is used to return only different values?

✓ SELECT DISTINCT

Your answer

SELECT DIFFERENT

SELECT UNIQUE

Question 14:

Which SQL keyword is used to sort the result-set?

✓ ORDER BY

Your answer

SORT

SORT BY

ORDER

Question 15:

With SQL, how can you return all the records from a table named "Persons" sorted descending by "FirstName"?

✓ SELECT * FROM Persons ORDER BY FirstName DESC

Your answer

SELECT * FROM Persons SORT 'FirstName' DESC

SELECT * FROM Persons ORDER FirstName DESC

SELECT * FROM Persons SORT BY 'FirstName' DESC

Question 16:

With SQL, how can you insert a new record into the "Persons" table?

✓ INSERT INTO Persons VALUES ('Jimmy', 'Jackson')

Your answer

INSERT VALUES ('Jimmy', 'Jackson') INTO Persons

INSERT ('Jimmy', 'Jackson') INTO Persons

Question 17:

With SQL, how can you insert "Olsen" as the "LastName" in the "Persons" table?

✓ INSERT INTO Persons (LastName) VALUES ('Olsen')

Your answer

INSERT INTO Persons ('Olsen') INTO LastName

INSERT ('Olsen') INTO Persons (LastName)

Question 18:

How can you change "Hansen" into "Nilsen" in the "LastName" column in the Persons table?

✓ UPDATE Persons SET LastName='Nilsen' WHERE
LastName='Hansen'

Your answer

MODIFY Persons SET LastName='Hansen' INTO LastName='Nilsen'

MODIFY Persons SET LastName='Nilsen' WHERE LastName='Hansen'

UPDATE Persons SET LastName='Hansen' INTO LastName='Nilsen'

Question 19:

With SQL, how can you delete the records where the "FirstName" is "Peter" in the Persons Table?

✓ DELETE FROM Persons WHERE FirstName = 'Peter'

Your answer

DELETE FirstName='Peter' FROM Persons

DELETE ROW FirstName='Peter' FROM Persons

Question 20:

With SQL, how can you return the number of records in the "Persons" table?

✓ SELECT COUNT(*) FROM Persons

Your answer

SELECT COLUMNS(*) FROM Persons

SELECT LEN(*) FROM Persons

SELECT NO(*) FROM Persons

Question 21:

What is the most common type of join?

✓ INNER JOIN

Your answer

INSIDE JOIN

JOINED TABLE

JOINED

Question 22:

Which operator is used to select values within a range?

✓ BETWEEN

Your answer

RANGE

WITHIN

Question 23:

The NOT NULL constraint enforces a column to not accept NULL values.

✓ True

Your answer

False

Question 24:

Which operator is used to search for a specified pattern in a column?

✓ LIKE

Your answer

GET

FROM

Question 25:

Which SQL statement is used to create a database table called 'Customers'?

✓ CREATE TABLE Customers

Your answer

CREATE DATABASE TABLE Customers

CREATE DATABASE TAB Customers

CREATE DB Customers

Study SQL in our SQL Tutorial

Kickstart your career

Get certified by completing a course

Get certified






COLOR PICKER



Get certified
by completing
a course today!



Get started



[Report Error](#)

[Spaces](#)

[Upgrade](#)

[Newsletter](#)

[Get Certified](#)

Top Tutorials

[HTML Tutorial](#)
[CSS Tutorial](#)
[JavaScript Tutorial](#)
[How To Tutorial](#)
[SQL Tutorial](#)
[Python Tutorial](#)
[W3.CSS Tutorial](#)
[Bootstrap Tutorial](#)
[PHP Tutorial](#)
[Java Tutorial](#)
[C++ Tutorial](#)
[jQuery Tutorial](#)

Top References

[HTML Reference](#)
[CSS Reference](#)

[JavaScript Reference](#)
[SQL Reference](#)
[Python Reference](#)
[W3.CSS Reference](#)
[Bootstrap Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[Java Reference](#)
[Angular Reference](#)
[jQuery Reference](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[Java Examples](#)
[XML Examples](#)
[jQuery Examples](#)

Get Certified

[HTML Certificate](#)
[CSS Certificate](#)
[JavaScript Certificate](#)
[Front End Certificate](#)
[SQL Certificate](#)
[Python Certificate](#)
[PHP Certificate](#)
[jQuery Certificate](#)
[Java Certificate](#)
[C++ Certificate](#)
[C# Certificate](#)
[XML Certificate](#)

[FORUM](#) | [ABOUT](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie and privacy policy](#).

Copyright 1999-2023 by Refsnes Data. All Rights Reserved.
W3Schools is Powered by W3.CSS.

