

Report Generation DateTime : 08-Oct-2015 10:12 am

DateTime	Flow (m ³ /hr)	Totalized Qty. (m ³)	pH Value (pH)
07-Oct-2015 7:00 am	1	26	6.6
07-Oct-2015 8:00 am	1	1	7.0
07-Oct-2015 9:00 am	2	3	6.8
07-Oct-2015 10:00 am	2	4	6.8
07-Oct-2015 11:00 am	1	6	6.7
07-Oct-2015 12:00 pm	1	7	6.7
07-Oct-2015 1:00 pm	1	8	6.6
07-Oct-2015 2:00 pm	1	9	6.6
07-Oct-2015 3:00 pm	1	11	6.6
07-Oct-2015 4:00 pm	1	12	6.6
07-Oct-2015 5:00 pm	1	13	6.6
07-Oct-2015 6:00 pm	1	14	6.6
07-Oct-2015 7:00 pm	1	15	6.6
07-Oct-2015 8:00 pm	1	17	6.6
07-Oct-2015 9:00 pm	2	18	6.6
07-Oct-2015 10:00 pm	2	20	6.6
07-Oct-2015 11:00 pm	2	21	6.6
08-Oct-2015 12:00 am	1	22	6.6
08-Oct-2015 1:00 am	1	24	6.6
08-Oct-2015 2:00 am	2	25	6.6
08-Oct-2015 3:00 am	1	26	6.6
08-Oct-2015 4:00 am	1	28	6.6
08-Oct-2015 5:00 am	1	29	6.6
08-Oct-2015 6:00 am	2	30	6.6
08-Oct-2015 7:00 am	1	32	6.6