

```
class Student:
    def __init__(self,name,usn):
        self.name = name
        self.usn = usn

    def display(self):
        print("Student Name:",self.name)
        print("USN:",self.usn)

s1=Student("Amruta","25BECS165")
s2=Student("abc","usn")
s1.display()
```

Student Name: Amruta
USN: 25BECS165

```
class Employee:
    def __init__(self):
        print("Construction is called")
e1=Employee()
```

Construction is called

```
[24]: class books:
    def __init__(self, title, author, price):
        self.title = title
        self.author = author
        self.price = price

    def display(self):
        print("book title :", self.title)
        print("author :", self.author)
        print("price :", self.price)

# creating objects
b1 = books("python programming", "guido", 450)
b2 = books("data structures", "mark", 550)

# display details
b1.display()
print("-----")
b2.display()
```

```
book title : python programming
author : guido
price : 450
-----
book title : data structures
author : mark
price : 550
```

```
[22]: class BankAccount:
    def __init__(self, name, balance):
        self.name = name
        self.balance = balance

    def deposit(self, amount):
        self.balance += amount
        print(amount, "deposited successfully")

    def withdraw(self, amount):
        if amount <= self.balance:
            self.balance -= amount
            print(amount, "withdrawn successfully")
        else:
            print("Insufficient balance")

    def display(self):
        print("Account holder :", self.name)
        print("Balance :", self.balance)

# creating object
b = BankAccount("anu", 100000)

b.display()
b.deposit(2000)
b.withdraw(5000)
b.display()
```

```
Account holder : anu
Balance : 100000
2000 deposited successfully
5000 withdrawn successfully
Account holder : anu
Balance : 97000
```

```
[23]: class Student:
    def __init__(self, name, marks):
        self.name = name
        self.marks = marks

    def calculate_total(self):
        return sum(self.marks)

    def calculate_percentage(self):
        total = self.calculate_total()
        percentage = total / len(self.marks)
        return percentage

    def display(self):
        print("Student Name:", self.name)
        print("Marks:", self.marks)
        print("Total Marks:", self.calculate_total())
        print("Percentage:", self.calculate_percentage(), "%")

name = input("Enter student name: ")

marks = []
for i in range(5):
    mark = int(input(f"Enter marks of subject {i+1}: "))
    marks.append(mark)

s1 = Student(name, marks)
s1.display()
```

```
Enter student name: Vivek
Enter marks of subject 1: 100
Enter marks of subject 2: 200
Enter marks of subject 3: 300
Enter marks of subject 4: 400
Enter marks of subject 5: 500
Student Name: Vivek
Marks: [100, 200, 300, 400, 500]
Total Marks: 1500
```

```
class employe:
    def __init__(self, name, id):
        self.name = name
        self.id = id

    def display(self):
        print("Employee name:", self.name)
        print("ID:", self.id)
```

```
s1 = employe("anu", "25becs16")
s2 = employe("gaanashri", "25becs164")
```

```
s1.display()
s2.display()
```

```
Employee name: anu
ID: 25becs16
Employee name: gaanashri
ID: 25becs164
```