Firearm Localization and Its Effect on VERA's Anomaly Judgments

Exploratory study on the VISILAB firearm-action dataset

October 26, 2026

Abstract

We ran VERA with its frozen InternVL2-8B backbone on all 398 videos of the VISILAB firearm-action dataset (6,375 ten-second windows) in three conditions on identical eight-frame inputs: VERA unchanged (A), firearm grounding only (G), and VERA with a grounding request in the same answer (AG). Unchanged VERA labels 76.3 % of windows anomalous, including 57.2 % of windows without a firearm. Under VERA's packing of eight frames into one image block, the backbone does not localize firearms: G and AG leave almost every slot empty, every box they write covers the whole frame, and recall against the 23,841 annotated firearms is zero at IoU 0.50 and 0.75. Requesting localization still changes the anomaly judgments: AG's anomaly rate differs from A's by -3.8 pp (95 % CI -5.2 to -2.3), a drop that is largest on no-firearm windows. Because AG produced no localization, this is the effect of a bundled prompt change, not of localization. The study is exploratory: the grounding prompt's format was fixed after a bounded pilot.

1 Questions and scope

VERA [1] asks a frozen vision-language model (InternVL2-8B [2]) a fixed set of guiding questions about eight frames of a video window and reads a binary anomaly label from the answer. This study asks three questions on the complete VISILAB firearm-action dataset [3, 4]: (1) which anomaly judgments unchanged VERA produces in each dataset category; (2) how accurately the frozen backbone localizes firearms against the dataset's existing boxes; and (3) whether requesting localization in the same response changes the anomaly judgments and the localization outcomes. No weights are trained, no prompt is optimized and no new human labels are collected. The dataset categories (Handgun, Machine_Gun, No_Gun) describe what was staged in front of the camera; they are *not* anomaly ground truth. A change in anomaly prediction is therefore not evidence of improvement, and no anomaly accuracy, AUC or AP is reported. The existing firearm boxes support object-localization evaluation only. Prompt wording was revised after a bounded pilot that checked output format (Section 2.3), so the study is exploratory.

2 Methods

2.1 Data

The dataset [3] was downloaded once (2,248,654,752 bytes; Zenodo md5 `1bcf357d...`, Mendeley sha256 `b52fa773...`, both verified) and extracted read-only. Mendeley lists the data under CC BY-NC 3.0 and Zenodo under CC BY 4.0; we use it non-commercially with attribution. All 398 videos are included: 141 Handgun, 139 Machine_Gun and 118 No_Gun. Camera C1 is an IP camera (640×480, 25 FPS), camera C2 a phone (1920×1080, 30 or 29.92 FPS); each video keeps its native resolution and frame rate, and results are stratified by camera. Faces were blurred by the dataset authors. Every video is a single subject at one of five locations; the cameras were at disjoint locations, so no event was filmed twice. Repeated takes of one scripted action by one subject at one place form a *recording group*, used for a sensitivity analysis of the bootstrap.

Existing annotations. Each firearm video has a COCO file with one image entry per decoded frame (ids $1..N$) and at most one box per image; No_Gun videos have none. All 280 files validate (ids, sizes, categories, bounds). The image-id-to-frame origin is 1 (MATLAB Video Labeler numbering, the only bijection onto decoded frames $0..N-1$); origin 0 is reported as a sensitivity analysis. Visual checks (39 alignment montages, 48 unboxed frames, 24 No_Gun frames) showed boxes on the firearm, unboxed frames that sometimes contain a partly visible or distant subject, and No_Gun frames without firearms (phones, bottles and similar objects present). Accordingly, boxed frames support recall and precision under a single-firearm assumption, frames listed without a box support neither, and No_Gun frames support false-positive counts only. Native boxes are converted to the model's 0–1000 grid of the 448×448 input by dividing by the native width and height; this is exact for the non-aspect-preserving resize and leaves IoU unchanged (verified with synthetic geometry for both resolutions).

2.2 Conditions

Every window is VERA's original sampling: an anchor every 16 decoded frames, a centred window of 10 s × 30 nominal FPS = 300 frames (12 s at 25 FPS), eight evenly spaced RGB frames, PIL resize to 448×448, ImageNet normalization, no crop. The run is offline inference, not early warning. For each window, three fresh calls are made in the fixed order A, G, AG, each with the identical eight images (identical RGB hashes are recorded per call) and identical generation settings (CUDA BF16, FlashAttention as upstream, greedy, one beam, 1024 new tokens). InternVL2's `batch_chat` with eight patches places all eight images, as one run of 2,048 image tokens, at the first `<image>` of the prompt; the strings `Frame2: <image>...Frame8: <image>` remain literal text. A uses this packing unchanged; G and AG keep it, so "Frame$K$" is a text label over one image block.

A VERA's learner instruction and the five released UCF questions, byte-identical to the configurable runner. On the pilot windows, `run_vera.py` produced byte-identical answers, inputs and labels.

G A grounding-only prompt laid out like VERA's (instructions, the same input block, an output format) asking for every visible firearm (handguns and long guns, one class) in each frame as `Frame`K`: [[x1, y1, x2, y2], ...]` on a 0–1000 grid, `[]` for none seen and `unknown` for cannot assess. It receives no category, annotation or answer of another condition.

AG A with two declared insertions: the same grounding paragraph as question 6, immediately before VERA's concluding instruction, and the same eight box lines in the output format immediately before VERA's final `Output:` field, which stays byte-identical. AG is a modified-prompt condition.

2.3 Prompt pilot and lock

Six videos (one per category and camera, seed 20261025) and their first two windows served as a bounded format pilot; they remain in the full run. Prompt v1 failed on format: G copied a one-line placeholder (`Firearm boxes: []`) and AG never gave box lines. Prompt v2 (above) produced all eight parseable lines in G and AG for 12/12 windows, but every slot was `[]`, also when seven of eight frames were greyed and only one frame with a visible handgun remained. A bounded probe of two further wordings (InternVL2's native `<ref>/<box>` syntax; a coordinate template) produced no frame-specific coordinates, only empty lists, whole-frame boxes, one repeated box or degenerate text, so v2 was locked by hash. No localization score was computed before the lock. The prompt texts are in Appendix A.

2.4 Parsing

The anomaly label is read strictly from the *final* `Output:` field, whose remainder must be exactly 0 or 1; anything else, and any truncated answer, is a missing label, never "normal". VERA's original

rule ("0 if any 0 follows the last Output") and the runner's one-field rule are saved for comparison; box digits after an `Output` field corrupt only the original rule. Box lines are parsed per slot into boxes, empty, unknown, malformed (any invalid box makes the whole slot malformed), missing, duplicate or truncated, without repair or rescaling. A box covering at least 95 % of the frame is flagged as whole-image and kept in the metrics.

2.5 Refinement

VERA's offline refinement (scene-similarity weighting over the 15 % most similar windows, Gaussian temporal smoothing of width 15, rounding to 0.1 and positional weighting, as in its `compute_auc.py`) is applied to the strict labels of A and AG with the *identical* ImageBind [5] features of each video. G has no anomaly label. Features follow LAVAD's procedure [6] (a 300-frame clip centred on each anchor, ten uniformly subsampled frames, PyTorchVideo [7] clip sampling, three spatial crops, ImageBind-Huge in FP32), re-implemented on the official ImageBind package. On the one UCF-Crime [8] video for which VERA's features were available, the re-extracted features match the released ones with median row cosine 0.995 (minimum 0.955); they are not bit-identical, and refined scores differ by up to 0.086 (details in the repository's `FEATURES_VALIDATION.md`). A video is excluded from refinement, never padded, when it has fewer than 15 windows (the smoothing length), any invalid label, missing features or a missing record; all reasons are reported.

2.6 Localization metrics

G and AG are scored on the identical set of evaluable window slots, including windows that A labels normal. For each slot, predicted and existing boxes are matched one-to-one with the assignment that maximizes the number of matches with IoU at or above the threshold (0.50 and 0.75) and then total IoU [9]; ties resolve independently of input order. Unmatched predictions count as false positives where precision is supported; a slot without a usable answer misses its firearm (end-to-end recall). The model emits no confidence, so precision, recall and F1 are fixed operating points and no ranked mAP is reported. Matched IoU is reported separately from misses, and recall is broken down by ground-truth size (area tertiles of all annotated boxes).

2.7 Statistics

Anomaly percentages use valid windows; invalid rates use all scheduled windows; A-versus-AG comparisons use windows valid in both. Windows overlap and share source frames, so they are not independent: intervals are 95 % percentile intervals from 2,000 paired bootstrap draws that resample source videos within category (seed 20261025) [10]; a sensitivity version resamples recording groups. Pooled-window and equal-video summaries are reported separately.

2.8 Execution

All conditions ran sequentially on one NVIDIA RTX 6000 Ada (pinned by UUID), one process at a time, under a resumable unit ledger: a window–condition call is skipped on resume only when a complete record matches the configuration, model, prompt and input hashes, and every failed or interrupted attempt is kept. Every scheduled unit received a disposition (Table 2).

3 Results

3.1 Coverage

All 19,125 scheduled window–condition calls completed in one session, with no failed, timed-out or retried call (Table 2). Every A answer had a valid strict label. AG had 5 answers without one and no truncation; G had 8 truncated slots (1 answer). The strict, runner-strict and original parsers

agree on every A answer; for the 5 AG answers that the strict parser rejects, VERA's original rule would have reported "normal" (Table 3).

Table 1: Dataset composition

Category	Camera	Resolution	FPS	Videos	Minutes	Mean s	Frames	Windows
Handgun	C1	640x480	25	56	7.50	8.04	11,250	732
Handgun	C2	1920x1080	29.92/30	85	13.23	9.34	23,790	1,503
Handgun	all	1920x1080/640x480	25/29.92/30	141	20.73	8.82	35,040	2,235
Machine gun	C1	640x480	25	77	10.85	8.45	16,275	1,055
Machine gun	C2	1920x1080	30	62	10.77	10.42	19,380	1,230
Machine gun	all	1920x1080/640x480	25/30	139	21.62	9.33	35,655	2,285
No gun	C1	640x480	25	42	5.37	7.67	8,050	522
No gun	C2	1920x1080	29.92/30	76	11.65	9.20	20,970	1,333
No gun	all	1920x1080/640x480	25/29.92/30	118	17.02	8.65	29,020	1,855
All	C1	640x480	25	175	23.72	8.13	35,575	2,309
All	C2	1920x1080	29.92/30	223	35.65	9.59	64,140	4,066
All	all	1920x1080/640x480	25/29.92/30	398	59.37	8.95	99,715	6,375

C1: IP camera (CCTV); C2: phone. Durations use each video's own frame rate; windows = ceil(frames/16).

Table 2: Coverage by condition and category

Cond.	Category	Sched.	Complete	Exhausted	Decode fail	Pending	Failed att.	Timeouts	Valid labels	Unparsed	Truncated	All slots answered	Any malformed	Refined videos	Refinement excl.
A	Handgun	2,235	2,235	0	0	0	0	0	2,235	0	0	–	–	106	35
A	Machine gun	2,285	2,285	0	0	0	0	0	2,285	0	0	–	–	95	44
A	No gun	1,855	1,855	0	0	0	0	0	1,855	0	0	–	–	77	41
A	All	6,375	6,375	0	0	0	0	0	6,375	0	0	–	–	278	120
G	Handgun	2,235	2,235	0	0	0	0	0	–	–	0	2,235	0	–	–
G	Machine gun	2,285	2,285	0	0	0	0	0	–	–	1	2,284	0	–	–
G	No gun	1,855	1,855	0	0	0	0	0	–	–	0	1,855	0	–	–
G	All	6,375	6,375	0	0	0	0	0	–	–	1	6,374	0	–	–
AG	Handgun	2,235	2,235	0	0	0	0	0	2,234	1	0	2,235	0	105	36
AG	Machine gun	2,285	2,285	0	0	0	0	0	2,282	3	0	2,284	1	93	46
AG	No gun	1,855	1,855	0	0	0	0	0	1,854	1	0	1,855	0	76	42
AG	All	6,375	6,375	0	0	0	0	0	6,370	5	0	6,374	1	274	124

Units are windows. complete/exhausted/preprocess_failed/pending are reconcile dispositions; the attempt columns count ledger end events (starts_without_end: attempts killed before any end event). unparsed_labels: complete, not truncated, but no strict 0/1 in the final Output field. Truncated answers are counted separately; T3 not_valid = unparsed + truncated + no complete record. all_slots_answered: every FrameK line parsed to boxes or []; any_malformed: at least one malformed line.

3.2 Original VERA behaviour (question 1)

Unchanged VERA labels 76.3 % of all windows anomalous: 80.4 % of Handgun, 87.9 % of Machine_Gun and 57.2 % of No_Gun windows (Table 4, Figure 1). The median firearm video has every window flagged; the median No_Gun video has 65.7 %. Firearm windows are flagged more often, but VERA's UCF-Crime questions also flag a majority of the staged no-firearm scenes. These are anomaly judgments, not accuracy: the categories are not anomaly labels.

3.3 Localization (question 2)

Under VERA's packing the frozen backbone does not localize firearms. G answered `[]` for 50,804 of 51,000 slots and AG for 50,960. The boxes it did write are all whole-image boxes (195 in G, 39 in AG), and in 20 of the 48 G answers with boxes the same box repeats on every boxed slot (Table 5). Against the 23,841 annotated firearms on evaluable slots, G and AG reach zero true positives at IoU 0.50 and 0.75: recall, precision and F1 are 0 in every firearm category, and the paired AG−G recall difference is 0 with a degenerate interval (Tables 6–9). The origin-0 sensitivity analysis and the size breakdown change nothing. Because no slot is localized, slot interpretability under the eight-in-one packing (Section 2.3) could not be shown either way.

Table 3: Agreement of the strict, runner-strict and original (legacy) label parsers

Cond.	Category	Answers	Final valid	Runner-strict valid	Final ≠ runner	Final ≠ legacy	Legacy 0 if final missing	Legacy 1 if final missing
A	Handgun	2,235	2,235	2,235	0	0	0	0
A	Machine gun	2,285	2,285	2,285	0	0	0	0
A	No gun	1,855	1,855	1,855	0	0	0	0
A	All	6,375	6,375	6,375	0	0	0	0
AG	Handgun	2,235	2,234	2,234	0	0	1	0
AG	Machine gun	2,285	2,282	2,282	0	0	3	0
AG	No gun	1,855	1,854	1,854	0	0	1	0
AG	All	6,375	6,370	6,370	0	0	5	0

final: the last Output field must be exactly 0/1 (used everywhere); runner strict: exactly one Output field; legacy: VERA's original rule (0 if any 0 follows the last Output). Truncated answers and missing records are excluded here. legacy_*_where_final_missing: what the original parser would have reported for answers the strict parser rejects.

Table 4: Original VERA (A) anomaly judgments by dataset category

Category	Scheduled	Valid	Anomaly	Anomaly %	Normal	Normal %	Not valid	Not valid % sched.	Videos	Per-video mean %	Per-video median %
Handgun	2,235	2,235	1,796	80.4	439	19.6	0	0.0	141	79.6	100.0
Machine gun	2,285	2,285	2,008	87.9	277	12.1	0	0.0	139	86.6	100.0
No gun	1,855	1,855	1,061	57.2	794	42.8	0	0.0	118	57.7	65.7
All	6,375	6,375	4,865	76.3	1,510	23.7	0	0.0	398	75.5	100.0

Not a confusion matrix: categories are dataset classes, not anomaly ground truth. Anomaly/normal percentages use valid A windows; the not-valid percentage uses all scheduled windows (unparsed + truncated + no record). Per-video fractions: anomaly windows / valid windows of each video with at least one valid window.




Figure 1: A and AG predictions per dataset category as a share of scheduled windows, including invalid answers (hatched).

Table 5: Grounding outcomes per window slot

Cond.	Category	Submitted	Boxes	Empty	Unknown	Malformed	Missing	Duplicate	Truncated	Boxes emitted	Whole-image	Answers with boxes	Same box every slot	Only whole-image	Boxed frames	Listed, no box	No-gun frames
G	Handgun	17,880	36	17,844	0	0	0	0	0	36	36	8	4	8	11,454	6,426	0
G	Machine gun	18,280	152	18,120	0	0	0	0	8	159	159	40	16	40	12,387	5,893	0
G	No gun	14,840	0	14,840	0	0	0	0	0	0	0	0	0	0	0	0	14,840
G	All	51,000	188	50,804	0	0	0	0	8	195	195	48	20	48	23,841	12,319	14,840
AG	Handgun	17,880	17	17,863	0	0	0	0	0	17	17	3	2	3	11,454	6,426	0
AG	Machine gun	18,280	21	18,258	0	1	0	0	0	21	21	7	2	7	12,387	5,893	0
AG	No gun	14,840	1	14,839	0	0	0	0	0	1	1	1	0	1	0	0	14,840
AG	All	51,000	39	50,960	0	1	0	0	0	39	39	11	4	11	23,841	12,319	14,840

Submitted slots are the eight slots of every complete response. Status counts partition them. whole_image_boxes: boxes covering at least 95 % of the frame (kept in the metrics, reported here). responses_same_boxes_every_boxed_slot and responses_only_whole_image flag answers that do not vary by frame (a sign that slot references or per-frame coordinates are not being used). frames_*: the existing annotation coverage of the scheduled slots' source frames (audit statuses).

Table 6: Localization of firearms against the existing boxes (fixed-output operating point)

IoU	Cond.	Category	Boxed slots	GT	No record	TP	FP (boxed)	FN	Precision	Recall	F1	Recall (answered)	Matched IoU (median)	No-gun slots	No-gun box rate
0.500	G	Handgun	11,454	11,454	0	0	29	11,454	0.000	0.000	0.000	0.000	–	0	–
0.500	AG	Handgun	11,454	11,454	0	0	14	11,454	0.000	0.000	0.000	0.000	–	0	–
0.500	G	Machine gun	12,387	12,387	0	0	135	12,387	0.000	0.000	0.000	0.000	–	0	–
0.500	AG	Machine gun	12,387	12,387	0	0	17	12,387	0.000	0.000	0.000	0.000	–	0	–
0.500	G	No gun	0	0	0	0	0	0	–	–	–	–	–	14,840	0.000
0.500	AG	No gun	0	0	0	0	0	0	–	–	–	–	–	14,840	0.000
0.500	G	All	23,841	23,841	0	0	164	23,841	0.000	0.000	0.000	0.000	–	14,840	0.000
0.500	AG	All	23,841	23,841	0	0	31	23,841	0.000	0.000	0.000	0.000	–	14,840	0.000
0.750	G	Handgun	11,454	11,454	0	0	29	11,454	0.000	0.000	0.000	0.000	–	0	–
0.750	AG	Handgun	11,454	11,454	0	0	14	11,454	0.000	0.000	0.000	0.000	–	0	–
0.750	G	Machine gun	12,387	12,387	0	0	135	12,387	0.000	0.000	0.000	0.000	–	0	–
0.750	AG	Machine gun	12,387	12,387	0	0	17	12,387	0.000	0.000	0.000	0.000	–	0	–
0.750	G	No gun	0	0	0	0	0	0	–	–	–	–	–	14,840	0.000
0.750	AG	No gun	0	0	0	0	0	0	–	–	–	–	–	14,840	0.000
0.750	G	All	23,841	23,841	0	0	164	23,841	0.000	0.000	0.000	0.000	–	14,840	0.000
0.750	AG	All	23,841	23,841	0	0	31	23,841	0.000	0.000	0.000	0.000	–	14,840	0.000

Evaluable slots: boxed frames (recall and precision; one annotated firearm per frame) and No_Gun frames (false positives only). Frames listed without a box are excluded (audit: subjects sometimes visible without a box). G and AG use the identical slot set. One-to-one matching maximising the number of matches, then total IoU. Recall is end to end: a slot without a usable answer or without a complete record misses its firearm (no_record_slots counts the latter). answered_recall restricts recall to answered slots. precision uses boxed frames of firearm videos only; precision_incl_no_gun_frames (All rows) also counts boxes on No_Gun frames as false positives. negative_box_rate: answered No_Gun slots with at least one box. AG-minus-G differences use slots executed in both conditions, with paired video-bootstrap intervals. No confidence scores exist, so no ranked mAP. origin sensitivity: ground truth re-mapped with image_id k = frame k. Size rows: GT-area tertiles fixed from the annotations.

Table 7: Paired AG minus G localization differences on slots executed in both conditions

IoU	Category	Paired slots	Recall diff.	95% CI	Precision diff.	95% CI	No-gun box-rate diff.	95% CI
0.500	Handgun	11,454	0.000	[0.000, 0.000]	0.000	[0.000, 0.000]	–	–
0.500	Machine gun	12,387	0.000	[0.000, 0.000]	0.000	[0.000, 0.000]	–	–
0.500	No gun	14,840	–	–	–	–	0.000	[0.000, 0.000]
0.500	All	38,681	0.000	[0.000, 0.000]	0.000	[0.000, 0.000]	0.000	[0.000, 0.000]
0.750	Handgun	11,454	0.000	[0.000, 0.000]	0.000	[0.000, 0.000]	–	–
0.750	Machine gun	12,387	0.000	[0.000, 0.000]	0.000	[0.000, 0.000]	–	–
0.750	No gun	14,840	–	–	–	–	0.000	[0.000, 0.000]
0.750	All	38,681	0.000	[0.000, 0.000]	0.000	[0.000, 0.000]	0.000	[0.000, 0.000]

Video-cluster paired bootstrap (2,000 draws, seed 20261025). Precision uses boxed frames of firearm videos; the No-gun box rate is the share of answered No_Gun slots with at least one box.

Table 8: Recall at the first IoU threshold by ground-truth size (area tertiles)

Cond.	Category	Size	GT	TP	Recall
G	Handgun	small	7,549	0	0.000
G	Handgun	medium	3,897	0	0.000
G	Handgun	large	8	0	0.000
AG	Handgun	small	7,549	0	0.000
AG	Handgun	medium	3,897	0	0.000
AG	Handgun	large	8	0	0.000
G	Machine gun	small	424	0	0.000
G	Machine gun	medium	4,035	0	0.000
G	Machine gun	large	7,928	0	0.000
AG	Machine gun	small	424	0	0.000
AG	Machine gun	medium	4,035	0	0.000
AG	Machine gun	large	7,928	0	0.000
G	All	small	7,973	0	0.000
G	All	medium	7,932	0	0.000
G	All	large	7,936	0	0.000
AG	All	small	7,973	0	0.000
AG	All	medium	7,932	0	0.000
AG	All	large	7,936	0	0.000

Size bins are tertiles of all annotated box areas.

Table 9: Localization with ground truth re-mapped under origin 0 (sensitivity)

IoU	Cond.	Category	GT	TP	Precision	Recall	F1
0.500	G	Handgun	11,482	0	0.000	0.000	0.000
0.500	AG	Handgun	11,482	0	0.000	0.000	0.000
0.500	G	Machine gun	12,359	0	0.000	0.000	0.000
0.500	AG	Machine gun	12,359	0	0.000	0.000	0.000
0.500	G	No gun	0	0	–	–	–
0.500	AG	No gun	0	0	–	–	–
0.500	G	All	23,841	0	0.000	0.000	0.000
0.500	AG	All	23,841	0	0.000	0.000	0.000
0.750	G	Handgun	11,482	0	0.000	0.000	0.000
0.750	AG	Handgun	11,482	0	0.000	0.000	0.000
0.750	G	Machine gun	12,359	0	0.000	0.000	0.000
0.750	AG	Machine gun	12,359	0	0.000	0.000	0.000
0.750	G	No gun	0	0	–	–	–
0.750	AG	No gun	0	0	–	–	–
0.750	G	All	23,841	0	0.000	0.000	0.000
0.750	AG	All	23,841	0	0.000	0.000	0.000

image_id k mapped to decoded frame k instead of k-1; everything else identical.




Figure 2: Parse status of every scheduled window slot for G and AG.




Figure 3: Precision, recall and F1 at IoU 0.50 and 0.75 on the identical evaluable slots; n/a where not defined.




Figure 4: IoU of matched boxes and recall by ground-truth size.

3.4 Requesting localization in the same response (question 3)

On the 6,370 windows valid in both conditions, AG labels 72.5 % anomalous against 76.3 % for A: a difference of -3.8 pp (95 % CI -5.2 to -2.3 resampling videos; -5.4 to -2.2 resampling recording groups). The equal-video summary agrees (-3.8 pp). The drop is largest for No_Gun windows and smallest, with an interval that includes zero, for Machine_Gun windows (Table 10). It comes from both directions: 7.8 % of paired windows go from anomaly to normal and 4.0 % from normal to anomaly (Table 11, Figure 6). Since AG almost never wrote a box, this change cannot come from localization; it is the effect of the bundled prompt change (the extra question and output lines). It is a change in judgment, not evidence of improvement: there is no anomaly ground truth.

Table 10: A versus AG anomaly rates on identical paired windows

Category	Paired windows	Videos	A %	AG %	AG−A (pp)	95% CI (videos)	95% CI (groups)	Equal-video (pp)	95% CI	A % (all valid)	AG % (all valid)
Handgun	2,234	141	80.3	76.7	-3.6	[-5.7, -1.5]	[-5.8, -1.4]	-3.6	[-6.1, -1.2]	80.4	76.7
Machine gun	2,282	139	87.9	86.0	-1.8	[-4.0, 0.4]	[-4.2, 0.4]	-1.7	[-4.2, 1.0]	87.9	86.0
No gun	1,854	118	57.2	50.8	-6.4	[-9.9, -2.6]	[-10.1, -2.6]	-6.5	[-10.8, -2.3]	57.2	50.8
All	6,370	398	76.3	72.5	-3.8	[-5.2, -2.3]	[-5.4, -2.2]	-3.8	[-5.7, -2.1]	76.3	72.5

Paired support: windows with a valid strict label in both A and AG. Differences are AG minus A in percentage points. 95 % percentile intervals from 2000 paired bootstrap draws resampling source videos within category (seed 20261025); diff_pp_ci_group resamples recording groups (repeated takes) instead. equal_video: mean over videos of the per-video difference on paired windows. The full-coverage columns use each condition's own valid windows. A change in anomaly rate is not evidence of improvement: there is no anomaly ground truth.

Table 11: Window-level prediction transitions from A to AG

Category	Paired	N→N	N→A	A→N	A→A	Only A unparsed	Only AG unparsed	Both
Handgun	2,234	385 (17.2%)	54 (2.4%)	135 (6.0%)	1,660 (74.3%)	0	1	0
Machine gun	2,282	214 (9.4%)	63 (2.8%)	105 (4.6%)	1,900 (83.3%)	0	3	0
No gun	1,854	655 (35.3%)	139 (7.5%)	257 (13.9%)	803 (43.3%)	0	1	0
All	6,370	1,254 (19.7%)	256 (4.0%)	497 (7.8%)	4,363 (68.5%)	0	5	0

Rows read A to AG (e.g. normal_anomaly: A normal, AG anomaly). Percentages are of paired valid windows. Unparsed pairs (no valid label in A, AG or both, including truncation and missing records) are counted separately.

3.5 Refined scores

VERA's refinement needs at least 15 windows, so 120 videos are excluded for being too short (none are padded). With A labels, 278 videos are refined; with AG labels, 274, because 4 more videos have a window without a valid AG label (Table 12). On the 274 videos refined in both, the per-video mean refined frame score changes by -0.027 from A to AG (95 % CI -0.039 to -0.014), consistent with AG's lower anomaly rate. Refined scores are VERA's smoothed form of the same judgments, not an additional measurement, and they are computed with re-extracted features (Section 2.5).

Table 12: Refined frame scores (VERA refinement, identical ImageBind features for A and AG)

Cond.	Category	Videos	Eligible	<15 windows	Invalid label	No features	Incomplete	Mean of means	Median	IQR	Median max	Paired videos	AG−A mean	95% CI
A	Handgun	141	106	35	0	0	0	0.555	0.677	[0.477, 0.712]	1.000	–	–	–
A	Machine gun	139	95	44	0	0	0	0.607	0.690	[0.630, 0.712]	1.000	–	–	–
A	No gun	118	77	41	0	0	0	0.378	0.420	[0.132, 0.582]	0.600	–	–	–
A	All	398	278	120	0	0	0	0.524	0.662	[0.359, 0.709]	1.000	–	–	–
AG	Handgun	141	105	35	1	0	0	0.523	0.662	[0.402, 0.712]	1.000	105	-0.031	[-0.049, -0.014]
AG	Machine gun	139	93	44	2	0	0	0.586	0.674	[0.590, 0.712]	1.000	93	-0.018	[-0.037, 0.002]
AG	No gun	118	76	41	1	0	0	0.345	0.354	[0.094, 0.584]	0.500	76	-0.033	[-0.061, -0.003]
AG	All	398	274	120	4	0	0	0.495	0.633	[0.307, 0.690]	0.900	274	-0.027	[-0.039, -0.014]

Per-video mean and maximum of the refined frame scores (scene + temporal refinement and positional weighting as in compute_auc.py). Videos are excluded, never padded, when they have fewer than 15 windows, any invalid label, missing features or missing records; a video can have several reasons. Paired columns (AG rows): AG minus A per-video mean frame score on videos eligible in both conditions, with a video bootstrap interval.




Figure 5: Per-video anomaly fractions of A and AG on paired windows (top) and their differences (bottom).




Figure 6: Window-level transitions from A to AG on paired valid windows.




Figure 7: Anomaly rate by camera and resolution with window counts; descriptive, not a causal effect of resolution.




Figure 8: Per-video mean refined frame score (left) and paired A versus AG values on videos eligible in both (right).

3.6 Computation

Inference took 3.25, 2.23 and 4.54 GPU-hours for A, G and AG on one RTX 6000 Ada, with median calls of 1.606, 1.229 and 2.098 s (Table 13).

Table 13: Computation

Stage	Units	Failed/interrupted	Hours	Median s	p95 s	Tokens	Median tokens	p95 tokens	Truncated	Peak GPU GiB
inference A	6,375	0	3.25	1.61	3.19	400,238	53.0	120.0	0	17.96
inference G	6,375	0	2.23	1.23	1.33	245,036	37.0	41.0	1	17.97
inference AG	6,375	0	4.54	2.10	4.60	582,022	72.0	177.0	0	18.26
model loads (sessions)	1	–	0.01	21.85	–	–	–	–	–	–
ImageBind features (separate)	398	–	1.70	18.86	28.39	–	–	–	–	–

Inference: generation seconds per call (complete records), one RTX 6000 Ada, BF16, FlashAttention, greedy, 1024-token cap. Feature units are videos. Decoding and PNG writing are not timed separately.




Figure 9: Generation time and generated tokens per call.

3.7 Qualitative cases

Appendix B shows the cases chosen by the fixed rule (T11, P8).

4 Limitations

- **No anomaly ground truth.** The dataset's categories describe staged firearm presence, not anomalies; anomaly rates and their changes are judgments, never accuracy.
- **Packing.** VERA's `batch_chat` call places all eight frames in one image block at the first `<image>`; "Frame$K$" is a text label over that block. The absence of localization may be specific to this packing. A per-frame packing or single-image grounding condition was outside this study.
- **Bundled prompt change.** AG adds a question and eight output lines to VERA's prompt. Its effect on anomaly judgments cannot be attributed to localization, and AG almost never localized.
- **Exploratory prompt design.** The G/AG wording was revised twice after a format pilot on six videos (no localization score was computed); the pilot videos stay in the analysis.
- **Annotations.** Frames listed without a box are excluded from evaluation because subjects are sometimes visible there without a box. Boxed frames are treated as complete under a single-firearm assumption. The image-id origin is structural (MATLAB numbering); the origin-0 sensitivity analysis gives the same result.

- **Dependence.** Windows overlap; repeated takes form recording groups; four subjects appear, and subject V1 is in 262 of the 398 videos. Intervals resample videos or recording groups, not subjects.
- **Refinement.** VERA's refinement needs at least 15 windows, so short videos are excluded rather than padded. The ImageBind features follow LAVAD's procedure and match VERA's released features closely but not bit-identically (median row cosine 0.995); A and AG use identical features.
- **Other.** Faces are blurred by the dataset authors; decoding is greedy with a 1,024-token cap; the evaluation is offline and says nothing about early warning.

5 Future work

Human judgments of the windows and explanations; action-state labels (carrying, raising, pointing) to separate firearm presence from threatening use; VERA's question learning on firearm data; a causal, early-warning evaluation; and a separately declared packing or single-frame grounding condition, which this handoff excluded.

References

[1] Muchao Ye, Weiyang Liu, and Pan He. VERA: Explainable video anomaly detection via verbalized learning of vision-language models. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, 2025.

[2] Zhe Chen, Weiyun Wang, Hao Tian, Shenglong Ye, Zhangwei Gao, Erfei Cui, Wenwen Tong, Kongzhi Hu, Jiapeng Luo, Zheng Ma, et al. How far are we to GPT-4V? closing the gap to commercial multimodal models with open-source suites. *arXiv preprint arXiv:2404.16821*, 2024.

[3] Jesus Ruiz-Santaquiteria, Juan D. Muñoz, Francisco J. Maigler, Oscar Deniz, and Gloria Bueno. Firearm-related action recognition and object detection dataset for video surveillance systems. *Data in Brief*, 52:110030, 2024. doi: 10.1016/j.dib.2024.110030.

[4] Jesus Ruiz-Santaquiteria, Juan Daniel Muñoz, Francisco José Maigler, Óscar Déniz, and Gloria Bueno. Action recognition and object detection dataset for firearm-related actions (version 2). Mendeley Data, doi:10.17632/bbzpxhd22j.2; Zenodo record 15387426, 2023.

[5] Rohit Girdhar, Alaaeldin El-Nouby, Zhuang Liu, Mannat Singh, Kalyan Vasudev Alwala, Armand Joulin, and Ishan Misra. ImageBind: One embedding space to bind them all. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, 2023.

[6] Luca Zanella, Willi Menapace, Massimiliano Mancini, Yiming Wang, and Elisa Ricci. Harnessing large language models for training-free video anomaly detection. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, 2024.

[7] Haoqi Fan, Tullie Murrell, Heng Wang, Kalyan Vasudev Alwala, Yanghao Li, Yilei Li, Bo Xiong, Nikhila Ravi, Meng Li, Haichuan Yang, Jitendra Malik, Ross Girshick, Matt Feiszli, Aaron Adcock, Wan-Yen Lo, and Christoph Feichtenhofer. PyTorchVideo: A deep learning library for video understanding. In *Proceedings of the 29th ACM International Conference on Multimedia*, 2021.

[8] Waqas Sultani, Chen Chen, and Mubarak Shah. Real-world anomaly detection in surveillance videos. In *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2018.

[9] Harold W. Kuhn. The Hungarian method for the assignment problem. *Naval Research Logistics Quarterly*, 2(1–2):83–97, 1955.

[10] Bradley Efron and Robert J. Tibshirani. *An Introduction to the Bootstrap*. Chapman and Hall/CRC, 1993.

A Prompts

A (VERA, unchanged)

```
You are the model.
** Model Description: **
You are designed to do binary classification. The input is a sequence of video frames for identifying whether
     there is an anomaly in the video; you need to output the class label, i.e., an integer in the set {0, 1}.
     0 represents normal video, and 1 represents abnormal video. Please answer the prompt questions.
** Prompt Questions: **
Answer the following questions based on what you see from the video frames and provide an explanation in one
     sentence.
1. Are there any people in the video who are not in their typical positions or engaging in activities that are
     not consistent with their usual behavior?
2. Are there any vehicles in the video that are not in their typical positions or being used in a way that is
     not consistent with their usual function?
3. Are there any objects in the video that are not in their typical positions or being used in a way that is
     not consistent with their usual function?
4. Is there any visible damage or unusual movement in the video that indicates an anomaly?
5. Are there any unusual sounds or noises in the video that suggest an anomaly?
Based on the analysis above, please conclude your answer to 'Is there any anomaly in the video?' in 'Yes, there
      is an anomaly' or 'No, there is no anomaly'.
** Input: **
[Frame1: <image>
Frame2: <image>
Frame3: <image>
Frame4: <image>
Frame5: <image>
Frame6: <image>
Frame7: <image>
Frame8: <image>
]
Please give your output strictly in the following format:
‘‘‘
Answers to Prompt Questions: [Provide your analysis by answering the questions listed in Prompt Questions.]
Output:
[ONLY the integer class label; make necessary assumptions if needed]
’’’
Please ONLY reply according to this format, don't give me any other words.
```

G

```
You are the model.
** Model Description: **
You are designed to locate firearms. The input is a sequence of video frames; you need to output the bounding
     boxes of the firearms visible in each frame.
** Task: **
Firearm localization: locate every visible firearm (handguns and long guns such as rifles or machine guns) in
     each of the eight frames, whether or not the activity is anomalous. Treat all firearms as one class. Give
     each firearm as a box [x1, y1, x2, y2]: the top-left and bottom-right corners as integers from 0 to 1000,
     relative to the frame's width and height. Write one line per frame, in frame order, as "FrameK: " followed
      by a list of boxes, for example "FrameK: [[x1, y1, x2, y2]]" for one firearm or "FrameK: [[x1, y1, x2, y2
     ], [x1, y1, x2, y2]]" for two. Write "FrameK: []" if you see no firearm in that frame and "FrameK: unknown
     " if you cannot assess that frame.
** Input: **
[Frame1: <image>
Frame2: <image>
Frame3: <image>
Frame4: <image>
Frame5: <image>
Frame6: <image>
Frame7: <image>
Frame8: <image>
]
```

```
Please give your output strictly in the following format:
‘‘‘
Firearm boxes:
Frame1: [boxes for Frame1]
Frame2: [boxes for Frame2]
Frame3: [boxes for Frame3]
Frame4: [boxes for Frame4]
Frame5: [boxes for Frame5]
Frame6: [boxes for Frame6]
Frame7: [boxes for Frame7]
Frame8: [boxes for Frame8]
‘‘‘
Please ONLY reply according to this format, don’t give me any other words.
```

AG

```
You are the model.
** Model Description: **
You are designed to do binary classification. The input is a sequence of video frames for identifying whether
     there is an anomaly in the video; you need to output the class label, i.e., an integer in the set {0, 1}.
     0 represents normal video, and 1 represents abnormal video. Please answer the prompt questions.
** Prompt Questions: **
Answer the following questions based on what you see from the video frames and provide an explanation in one
     sentence.
1. Are there any people in the video who are not in their typical positions or engaging in activities that are
     not consistent with their usual behavior?
2. Are there any vehicles in the video that are not in their typical positions or being used in a way that is
     not consistent with their usual function?
3. Are there any objects in the video that are not in their typical positions or being used in a way that is
     not consistent with their usual function?
4. Is there any visible damage or unusual movement in the video that indicates an anomaly?
5. Are there any unusual sounds or noises in the video that suggest an anomaly?
6. Firearm localization: locate every visible firearm (handguns and long guns such as rifles or machine guns)
     in each of the eight frames, whether or not the activity is anomalous. Treat all firearms as one class.
     Give each firearm as a box [x1, y1, x2, y2]: the top-left and bottom-right corners as integers from 0 to
     1000, relative to the frame’s width and height. Write one line per frame, in frame order, as "FrameK: "
     followed by a list of boxes, for example "FrameK: [[x1, y1, x2, y2]]" for one firearm or "FrameK: [[x1, y1
     , x2, y2], [x1, y1, x2, y2]]" for two. Write "FrameK: []" if you see no firearm in that frame and "FrameK:
      unknown" if you cannot assess that frame. Give these eight lines under the heading "Firearm boxes:" after
      your answers to the questions above and before the final Output.
Based on the analysis above, please conclude your answer to ’Is there any anomaly in the video?’ in ’Yes, there
      is an anomaly’ or ’No, there is no anomaly’.
** Input: **
[Frame1: <image>
Frame2: <image>
Frame3: <image>
Frame4: <image>
Frame5: <image>
Frame6: <image>
Frame7: <image>
Frame8: <image>
]
Please give your output strictly in the following format:
‘‘‘
Answers to Prompt Questions: [Provide your analysis by answering the questions listed in Prompt Questions.]
Firearm boxes:
Frame1: [boxes for Frame1]
Frame2: [boxes for Frame2]
Frame3: [boxes for Frame3]
Frame4: [boxes for Frame4]
Frame5: [boxes for Frame5]
Frame6: [boxes for Frame6]
Frame7: [boxes for Frame7]
Frame8: [boxes for Frame8]
Output:
[ONLY the integer class label; make necessary assumptions if needed]
‘‘‘
Please ONLY reply according to this format, don’t give me any other words.
```

B Qualitative cases (T11)

Cases were chosen by a rule fixed before the full run: the two videos with the largest positive and the two with the largest negative AG−A anomaly fraction, two unchanged videos drawn with the

seed, and the videos with the highest and lowest AG recall (when any recall exists). Within a video the first window whose labels differ is shown, else the window with most boxed frames, else the middle window. Every video's AG recall is zero here, so the highest- and lowest-recall rule selects the same video, the first eligible one by ID, and it is shown once.

Case 1 (change+): Machine_Gun___PCW1_C1_P4_V1_HB_1, window at 0.0 s Window choice: first window whose A and AG labels differ. A label 0, AG label 1; boxed source frames 4.
A: Answers to Prompt Questions: [The person in the video is walking in an area that appears to be an office. There are no people in unusual positions or engaging in activities that are not consistent with their usual behavior. There are no vehicles or objects in unusual positions or being used in a way that is not consistent with their usual function. There is no visible damage or unusual movement in the video that indicates an anomaly. There are no unusual sounds or noises in the video that suggest an anomaly.] Output: 0
AG: Answers to Prompt Questions: [The person in the video is walking in an unusual manner, which could be considered an anomaly.] Firearm boxes: Frame1: [] Frame2: [] Frame3: [] Frame4: [] Frame5: [] Frame6: [] Frame7: [] Frame8: [] Output: 1
G slots: F1:empty F2:empty F3:empty F4:empty F5:empty F6:empty F7:empty F8:empty
AG slots: F1:empty F2:empty F3:empty F4:empty F5:empty F6:empty F7:empty F8:empty




Figure 10: Case 1 (change+): A/AG timeline and the exact inputs of the marked window.

Case 2 (change+): No_Gun___N7_C1_P4_V1_HB_1, window at 1.28 s Window choice: first window whose A and AG labels differ. A label 0, AG label 1; boxed source frames 0.
A: Answers to Prompt Questions: [The person in the video is walking around the office and appears

to be in their typical behavior. There are no vehicles or objects in unusual positions, and no visible damage or unusual movement. There are no unusual sounds or noises.] Output: 0
AG: Answers to Prompt Questions: [The person is not in their typical position or engaging in activities that are not consistent with their usual behavior.] Firearm boxes: Frame1: [] Frame2: [] Frame3: [] Frame4: [] Frame5: [] Frame6: [] Frame7: [] Frame8: [] Output: 1
G slots: F1:empty F2:empty F3:empty F4:empty F5:empty F6:empty F7:empty F8:empty
AG slots: F1:empty F2:empty F3:empty F4:empty F5:empty F6:empty F7:empty F8:empty




Figure 11: Case 2 (change+): A/AG timeline and the exact inputs of the marked window.

Case 3 (change-): Handgun___PCH3__C1__P4__V1__HB__1, window at 0.0 s Window choice: first window whose A and AG labels differ. A label 1, AG label 0; boxed source frames 4.
A: Answers to Prompt Questions: The person in the video is not in their typical position or engaging in activities that are not consistent with their usual behavior. They are walking around the office and seem to be using their phone. Output: 1
AG: Answers to Prompt Questions: [There are no people in the video who are not in their typical positions or engaging in activities that are not consistent with their usual behavior. There are no vehicles in the video that are not in their typical positions or being used in a way that is not consistent with their usual function. There are no objects in the video that are not in their typical positions or being used in a way that is not consistent with their usual function. There is no visible damage or unusual movement in the video that indicates an anomaly. There are no unusual sounds or noises in the video that suggest an anomaly. There are no visible firearms in any of the frames.] Firearm boxes: Frame1: [] Frame2: [] Frame3: [] Frame4: [] Frame5: [] Frame6: [] Frame7: [] Frame8: [] Output: 0
G slots: F1:empty F2:empty F3:empty F4:empty F5:empty F6:empty F7:empty F8:empty

AG slots: F1:empty F2:empty F3:empty F4:empty F5:empty F6:empty F7:empty F8:empty




Figure 12: Case 3 (change-): A/AG timeline and the exact inputs of the marked window.

Case 4 (change-): No_Gun___N1_C1_P4_V1_HB_1, window at 0.0 s Window choice: first window whose A and AG labels differ. A label 1, AG label 0; boxed source frames 0.
A: Answers to Prompt Questions: [The person in the video is walking in a manner that is not consistent with their usual behavior.] Output: 1
AG: Answers to Prompt Questions: [There are no people in the video who are not in their typical positions or engaging in activities that are not consistent with their usual behavior. There are no vehicles in the video that are not in their typical positions or being used in a way that is not consistent with their usual function. There are no objects in the video that are not in their typical positions or being used in a way that is not consistent with their usual function. There is no visible damage or unusual movement in the video that indicates an anomaly. There are no unusual sounds or noises in the video that suggest an anomaly. There are no visible firearms in any of the frames.] Firearm boxes: Frame1: [] Frame2: [] Frame3: [] Frame4: [] Frame5: [] Frame6: [] Frame7: [] Frame8: [] Output: 0
G slots: F1:empty F2:empty F3:empty F4:empty F5:empty F6:empty F7:empty F8:empty
AG slots: F1:empty F2:empty F3:empty F4:empty F5:empty F6:empty F7:empty F8:empty

Case 5 (unchanged): Machine_Gun___PAW5_C1_P2_V1_HB_3, window at 8.32 s Window choice: window with the most boxed source frames. A label 1, AG label 1; boxed source frames 6.
A: Answers to Prompt Questions: [There is a person in the video who is not in their typical position, as they are holding a gun and aiming it. There are no vehicles or objects in the video that are not in




Figure 13: Case 4 (change-): A/AG timeline and the exact inputs of the marked window.

their typical positions or being used in a way that is not consistent with their usual function. There is visible damage or unusual movement in the video, as the person is holding a gun and aiming it. There are no unusual sounds or noises in the video that suggest an anomaly.] Output: 1
AG: Answers to Prompt Questions: [There is a person in the video who is not in their typical position, as they are holding a firearm and aiming it. There are no vehicles or objects in the video that are not in their typical positions or being used in a way that is not consistent with their usual function. There is visible damage or unusual movement in the video that indicates an anomaly. There are no unusual sounds or noises in the video that suggest an anomaly.] Firearm boxes: Frame1: [] Frame2: [] Frame3: [] Frame4: [] Frame5: [] Frame6: [] Frame7: [] Frame8: [] Output: 1
G slots: F1:empty F2:empty F3:empty F4:empty F5:empty F6:empty F7:empty F8:empty
AG slots: F1:empty F2:empty F3:empty F4:empty F5:empty F6:empty F7:empty F8:empty




Figure 14: Case 5 (unchanged): A/AG timeline and the exact inputs of the marked window.

Case 6 (unchanged): No_Gun___N3__C2__P5__V3__HB__1, window at 3.2 s Window choice: middle window. A label 1, AG label 1; boxed source frames 0.
A: Answers to Prompt Questions: The person in the video is not in their typical position or engaging in activities consistent with their usual behavior. They are running in the middle of the room, which is not a typical activity for someone in this setting. Output: 1
AG: Answers to Prompt Questions: [The person is running in an unusual manner, which may indicate an anomaly. There are no visible vehicles or objects in unusual positions, and no visible damage or unusual movement. There are no unusual sounds or noises.] Firearm boxes: Frame1: [] Frame2: [] Frame3: [] Frame4: [] Frame5: [] Frame6: [] Frame7: [] Frame8: [] Output: 1
G slots: F1:empty F2:empty F3:empty F4:empty F5:empty F6:empty F7:empty F8:empty
AG slots: F1:empty F2:empty F3:empty F4:empty F5:empty F6:empty F7:empty F8:empty




Figure 15: Case 6 (unchanged): A/AG timeline and the exact inputs of the marked window.

Case 7 (loc_high): Handgun___PAH1_C1_P1_V1_HB_3, window at 0.0 s Window choice: window with the most boxed source frames. A label 1, AG label 1; boxed source frames 6.
A: Answers to Prompt Questions: [The person in the video is not in their typical position or engaging in activities consistent with their usual behavior.] Output: 1
AG: Answers to Prompt Questions: [The person in the video is not in their typical position or engaging in activities that are not consistent with their usual behavior.] Firearm boxes: Frame1: [] Frame2: [] Frame3: [] Frame4: [] Frame5: [] Frame6: [] Frame7: [] Frame8: [] Output: 1
G slots: F1:empty F2:empty F3:empty F4:empty F5:empty F6:empty F7:empty F8:empty
AG slots: F1:empty F2:empty F3:empty F4:empty F5:empty F6:empty F7:empty F8:empty




Figure 16: Case 7 (loc_high): A/AG timeline and the exact inputs of the marked window.

C Per-video results (T9)

Table 14: Per-video results. Anomaly fraction = anomaly windows / valid windows. Localization at the first IoU threshold on boxed and No_Gun frames; No_Gun videos have false positives only. Paths are relative to the run folder.

Video	Cam.	Dur. s	Windows	A anomaly fraction	AG anomaly fraction	A invalid	AG invalid	A refined mean	AG refined mean
Handgun___PAH1_C1_P1_V1_HB_3	C1	6.00	10	1.000	1.000	0	0	–	–
Handgun___PAH1_C1_P1_V1_HB_4	C1	7.00	11	0.273	1.000	0	0	–	–
Handgun___PAH1_C1_P2_V1_HB_1	C1	11.00	18	0.944	0.944	0	0	0.667	0.662
Handgun___PAH1_C1_P2_V1_HB_3	C1	9.00	15	1.000	0.933	0	0	0.674	0.638
Handgun___PAH1_C1_P4_V1_HB_1	C1	6.00	10	1.000	1.000	0	0	–	–
Handgun___PAH1_C1_P4_V1_HB_2	C1	6.00	10	1.000	1.000	0	0	–	–
Handgun___PAH1_C2_P3_V1_HB_1	C2	9.02	17	1.000	0.941	0	0	0.690	0.659
Handgun___PAH1_C2_P3_V1_HB_3	C2	9.02	17	1.000	0.882	0	0	0.690	0.603

Video	Cam.	Dur. s	Windows	A anomaly fraction	AG anomaly fraction	A invalid	AG invalid	A refined mean	AG refined mean
Handgun___PAH1_C2_P3_V2_HB_2	C2	11.03	21	1.000	1.000	0	0	0.729	0.729
Handgun___PAH1_C2_P3_V2_HB_3	C2	10.03	19	1.000	0.842	0	0	0.712	0.614
Handgun___PAH1_C2_P5_V1_HB_1	C2	8.00	15	1.000	0.933	0	0	0.662	0.633
Handgun___PAH1_C2_P5_V1_HB_4	C2	9.00	17	1.000	0.941	0	0	0.690	0.675
Handgun___PAH1_C2_P5_V2_HB_3	C2	9.00	17	1.000	1.000	0	0	0.690	0.690
Handgun___PAH1_C2_P5_V2_HB_4	C2	9.00	17	1.000	1.000	0	0	0.690	0.690
Handgun___PAH2_C1_P1_V1_HB_1	C1	7.00	11	1.000	1.000	0	0	–	–
Handgun___PAH2_C1_P1_V1_HB_4	C1	8.00	13	1.000	1.000	0	0	–	–
Handgun___PAH2_C1_P2_V1_HB_3	C1	11.00	18	0.833	0.444	0	0	0.596	0.281
Handgun___PAH2_C1_P2_V1_HB_4	C1	10.00	16	0.750	0.750	0	0	0.423	0.503
Handgun___PAH2_C1_P4_V1_HB_1	C1	7.00	11	1.000	1.000	0	0	–	–
Handgun___PAH2_C1_P4_V1_HB_3	C1	6.00	10	1.000	1.000	0	0	–	–
Handgun___PAH2_C2_P3_V1_HB_1	C2	8.02	15	1.000	0.867	0	0	0.662	0.621
Handgun___PAH2_C2_P3_V1_HB_4	C2	8.02	15	1.000	1.000	0	0	0.662	0.662
Handgun___PAH2_C2_P3_V2_HB_2	C2	10.03	19	1.000	1.000	0	0	0.712	0.712
Handgun___PAH2_C2_P3_V2_HB_4	C2	10.03	19	1.000	1.000	0	0	0.712	0.712
Handgun___PAH2_C2_P5_V1_HB_3	C2	10.00	19	1.000	1.000	0	0	0.712	0.712
Handgun___PAH2_C2_P5_V1_HB_4	C2	11.00	21	1.000	1.000	0	0	0.729	0.729
Handgun___PAH2_C2_P5_V2_HB_2	C2	10.00	19	1.000	1.000	0	0	0.712	0.712
Handgun___PAH2_C2_P5_V2_HB_4	C2	10.00	19	1.000	1.000	0	0	0.712	0.712
Handgun___PAH3_C1_P1_V1_HB_1	C1	8.00	13	0.923	0.923	0	0	–	–
Handgun___PAH3_C1_P1_V1_HB_4	C1	8.00	13	1.000	1.000	0	0	–	–
Handgun___PAH3_C1_P2_V1_HB_1	C1	11.00	18	0.056	0.000	0	0	0.046	0.000
Handgun___PAH3_C1_P2_V1_HB_2	C1	10.00	16	0.000	0.000	0	0	0.000	0.000
Handgun___PAH3_C1_P4_V1_HB_2	C1	7.00	11	0.000	0.000	0	0	–	–
Handgun___PAH3_C1_P4_V1_HB_4	C1	6.00	10	0.000	0.000	0	0	–	–
Handgun___PAH3_C2_P3_V1_HB_1	C2	9.02	17	0.588	0.412	0	0	0.343	0.232
Handgun___PAH3_C2_P3_V1_HB_2	C2	9.02	17	1.000	1.000	0	0	0.690	0.690
Handgun___PAH3_C2_P3_V2_HB_1	C2	9.02	17	0.235	0.118	0	0	0.141	0.113
Handgun___PAH3_C2_P3_V2_HB_3	C2	9.02	17	0.588	0.235	0	0	0.462	0.208
Handgun___PAH3_C2_P5_V1_HB_2	C2	9.00	17	0.824	0.882	0	0	0.595	0.611
Handgun___PAH3_C2_P5_V1_HB_4	C2	9.00	17	0.118	0.294	0	0	0.068	0.232
Handgun___PAH3_C2_P5_V2_HB_2	C2	9.00	17	0.882	0.882	0	0	0.619	0.591
Handgun___PAH3_C2_P5_V2_HB_4	C2	9.00	17	0.706	0.647	0	0	0.520	0.494
Handgun___PAH4_C1_P2_V1_HB_2	C1	10.00	16	0.062	0.000	0	0	0.074	0.000
Handgun___PAH4_C1_P2_V1_HB_3	C1	11.00	18	0.056	0.000	0	0	0.062	0.000
Handgun___PAH4_C1_P4_V1_HB_1	C1	7.00	11	1.000	1.000	0	0	–	–
Handgun___PAH4_C2_P3_V1_HB_1	C2	9.02	17	1.000	0.824	0	0	0.690	0.609
Handgun___PAH4_C2_P3_V1_HB_4	C2	8.02	15	1.000	0.733	0	0	0.662	0.451
Handgun___PAH4_C2_P3_V2_HB_3	C2	9.02	17	0.941	0.706	0	0	0.680	0.536
Handgun___PAH4_C2_P3_V2_HB_4	C2	10.03	19	1.000	0.895	0	0	0.712	0.635
Handgun___PAH4_C2_P5_V1_HB_1	C2	9.00	17	0.647	0.588	0	0	0.400	0.367
Handgun___PAH4_C2_P5_V1_HB_3	C2	9.00	17	0.588	0.882	0	0	0.358	0.628
Handgun___PAH4_C2_P5_V2_HB_1	C2	9.00	17	1.000	1.000	0	0	0.690	0.690
Handgun___PAH4_C2_P5_V2_HB_2	C2	9.00	17	1.000	1.000	0	0	0.690	0.690
Handgun___PAH5_C1_P1_V1_HB_2	C1	8.00	13	0.923	1.000	0	0	–	–
Handgun___PAH5_C1_P2_V1_HB_1	C1	11.00	18	0.944	0.889	0	0	0.647	0.637
Handgun___PAH5_C1_P4_V1_HB_2	C1	7.00	11	1.000	1.000	0	0	–	–
Handgun___PAH5_C2_P3_V1_HB_2	C2	10.03	19	1.000	1.000	0	0	0.712	0.712
Handgun___PAH5_C2_P3_V2_HB_1	C2	10.03	19	1.000	1.000	0	0	0.712	0.712
Handgun___PAH5_C2_P5_V1_HB_2	C2	10.00	19	1.000	1.000	0	0	0.712	0.712
Handgun___PAH5_C2_P5_V2_HB_1	C2	9.00	17	1.000	1.000	0	0	0.690	0.690
Handgun___PAH6_C1_P1_V1_HB_2	C1	7.00	11	1.000	1.000	0	0	–	–
Handgun___PAH6_C1_P2_V1_HB_2	C1	10.00	16	1.000	1.000	0	0	0.681	0.681
Handgun___PAH6_C1_P4_V1_HB_1	C1	8.00	13	1.000	0.462	0	0	–	–
Handgun___PAH6_C2_P3_V1_HB_1	C2	9.02	17	1.000	0.941	0	0	0.690	0.680
Handgun___PAH6_C2_P3_V2_HB_1	C2	11.03	21	1.000	0.905	0	0	0.729	0.693
Handgun___PAH6_C2_P5_V1_HB_1	C2	9.00	17	1.000	0.941	0	0	0.690	0.665
Handgun___PAH6_C2_P5_V2_HB_1	C2	9.00	17	1.000	0.941	0	0	0.690	0.680
Handgun___PAH7_C1_P1_V1_HB_2	C1	8.00	13	1.000	1.000	0	0	–	–
Handgun___PAH7_C1_P2_V1_HB_1	C1	12.00	19	1.000	0.947	0	0	0.712	0.671
Handgun___PAH7_C2_P3_V1_HB_2	C2	8.02	15	1.000	1.000	0	0	0.662	0.662
Handgun___PAH7_C2_P3_V2_HB_1	C2	9.02	17	1.000	1.000	0	0	0.690	0.690
Handgun___PAH7_C2_P5_V1_HB_2	C2	10.00	19	1.000	1.000	0	0	0.712	0.712
Handgun___PAH7_C2_P5_V2_HB_1	C2	10.00	19	1.000	1.000	0	0	0.712	0.712
Handgun___PAH8_C1_P1_V1_HB_1	C1	8.00	13	1.000	1.000	0	0	–	–
Handgun___PAH8_C1_P2_V1_HB_2	C1	9.00	15	1.000	0.933	0	0	0.674	0.617
Handgun___PAH8_C1_P4_V1_HB_2	C1	7.00	11	1.000	1.000	0	0	–	–
Handgun___PAH8_C2_P3_V1_HB_1	C2	8.02	15	1.000	1.000	0	0	0.662	0.662
Handgun___PAH8_C2_P3_V2_HB_1	C2	10.03	19	1.000	1.000	0	0	0.712	0.712
Handgun___PAH8_C2_P5_V1_HB_1	C2	10.00	19	1.000	1.000	0	0	0.712	0.712
Handgun___PAH8_C2_P5_V2_HB_2	C2	11.00	21	1.000	1.000	0	0	0.729	0.729
Handgun___PAH9_C1_P4_V1_HB_1	C1	7.00	11	1.000	1.000	0	0	–	–
Handgun___PAH9_C2_P3_V1_HB_2	C2	10.03	19	0.947	1.000	0	0	0.703	0.712
Handgun___PAH9_C2_P3_V2_HB_2	C2	10.03	19	1.000	1.000	0	0	0.712	0.712
Handgun___PAH9_C2_P5_V1_HB_2	C2	10.00	19	1.000	1.000	0	0	0.712	0.712
Handgun___PAH9_C2_P5_V1_HB_4	C2	9.00	17	1.000	1.000	0	0	0.690	0.690
Handgun___PAH9_C2_P5_V2_HB_1	C2	11.00	21	1.000	1.000	0	0	0.729	0.729
Handgun___PCH1_C1_P1_V1_HB_1	C1	6.00	10	1.000	1.000	0	0	–	–
Handgun___PCH1_C1_P2_V1_HB_2	C1	9.00	15	0.000	0.000	0	0	0.000	0.000
Handgun___PCH1_C1_P2_V1_HB_4	C1	9.00	15	0.000	0.000	0	0	0.000	0.000
Handgun___PCH1_C1_P4_V1_HB_2	C1	5.00	8	0.000	0.000	0	0	–	–
Handgun___PCH1_C1_P4_V1_HB_4	C1	6.00	10	0.000	0.000	0	0	–	–
Handgun___PCH1_C2_P3_V1_HB_1	C2	8.00	15	0.333	0.200	0	0	0.195	0.112
Handgun___PCH1_C2_P3_V1_HB_2	C2	9.00	17	0.059	0.000	0	0	0.000	0.000
Handgun___PCH1_C2_P3_V2_HB_2	C2	7.00	14	0.000	0.000	0	0	–	–
Handgun___PCH1_C2_P3_V2_HB_3	C2	9.00	17	0.118	0.059	0	0	0.040	0.000
Handgun___PCH1_C2_P5_V1_HB_2	C2	10.00	19	0.368	0.421	0	0	0.261	0.281
Handgun___PCH1_C2_P5_V1_HB_4	C2	9.00	17	0.235	0.118	0	0	0.147	0.107
Handgun___PCH1_C2_P5_V2_HB_2	C2	9.00	17	0.000	0.059	0	0	0.000	0.000
Handgun___PCH1_C2_P5_V2_HB_4	C2	9.00	17	0.000	0.000	0	0	0.000	0.000
Handgun___PCH2_C1_P1_V1_HB_1	C1	8.00	13	1.000	1.000	0	0	–	–
Handgun___PCH2_C1_P2_V1_HB_2	C1	9.00	15	0.000	0.000	0	0	0.000	0.000
Handgun___PCH2_C1_P4_V1_HB_2	C1	6.00	10	0.000	0.000	0	0	–	–
Handgun___PCH2_C2_P3_V1_HB_2	C2	8.00	15	0.200	0.133	0	0	0.124	0.071
Handgun___PCH2_C2_P3_V2_HB_1	C2	9.00	17	0.000	0.000	0	0	0.000	0.000
Handgun___PCH2_C2_P5_V1_HB_2	C2	10.00	19	0.789	1.000	0	0	0.599	0.712
Handgun___PCH2_C2_P5_V2_HB_2	C2	9.00	17	0.588	0.588	0	0	0.432	0.415

Video	Cam.	Dur. s	Windows	A anomaly fraction	AG anomaly fraction	A invalid	AG invalid	A refined mean	AG refined mean
Handgun__PCH3__C1__P1__V1__HB__1	C1	7.00	11	0.909	1.000	0	0	–	–
Handgun__PCH3__C1__P2__V1__HB__1	C1	10.00	16	0.875	0.312	0	0	0.623	0.180
Handgun__PCH3__C1__P4__V1__HB__1	C1	5.00	8	1.000	0.000	0	0	–	–
Handgun__PCH3__C2__P3__V1__HB__1	C2	7.00	14	1.000	1.000	0	0	–	–
Handgun__PCH3__C2__P3__V2__HB__1	C2	10.00	19	0.842	0.579	0	0	0.638	0.406
Handgun__PCH3__C2__P5__V1__HB__1	C2	8.00	15	0.600	0.800	0	0	0.444	0.545
Handgun__PCH3__C2__P5__V2__HB__1	C2	9.00	17	0.765	0.588	0	0	0.596	0.361
Handgun__PCH4__C1__P1__V1__HB__1	C1	9.00	15	1.000	1.000	0	0	0.674	0.674
Handgun__PCH4__C1__P2__V1__HB__2	C1	9.00	15	1.000	1.000	0	0	0.674	0.674
Handgun__PCH4__C1__P4__V1__HB__2	C1	6.00	10	1.000	1.000	0	0	–	–
Handgun__PCH4__C2__P3__V1__HB__1	C2	10.00	19	0.474	0.158	0	0	0.301	0.112
Handgun__PCH4__C2__P3__V2__HB__1	C2	9.00	17	0.529	0.471	0	0	0.403	0.390
Handgun__PCH4__C2__P5__V1__HB__2	C2	10.00	19	1.000	1.000	0	0	0.712	0.712
Handgun__PCH4__C2__P5__V2__HB__2	C2	10.00	19	1.000	1.000	0	0	0.712	0.712
Handgun__PCH5__C1__P1__V1__HB__1	C1	9.00	15	1.000	1.000	0	0	0.674	0.674
Handgun__PCH5__C1__P2__V1__HB__1	C1	10.00	16	0.938	0.688	0	0	0.670	0.402
Handgun__PCH5__C1__P4__V1__HB__2	C1	5.00	8	1.000	1.000	0	0	–	–
Handgun__PCH5__C2__P3__V1__HB__1	C2	9.00	17	1.000	1.000	0	0	0.690	0.690
Handgun__PCH5__C2__P3__V2__HB__1	C2	9.00	17	1.000	0.824	0	0	0.690	0.550
Handgun__PCH5__C2__P5__V1__HB__2	C2	10.00	19	0.895	1.000	0	0	0.655	0.712
Handgun__PCH5__C2__P5__V2__HB__2	C2	11.00	21	1.000	1.000	0	0	0.729	0.729
Handgun__PCH6__C1__P1__V1__HB__1	C1	9.00	15	1.000	1.000	0	0	0.674	0.674
Handgun__PCH6__C1__P2__V1__HB__2	C1	9.00	15	0.933	1.000	0	0	0.663	0.674
Handgun__PCH6__C1__P4__V1__HB__2	C1	6.00	10	1.000	1.000	0	0	–	–
Handgun__PCH6__C2__P3__V1__HB__2	C2	10.00	19	1.000	1.000	0	0	0.712	0.712
Handgun__PCH6__C2__P3__V2__HB__2	C2	9.00	17	1.000	1.000	0	0	0.690	0.690
Handgun__PCH6__C2__P5__V1__HB__1	C2	10.00	19	1.000	1.000	0	1	0.712	–
Handgun__PCH6__C2__P5__V2__HB__1	C2	10.00	19	0.947	1.000	0	0	0.700	0.712
Handgun__PCH7__C1__P1__V1__HB__2	C1	7.00	11	1.000	1.000	0	0	–	–
Handgun__PCH7__C1__P2__V1__HB__1	C1	11.00	18	1.000	0.778	0	0	0.709	0.561
Handgun__PCH7__C1__P4__V1__HB__2	C1	6.00	10	1.000	1.000	0	0	–	–
Handgun__PCH7__C2__P3__V1__HB__2	C2	10.00	19	1.000	1.000	0	0	0.712	0.712
Handgun__PCH7__C2__P3__V2__HB__2	C2	8.00	15	1.000	1.000	0	0	0.662	0.662
Handgun__PCH7__C2__P5__V1__HB__2	C2	10.00	19	0.947	0.842	0	0	0.703	0.569
Handgun__PCH7__C2__P5__V2__HB__2	C2	10.00	19	1.000	1.000	0	0	0.712	0.712
Machine_Gun__PAW1__C1__P1__V1__HB__1	C1	7.00	11	1.000	1.000	0	0	–	–
Machine_Gun__PAW1__C1__P1__V1__HB__2	C1	7.00	11	1.000	1.000	0	0	–	–
Machine_Gun__PAW1__C1__P2__V1__HB__3	C1	10.00	16	1.000	0.938	0	0	0.681	0.635
Machine_Gun__PAW1__C1__P2__V1__HB__4	C1	8.00	13	1.000	1.000	0	0	–	–
Machine_Gun__PAW1__C1__P4__V1__HB__2	C1	8.00	13	1.000	1.000	0	0	–	–
Machine_Gun__PAW1__C2__P3__V1__HB__2	C2	11.00	21	1.000	0.905	0	0	0.729	0.692
Machine_Gun__PAW1__C2__P3__V2__HB__2	C2	10.00	19	1.000	1.000	0	0	0.712	0.712
Machine_Gun__PAW1__C2__P5__V3__HB__1	C2	11.00	21	1.000	1.000	0	0	0.729	0.729
Machine_Gun__PAW1__C2__P5__V4__HB__1	C2	15.00	29	1.000	1.000	0	0	0.774	0.774
Machine_Gun__PAW2__C1__P1__V1__HB__3	C1	6.00	10	1.000	1.000	0	0	–	–
Machine_Gun__PAW2__C1__P1__V1__HB__4	C1	6.00	10	1.000	1.000	0	0	–	–
Machine_Gun__PAW2__C1__P2__V1__HB__1	C1	11.00	18	1.000	1.000	0	0	0.709	0.709
Machine_Gun__PAW2__C1__P2__V1__HB__3	C1	9.00	15	1.000	1.000	0	0	0.674	0.674
Machine_Gun__PAW2__C1__P4__V1__HB__1	C1	7.00	11	1.000	1.000	0	0	–	–
Machine_Gun__PAW2__C2__P3__V1__HB__2	C2	9.00	17	1.000	0.941	0	0	0.690	0.665
Machine_Gun__PAW2__C2__P3__V2__HB__1	C2	10.00	19	1.000	1.000	0	0	0.712	0.712
Machine_Gun__PAW2__C2__P5__V3__HB__1	C2	13.00	25	1.000	0.960	0	0	0.755	0.746
Machine_Gun__PAW2__C2__P5__V4__HB__1	C2	13.00	25	1.000	1.000	0	0	0.755	0.755
Machine_Gun__PAW4__C1__P1__V1__HB__1	C1	8.00	13	1.000	1.000	0	0	–	–
Machine_Gun__PAW4__C1__P1__V1__HB__2	C1	8.00	13	1.000	1.000	0	0	–	–
Machine_Gun__PAW4__C1__P2__V1__HB__1	C1	13.00	21	1.000	1.000	0	0	0.733	0.733
Machine_Gun__PAW4__C1__P2__V1__HB__3	C1	10.00	16	1.000	1.000	0	0	0.681	0.681
Machine_Gun__PAW4__C1__P4__V1__HB__1	C1	7.00	11	1.000	1.000	0	0	–	–
Machine_Gun__PAW4__C2__P3__V1__HB__2	C2	9.00	17	1.000	1.000	0	0	0.690	0.690
Machine_Gun__PAW4__C2__P3__V2__HB__1	C2	11.00	21	1.000	0.857	0	0	0.729	0.662
Machine_Gun__PAW4__C2__P5__V3__HB__1	C2	13.00	25	1.000	1.000	0	0	0.755	0.755
Machine_Gun__PAW4__C2__P5__V4__HB__2	C2	11.00	21	1.000	1.000	0	0	0.729	0.729
Machine_Gun__PAW5__C1__P1__V1__HB__2	C1	7.00	11	1.000	1.000	0	0	–	–
Machine_Gun__PAW5__C1__P1__V1__HB__3	C1	7.00	11	1.000	1.000	0	0	–	–
Machine_Gun__PAW5__C1__P2__V1__HB__3	C1	11.00	18	1.000	1.000	0	0	0.709	0.709
Machine_Gun__PAW5__C1__P2__V1__HB__4	C1	9.00	15	1.000	1.000	0	0	0.674	0.674
Machine_Gun__PAW5__C1__P4__V1__HB__2	C1	8.00	13	1.000	1.000	0	0	–	–
Machine_Gun__PAW5__C2__P3__V1__HB__2	C2	9.00	17	1.000	1.000	0	0	0.690	0.690
Machine_Gun__PAW5__C2__P3__V2__HB__1	C2	11.00	21	1.000	0.952	0	0	0.729	0.706
Machine_Gun__PAW5__C2__P5__V3__HB__1	C2	15.00	29	1.000	1.000	0	1	0.774	–
Machine_Gun__PAW5__C2__P5__V4__HB__2	C2	12.00	23	1.000	1.000	0	0	0.744	0.744
Machine_Gun__PAW6__C1__P1__V1__HB__2	C1	8.00	13	1.000	1.000	0	0	–	–
Machine_Gun__PAW6__C1__P2__V1__HB__3	C1	10.00	16	1.000	1.000	0	0	0.681	0.681
Machine_Gun__PAW6__C1__P2__V1__HB__4	C1	10.00	16	1.000	1.000	0	0	0.681	0.681
Machine_Gun__PAW6__C1__P4__V1__HB__2	C1	8.00	13	1.000	1.000	0	0	–	–
Machine_Gun__PAW6__C2__P3__V1__HB__1	C2	10.00	19	0.947	0.842	0	0	0.654	0.647
Machine_Gun__PAW6__C2__P3__V2__HB__2	C2	10.00	19	1.000	0.947	0	0	0.712	0.673
Machine_Gun__PAW6__C2__P5__V3__HB__2	C2	14.00	27	1.000	1.000	0	0	0.765	0.765
Machine_Gun__PAW6__C2__P5__V4__HB__1	C2	13.00	25	1.000	1.000	0	0	0.755	0.755
Machine_Gun__PAW8__C1__P1__V1__HB__1	C1	7.00	11	1.000	1.000	0	0	–	–
Machine_Gun__PAW8__C1__P1__V1__HB__2	C1	7.00	11	1.000	1.000	0	0	–	–
Machine_Gun__PAW8__C1__P1__V1__HB__7	C1	6.00	10	1.000	1.000	0	0	–	–
Machine_Gun__PAW8__C1__P1__V1__HB__8	C1	7.00	11	1.000	1.000	0	0	–	–
Machine_Gun__PAW8__C1__P2__V1__HB__2	C1	10.00	16	1.000	1.000	0	0	0.681	0.681
Machine_Gun__PAW8__C1__P2__V1__HB__3	C1	11.00	18	1.000	1.000	0	0	0.709	0.709
Machine_Gun__PAW8__C1__P2__V1__HB__7	C1	11.00	18	1.000	1.000	0	0	0.709	0.709
Machine_Gun__PAW8__C1__P2__V1__HB__8	C1	11.00	18	1.000	0.889	0	0	0.709	0.654
Machine_Gun__PAW8__C1__P4__V1__HB__1	C1	6.00	10	1.000	1.000	0	0	–	–
Machine_Gun__PAW8__C1__P4__V1__HB__2	C1	8.00	13	1.000	1.000	0	0	–	–
Machine_Gun__PAW8__C2__P3__V1__HB__1	C2	9.00	17	1.000	0.882	0	0	0.690	0.633
Machine_Gun__PAW8__C2__P3__V1__HB__3	C2	10.00	19	1.000	0.895	0	0	0.712	0.589
Machine_Gun__PAW8__C2__P3__V2__HB__1	C2	11.00	21	0.952	0.857	0	0	0.700	0.616
Machine_Gun__PAW8__C2__P3__V2__HB__3	C2	10.00	19	1.000	1.000	0	0	0.712	0.712
Machine_Gun__PAW8__C2__P5__V3__HB__2	C2	14.00	27	1.000	1.000	0	0	0.765	0.765
Machine_Gun__PAW8__C2__P5__V3__HB__4	C2	14.00	27	1.000	1.000	0	0	0.765	0.765
Machine_Gun__PAW8__C2__P5__V4__HB__2	C2	15.00	29	1.000	1.000	0	0	0.774	0.774
Machine_Gun__PAW8__C2__P5__V4__HB__3	C2	15.00	29	1.000	1.000	0	0	0.774	0.774
Machine_Gun__PCW1__C1__P1__V1__HB__2	C1	7.00	11	1.000	1.000	0	0	–	–

Video	Cam.	Dur. s	Windows	A anomaly fraction	AG anomaly fraction	A invalid	AG invalid	A refined mean	AG refined mean
Machine_Gun___PCW1_C1_P1_V1_HB_3	C1	8.00	13	1.000	1.000	0	0	–	–
Machine_Gun___PCW1_C1_P2_V1_HB_1	C1	9.00	15	0.667	0.467	0	0	0.500	0.417
Machine_Gun___PCW1_C1_P2_V1_HB_3	C1	10.00	16	0.312	0.062	0	0	0.281	0.000
Machine_Gun___PCW1_C1_P2_V1_HB_4	C1	10.00	16	0.812	1.000	0	0	0.588	0.681
Machine_Gun___PCW1_C1_P4_V1_HB_1	C1	6.00	10	0.000	1.000	0	0	–	–
Machine_Gun___PCW1_C1_P4_V1_HB_4	C1	6.00	10	0.000	0.000	0	0	–	–
Machine_Gun___PCW1_C2_P3_V1_HB_3	C2	10.00	19	0.947	0.632	0	0	0.668	0.459
Machine_Gun___PCW1_C2_P3_V1_HB_4	C2	10.00	19	0.737	0.368	0	0	0.526	0.255
Machine_Gun___PCW1_C2_P3_V2_HB_2	C2	9.00	17	1.000	1.000	0	0	0.690	0.690
Machine_Gun___PCW1_C2_P3_V2_HB_3	C2	8.00	15	0.933	0.600	0	0	0.621	0.353
Machine_Gun___PCW1_C2_P5_V3_HB_1	C2	8.00	15	1.000	1.000	0	0	0.662	0.662
Machine_Gun___PCW1_C2_P5_V4_HB_2	C2	9.00	17	0.294	0.588	0	0	0.137	0.362
Machine_Gun___PCW2_C1_P1_V1_HB_1	C1	8.00	13	1.000	1.000	0	0	–	–
Machine_Gun___PCW2_C1_P1_V1_HB_2	C1	8.00	13	1.000	1.000	0	0	–	–
Machine_Gun___PCW2_C1_P2_V1_HB_1	C1	10.00	16	0.812	0.688	0	0	0.575	0.548
Machine_Gun___PCW2_C1_P2_V1_HB_4	C1	10.00	16	0.500	0.500	0	0	0.363	0.351
Machine_Gun___PCW2_C1_P4_V1_HB_2	C1	6.00	10	1.000	1.000	0	0	–	–
Machine_Gun___PCW2_C2_P3_V1_HB_1	C2	9.00	17	0.882	0.882	0	0	0.616	0.617
Machine_Gun___PCW2_C2_P3_V2_HB_2	C2	9.00	17	0.706	0.882	0	0	0.500	0.606
Machine_Gun___PCW2_C2_P5_V3_HB_2	C2	10.00	19	1.000	1.000	0	0	0.712	0.712
Machine_Gun___PCW2_C2_P5_V4_HB_1	C2	11.00	21	1.000	1.000	0	0	0.729	0.729
Machine_Gun___PCW4_C1_P1_V1_HB_1	C1	9.00	15	0.933	1.000	0	0	0.644	0.674
Machine_Gun___PCW4_C1_P1_V1_HB_3	C1	6.00	10	1.000	1.000	0	0	–	–
Machine_Gun___PCW4_C1_P2_V1_HB_2	C1	9.00	15	0.800	0.400	0	0	0.581	0.199
Machine_Gun___PCW4_C1_P2_V1_HB_4	C1	9.00	15	1.000	1.000	0	0	0.674	0.674
Machine_Gun___PCW4_C1_P4_V1_HB_1	C1	7.00	11	1.000	1.000	0	0	–	–
Machine_Gun___PCW4_C2_P3_V1_HB_1	C2	8.00	15	1.000	1.000	0	0	0.662	0.662
Machine_Gun___PCW4_C2_P3_V2_HB_1	C2	8.00	15	1.000	0.667	0	0	0.662	0.380
Machine_Gun___PCW4_C2_P5_V3_HB_1	C2	13.00	25	1.000	1.000	0	2	0.755	–
Machine_Gun___PCW4_C2_P5_V4_HB_2	C2	10.00	19	1.000	1.000	0	0	0.712	0.712
Machine_Gun___PCW5_C1_P1_V1_HB_2	C1	8.00	13	1.000	1.000	0	0	–	–
Machine_Gun___PCW5_C1_P1_V1_HB_3	C1	8.00	13	1.000	1.000	0	0	–	–
Machine_Gun___PCW5_C1_P2_V1_HB_3	C1	11.00	18	1.000	1.000	0	0	0.709	0.709
Machine_Gun___PCW5_C1_P2_V1_HB_4	C1	10.00	16	1.000	1.000	0	0	0.681	0.681
Machine_Gun___PCW5_C1_P4_V1_HB_1	C1	7.00	11	1.000	1.000	0	0	–	–
Machine_Gun___PCW5_C2_P3_V1_HB_1	C2	9.00	17	1.000	0.882	0	0	0.690	0.638
Machine_Gun___PCW5_C2_P3_V2_HB_2	C2	8.00	15	1.000	1.000	0	0	0.662	0.662
Machine_Gun___PCW5_C2_P5_V3_HB_1	C2	10.00	19	1.000	0.737	0	0	0.712	0.590
Machine_Gun___PCW5_C2_P5_V4_HB_1	C2	9.00	17	1.000	1.000	0	0	0.690	0.690
Machine_Gun___PCW7_C1_P1_V1_HB_1	C1	8.00	13	1.000	1.000	0	0	–	–
Machine_Gun___PCW7_C1_P1_V1_HB_3	C1	7.00	11	1.000	1.000	0	0	–	–
Machine_Gun___PCW7_C1_P2_V1_HB_1	C1	10.00	16	1.000	1.000	0	0	0.681	0.681
Machine_Gun___PCW7_C1_P2_V1_HB_3	C1	11.00	18	1.000	1.000	0	0	0.709	0.709
Machine_Gun___PCW7_C1_P4_V1_HB_2	C1	7.00	11	1.000	1.000	0	0	–	–
Machine_Gun___PCW7_C2_P3_V1_HB_1	C2	9.00	17	1.000	0.941	0	0	0.690	0.642
Machine_Gun___PCW7_C2_P3_V2_HB_2	C2	8.00	15	1.000	1.000	0	0	0.662	0.662
Machine_Gun___PCW7_C2_P5_V3_HB_2	C2	14.00	27	1.000	1.000	0	0	0.765	0.765
Machine_Gun___PCW7_C2_P5_V4_HB_2	C2	11.00	21	1.000	1.000	0	0	0.729	0.729
Machine_Gun___PCW8_C1_P1_V1_HB_2	C1	8.00	13	1.000	1.000	0	0	–	–
Machine_Gun___PCW8_C1_P1_V1_HB_3	C1	7.00	11	1.000	1.000	0	0	–	–
Machine_Gun___PCW8_C1_P2_V1_HB_2	C1	9.00	15	0.067	0.400	0	0	0.000	0.305
Machine_Gun___PCW8_C1_P2_V1_HB_3	C1	10.00	16	0.000	0.000	0	0	0.000	0.000
Machine_Gun___PCW8_C1_P2_V1_HB_4	C1	10.00	16	0.062	0.062	0	0	0.066	0.000
Machine_Gun___PCW8_C1_P2_V1_HB_5	C1	11.00	18	0.778	0.667	0	0	0.531	0.501
Machine_Gun___PCW8_C1_P4_V1_HB_3	C1	7.00	11	0.091	0.182	0	0	–	–
Machine_Gun___PCW8_C1_P4_V1_HB_4	C1	6.00	10	0.000	0.000	0	0	–	–
Machine_Gun___PCW8_C2_P3_V1_HB_3	C2	9.00	17	0.353	0.235	0	0	0.261	0.191
Machine_Gun___PCW8_C2_P3_V1_HB_4	C2	9.00	17	0.176	0.000	0	0	0.203	0.000
Machine_Gun___PCW8_C2_P3_V2_HB_1	C2	8.00	15	0.267	0.200	0	0	0.130	0.111
Machine_Gun___PCW8_C2_P3_V2_HB_3	C2	9.00	17	0.118	0.294	0	0	0.063	0.222
Machine_Gun___PCW8_C2_P5_V3_HB_1	C2	10.00	19	0.421	0.895	0	0	0.266	0.596
Machine_Gun___PCW8_C2_P5_V4_HB_1	C2	9.00	17	0.588	0.588	0	0	0.391	0.356
Machine_Gun___PCW9_C1_P1_V1_HB_1	C1	8.00	13	1.000	1.000	0	0	–	–
Machine_Gun___PCW9_C1_P1_V1_HB_2	C1	8.00	13	1.000	1.000	0	0	–	–
Machine_Gun___PCW9_C1_P2_V1_HB_3	C1	11.00	18	0.278	0.500	0	0	0.192	0.324
Machine_Gun___PCW9_C1_P2_V1_HB_5	C1	11.00	18	1.000	1.000	0	0	0.709	0.709
Machine_Gun___PCW9_C1_P2_V1_HB_6	C1	9.00	15	1.000	1.000	0	0	0.674	0.674
Machine_Gun___PCW9_C1_P2_V1_HB_8	C1	11.00	18	0.111	0.111	0	0	0.072	0.072
Machine_Gun___PCW9_C1_P4_V1_HB_3	C1	7.00	11	0.909	0.000	0	0	–	–
Machine_Gun___PCW9_C1_P4_V1_HB_4	C1	6.00	10	0.000	0.000	0	0	–	–
Machine_Gun___PCW9_C2_P3_V1_HB_2	C2	8.00	15	1.000	0.933	0	0	0.662	0.645
Machine_Gun___PCW9_C2_P3_V1_HB_4	C2	9.00	17	0.941	0.941	0	0	0.659	0.659
Machine_Gun___PCW9_C2_P3_V2_HB_1	C2	8.00	15	0.067	0.000	0	0	0.000	0.000
Machine_Gun___PCW9_C2_P3_V2_HB_2	C2	8.00	15	1.000	0.867	0	0	0.662	0.616
Machine_Gun___PCW9_C2_P5_V3_HB_2	C2	11.00	21	1.000	1.000	0	0	0.729	0.729
Machine_Gun___PCW9_C2_P5_V4_HB_2	C2	10.00	19	0.895	1.000	0	0	0.640	0.712
No_Gun___N10_C1_P1_V1_HB_1	C1	7.00	11	1.000	0.909	0	0	–	–
No_Gun___N10_C1_P2_V1_HB_1	C1	10.00	16	0.000	0.000	0	0	0.000	0.000
No_Gun___N10_C1_P4_V1_HB_2	C1	6.00	10	0.000	0.000	0	0	–	–
No_Gun___N10_C2_P3_V1_HB_2	C2	9.02	17	0.588	0.412	0	0	0.448	0.320
No_Gun___N10_C2_P3_V2_HB_2	C2	7.02	14	0.000	0.000	0	0	–	–
No_Gun___N10_C2_P5_V1_HB_1	C2	9.00	17	0.176	0.059	0	0	0.097	0.052
No_Gun___N10_C2_P5_V2_HB_1	C2	9.00	17	0.059	0.176	0	0	0.000	0.199
No_Gun___N10_C2_P5_V3_HB_1	C2	9.00	17	0.118	0.118	0	0	0.058	0.098
No_Gun___N10_C2_P5_V4_HB_2	C2	10.00	19	0.263	0.263	0	0	0.146	0.200
No_Gun___N11_C1_P1_V1_HB_1	C1	8.00	13	1.000	1.000	0	0	–	–
No_Gun___N11_C1_P2_V1_HB_2	C1	9.00	15	0.800	0.800	0	0	0.573	0.592
No_Gun___N11_C1_P4_V1_HB_2	C1	6.00	10	1.000	1.000	0	0	–	–
No_Gun___N11_C2_P3_V1_HB_2	C2	9.02	17	0.941	0.765	0	0	0.680	0.587
No_Gun___N11_C2_P3_V2_HB_2	C2	9.02	17	0.059	0.000	0	0	0.051	0.000
No_Gun___N11_C2_P5_V1_HB_2	C2	10.00	19	1.000	1.000	0	0	0.712	0.712
No_Gun___N11_C2_P5_V2_HB_1	C2	9.00	17	0.588	0.765	0	0	0.404	0.501
No_Gun___N11_C2_P5_V3_HB_1	C2	15.00	29	0.897	0.862	0	0	0.737	0.688
No_Gun___N11_C2_P5_V4_HB_1	C2	8.00	15	1.000	1.000	0	0	0.662	0.662
No_Gun___N12_C1_P1_V1_HB_1	C1	9.00	15	0.867	0.600	0	0	0.581	0.482
No_Gun___N12_C1_P2_V1_HB_1	C1	8.00	13	0.000	0.000	0	0	–	–
No_Gun___N12_C1_P2_V1_HB_2	C1	8.00	13	0.000	0.000	0	0	–	–
No_Gun___N12_C1_P4_V1_HB_1	C1	6.00	10	0.000	0.000	0	0	–	–

Video	Cam.	Dur. s	Windows	A anomaly fraction	AG anomaly fraction	A invalid	AG invalid	A refined mean	AG refined mean
No_Gun___N12_C2_P3_V1_HB_2	C2	8.02	15	0.600	0.533	0	0	0.340	0.288
No_Gun___N12_C2_P5_V1_HB_1	C2	9.00	17	0.647	0.235	0	0	0.457	0.166
No_Gun___N12_C2_P5_V2_HB_2	C2	8.00	15	0.600	0.467	0	0	0.445	0.356
No_Gun___N12_C2_P5_V2_HB_3	C2	9.00	17	0.824	0.647	0	0	0.582	0.412
No_Gun___N12_C2_P5_V3_HB_1	C2	9.00	17	1.000	0.765	0	0	0.690	0.525
No_Gun___N12_C2_P5_V4_HB_2	C2	9.00	17	0.588	0.529	0	0	0.397	0.349
No_Gun___N1_C1_P1_V1_HB_1	C1	7.00	11	1.000	1.000	0	0	–	–
No_Gun___N1_C1_P2_V1_HB_1	C1	8.00	13	0.000	0.000	0	0	–	–
No_Gun___N1_C1_P4_V1_HB_1	C1	6.00	10	1.000	0.000	0	0	–	–
No_Gun___N1_C2_P3_V1_HB_2	C2	8.02	15	0.400	0.067	0	0	0.341	0.053
No_Gun___N1_C2_P3_V2_HB_1	C2	9.02	17	0.059	0.059	0	0	0.057	0.000
No_Gun___N1_C2_P5_V1_HB_1	C2	8.00	15	0.067	0.000	0	0	0.046	0.000
No_Gun___N1_C2_P5_V2_HB_1	C2	8.00	15	0.000	0.000	0	0	0.000	0.000
No_Gun___N1_C2_P5_V3_HB_2	C2	12.00	23	0.043	0.087	0	0	0.040	0.031
No_Gun___N1_C2_P5_V4_HB_2	C2	9.00	17	0.118	0.000	0	0	0.082	0.000
No_Gun___N2_C1_P1_V1_HB_1	C1	5.00	8	1.000	1.000	0	0	–	–
No_Gun___N2_C1_P2_V1_HB_1	C1	10.00	16	0.000	0.000	0	0	0.000	0.000
No_Gun___N2_C1_P4_V1_HB_2	C1	5.00	8	1.000	1.000	0	0	–	–
No_Gun___N2_C2_P3_V1_HB_2	C2	7.02	14	0.929	0.214	0	0	–	–
No_Gun___N2_C2_P3_V2_HB_1	C2	7.02	14	0.500	0.214	0	0	–	–
No_Gun___N2_C2_P5_V1_HB_1	C2	7.00	14	0.286	0.357	0	0	–	–
No_Gun___N2_C2_P5_V2_HB_1	C2	8.00	15	0.600	1.000	0	0	0.468	0.662
No_Gun___N2_C2_P5_V3_HB_2	C2	8.00	15	0.333	0.933	0	0	0.117	0.610
No_Gun___N2_C2_P5_V4_HB_2	C2	8.00	15	0.133	0.133	0	0	0.069	0.069
No_Gun___N3_C1_P1_V1_HB_1	C1	5.00	8	1.000	1.000	0	0	–	–
No_Gun___N3_C1_P2_V1_HB_2	C1	7.00	11	0.091	0.000	0	0	–	–
No_Gun___N3_C2_P3_V1_HB_1	C2	7.02	14	0.929	0.643	0	0	–	–
No_Gun___N3_C2_P3_V2_HB_1	C2	7.02	14	1.000	0.571	0	0	–	–
No_Gun___N3_C2_P5_V1_HB_1	C2	7.00	14	0.929	0.929	0	0	–	–
No_Gun___N3_C2_P5_V2_HB_1	C2	6.00	12	1.000	1.000	0	0	–	–
No_Gun___N3_C2_P5_V3_HB_1	C2	6.00	12	1.000	1.000	0	0	–	–
No_Gun___N3_C2_P5_V4_HB_1	C2	7.00	14	1.000	1.000	0	0	–	–
No_Gun___N4_C1_P1_V1_HB_1	C1	8.00	13	1.000	1.000	0	0	–	–
No_Gun___N4_C1_P2_V1_HB_1	C1	10.00	16	0.000	0.000	0	0	0.000	0.000
No_Gun___N4_C1_P4_V1_HB_1	C1	6.00	10	1.000	0.000	0	0	–	–
No_Gun___N4_C2_P3_V1_HB_2	C2	8.02	15	1.000	1.000	0	0	0.662	0.662
No_Gun___N4_C2_P3_V2_HB_1	C2	7.02	14	1.000	0.571	0	0	–	–
No_Gun___N4_C2_P5_V1_HB_1	C2	9.00	17	0.471	0.824	0	0	0.262	0.564
No_Gun___N4_C2_P5_V2_HB_1	C2	9.00	17	0.824	0.882	0	0	0.575	0.644
No_Gun___N5_C1_P1_V1_HB_2	C1	8.00	13	0.769	0.615	0	0	–	–
No_Gun___N5_C1_P2_V1_HB_1	C1	10.00	16	0.000	0.000	0	0	0.000	0.000
No_Gun___N5_C1_P4_V1_HB_2	C1	6.00	10	0.000	0.000	0	0	–	–
No_Gun___N5_C1_P4_V1_HB_4	C1	7.00	11	0.000	0.000	0	0	–	–
No_Gun___N5_C2_P5_V1_HB_1	C2	10.00	19	0.211	0.105	0	0	0.125	0.050
No_Gun___N5_C2_P5_V1_HB_3	C2	9.00	17	0.059	0.176	0	0	0.073	0.125
No_Gun___N5_C2_P5_V2_HB_1	C2	9.00	17	0.235	0.176	0	0	0.208	0.166
No_Gun___N5_C2_P5_V2_HB_4	C2	9.00	17	0.000	0.000	0	0	0.000	0.000
No_Gun___N5_C2_P5_V3_HB_1	C2	10.00	19	0.368	0.579	0	0	0.277	0.384
No_Gun___N5_C2_P5_V4_HB_2	C2	9.00	17	0.059	0.000	0	0	0.063	0.000
No_Gun___N6_C1_P1_V1_HB_2	C1	7.00	11	1.000	0.182	0	0	–	–
No_Gun___N6_C1_P1_V1_HB_3	C1	8.00	13	1.000	1.000	0	0	–	–
No_Gun___N6_C1_P2_V1_HB_2	C1	8.00	13	0.000	0.000	0	0	–	–
No_Gun___N6_C1_P2_V1_HB_4	C1	9.00	15	0.200	0.133	0	0	0.132	0.075
No_Gun___N6_C1_P4_V1_HB_1	C1	7.00	11	0.000	0.727	0	0	–	–
No_Gun___N6_C1_P4_V1_HB_4	C1	7.00	11	0.000	0.000	0	0	–	–
No_Gun___N6_C2_P3_V1_HB_1	C2	8.00	15	1.000	0.800	0	0	0.662	0.545
No_Gun___N6_C2_P3_V1_HB_3	C2	9.00	17	0.882	0.471	0	0	0.558	0.290
No_Gun___N6_C2_P3_V2_HB_1	C2	9.00	17	0.412	0.000	0	0	0.250	0.000
No_Gun___N6_C2_P3_V2_HB_3	C2	9.00	17	0.647	0.294	0	0	0.520	0.250
No_Gun___N6_C2_P5_V1_HB_1	C2	9.00	17	0.294	0.529	0	0	0.175	0.354
No_Gun___N6_C2_P5_V1_HB_2	C2	10.00	19	0.789	0.684	0	0	0.587	0.483
No_Gun___N6_C2_P5_V2_HB_2	C2	10.00	19	0.684	0.474	0	0	0.556	0.367
No_Gun___N6_C2_P5_V2_HB_3	C2	9.00	17	0.412	0.412	0	0	0.294	0.266
No_Gun___N6_C2_P5_V3_HB_1	C2	9.00	17	0.882	0.882	0	0	0.617	0.612
No_Gun___N6_C2_P5_V4_HB_1	C2	11.00	21	0.667	0.524	0	0	0.489	0.402
No_Gun___N7_C1_P1_V1_HB_1	C1	9.00	15	1.000	1.000	0	0	0.674	0.674
No_Gun___N7_C1_P2_V1_HB_2	C1	9.00	15	0.400	0.333	0	0	0.236	0.206
No_Gun___N7_C1_P4_V1_HB_1	C1	7.00	11	0.182	1.000	0	0	–	–
No_Gun___N7_C2_P3_V1_HB_1	C2	8.00	15	0.733	0.533	0	0	0.438	0.286
No_Gun___N7_C2_P3_V2_HB_2	C2	8.00	15	0.733	0.533	0	0	0.509	0.369
No_Gun___N7_C2_P5_V3_HB_2	C2	10.00	19	1.000	0.737	0	0	0.712	0.583
No_Gun___N7_C2_P5_V4_HB_1	C2	10.00	19	0.263	0.421	0	0	0.138	0.312
No_Gun___N8_C1_P1_V1_HB_1	C1	8.00	13	1.000	1.000	0	0	–	–
No_Gun___N8_C1_P2_V1_HB_1	C1	9.00	15	0.933	0.800	0	0	0.636	0.530
No_Gun___N8_C1_P2_V1_HB_4	C1	8.00	13	0.923	0.923	0	0	–	–
No_Gun___N8_C1_P4_V1_HB_1	C1	7.00	11	1.000	1.000	0	0	–	–
No_Gun___N8_C1_P4_V1_HB_3	C1	6.00	10	1.000	1.000	0	0	–	–
No_Gun___N8_C2_P3_V1_HB_1	C2	10.00	19	0.842	0.684	0	0	0.575	0.478
No_Gun___N8_C2_P3_V1_HB_4	C2	10.00	19	0.895	0.895	0	0	0.604	0.641
No_Gun___N8_C2_P3_V2_HB_1	C2	9.00	17	0.882	0.765	0	0	0.621	0.551
No_Gun___N8_C2_P3_V2_HB_3	C2	10.00	19	1.000	0.947	0	0	0.712	0.703
No_Gun___N8_C2_P5_V1_HB_2	C2	11.00	21	0.476	0.286	0	0	0.356	0.201
No_Gun___N8_C2_P5_V1_HB_3	C2	11.00	21	0.762	0.857	0	0	0.569	0.652
No_Gun___N8_C2_P5_V2_HB_3	C2	11.00	21	0.762	0.762	0	0	0.578	0.517
No_Gun___N8_C2_P5_V2_HB_4	C2	12.00	23	0.696	0.609	0	0	0.530	0.418
No_Gun___N8_C2_P5_V3_HB_1	C2	14.00	27	0.519	0.269	0	1	0.420	–
No_Gun___N8_C2_P5_V4_HB_1	C2	10.00	19	0.895	0.895	0	0	0.625	0.658
No_Gun___N9_C1_P1_V1_HB_1	C1	9.00	15	1.000	1.000	0	0	0.674	0.674
No_Gun___N9_C1_P2_V1_HB_1	C1	12.00	19	0.526	0.211	0	0	0.334	0.084
No_Gun___N9_C1_P4_V1_HB_2	C1	7.00	11	1.000	1.000	0	0	–	–
No_Gun___N9_C2_P3_V1_HB_2	C2	10.00	19	1.000	1.000	0	0	0.712	0.712
No_Gun___N9_C2_P3_V2_HB_1	C2	12.00	23	0.957	0.957	0	0	0.694	0.733
No_Gun___N9_C2_P5_V1_HB_2	C2	10.00	19	0.158	0.211	0	0	0.198	0.157
No_Gun___N9_C2_P5_V2_HB_1	C2	11.00	21	0.762	0.810	0	0	0.552	0.616
No_Gun___N9_C2_P5_V3_HB_1	C2	15.00	29	0.483	0.483	0	0	0.355	0.354
No_Gun___N9_C2_P5_V4_HB_2	C2	11.00	21	0.429	0.286	0	0	0.321	0.229